

Cancer in North America: 2009-2013

Volume Three: Registry-specific Cancer Mortality in the United States and Canada



EXECUTIVE SUMMARY

Members of the North American Association of Central Cancer Registries, Inc. (NAACCR) participate voluntarily in an annual call for data to develop a multi-registry, aggregated data resource for cancer surveillance and research. In June 2016, NAACCR released the four volume monograph, *Cancer in North America (CINA): 2009-2013*. This release of cancer incidence statistics for the United States is the 26th publication in the series and the 24th release that includes statistics for both Canada and the United States.

This year's publication includes cancer incidence data for 50 states, the District of Columbia, Puerto Rico, all 5 SEER urban registries, and 12 Canadian registries. CINA includes registry-specific data on stage at diagnosis, survival and delay adjusted estimates of counts and age-adjusted rates for selected cancers. These delay adjustment figures provide a projection of the likely volume of tardy reports of cancer for the time period and is recommended for use in assessing current cancer incidence trends.

Volume One presents the aggregated cancer incidence data, including pediatric cancer and cancer by stage at diagnosis, representing North America including data from the high quality registries in the United States and Canada. Age-adjusted cancer incidence rates for the Canadian and United States populations are provided standardized to the 2000 US, 1996 Canadian, and the world population standards. Combined United States data are presented by race and for Hispanic/Latino ethnicity. New for this year are registry specific delay adjusted rates in Volume One. Volume Two contains registry-specific cancer incidence rates by cancer site, sex, race, ethnicity and stage for all NAACCR members submitting data for inclusion in the monograph. Volume Three presents the registry-specific cancer death rates by cancer site, sex, race, and ethnicity. Volume Four provides cancer survival data for the US and Canada from 45 registries on more than 7.2 million cases diagnosed among North Americans between 2006 and 2012. All four volumes are available free of charge from the NAACCR website, along with population data, supporting appendices, and cancer rates age-adjusted to the US, Canadian and World population standards.

Note that this publication utilizes population estimates that are based upon the United States 2010 and Canada 2011 censuses.

In addition to publication of cancer statistics for the most recent five-year period, the CINA data resource is used to create the CINA+ Online database and NAACCR FastStats (graphic and tables by cancer sites, race/sex, race/ethnicity, age at diagnosis, sex, registry, and data type) for public queries regarding cancer incidence for the most recent five years. The CINA data are also used to develop a discretionary research data set (CINA Deluxe), including data from 1995 to 2013, to facilitate analytic studies conducted by epidemiologists and other qualified researchers. The data within this report are also available as an electronic reproduction of all cancer statistics reported in the CINA monograph for use in SAS analytic software and a discretionary data set of the data in CINA+ Online (named CINA Plus in SEER*Stat) in SEER*Stat software for approved uses by NAACCR members. These preeminent cancer data resources are unparalleled in geographic scope, timeliness of statistics, and assurance of standardization of information and data quality across all contributors, with standard data quality metrics reported for all contributors.

We hope that *Cancer in North America: 2009-2013*, with the companion CINA products and resources, facilitate studies of cancer burden, so that we are better able to identify and understand appropriate and important measures to control the myriad diseases within the cancer rubric. The cancer surveillance infrastructure in the U.S. and Canada has been orchestrated to meet these objectives.

This publication is made possible by the continuing efforts of the NAACCR member registries. High quality standardized cancer incidence data aggregated across the states, provinces, territories, and regions in North America is made possible by the dedication of our members to cancer surveillance.

The Editors would like to acknowledge the fine work and support of the National Cancer Institute, the National Center for Health Statistics and Statistics Canada for their assistance in developing this publication.

The Editors
June 2016

CANCER IN NORTH AMERICA: 2009-2013

VOLUME THREE: REGISTRY-SPECIFIC CANCER MORTALITY IN THE UNITED STATES AND CANADA

**A Publication of the North American Association of Central Cancer Registries, Inc.
(NAACCR)**

Editors:

Glenn Copeland, Michigan Cancer Surveillance Program

Andrew Lake, Information Management Services, Inc.

Rick Firth, Information Management Services, Inc.

Brad Wohler, Florida Cancer Data System

Xiao-Cheng Wu, Louisiana Tumor Registry

Maria J. Schymura, New York State Cancer Registry

Jim Hofferkamp, NAACCR, Inc.

Recinda Sherman, NAACCR Inc.

Betsy Kohler, NAACCR, Inc.



June 2016

The Editorial Subcommittee of the NAACCR Standing Committee, Data Use and Research Committee publishes this monograph. We are grateful to the National Cancer Institute, National Institutes of Health (NCI/NIH) for providing support for the production under Contract No. HHSN261200444001C/ADB Contract No. PC-44401. We acknowledge partial support of NAACCR staff by cooperative agreement U75/CCU52346-05 from the Centers for Disease Control and Prevention (CDC) and by the NCI/NIH Contract No. HHSN261200444001C/ADB Contract No. PC-44401. Its contents are solely the responsibility of the editors and do not necessarily represent the official view of CDC.

NAACCR 2009-2013



SUGGESTED CITATION:

Copeland G, Lake A, Firth R, Wohler B, Wu XC, Schymura M, Hofferkamp J, Sherman R, Kohler B (eds). *Cancer In North America, 2009-2013. Volume Three: Registry-specific Cancer Mortality in the United States and Canada.* Springfield, IL: North American Association of Central Cancer Registries, Inc. June 2016.

TABLE OF CONTENTS

SECTION I: Introduction and Technical Notes I-1

**SECTION II: Average-annual Registry-specific Cancer Death Rates by Race and Sex,
Age-adjusted to the 2000 U.S. and World Population Standards**

UNITED STATES REGISTRIES

Alabama	II-1
Alaska.....	II-5
Arizona.....	II-9
Arkansas.....	II-13
California.....	II-17
CA: Greater Bay Area.....	II-21
CA: Los Angeles.....	II-25
Colorado.....	II-29
Connecticut.....	II-33
Delaware.....	II-37
District of Columbia.....	II-41
Florida.....	II-45
Georgia.....	II-49
GA: Metropolitan Atlanta.....	II-53
Hawaii.....	II-57
Idaho.....	II-61
Illinois.....	II-65
Indiana.....	II-69
Iowa.....	II-73
Kansas.....	II-77
Kentucky.....	II-81
Louisiana.....	II-85
Maine.....	II-89
Maryland.....	II-93
Massachusetts.....	II-97
Michigan.....	II-101
MI: Metropolitan Detroit.....	II-105
Minnesota.....	II-109
Mississippi.....	II-113
Missouri.....	II-117
Montana.....	II-121
Nebraska.....	II-125
Nevada.....	II-129
New Hampshire.....	II-133
New Jersey.....	II-137
New Mexico.....	II-141
New York.....	II-145
North Carolina.....	II-149

Contents

North Dakota	II-153
Ohio	II-157
Oklahoma.....	II-161
Oregon	II-165
Pennsylvania.....	II-169
Rhode Island.....	II-173
South Carolina	II-177
South Dakota	II-181
Tennessee	II-185
Texas.....	II-189
Utah	II-193
Vermont	II-197
Virginia.....	II-201
Washington.....	II-205
WA: Seattle/Puget Sound	II-209
West Virginia.....	II-213
Wisconsin	II-217
Wyoming	II-221
U.S. TERRITORIES	
Puerto Rico	II-225
 CANADIAN REGISTRIES	
Alberta	II-226
British Columbia.....	II-227
Manitoba.....	II-228
New Brunswick	II-229
Newfoundland and Labrador	II-230
Northwest Territories.....	II-231
Nova Scotia.....	II-232
Nunavut	II-233
Ontario.....	II-234
Prince Edward Island.....	II-235
Quebec.....	II-236
Saskatchewan.....	II-237
Yukon	II-238

SECTION III: Average-annual Registry-specific Cancer Death Rates by Sex, Age-adjusted to the 1996 Canadian and World Population Standards

UNITED STATES REGISTRIES	
Alabama.....	III-1
Alaska	III-2
Arizona	III-3
Arkansas	III-4
California.....	III-5
CA: Greater Bay Area	III-6
CA: Los Angeles	III-7
Colorado	III-8

Contents

Connecticut	III-9
Delaware	III-10
District of Columbia	III-11
Florida	III-12
Georgia	III-13
GA: Metropolitan Atlanta	III-14
Hawaii	III-15
Idaho	III-16
Illinois	III-17
Indiana	III-18
Iowa	III-19
Kansas	III-20
Kentucky	III-21
Louisiana	III-22
Maine	III-23
Maryland	III-24
Massachusetts	III-25
Michigan	III-26
MI: Metropolitan Detroit	III-27
Minnesota	III-28
Mississippi	III-29
Missouri	III-30
Montana	III-31
Nebraska	III-32
Nevada	III-33
New Hampshire	III-34
New Jersey	III-35
New Mexico	III-36
New York	III-37
North Carolina	III-38
North Dakota	III-39
Ohio	III-40
Oklahoma	III-41
Oregon	III-42
Pennsylvania	III-43
Rhode Island	III-44
South Carolina	III-45
South Dakota	III-46
Tennessee	III-47
Texas	III-48
Utah	III-49
Vermont	III-50
Virginia	III-51
Washington	III-52
WA: Seattle/Puget Sound	III-53
West Virginia	III-54

Contents

Wisconsin	III-55
Wyoming	III-56
U.S. TERRITORIES	
Puerto Rico	III-57
CANADIAN REGISTRIES	
Alberta	III-58
British Columbia.....	III-59
Manitoba.....	III-60
New Brunswick	III-61
Newfoundland and Labrador	III-62
Northwest Territories.....	III-63
Nova Scotia.....	III-64
Nunavut	III-65
Ontario.....	III-66
Prince Edward Island.....	III-67
Quebec.....	III-68
Saskatchewan.....	III-69
Yukon	III-70

SECTION IV: Cancer Mortality for the United States and Canada

United States	
All Races (2000 U.S. and World populations).....	IV-1
All Races (1996 Canadian and World populations).....	IV-2
Comparison of Selected Site-Specific Death Rates by Registry,	
All Races, Males (2000 U.S. population).....	IV-3
All Races, Males (World population)	IV-5
All Races, Females (2000 U.S. population)	IV-7
All Races, Females (World population).....	IV-9
White (2000 U.S. and World populations).....	IV-12
Comparison of Selected Site-Specific Death Rates by Registry,	
White, Males (2000 U.S. population)	IV-13
White, Males (World population)	IV-15
White, Females (2000 U.S. population).....	IV-17
White, Females (World population).....	IV-19
Black (2000 U.S. and World populations)	IV-22
Comparison of Selected Site	
Black, Males (2000 U.S. population).....	IV-23
Black, Males (World population).....	IV-25
Black, Females (2000 U.S. population)	IV-27
Black, Females (World population)	IV-29
Asian/Pacific Islander (2000 U.S. and World populations)	IV-32
Comparison of Selected Site-Specific Death Rates by Registry,	
Asian/Pacific Islander, Males (2000 U.S. population).....	IV-33
Asian/Pacific Islander, Males (World population).....	IV-35
Asian/Pacific Islander, Females (2000 U.S. population).....	IV-37
Asian/Pacific Islander, Females (World population)	IV-39

Contents

American Indian/Alaska Native (2000 U.S. and World populations).....	IV-42
Hispanic (2000 U.S. and World populations).....	IV-43
Non-Hispanic (2000 U.S. and World populations).....	IV-44

Canada

All Races (2000 U.S. and World populations)	IV-45
All Races (1996 Canadian and World Populations)	IV-46
Comparison of Selected Site-Specific Death Rates by Registry,	
All Races, Males (2000 U.S. population)	IV-47
All Races, Males (1996 Canadian population)	IV-48
All Races, Females (2000 U.S. population).....	IV-49
All Races, Females (1996 Canadian population).....	IV-50

**All Appendices are available on the NAACCR website:
<http://www.naacr.org/DataandPublications/CINAPubs.aspx>**



Section I

Introduction and Technical Notes



Cancer in North America: 2009-2013

INTRODUCTION

The North American Association of Central Cancer Registries, Inc. (NAACCR) is a professional organization that develops and promotes uniform data standards for cancer registration; provides education and training; certifies population based registries; aggregates and publishes data from central cancer registries; and promotes the use of cancer surveillance data and systems for cancer control and epidemiologic research, public health programs, and patient care to reduce the burden of cancer in North America. NAACCR annually produces this statistical monograph on cancer in North America to provide cancer incidence and mortality statistics for the United States, Canada, and North America.

This year marks the 26th annual release of the series of Cancer in North America (CINA) monographs. The 2016 monograph includes data from 67 central population-based registries: 57 from the United States (50 states, the District of Columbia, Puerto Rico and 5 metropolitan areas) and 12 from Canada (9 provinces and 3 territories).

The submitted data reflect 97.7% population coverage of Canada and the United States. Combined, five-year average annual incidence statistics for the United States, for Canada and for North America are created from registries that met or exceeded the NAACCR standards of “fitness for use” in aggregated incidence data for all years, 2009-2013.

Volume One presents the combined U.S. and Canadian statistics for cancer incidence rates across North America. The combined statistics presented in Volume One reflect 96.7% of the U.S. population (47 states and the District of Columbia) and includes statistics from the 9 Canadian registries that met the CINA inclusion requirements, reflecting 37.6% of the Canadian population.

NAACCR issues an annual call for data to member registries to create the CINA monograph and other useful CINA products for data analyses and cancer incidence information (e.g., CINA+ Online, NAACCR FastStats, CINA in SEER*Stat, CINA Plus in SEER*Stat, CINA Monograph data in SAS Data set and CINA Deluxe). For more information on these products and the process for gaining access to them, please visit www.NAACCR.org and select *Research*.

This monograph is a testament to the continuing commitment by population-based cancer registries throughout the United States and Canada. The efforts of the NAACCR membership to collect timely, complete, and accurate data make this publication possible. An Editorial Board of member volunteers, with support from NAACCR staff and staff from Information Management Services, takes on the responsibility to oversee the call for data, evaluate all submissions, and make all editorial decisions in production of the monograph. The objective of this work is to provide timely and useful information on cancer incidence and mortality for all geographic areas and race/ethnic groups in the United States and Canada.

The publication includes U.S. cancer incidence and mortality for white, black, Hispanic/Latino and Asian/Pacific Islander as combined and registry specific rates and American Indian and Alaskan Native populations presented for U.S. counties located in Indian Health Service Contract Health Service Delivery Areas (CHSDA) of the United States (excepting only for Kansas).

In this year’s 2009-2013 Cancer Incidence in North America monograph, registry specific delay adjusted rates will be reported for the first time. Each year, registries submit cases approximately two years after the close of a calendar year (e.g. cases for 2013 were first submitted in the December 2015 NAACCR Call For Data submission). These case counts are then revised in each subsequent submission. Delay adjusted rates represent the observed rate adjusted to estimate what will be the “eventual” case count, providing more accurate trends and levels of incidence rates.

Starting in 2015, a joint effort by NCI, CDC, and the North American Association of Central Cancer Registries (NAACCR) was mounted to develop a unified approach for estimating and reporting delay-adjusted rates across all of the U.S. and Canada. The delay-adjusted rates for NAACCR registries, including SEER registries reported in the Cancer Statistics Review, is based on the data submitted to the North American Association of Central Cancer Registries (NAACCR). Statistical models to estimate delay are estimated for each registry by age (<50, 50-69, 70+), gender (male and female) and race (all races combined, white, black, API), and delay time (for the 2015 submission a delay of 2 years for diagnosis year 2013, 3 years for diagnosis year 2012, etc.) While the statistical models estimate reporting delay registry by age, race, gender, and delay time, delay adjusted rates for any grouping is done in SEER*Stat by weighting each group appropriately.

In this year's release, a different and improved statistical model has been used with the goal of producing more stable estimates. The details of the new modeling are available in the [Development of the Delay Model](#) of the website <http://www-surveillance.cancer.gov/delay/>.

For some registries, there were insufficient historical data available to calculate registry specific delay factors. In order to calculate delay adjusted national statistics, delay factors were applied to registries with missing data using an average of the U.S. or Canadian delay factors.

CONTENTS OF THE CINA MONOGRAPH

This year the CINA monograph is comprised of four volumes as described below. Rates are presented as average-annual, age-adjusted rates using three different standard million populations: the 2000 U.S., the 1996 Canadian, and the World standard populations. We believe that presenting cancer rates adjusted to all three standards enhances the meaning and utility of the rates for users in the United States, Canada, and international settings. All volumes of the CINA publication, including sections containing incidence rates standardized to the World Standard, and the population counts used in the calculation of cancer rates are available for download on the NAACCR website, <http://www.naacccr.org/DataandPublications/CINAPubs.aspx>.

Volume One, Combined Cancer Incidence for the United States, Canada, and North America presents cancer incidence data that have been combined to create five-year, average-annual data for cancers occurring in all persons and for children, aged 0 to 14 and 0 to 19. Registries submitting the data must meet the NAACCR criteria of high quality incidence data indicating that the data are fit for use at the time of data submission. The criteria for the standard are described in detail below in the Data Quality Indicator section. In the United States, cancer counts and incidence rates are presented for all races combined, black, white, Asian/Pacific Islander, American Indian/Alaskan Native, and for Hispanic/Latino, non-Hispanic white, non-Hispanic black populations.

Volume One is comprised of four data sections:

Section two includes the five most common types of cancer by sex in North America, the United States and Canada based on the combined United States and the combined Canadian data. The section also includes the top five most common types of cancer by sex, race and ethnicity in the United States based on the combined United States data.

Section three provides cancer incidence rates for the United States, Canada and North America. The rates for the United States are presented for all races combined, white, black, Asian or Pacific Islander, American Indian/Alaska Native, Hispanic, non-Hispanic white and non-Hispanic black populations for all ages combined. The rates for Canada and North America are presented for all races combined and for all ages combined. Also included in section three are tables of cancer rates for children, aged 0-14 and 0-19 for the United States, Canada and North America. As with the tables for all ages, the pediatric tables are presented by race and ethnicity for the United States and for all races combined for Canada and North America.

Section four contains the frequency counts, percent distribution and age-adjusted rates of cancer by derived summary stage at diagnosis (derived from and following the Collaborative Stage staging system) for female breast, and for prostate, lung, uterine cervix and colorectal cancers. Combined United States data are provided

for white, black, Asian or Pacific Islander, and American Indian/Alaska Native populations with American Indian/Alaska Native data limited to Contract Health Service Delivery Areas counties. In addition, combined United States data, combined Canadian data and combined North America data are provided for all races combined. U.S. data are also provided by Hispanic ethnicity.

Section five provides cancer counts and rates for the time period 2009-2013 that are “delay-adjusted.” This adjustment is done to estimate the number of incident cancer cases that were diagnosed in the time period but whose reporting to a central registry is delayed. These estimates are derived from historic patterns of reporting lag adjusted by various factors including cancer type, sex, age and race/ethnicity. Registries otherwise included in Volume One data are excluded from Section five, if they did not supply the data needed to calculate the delay adjustment for that registry. There were seven registries affected by this with three from the U.S. and four from Canada. A U.S. average and a Canadian average delay factor was calculated and applied to these excluded registries to assure the combined delay-adjusted data are consistent with the incidence rates otherwise presented in Volume One. For more information on the importance of this methodology see the articles by Clegg, Midthune and Zou listed in the references at the end of this section or visit <http://surveillance.cancer.gov/delay/>.

Volume Two, Registry-specific Cancer Incidence in the United States and Canada presents cancer incidence data for NAACCR-member, population-based central cancer registries in Canada and the United States that have agreed to participate in the CINA monograph. Five-year averages of data are presented for the years 2009 to 2013.

Each set of data tables includes demographic and data quality information and registry descriptions to help interpret the statistics reported. The 2016 publication includes registry specific data on stage at diagnosis for female breast, lung, colon and rectum, prostate and uterine cervix cases for all registries submitting stage data for 2009 through 2013. In the United States, cancer incidence rates are calculated for the following race/ethnic populations: all races combined, white, black, Asian or Pacific Islander, American Indian/Alaskan Native for CHSDA counties, Hispanic/Latino (all races), non-Hispanic white, and non-Hispanic black. Race and ethnicity information is not collected in Canada, and thus is not presented.

Volume Three, Registry-specific Cancer Mortality in the United States and Canada presents cancer mortality data for all geographic areas in the United States and Canada.

Volume Four, Cancer Survival Rates in the United States and Canada includes data from 45 registries on more than 7.2 million cases diagnosed among North Americans between 2006 and 2012.

Volume Four is comprised of two data sections:

Section two includes counts, relative survival ratios and confidence intervals for the United States, Canada and North America combined. These statistics are presented for all races by sex and select cancer sites. The tables for each cancer site present statistics by a total, stage and specific age groups for each region. In the United States combined, survival statistics by white and black race are also presented.

Section three includes counts, relative survival ratios and confidence intervals by registry, sex and select cancer sites. Survival statistics are available for the United States and Canadian registries by all races and for the United States registries by white and black race.

SOURCES OF DATA

Cancer Incidence. A cancer registry must be population-based and a NAACCR member in good standing to be included in NAACCR data publications. All cancer registries in the United States and Canada are NAACCR members, including the three territories in Canada and three U.S. territories. An annual request is sent to all members to submit voluntarily a data file for use in CINA, CINA research and data information products, the U.S. *Annual Report to the Nation*, and the American Cancer Society’s *Cancer Facts and Figures* annual publication. All NAACCR member registries receive support from the state, province or territory. In the U.S., they also participate in the National Cancer Institute’s Surveillance, Epidemiology, and End Results (SEER)

Program or the Centers for Disease Control and Prevention's National Program of Cancer Registries (NPCR) or both. In Canada, all registries submit data to the Canadian Cancer Registry maintained by Statistics Canada.

Mortality Data. Mortality data for 2009 to 2013 for United States and Puerto Rico were obtained from the National Center for Health Statistics (NCHS) of the Centers for Disease Control and Prevention (CDC), as provided to the National Cancer Institute (NCI). The Canadian mortality data for 2009 to 2013 were not yet available from Statistics Canada at initial publication, so data for the years 2008-2012 were used for completeness estimations. These data are available from Statistics Canada's Vital Statistics – Death Database (<http://www23.statcan.gc.ca/imdb/p2SV.pl?Function=getSurvey&SDDS=3233>).

Population Estimates. To assist the reader, population estimates by age, sex, and race/ethnicity (where relevant) used in the calculation of rates in the monograph are available for each central registry, the United States and Canada. These data are available online on the NAACCR website at <http://www.naacr.org/DataandPublications/CINAPubs.aspx>.

Population estimates for 2009 through 2013 for the United States, individual states, and SEER metropolitan areas were obtained from the SEER program. These estimates were based on United States Census Bureau population estimates for these years and represent a modification of the annual time series population estimates produced by the Population Estimates Program of the Census Bureau with support from the NCI. The population estimates incorporate bridged, single race estimates that are derived from the original multiple race categories in the 2010 Census. These bridged estimates are consistent with the four race groups enumerated in the 1990 Census and were produced under a collaborative arrangement between the National Center for Health Statistics (NCHS) and the Census Bureau. The methodology implemented by the Census Bureau to develop these county estimates is comparable to that used to produce national and state 1990-2000 intercensal estimates and is described on the Census Bureau's website (National Center for Health Statistics 2003). In 2007, the U.S. Census revised their methodology for population estimation. This revision impacts all population denominators for 2009 to 2013. The main effect of this approach was on specific age groups, particularly, two of the oldest age groups, ages 65-74 and 75 and older. In many states, the new method results in a larger increase in the younger age category and fewer in the older age category than estimated in previous years. Subsequently, this revision contributed to a larger decrease in age-adjusted cancer mortality rates in some states than what was expected based on statistics from last year.

The NCI modifies the Census data for the population estimates for the state of Hawaii. The Epidemiology Program of the Hawaii Cancer Research Center has developed its own set of population estimates, based on sample survey data collected by the Hawaii Department of Health. This effort grew out of a concern that the native Hawaiian population had been vastly undercounted in previous censuses. The "Hawaii adjustment" to the Census Bureau estimates has the net result of reducing the estimated white population and increasing the Asian and Pacific Islander population for the state. The Census Bureau estimates for the total population, black population, and American Indian and Alaska Native populations in Hawaii are unaffected. Refer to the SEER *Cancer Statistics Review, 1975-2006* and its methodologies for specific documentation regarding modifications made by the NCI to the Census Bureau estimates (Horner 2009).

For **Canada**, Statistics Canada provided the estimates of the Canadian population for all Canadian provinces and territories, adjusted for census net under coverage (<http://www5.statcan.gc.ca/cansim/a26?lang=eng&retrLang=eng&id=0510001&pattern=population+estimates&tabMode=dataTable&srchLan=-1&p1=1&p2=-1>).

CANCER SITE CODING, 2009-2013

Incidence Data. All cancer registries use the International Classification of Diseases for Oncology, third edition (ICD-O-3) to code the anatomic site and morphology. Cancer incidence statistics include invasive cancers only, with the exception of *in situ* cancer of the bladder. Although tables include incidence statistics for breast cancer *in situ* and benign tumors of the brain and central nervous system, these cases are not included in any counts or rates of total cancer incidence.

The SEER program site recode groups were used for classifying types of cancer, using anatomic site and morphology. Using this standard ontology, only squamous and basal cell carcinomas of the lip and genital

organs are included in the data reported. All categories used to present pediatric cancer rates in Volume One are based on the International Classification of Childhood Cancer, third edition (ICCC-3) (Steliarova-Foucher 2005).

Summary tables of all codes and site groups for incidence can be found in the electronic copy of the CINA Monograph Appendices on the NAACCR website, <http://www.naacrr.org/DataandPublications/CINAPubs.aspx>.

Mortality Data. Underlying cause of death was coded using the International Classification of Diseases version 10 (ICD-10). Cancer deaths were defined as those coded C00 through C97 in ICD-10.

The SEER mortality recode scheme was used to classify cancer deaths into the groupings used in the volume III (see Appendix B on the NAACCR website, <http://www.naacrr.org/DataandPublications/CINAPubs.aspx>).

Hispanic/Latino Ethnicity Identification. The ethnicity available in medical records and reported to cancer registries is enhanced by the use of the NAACCR Hispanic Identification Algorithm, version 2 (NHIAv2). NHIAv2 uses a combination of NAACCR variables including direct identification of ethnicity from the Spanish/Hispanic Origin variable (NAACCR data element 190 values 1-6), and information indirectly derived based on an evaluation of the strength of the birthplace, race, and surname (including maiden name when available) associations with Hispanic ethnicity status. After applying NHIAv2, cases not ultimately classified as Hispanic are classified as non-Hispanic, leaving no cases with “unknown” Hispanic status. The NHIAv2 algorithm allows the user to run the program using one of three possible options:

1) All Records: Surname portion is run on 0 (non-Hispanic), 7 (surname only), and 9 (unknown) for all counties. After the algorithm, item 190 codes (0, 7, 9) are either NHIA - Hispanic or non-Hispanic.

2) Option 1: (The default) For counties with 5% or more Hispanics - as for all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only) and 9 (unknown). After the algorithm, item 190 codes (7, 9) are either NHIA - Hispanic or non-Hispanic.

3) Option 2: For counties with 5% or more Hispanics - as for all records option. For counties with < than 5% Hispanic, surname portion is run on 7 (surname only). These become either NHIA - Hispanic or non-Hispanic. All cases coded to 9 on item 190 are converted to NHIA - non-Hispanic.

A comparison of the direct and indirect categorization of Hispanic ethnicity is provided in the Appendix F available from the NAACCR Website, <http://www.naacrr.org/DataandPublications/CINAPubs.aspx>.

The NHIAv2 method is described in detail elsewhere. (NAACCR Race and Ethnicity Work Group, 2011; NAACCR Guideline for Enhancing Hispanic-Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2.2.1], Revised September 12, 2011.)

[URL: <http://www.naacrr.org/LinkClick.aspx?fileticket=6E200T41TcA%3d&tabid=118&mid=458>. Last Accessed, May 26, 2015]

Asian/Pacific Islander Identification. The information on Asian and Pacific Islander populations is also enhanced by submitting registries using a NAACCR developed algorithm (NAACCR, 2010). The NAACCR Asian Pacific Islander Identification Algorithm version 1 (NAPIIA v1.2.1) uses a combination of NAACCR variables to classify cases directly or indirectly as Asian/Pacific Islander for analytic purposes. It is focused on coding cases with a race code of Asian NOS (race code 96) or Pacific Islander NOS (race code 97) to a more specific Asian or Pacific Islander race category, using the birthplace and name fields (first, last, and maiden names). Birthplace can be used to indirectly assign a specific race to one of eight Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, Thai, and Cambodian) and three Pacific Islander groups (Samoan, Micronesian, and Polynesian). Names can be used to indirectly assign a specific race to one of seven Asian groups (Chinese, Japanese, Vietnamese, Korean, Asian Indian, Filipino, and Hmong) and three Pacific Islander groups (Hawaiian, Guamanian, and Samoan). The algorithm uses the following NAACCR standard variables: Race 1 through Race 5 (NAACCR Items 160 through 164), Name – Last (NAACCR Item 2230), Name – First (NAACCR Item 2240), Name – Maiden (NAACCR Item 2390), Birthplace (NAACCR Item 250), Sex (NAACCR Item 220).

Misclassification of American Indian and Alaskan Native Populations. The collection of accurate information on the cancer incidence in American Indian and Alaskan Native populations is hampered by misclassification of this population within cancer case reports. In order to address this problem, cancer registries in the United States coordinate with the Centers for Disease Control and the Bureau of Indian Affairs to link their case files to the enrollment files of the Indian Health Service (Espey, et al., 2008). This process identifies significant numbers of American Indians and Alaskan Natives that were otherwise classified within the cancer case report. The improved information on this population enables calculation of much more accurate cancer incidence rates. As presented in the incidence volumes, the data on American Indians and Alaskan natives are restricted to those counties where Indian Health Service Clinics are located, namely Contract Health Service Delivery Area (CHSDA) counties. This restriction assures that the incidence data presented is the best available data for this population.

DATA QUALITY INDICATORS

NAACCR assesses the quality of cancer incidence data from individual registries for a number of data quality indicators, which are described in detail below. Results for these indicators can be found in the *Cancer in North America, 2009-2013* Appendices on the NAACCR website. A dash in the tables indicates that data were not submitted for the year or were not able to be calculated.

In order to be included in the NAACCR Combined rates presented in Volume One, the data had to meet the criteria for high quality incidence data. These criteria were applied to each year of data individually, except for the estimate of duplicate reports, which was calculated for the years 2009 to 2013 as a whole.

- Data for 2009 through 2013 had to be submitted to NAACCR by December 1, 2015.
- The estimate of duplicate case reports had to be less than 2 duplicate reports per 1000 cases.
- All cases had to pass the edits on variables needed to compute cancer incidence rates by site, sex, race, and tumor descriptions on the NAACCR Call for Data EDITS metafile.
- Fewer than 3% of cases had missing information for sex, county of residence at diagnosis, and age at diagnosis, and fewer than 5% of the cases had an unknown race.
- Death clearance must be completed for 2009 through 2013 mortality with the percent of all cases derived from death certificates only (DCOs) of less than 5%.
- The NAACCR method to estimate completeness of case ascertainment yielded an estimate of 90% or higher.
- All cases had to pass the inter-record edits on cases reporting multiple primary cancers, as determined by the standard Inter-record EDITS program developed for the NAACCR Call for Data submissions.

To be included in the combined stage data, the registry must meet the requirements for being included in the combined rates (above), have submitted stage data for all years 2009 through 2013 and provided the derived summary stage field in their submission.

To be included in the delay adjusted data, the registry must meet the requirements for being included in the combined rates, have submitted data for all years 2009 through 2013 and have provided the data needed to calculate the delay factors.

The selection criteria for including registry data in Volume Four on cancer survival included meeting the criteria for inclusion in the combined incidence rates and providing the follow up fields required for the survival calculations. In addition, the data either needed to meet the SEER standards for follow-up or the registry needed to have ascertained deaths through the study cutoff date (December 31, 2012). To meet the SEER standard for follow-up, a minimum of 90% of patients needed to have follow-up dates on or after January 1, 2013, or be deceased. For U.S. registries that did not meet the SEER standard for follow-up, it was necessary to conduct state death linkages and linkage with the National Death Index. For Canadian registries, it was necessary to conduct death linkages within the province or territory. Registry data also were required to have no irregularities in the variables that are key to the survival calculations.

Duplicate Case Records. Most central cancer registries rely on multiple reporting sources for cancer case reports. At the central cancer registry, multiple reports for the same patient must then be matched and the information from all records consolidated. In addition to determining whether multiple reports refer to the same individual, central cancer registry staff must also determine whether the tumor represents a new primary tumor or a duplicate report for a tumor already recorded. Failure to eliminate duplicate cases and duplicate tumors results in over-counting cancer cases. As a part of routine cancer registry operations, a variety of tools are used to ensure accurate case linkage and case consolidation. As part of the preparation of the data submission to NAACCR, each registry uses the NAACCR protocol to determine the adequacy of case linkage and consolidation operations in identifying duplicate records.

The NAACCR protocol for assessing duplicate cases can be found on the NAACCR website, <http://www.naacccr.org>.

Completeness of Case Ascertainment. In order to evaluate case completeness for all geographic areas included in this monograph, the NAACCR Method to Estimate Completeness is used. The method is described in detail elsewhere (Wu, et al., 2002; Howe, 2007). A data analysis tool is available on the NAACCR website, <http://www.naacccr.org/Research/DataAnalysisTools.aspx>, that documents and calculates sex-, race-, and site-specific estimates based on observed incidence counts and rates, observed local cancer death rates, and a standard rate ratio of incidence to mortality. In addition, adjustments are made to the calculations to account for some variation in sex-, race- and site-specific variation in case fatality. The method assumes that the relationship between incidence rates and mortality rates are stable. However, with the recent annual decreases in cancer death rates, and the awareness that the decreases are not the same in all parts of the United States and Canada, it appears that this assumption is being challenged with a noticeable bias in an upward migration of completeness estimates for many locales. The completeness estimates provided in this publication used mortality data for the years 2009-2013 to determine completeness in U.S. registries and Canadian registries. The percent completeness presented for each registry and used to determine inclusion of individual registry data in the combined rates presented in Volume One were based upon rate ratios of 2009-2013 SEER 11 incidence rates divided by 2009-2013 U.S. mortality rates.

Missing Case Information. NAACCR has developed standards for completeness of data on key data items that are needed to produce meaningful cancer incidence statistics. These key data items include race, sex, county of residence at diagnosis, and age at diagnosis. Cases with unknown sex or age are omitted from all calculations. Cases with unknown race and county of residence were included in the cancer counts and rates for all races and/or all counties combined.

Death Certificate Only Cases. The proportion of cases identified by death certificate only (DCO) is an indicator of data quality and completeness. Central cancer registries use death certificates to identify potentially missed cases and to conduct follow back on cases that have cancer on the death certificate but who are not incident cases in the registry. Cases without follow back information are considered to be DCO cases and may have incomplete or missing information, including date of diagnosis and stage at diagnosis. For DCO cases, the date of death is used as the date of diagnosis. Registries that did not use death certificates as a source of case ascertainment have “na” listed in the death certificate only row on the registry description page.

Data Reliability and Accuracy. All data submitted to NAACCR are evaluated for reliability and accuracy using the EDITS program and a specific set of edits incorporated into a Call for Data Edits Metafile. An edit reviews the internal consistency between and among data elements, such as anatomic site and morphology. Cases that are identified as having errors are reviewed by registry staff and resolved prior to their NAACCR submission. The NAACCR Call for Data EDITS metafile is available on the NAACCR website. [URL <http://www.naacccr.org/DataandPublications/CallforData.aspx>, Last accessed June 1, 2016].

An inter-record edits program, developed by the Centers for Disease Control and Prevention, is used to identify errors among the records reported for persons who have had multiple tumors diagnosed. For example, an inter-record edit will identify whether birthplace is the same on all reports of multiple tumors that are reported for one individual.

Timeliness of Data. The NAACCR standard defines timely data as data that are available for use in incidence statistics within 23 months of the close of a diagnostic year (i.e., December 1, 2015 for all cases diagnosed in 2013).

Site-Specific Microscopic Confirmation. This criterion is not used by NAACCR to determine high quality for the purposes of this publication. However, it is a useful indicator of quality of data collection. A proportion of microscopically confirmed cases that is too high or low may suggest problems in case ascertainment or abstracting. However, this proportion varies by cancer site. For sites that are more likely to rely on a clinical or radiological diagnosis, e.g., cancers of the pancreas and brain, confirmation rates that are too high may suggest that some clinically diagnosed cases are missing. Also, registries that do not use death certificates for case finding have an artificially high proportion of microscopically confirmed cases, because DCO cases by definition do not have information on whether the tumor was microscopically confirmed. While no NAACCR standard has been determined for microscopic confirmation, the guideline we use is that the proportion should fall between 92 and 96 percent of all cancer cases, based on the experience of the SEER program.

CALCULATION OF STATISTICS

Rates. Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age (Ries, et al. 2005), the 1996 Canadian population standard (Statistics Canada, 2003), and to the World population standard (Parkin, et al., 2002). Rates for children and adolescents in Volume One were expressed per million population. The incidence and death rates in this monograph are annual averages for the period 2009 through 2013. The age distributions of the three population standards are as follows:

AGE GROUP	2000 U.S.	1996 CDN.	WORLD
00 years	3,794,901	12,342	24,000
01-04 years	15,191,619	53,893	96,000
05-09 years	19,919,840	67,985	100,000
10-14 years	20,056,779	67,716	90,000
15-19 years	19,819,518	67,841	90,000
20-24 years	18,257,225	67,761	80,000
25-29 years	17,722,067	72,914	80,000
30-34 years	19,511,370	87,030	60,000
35-39 years	22,179,956	88,510	60,000
40-44 years	22,479,229	80,055	60,000
45-49 years	19,805,793	71,847	60,000
50-54 years	17,224,359	55,812	50,000
55-59 years	13,307,234	44,869	40,000
60-64 years	10,654,272	40,705	40,000
65-69 years	9,409,940	37,858	30,000
70-74 years	8,725,574	32,589	20,000
75-79 years	7,414,559	23,232	10,000
80-84 years	4,900,234	15,424	5,000
85+ years	4,259,173	11,617	5,000
Total	274,633,642	1,000,000	1,000,000

Standard Errors. Standard errors (S.E.) of the rates were calculated using the formula:

$$S.E. = \sqrt{\sum \frac{w_j^2 n_j}{p_j^2}}$$

where w_j = the fraction of the standard population in age group j , n_j = number of cases or deaths in that age group, and p_j = person years denominator (Breslow and Day, 1987). For many registries, the standard errors of the rates are small, as the population covered is large. However, for registries that cover a small population, the standard error may be substantial.

Confidence Intervals. Although not reproduced in the printed monograph, bar charts of the registry-specific, age-adjusted rates with 95 percent confidence intervals (Tiwari, et al., 2006) are available on the NAACCR website (<http://www.naacr.org/DataandPublications/CINAPubs.aspx>). The confidence intervals allow the user to assess the precision of the estimate and is an approximate and conservative indicator of whether a registry's rate is statistically higher or lower than the rate for the combined United States, based on whether or not the upper or lower limit of the confidence interval overlaps the 95% confidence interval for the United States.

Comparison of Rates. In addition to true regional variation in cancer risk, differences in cancer incidence or mortality rates between areas may be due to either differences in the demographic makeup of the population or differences in data quality. In making valid comparisons of cancer incidence rates among registries, it is important to review the data quality indicators for each registry and consider differences in the racial composition of the populations being compared before conclusions are drawn about variations in regional rates. Interpretation without consideration of these factors may contribute to misleading or inaccurate conclusions.

The standard error of adjusted rates can be used to evaluate the statistical significance of rate differences among comparable populations. For example, if the adjusted rates in two populations are R_1 and R_2 and their standard errors are $S.E._1$ and $S.E._2$, an approximate confidence interval for the rate ratio can be calculated using the following formula:

$$(R_1/R_2)^{1 \pm z/x}$$

where $x = (R_1 - R_2) / \sqrt{(S.E._1^2 + S.E._2^2)}$ and $z = 1.96$ for 95% limits (Parkin, et al., 1992). If this interval does not include one, the two rates are statistically significantly different at a p value of 0.05. This test can be inaccurate for rates based on fewer than 16 cases or deaths, and it should not be used for rates based on fewer than six cases or deaths. It should be emphasized that this kind of comparison of adjusted rates must be undertaken with caution as misleading conclusions may be drawn if the ratios of the age specific rates in the two populations are not constant in all age groups. In these circumstances, the ratios of the adjusted rates will vary according to the standard populations used (Esteve, et al., 1994).

Cell Suppression. Counts and rates were suppressed (indicated by “-”) in the tables if the race, gender, and site-specific number of cases for incidence was less than six or when the number of deaths was less than ten. Complementary cell suppression was employed, when necessary, to prevent the contents of a single suppressed cell from being calculated. These counts are included in the calculation of all sites combined. A dash is also used to indicate not applicable, as in the gender specific cancers. If the rate was less than 0.05 per 100,000 then the rate is listed as 0.0.

REFERENCES

Anderson RN, Minino AM, Hoyert DL, Rosenberg HM. Comparability of cause of death between ICD-9 and ICD-10: Preliminary estimates. *National Vital Statistics Reports 2001*;49:1-32.

Breslow NE and Day NE. *Statistical Methods in Cancer Research. Vol. II.* 1987. International Agency for Research on Cancer: Lyon, France.

Clegg LX, Feuer EJ, Midthune D, Fay MP, Hankey BF. Impact of reporting delay and reporting error on cancer incidence rates and trends. *J Natl Cancer Inst* 2002;94:1537-45.

Espey DK, Wiggins CL, Jim MA, Miller BA, Johnson CJ, Becker TM. Methods for improving cancer surveillance data in American Indian and Alaska Native populations. *Cancer*. 2008 Sep 1;113(5 Suppl):1120-30.

Espey DK, Wu XC, Swan J, Wiggins C, Jim MA, Ward E, Wingo PA, Howe HL, Ries LA, Miller BA, Jemal A, Ahmed F, Cobb N, Kaur JS, Edwards BK. Annual report to the nation on the status of cancer, 1975-2004, featuring cancer in American Indians and Alaska Natives. *Cancer*. 2007 Nov 15;110(10):2119-52.

Esteve J, Benhamou E, and Raymond L. *Statistical Methods in Cancer Research*. Vol. V. 1994. International Agency for Research on Cancer: Lyon, France.

Horner MJ, Ries LAG, Krapcho M, Neyman N, Aminou R, Howlader N, Altekruse SF, Feuer EJ, Huang L, Mariotto A, Miller BA, Lewis DR, Eisner MP, Stinchcomb DG, Edwards BK (eds). *SEER Cancer Statistics Review, 1975-2006*, National Cancer Institute. Bethesda, MD

[URL: http://www.seer.cancer.gov/csr/1975_2006/, based on November 2008 SEER data submission, posted to the SEER web site, 2009.]

Howe HL, Carozza S, O'Malley C, Dolecek TA, Finch JL, Kohler B, Wet D, Liu L, Schymura MJ, Williams M, Abe T, Agovino P, Chen VW, Firth R, Harkins D, Hotes, J, Lake A, Roney D, Suarez L (eds). *Cancer in U.S. Hispanics/Latinos, 1995-2000*. Springfield (IL): North American Association of Central Cancer Registries, December 2003.

Johnson CH, Peace S, Adamo P, Fritz A, Percy-Laurry A, Edwards BK. *The 2007 Multiple Primary and Histology Coding Rules*. National Cancer Institute, Surveillance, Epidemiology and End Results Program. Bethesda, MD, 2007.

Midthune DN, Fay MP, Clegg LX, Feuer EJ. Modeling reporting delays and reporting corrections in cancer registry data. *J Am Stat Assoc* 2005;100(469):61-70.

NAACCR Expert Panel in Hispanic Identification. *Report of the NAACCR Expert Panel on Hispanic Identification 2003*. Springfield (IL): North American Association of Central Cancer Registries, October 2003.

NAACCR Latino Research Work Group. *NAACCR Guideline for Enhancing Hispanic/Latino Identification: Revised NAACCR Hispanic/Latino Identification Algorithm [NHIA v2]*. Springfield (IL): North American Association of Central Cancer Registries. September 2005.

[URL: <http://www.naacr.org/Research/DataAnalysisTools.aspx>. Last accessed May 26, 2015].

NAACCR Method to Estimate Completeness. A Data Analysis Tool for Calculations.

[URL: <http://www.naacr.org/Research/DataAnalysisTools.aspx>. Last accessed May 26, 2015].

NAACCR Race and Ethnicity Work Group. *NAACCR Asian Pacific Islander Identification Algorithm [NAPIIA v1.2.1]*. Springfield, IL: North American Association of Central Cancer Registries, September 2010.

National Center for Health Statistics. *U.S. Census Populations with Bridged Race Categories*. September 2003. [URL: http://www.cdc.gov/nchs/nvss/bridged_race.htm. Last Accessed, May 26, 2015].

Parkin D.M., Whelan S.L., Ferlay J., Teppo L., Thomas D., Thomas D.B. *Cancer Incidence in Five Continents*. Vol. VIII. 2002. International Agency for Research on Cancer: Lyon, France.

SEER. 2000 U.S. Standard Population vs. Standard Million. 13 December 2004.

http://seer.cancer.gov/stdpopulations/single_age.html

Steliarova-Foucher E, Stiller C, Lacour B, Kaatsch P. International Classification of Childhood Cancer, third edition. *Cancer* 2005;103:1457-67.

Tiwari RC, Clegg LX, Zou Z. Efficient interval estimation for age-adjusted cancer rates. *Stat Methods Med Res* 2006;15:547-569.

Weir HK, Johnson CJ, Mariotto AB, Turner D, Wilson RJ, Nishri D, Ward KC. Evaluation of North American Association of Central Cancer Registries' (NAACCR) data for use in population-based cancer survival studies. *J Natl Cancer Inst Monogr*. 2014 Nov;2014(49):198-209.

Wu XC, Hotes J, Fulton JP, Cormier M, Correa C, McLaughlin CC, Kosary C, Howe HL, Chen VW (Eds.) *Cancer in North America, 1996-2000, Volume One: Introduction and Technical Notes, Incidence*. April 2002. [URL: <http://www.naaccr.org/DataandPublications/CINA19962000.aspx>. Last accessed May 26, 2015].

Zou J, Huang L, Midthune D, Horner MJ, Krapcho M, Feuer EJ. Effect of reporting year on delay modeling. Statistical Research and Applications Branch, National Cancer Institute; 2009. Technical Report #2009-01
Clegg LX, Feuer EJ, Midthune D, Fay MP, Hankey BF. Impact of reporting delay and reporting error on cancer incidence rates and trends. *J Natl Cancer Inst* 2002;94:1537-45. [Full Text]

Midthune DN, Fay MP, Clegg LX, Feuer EJ. Modeling reporting delays and reporting corrections in cancer registry data. *J Am Stat Assoc* 2005;100(469):61-70. [View Abstract]

Zou J, Huang L, Midthune D, Horner MJ, Krapcho M, Feuer EJ. Effect of reporting year on delay modeling. Statistical Research and Applications Branch, National Cancer Institute; 2009. Technical Report #2009-01. Available from: <http://surveillance.cancer.gov/reports/>



Section II

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 2000 U.S. and
World Population Standards



Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,332	242.3	1.49	142.1	0.87	22,988	150.2	1.00	92.3	0.67
Oral Cavity & Pharynx	535	4.3	0.19	2.9	0.13	210	1.3	0.09	0.8	0.06
Digestive System	6,941	57.5	0.71	35.8	0.44	5,008	32.5	0.47	19.1	0.30
Esophagus	901	7.2	0.25	4.8	0.16	225	1.5	0.10	0.9	0.06
Stomach	535	4.6	0.20	2.8	0.12	363	2.4	0.13	1.4	0.08
Colon & Rectum	2,475	21.1	0.44	12.7	0.26	2,097	13.7	0.30	8.0	0.19
Liver	1,031	8.0	0.26	5.4	0.17	425	2.8	0.14	1.7	0.09
Pancreas	1,612	13.3	0.34	8.2	0.21	1,498	9.6	0.25	5.5	0.16
Respiratory System	10,032	83.1	0.86	50.3	0.52	6,332	40.9	0.52	25.4	0.34
Larynx	305	2.4	0.14	1.6	0.09	72	0.5	0.05	0.3	0.04
Lung & bronchus	9,680	80.3	0.84	48.5	0.51	6,236	40.3	0.51	25.0	0.34
Skin	683	5.9	0.23	3.4	0.14	314	2.1	0.12	1.3	0.08
Melanomas of the skin	514	4.4	0.20	2.6	0.12	253	1.7	0.11	1.1	0.08
Breast	35	0.3	0.05	0.2	0.03	3,340	22.2	0.39	14.6	0.27
Female Genital System	-	-	-	-	-	2,364	15.7	0.33	10.0	0.22
Cervix uteri	-	-	-	-	-	422	3.1	0.16	2.3	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	533	3.4	0.15	2.2	0.10
Ovary	-	-	-	-	-	1,270	8.2	0.23	5.0	0.15
Male Genital System	2,605	25.7	0.52	11.5	0.23	-	-	-	-	-
Prostate	2,549	25.2	0.51	11.1	0.23	-	-	-	-	-
Testis	28	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,501	13.4	0.36	7.2	0.19	688	4.4	0.17	2.4	0.10
Bladder	758	7.1	0.27	3.4	0.13	280	1.8	0.11	0.9	0.06
Kidney & renal pelvis	710	6.0	0.23	3.6	0.14	395	2.5	0.13	1.5	0.08
Brain & Other Nervous System	763	6.1	0.23	4.3	0.17	606	4.0	0.17	2.8	0.12
Endocrine System	93	0.8	0.09	0.6	0.06	122	0.8	0.08	0.6	0.06
Thyroid gland	50	0.4	0.06	0.3	0.04	73	0.5	0.06	0.3	0.04
Lymphomas	915	8.2	0.28	4.6	0.16	813	5.3	0.19	2.9	0.11
Hodgkin Lymphoma	54	0.4	0.06	0.3	0.05	46	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	861	7.7	0.27	4.2	0.15	767	5.0	0.18	2.7	0.11
Multiple Myeloma	559	5.0	0.22	2.7	0.12	496	3.2	0.14	1.8	0.09
Leukemias	1,146	10.4	0.32	5.7	0.18	831	5.5	0.19	3.2	0.13
Other, Ill-defined & Unknown	2,524	21.6	0.44	12.9	0.27	1,864	12.2	0.29	7.4	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	21,910	233.5	1.62	136.1	0.96	17,471	147.1	1.13	89.9	0.76
Oral Cavity & Pharynx	394	4.0	0.21	2.7	0.14	169	1.4	0.11	0.8	0.07
Digestive System	5,114	53.4	0.77	32.8	0.48	3,516	29.3	0.50	17.2	0.32
Esophagus	709	7.2	0.28	4.7	0.18	156	1.3	0.10	0.8	0.07
Stomach	324	3.5	0.20	2.1	0.12	206	1.7	0.12	1.0	0.08
Colon & Rectum	1,799	19.2	0.47	11.5	0.28	1,466	12.3	0.33	7.2	0.21
Liver	751	7.5	0.28	4.9	0.18	306	2.6	0.15	1.6	0.10
Pancreas	1,246	12.9	0.37	7.8	0.23	1,079	8.9	0.27	5.1	0.17
Respiratory System	7,933	81.8	0.94	49.2	0.57	5,278	43.8	0.61	27.3	0.41
Larynx	210	2.1	0.15	1.4	0.10	51	0.4	0.06	0.3	0.04
Lung & bronchus	7,690	79.3	0.93	47.6	0.56	5,209	43.2	0.61	26.9	0.40
Skin	651	7.0	0.28	4.1	0.17	298	2.7	0.16	1.7	0.11
Melanomas of the skin	507	5.4	0.25	3.3	0.15	244	2.2	0.15	1.5	0.11
Breast	26	0.3	0.06	0.2	0.03	2,319	20.0	0.43	12.9	0.29
Female Genital System	-	-	-	-	-	1,688	14.6	0.36	9.3	0.25
Cervix uteri	-	-	-	-	-	263	2.7	0.17	2.0	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	296	2.5	0.15	1.5	0.10
Ovary	-	-	-	-	-	1,018	8.5	0.27	5.2	0.18
Male Genital System	1,678	20.3	0.51	8.9	0.23	-	-	-	-	-
Prostate	1,630	19.8	0.50	8.5	0.22	-	-	-	-	-
Testis	26	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	1,267	14.0	0.40	7.4	0.22	524	4.3	0.19	2.4	0.12
Bladder	673	7.7	0.31	3.7	0.15	216	1.7	0.12	0.9	0.07
Kidney & renal pelvis	568	6.0	0.26	3.6	0.16	297	2.5	0.14	1.4	0.10
Brain & Other Nervous System	666	6.8	0.27	4.8	0.20	541	4.7	0.21	3.3	0.16
Endocrine System	72	0.8	0.09	0.6	0.07	87	0.8	0.09	0.6	0.08
Thyroid gland	42	0.4	0.07	0.3	0.04	50	0.4	0.06	0.2	0.04
Lymphomas	783	8.7	0.32	4.8	0.18	686	5.7	0.22	3.0	0.13
Hodgkin Lymphoma	41	0.4	0.07	0.3	0.05	35	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	742	8.2	0.31	4.5	0.17	651	5.4	0.21	2.8	0.13
Multiple Myeloma	403	4.4	0.23	2.3	0.12	308	2.5	0.14	1.3	0.08
Leukemias	979	11.0	0.36	6.0	0.21	680	5.8	0.23	3.3	0.15
Other, Ill-defined & Unknown	1,944	20.9	0.49	12.3	0.29	1,377	11.7	0.32	6.9	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,315	290.2	3.94	172.7	2.20	5,385	164.2	2.28	102.9	1.48
Oral Cavity & Pharynx	140	5.5	0.49	3.9	0.34	40	1.1	0.18	0.8	0.13
Digestive System	1,798	77.5	1.97	49.1	1.17	1,455	45.0	1.20	26.5	0.74
Esophagus	190	7.4	0.57	5.3	0.39	68	2.1	0.26	1.3	0.16
Stomach	207	9.5	0.71	5.7	0.40	151	4.7	0.39	2.8	0.24
Colon & Rectum	668	30.6	1.28	18.2	0.72	622	19.2	0.78	11.2	0.48
Liver	271	9.8	0.64	7.2	0.45	107	3.3	0.33	2.0	0.21
Pancreas	361	15.3	0.87	9.9	0.53	413	13.0	0.65	7.4	0.39
Respiratory System	2,064	91.1	2.16	56.5	1.26	1,015	30.9	0.99	19.4	0.64
Larynx	95	3.8	0.42	2.5	0.26	21	0.6	0.13	0.4	0.09
Lung & bronchus	1,956	86.8	2.11	53.6	1.23	988	30.1	0.98	18.8	0.63
Skin	29	1.3	0.26	0.8	0.15	16	0.5	0.12	0.3	0.07
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	999	29.4	0.95	20.2	0.67
Female Genital System	-	-	-	-	-	667	20.6	0.81	13.2	0.54
Cervix uteri	-	-	-	-	-	159	4.9	0.40	3.5	0.28
Corpus & uterus, NOS ¹	-	-	-	-	-	237	7.2	0.48	4.7	0.32
Ovary	-	-	-	-	-	243	7.6	0.49	4.6	0.31
Male Genital System	920	54.0	1.87	24.6	0.82	-	-	-	-	-
Prostate	912	53.7	1.87	24.4	0.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	230	10.9	0.77	6.4	0.43	163	5.0	0.40	2.8	0.23
Bladder	84	4.3	0.51	2.3	0.25	64	2.0	0.26	1.0	0.14
Kidney & renal pelvis	140	6.2	0.57	3.9	0.34	97	2.9	0.30	1.7	0.19
Brain & Other Nervous System	94	3.4	0.38	2.7	0.28	61	1.8	0.24	1.3	0.17
Endocrine System	20	1.0	0.23	0.6	0.14	34	1.1	0.19	0.7	0.12
Thyroid gland	-	-	-	-	-	22	0.7	0.14	0.4	0.09
Lymphomas	127	5.7	0.54	3.6	0.32	123	4.0	0.36	2.3	0.22
Hodgkin Lymphoma	13	0.5	0.15	0.4	0.11	11	0.3	0.10	0.2	0.08
Non-Hodgkin Lymphoma	114	5.2	0.52	3.2	0.30	112	3.6	0.35	2.1	0.21
Multiple Myeloma	154	7.3	0.63	4.2	0.34	186	5.8	0.43	3.4	0.26
Leukemias	165	7.8	0.65	4.6	0.36	148	4.4	0.37	2.9	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	478	14.6	0.68	9.2	0.45

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	61	86.5	13.64	45.1	5.97	96	88.8	10.10	48.5	5.04
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	29.8	8.18	14.9	3.45	26	23.8	5.09	12.3	2.44
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	10	8.8	3.19	4.9	1.56
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	15	19.0	5.93	11.9	3.14	29	30.3	6.25	14.9	2.83
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	19.0	5.93	11.9	3.14	29	30.3	6.25	14.9	2.83
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	12.0	3.79	7.0	1.91
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,574	206.5	4.65	112.8	2.26	2,081	152.0	3.53	88.7	2.00
Oral Cavity & Pharynx	52	3.3	0.54	2.2	0.31	14	0.9	0.25	0.5	0.15
Digestive System	763	55.2	2.29	32.5	1.20	473	34.1	1.66	19.7	0.93
Esophagus	100	7.1	0.81	4.3	0.44	27	1.9	0.39	1.1	0.22
Stomach	83	5.9	0.75	3.5	0.39	44	3.3	0.52	1.8	0.28
Colon & Rectum	238	18.2	1.35	10.4	0.68	182	13.3	1.04	7.5	0.57
Liver	118	6.9	0.74	4.6	0.44	27	1.7	0.36	1.1	0.21
Pancreas	167	12.6	1.11	7.2	0.56	133	9.4	0.86	5.6	0.49
Respiratory System	741	60.9	2.53	32.4	1.21	592	44.6	1.93	25.5	1.07
Larynx	20	1.6	0.38	0.8	0.19	-	-	-	-	-
Lung & bronchus	719	59.2	2.49	31.5	1.20	586	44.2	1.93	25.2	1.07
Skin	48	3.9	0.66	2.0	0.30	-	-	-	-	-
Melanomas of the skin	35	2.7	0.52	1.5	0.25	24	1.8	0.38	1.1	0.23
Breast	-	-	-	-	-	307	21.1	1.28	13.1	0.77
Female Genital System	-	-	-	-	-	194	13.3	1.02	8.3	0.61
Cervix uteri	-	-	-	-	-	33	1.9	0.35	1.5	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	50	3.7	0.55	2.0	0.30
Ovary	-	-	-	-	-	95	6.4	0.70	4.0	0.42
Male Genital System	198	20.6	1.62	9.2	0.67	-	-	-	-	-
Prostate	194	20.5	1.62	9.1	0.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	141	11.5	1.10	6.2	0.53	70	5.7	0.71	2.8	0.34
Bladder	56	4.8	0.72	2.5	0.34	21	1.9	0.43	0.8	0.17
Kidney & renal pelvis	79	6.2	0.78	3.4	0.38	45	3.5	0.55	1.9	0.29
Brain & Other Nervous System	93	6.4	0.76	4.0	0.42	52	3.4	0.49	2.5	0.35
Endocrine System	11	0.8	0.25	0.5	0.15	14	1.0	0.28	0.6	0.17
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	91	7.4	0.87	4.0	0.43	58	4.8	0.66	2.4	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	49	4.5	0.72	2.2	0.32	35	2.7	0.48	1.5	0.26
Leukemias	104	9.3	1.02	4.7	0.48	56	4.5	0.63	2.4	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,926	195.2	5.08	106.1	2.47	1,479	144.6	3.99	83.8	2.25
Oral Cavity & Pharynx	32	2.5	0.53	1.6	0.29	-	-	-	-	-
Digestive System	528	48.5	2.42	28.5	1.26	296	28.6	1.76	16.3	0.98
Esophagus	84	7.5	0.93	4.5	0.50	20	1.9	0.45	1.1	0.25
Stomach	32	3.1	0.62	1.7	0.31	14	1.5	0.41	0.7	0.21
Colon & Rectum	145	13.8	1.30	8.1	0.68	104	10.3	1.07	5.6	0.56
Liver	89	6.5	0.80	4.4	0.47	16	1.4	0.39	0.8	0.22
Pancreas	133	13.0	1.29	7.2	0.64	101	9.4	0.99	5.6	0.58
Respiratory System	546	55.1	2.67	29.8	1.30	453	45.4	2.26	25.9	1.25
Larynx	17	1.7	0.47	0.9	0.22	-	-	-	-	-
Lung & bronchus	527	53.1	2.63	28.8	1.28	448	45.0	2.25	25.6	1.24
Skin	42	4.4	0.79	2.3	0.35	-	-	-	-	-
Melanomas of the skin	32	3.1	0.64	1.7	0.30	22	2.0	0.46	1.4	0.30
Breast	-	-	-	-	-	227	20.9	1.48	12.8	0.87
Female Genital System	-	-	-	-	-	140	12.8	1.16	8.0	0.69
Cervix uteri	-	-	-	-	-	20	1.6	0.38	1.3	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	36	3.4	0.61	1.9	0.33
Ovary	-	-	-	-	-	73	6.7	0.84	4.1	0.50
Male Genital System	160	21.6	1.87	9.3	0.75	-	-	-	-	-
Prostate	157	21.4	1.87	9.2	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	109	10.6	1.15	5.9	0.58	48	5.0	0.76	2.6	0.38
Bladder	42	4.4	0.75	2.3	0.37	15	1.9	0.49	0.7	0.20
Kidney & renal pelvis	62	5.8	0.83	3.3	0.43	30	2.9	0.56	1.7	0.32
Brain & Other Nervous System	80	7.0	0.89	4.3	0.49	45	4.0	0.63	2.9	0.44
Endocrine System	-	-	-	-	-	11	1.0	0.33	0.7	0.22
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	76	7.8	1.00	4.3	0.51	46	5.0	0.78	2.6	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	41	4.8	0.84	2.3	0.37	24	2.5	0.54	1.3	0.28
Leukemias	83	9.8	1.20	4.7	0.52	46	5.3	0.80	2.7	0.42
Other, Ill-defined & Unknown	217	22.2	1.74	12.4	0.87	113	11.3	1.12	6.4	0.63

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2009-2013, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	66	213.3	30.90	117.4	15.08	52	133.6	19.88	76.4	10.91
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	21	54.0	14.56	31.9	7.40	12	26.2	8.14	18.4	5.48
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	18	66.5	18.07	31.8	7.67	12	31.5	9.55	19.9	5.88
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	17	65.1	18.02	30.7	7.58	11	28.4	9.04	17.9	5.54
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	33.4	12.37	19.7	6.49	-	-	-	-	-
Prostate	10	33.4	12.37	19.7	6.49	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	97	145.3	17.87	79.6	8.31	108	107.1	11.04	61.6	6.04
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	42	56.9	10.86	32.4	5.15	29	30.3	5.96	16.0	3.05
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	20.1	7.17	9.4	2.92	-	-	-	-	-
Colon & Rectum	14	19.4	6.52	11.1	3.05	10	10.2	3.41	5.6	1.82
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	24	47.3	11.16	22.7	4.72	24	25.1	5.40	13.6	2.85
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	24	47.3	11.16	22.7	4.72	24	25.1	5.40	13.6	2.85
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	18	14.7	3.64	10.2	2.43
Female Genital System	-	-	-	-	-	11	10.1	3.41	6.0	1.83
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	15	13.1	3.58	9.5	2.49

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,096	177.0	1.05	100.9	0.63	24,975	127.7	0.82	76.2	0.53
Oral Cavity & Pharynx	520	3.1	0.14	1.9	0.09	189	1.0	0.07	0.6	0.05
Digestive System	8,056	48.0	0.54	29.3	0.34	5,780	29.3	0.39	16.6	0.24
Esophagus	1,213	7.1	0.21	4.5	0.13	297	1.5	0.09	0.9	0.05
Stomach	614	3.7	0.15	2.2	0.09	388	2.0	0.11	1.2	0.07
Colon & Rectum	2,542	15.5	0.31	9.0	0.19	2,217	11.3	0.24	6.3	0.15
Liver	1,275	7.3	0.21	5.0	0.15	551	2.8	0.12	1.7	0.08
Pancreas	1,912	11.3	0.26	6.8	0.16	1,780	8.9	0.21	5.0	0.13
Respiratory System	7,788	46.6	0.53	26.5	0.32	6,292	31.9	0.41	18.4	0.25
Larynx	237	1.4	0.09	0.9	0.06	60	0.3	0.04	0.2	0.03
Lung & bronchus	7,500	44.9	0.53	25.5	0.31	6,198	31.4	0.40	18.1	0.25
Skin	1,094	6.7	0.21	3.9	0.12	442	2.3	0.11	1.4	0.08
Melanomas of the skin	720	4.4	0.17	2.6	0.10	353	1.9	0.10	1.2	0.07
Breast	38	0.2	0.04	0.1	0.02	3,790	19.6	0.32	12.7	0.22
Female Genital System	-	-	-	-	-	2,646	13.7	0.27	8.8	0.19
Cervix uteri	-	-	-	-	-	369	2.1	0.11	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	687	3.5	0.14	2.2	0.09
Ovary	-	-	-	-	-	1,437	7.4	0.20	4.6	0.13
Male Genital System	2,948	19.3	0.36	8.6	0.17	-	-	-	-	-
Prostate	2,854	18.7	0.35	8.2	0.16	-	-	-	-	-
Testis	62	0.4	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,045	12.6	0.28	6.8	0.16	843	4.2	0.15	2.3	0.09
Bladder	1,107	7.0	0.21	3.4	0.11	365	1.8	0.10	0.9	0.05
Kidney & renal pelvis	901	5.4	0.18	3.2	0.11	449	2.3	0.11	1.3	0.07
Brain & Other Nervous System	826	4.9	0.17	3.5	0.13	674	3.6	0.14	2.5	0.11
Endocrine System	133	0.8	0.07	0.5	0.05	131	0.7	0.06	0.5	0.05
Thyroid gland	90	0.5	0.06	0.3	0.03	82	0.4	0.05	0.2	0.03
Lymphomas	1,190	7.4	0.22	4.0	0.13	899	4.6	0.15	2.5	0.09
Hodgkin Lymphoma	57	0.3	0.05	0.2	0.03	46	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,133	7.1	0.21	3.8	0.12	853	4.3	0.15	2.3	0.09
Multiple Myeloma	595	3.6	0.15	2.0	0.09	459	2.3	0.11	1.2	0.06
Leukemias	1,385	8.6	0.23	4.9	0.14	948	5.0	0.16	3.0	0.11
Other, Ill-defined & Unknown	2,478	15.2	0.31	8.7	0.19	1,882	9.6	0.22	5.7	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	27,310	179.0	1.10	102.2	0.66	23,234	129.2	0.86	77.2	0.56
Oral Cavity & Pharynx	498	3.2	0.14	2.0	0.10	181	1.0	0.07	0.6	0.05
Digestive System	7,391	47.7	0.56	29.1	0.36	5,247	28.8	0.40	16.3	0.25
Esophagus	1,161	7.3	0.22	4.7	0.14	273	1.5	0.09	0.9	0.06
Stomach	520	3.5	0.15	2.0	0.10	318	1.8	0.10	1.0	0.07
Colon & Rectum	2,361	15.6	0.33	9.0	0.20	2,034	11.2	0.25	6.3	0.16
Liver	1,112	6.9	0.21	4.8	0.15	488	2.7	0.12	1.6	0.08
Pancreas	1,792	11.5	0.27	6.8	0.17	1,639	8.9	0.22	4.9	0.13
Respiratory System	7,438	47.7	0.56	27.3	0.33	6,013	33.0	0.43	19.1	0.27
Larynx	221	1.4	0.09	0.9	0.06	57	0.3	0.04	0.2	0.03
Lung & bronchus	7,171	46.0	0.55	26.3	0.33	5,927	32.5	0.43	18.8	0.27
Skin	1,068	7.1	0.22	4.1	0.14	433	2.5	0.12	1.6	0.08
Melanomas of the skin	711	4.7	0.18	2.8	0.11	350	2.1	0.11	1.4	0.08
Breast	36	0.2	0.04	0.1	0.02	3,523	20.0	0.34	12.9	0.24
Female Genital System	-	-	-	-	-	2,398	13.6	0.28	8.8	0.20
Cervix uteri	-	-	-	-	-	321	2.1	0.12	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	608	3.4	0.14	2.1	0.09
Ovary	-	-	-	-	-	1,326	7.4	0.21	4.6	0.14
Male Genital System	2,753	19.1	0.37	8.5	0.17	-	-	-	-	-
Prostate	2,670	18.6	0.36	8.1	0.16	-	-	-	-	-
Testis	52	0.4	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,940	12.9	0.30	6.9	0.17	784	4.2	0.15	2.3	0.09
Bladder	1,081	7.3	0.22	3.6	0.12	350	1.9	0.10	0.9	0.06
Kidney & renal pelvis	822	5.3	0.19	3.2	0.12	408	2.2	0.11	1.3	0.07
Brain & Other Nervous System	789	5.2	0.19	3.7	0.14	651	3.8	0.15	2.7	0.12
Endocrine System	119	0.8	0.07	0.5	0.06	118	0.7	0.06	0.4	0.05
Thyroid gland	77	0.5	0.06	0.3	0.04	75	0.4	0.05	0.2	0.03
Lymphomas	1,124	7.5	0.23	4.1	0.13	859	4.7	0.16	2.6	0.10
Hodgkin Lymphoma	51	0.3	0.05	0.2	0.03	41	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,073	7.2	0.22	3.9	0.13	818	4.5	0.16	2.4	0.09
Multiple Myeloma	522	3.4	0.15	1.9	0.09	413	2.2	0.11	1.2	0.07
Leukemias	1,307	8.8	0.25	5.0	0.15	884	5.1	0.17	3.1	0.12
Other, Ill-defined & Unknown	2,325	15.4	0.32	8.8	0.20	1,730	9.6	0.23	5.7	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	815	192.3	7.61	111.3	3.97	759	147.6	5.59	91.0	3.37
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	263	58.4	4.05	35.6	2.24	204	41.6	3.02	24.1	1.73
Esophagus	22	5.3	1.26	3.1	0.66	-	-	-	-	-
Stomach	31	6.7	1.39	4.3	0.78	24	4.6	0.98	2.9	0.61
Colon & Rectum	80	20.7	2.59	10.7	1.21	86	17.8	1.99	10.1	1.12
Liver	55	9.7	1.40	7.5	1.03	18	3.7	0.88	2.3	0.56
Pancreas	60	12.5	1.81	8.1	1.07	60	12.4	1.67	7.0	0.93
Respiratory System	195	46.0	3.65	26.8	1.95	158	31.7	2.63	18.9	1.54
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	187	44.3	3.60	25.7	1.91	153	30.5	2.57	18.4	1.52
Skin	13	2.5	0.76	1.4	0.40	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	138	25.1	2.23	16.6	1.44
Female Genital System	-	-	-	-	-	89	16.4	1.81	10.9	1.18
Cervix uteri	-	-	-	-	-	15	2.2	0.59	1.9	0.49
Corpus & uterus, NOS ¹	-	-	-	-	-	39	7.6	1.27	4.9	0.79
Ovary	-	-	-	-	-	32	5.9	1.09	3.8	0.69
Male Genital System	95	29.1	3.31	13.8	1.44	-	-	-	-	-
Prostate	94	28.7	3.28	13.7	1.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	44	10.4	1.81	5.9	0.91	27	5.3	1.06	3.2	0.63
Bladder	17	3.7	0.97	2.2	0.54	-	-	-	-	-
Kidney & renal pelvis	27	6.8	1.53	3.7	0.73	16	3.2	0.84	1.8	0.46
Brain & Other Nervous System	18	3.4	0.95	2.4	0.58	10	1.9	0.61	1.2	0.40
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	31	7.0	1.41	4.0	0.74	17	2.7	0.68	2.0	0.48
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	48	11.7	1.88	6.5	0.96	21	4.7	1.06	2.2	0.49
Leukemias	38	8.3	1.54	5.2	0.86	29	6.5	1.24	3.4	0.65
Other, Ill-defined & Unknown	55	12.8	1.98	7.4	1.01	53	9.8	1.41	6.5	0.91

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	345	114.6	6.76	63.3	3.46	377	83.5	4.56	47.3	2.48
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	143	43.6	3.98	26.4	2.25	117	28.0	2.72	14.3	1.34
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	17	5.4	1.37	3.2	0.78	16	4.2	1.09	1.9	0.48
Colon & Rectum	41	14.4	2.47	7.8	1.24	41	9.7	1.59	5.0	0.79
Liver	48	13.6	2.14	8.5	1.25	11	2.4	0.76	1.3	0.40
Pancreas	20	5.8	1.43	3.8	0.85	37	9.4	1.62	4.5	0.74
Respiratory System	90	32.0	3.69	16.7	1.78	63	14.3	1.90	7.9	1.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	85	29.9	3.55	15.6	1.72	63	14.3	1.90	7.9	1.02
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	62	11.7	1.56	7.9	1.01
Female Genital System	-	-	-	-	-	58	12.0	1.68	7.4	0.99
Cervix uteri	-	-	-	-	-	11	2.1	0.69	1.5	0.44
Corpus & uterus, NOS ¹	-	-	-	-	-	15	3.1	0.85	1.9	0.49
Ovary	-	-	-	-	-	28	5.7	1.14	3.6	0.68
Male Genital System	23	9.9	2.23	4.3	0.91	-	-	-	-	-
Prostate	22	9.5	2.19	4.2	0.90	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	6.3	1.60	3.0	0.71	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	18	6.3	1.60	3.0	0.71	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	21	5.9	1.46	3.9	0.88	10	2.3	0.78	1.3	0.40
Other, Ill-defined & Unknown	21	6.2	1.47	3.9	0.87	32	7.1	1.35	4.0	0.72

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	18,156	242.5	1.84	142.1	1.10	14,557	155.2	1.31	95.6	0.87
Oral Cavity & Pharynx	371	4.7	0.25	3.2	0.17	159	1.7	0.14	1.0	0.09
Digestive System	4,453	58.4	0.89	36.2	0.56	3,233	34.0	0.61	19.9	0.39
Esophagus	570	7.3	0.31	4.9	0.21	138	1.5	0.13	0.9	0.09
Stomach	286	3.9	0.24	2.2	0.14	212	2.3	0.16	1.4	0.11
Colon & Rectum	1,642	22.0	0.56	13.1	0.34	1,431	15.1	0.41	8.9	0.26
Liver	712	8.8	0.34	6.1	0.23	299	3.1	0.18	1.8	0.11
Pancreas	1,007	13.2	0.42	8.1	0.26	902	9.4	0.32	5.3	0.20
Respiratory System	6,666	86.6	1.08	52.3	0.66	4,229	44.8	0.70	28.0	0.46
Larynx	138	1.7	0.15	1.2	0.10	29	0.3	0.06	0.2	0.04
Lung & bronchus	6,502	84.6	1.07	51.0	0.65	4,186	44.3	0.69	27.7	0.46
Skin	444	6.1	0.29	3.5	0.17	185	2.0	0.15	1.2	0.10
Melanomas of the skin	338	4.6	0.25	2.7	0.15	136	1.5	0.13	1.0	0.09
Breast	24	0.3	0.07	0.2	0.04	2,059	22.3	0.50	14.3	0.35
Female Genital System	-	-	-	-	-	1,430	15.7	0.42	10.2	0.29
Cervix uteri	-	-	-	-	-	280	3.4	0.21	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	307	3.2	0.19	2.0	0.13
Ovary	-	-	-	-	-	749	8.0	0.30	5.0	0.20
Male Genital System	1,489	22.3	0.59	9.8	0.26	-	-	-	-	-
Prostate	1,456	21.8	0.58	9.5	0.26	-	-	-	-	-
Testis	15	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,100	15.1	0.47	8.2	0.26	522	5.5	0.24	3.1	0.15
Bladder	552	7.9	0.34	3.8	0.17	216	2.2	0.15	1.1	0.09
Kidney & renal pelvis	516	6.8	0.30	4.2	0.19	292	3.1	0.18	1.9	0.12
Brain & Other Nervous System	463	6.1	0.29	4.2	0.21	358	3.9	0.21	2.8	0.17
Endocrine System	65	0.9	0.11	0.6	0.09	72	0.8	0.09	0.5	0.07
Thyroid gland	32	0.4	0.08	0.3	0.05	46	0.5	0.07	0.3	0.05
Lymphomas	635	8.7	0.35	4.9	0.20	536	5.7	0.25	3.2	0.15
Hodgkin Lymphoma	34	0.5	0.08	0.3	0.06	32	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	601	8.2	0.34	4.5	0.19	504	5.4	0.24	2.9	0.15
Multiple Myeloma	316	4.3	0.25	2.4	0.14	259	2.7	0.17	1.5	0.10
Leukemias	768	10.9	0.40	5.8	0.22	482	5.2	0.24	3.0	0.17
Other, Ill-defined & Unknown	1,362	18.2	0.51	10.9	0.31	1,033	11.0	0.35	6.8	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,869	238.9	1.93	139.4	1.16	12,561	153.3	1.39	94.2	0.94
Oral Cavity & Pharynx	324	4.7	0.26	3.1	0.18	142	1.8	0.15	1.1	0.10
Digestive System	3,795	56.4	0.93	34.7	0.59	2,653	31.9	0.63	18.6	0.41
Esophagus	498	7.2	0.33	4.8	0.23	115	1.4	0.13	0.9	0.09
Stomach	210	3.3	0.23	1.8	0.13	163	2.0	0.16	1.2	0.11
Colon & Rectum	1,403	21.2	0.58	12.5	0.35	1,197	14.4	0.43	8.4	0.28
Liver	600	8.6	0.36	5.8	0.25	237	2.8	0.19	1.7	0.12
Pancreas	870	12.9	0.44	7.8	0.28	727	8.6	0.32	4.9	0.20
Respiratory System	5,859	85.8	1.14	51.5	0.70	3,807	46.0	0.76	28.8	0.51
Larynx	110	1.5	0.15	1.0	0.10	24	0.3	0.06	0.2	0.05
Lung & bronchus	5,726	83.9	1.13	50.2	0.69	3,770	45.6	0.75	28.5	0.50
Skin	435	6.7	0.33	3.9	0.20	178	2.2	0.17	1.4	0.12
Melanomas of the skin	336	5.2	0.29	3.1	0.18	131	1.7	0.15	1.1	0.11
Breast	20	0.3	0.07	0.2	0.04	1,700	21.1	0.52	13.3	0.36
Female Genital System	-	-	-	-	-	1,205	15.2	0.45	9.9	0.32
Cervix uteri	-	-	-	-	-	206	3.0	0.22	2.2	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	252	3.0	0.19	1.9	0.13
Ovary	-	-	-	-	-	666	8.2	0.32	5.2	0.22
Male Genital System	1,185	19.8	0.58	8.6	0.26	-	-	-	-	-
Prostate	1,153	19.2	0.57	8.2	0.25	-	-	-	-	-
Testis	15	0.3	0.07	0.2	0.06	-	-	-	-	-
Urinary System	1,009	15.6	0.50	8.4	0.28	463	5.5	0.26	3.1	0.17
Bladder	517	8.2	0.37	4.0	0.18	192	2.2	0.16	1.1	0.09
Kidney & renal pelvis	462	6.8	0.33	4.2	0.20	261	3.2	0.20	1.9	0.13
Brain & Other Nervous System	433	6.4	0.32	4.4	0.23	334	4.3	0.24	3.0	0.19
Endocrine System	57	0.9	0.12	0.6	0.10	53	0.6	0.09	0.4	0.06
Thyroid gland	28	0.4	0.08	0.2	0.05	32	0.4	0.07	0.2	0.05
Lymphomas	583	9.0	0.38	5.0	0.22	493	6.0	0.27	3.3	0.17
Hodgkin Lymphoma	30	0.5	0.09	0.3	0.06	30	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	553	8.5	0.37	4.7	0.21	463	5.6	0.26	3.1	0.16
Multiple Myeloma	252	3.9	0.25	2.1	0.14	209	2.5	0.17	1.3	0.10
Leukemias	720	11.4	0.43	6.1	0.25	424	5.2	0.26	3.0	0.18
Other, Ill-defined & Unknown	1,197	18.1	0.53	10.7	0.33	900	11.0	0.37	6.9	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,174	289.1	6.69	175.1	3.82	1,906	178.3	4.18	111.7	2.70
Oral Cavity & Pharynx	45	4.9	0.78	3.7	0.55	17	1.6	0.39	0.9	0.24
Digestive System	610	76.0	3.33	49.2	2.02	545	51.3	2.25	30.4	1.38
Esophagus	67	7.8	1.02	5.3	0.66	23	2.1	0.44	1.6	0.33
Stomach	73	9.9	1.25	5.8	0.69	46	4.2	0.63	2.7	0.43
Colon & Rectum	231	30.0	2.12	19.0	1.27	223	20.5	1.41	12.4	0.88
Liver	91	9.6	1.08	7.2	0.77	53	5.2	0.73	2.8	0.41
Pancreas	129	16.5	1.57	10.4	0.93	167	16.3	1.29	9.0	0.74
Respiratory System	781	99.9	3.84	64.1	2.33	409	38.0	1.93	24.4	1.26
Larynx	28	3.3	0.66	2.4	0.47	-	-	-	-	-
Lung & bronchus	750	96.2	3.78	61.4	2.28	403	37.5	1.92	24.1	1.25
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	345	31.4	1.73	21.2	1.19
Female Genital System	-	-	-	-	-	217	21.1	1.47	13.5	0.96
Cervix uteri	-	-	-	-	-	71	6.7	0.81	4.7	0.57
Corpus & uterus, NOS ¹	-	-	-	-	-	51	5.0	0.72	3.1	0.45
Ovary	-	-	-	-	-	82	8.2	0.92	5.0	0.58
Male Genital System	297	51.1	3.09	23.0	1.36	-	-	-	-	-
Prostate	296	51.0	3.09	22.9	1.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	89	11.8	1.36	7.1	0.77	58	5.5	0.74	3.2	0.45
Bladder	33	5.0	0.91	2.7	0.48	24	2.4	0.49	1.2	0.27
Kidney & renal pelvis	54	6.7	0.99	4.3	0.59	30	2.7	0.51	1.8	0.34
Brain & Other Nervous System	27	3.5	0.74	2.3	0.45	23	2.1	0.44	1.6	0.34
Endocrine System	-	-	-	-	-	18	1.6	0.39	1.0	0.27
Thyroid gland	-	-	-	-	-	13	1.2	0.35	0.6	0.18
Lymphomas	46	6.1	0.98	3.7	0.55	42	3.9	0.61	2.3	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	60	8.4	1.18	4.7	0.61	49	5.0	0.73	2.9	0.44
Leukemias	46	6.7	1.05	3.7	0.55	53	4.7	0.66	3.2	0.47
Other, Ill-defined & Unknown	152	18.5	1.63	12.0	0.99	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	78	177.0	24.92	90.8	10.79	62	85.7	12.03	47.0	6.08
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	35	76.7	16.55	39.9	7.11	26	39.7	8.48	20.5	4.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	17	35.0	10.67	19.1	4.86	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	16	40.8	12.75	19.7	5.20	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	16	40.8	12.75	19.7	5.20	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	8.0	2.53	6.7	2.14
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	10	23.5	8.46	11.1	3.58	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	146,298	180.4	0.48	100.5	0.27	137,982	132.9	0.36	78.5	0.23
Oral Cavity & Pharynx	3,185	3.7	0.07	2.4	0.04	1,453	1.4	0.04	0.8	0.02
Digestive System	44,053	52.6	0.26	31.2	0.15	34,226	32.7	0.18	18.5	0.11
Esophagus	4,984	5.9	0.09	3.6	0.05	1,429	1.4	0.04	0.8	0.02
Stomach	4,517	5.5	0.08	3.2	0.05	3,262	3.2	0.06	1.9	0.04
Colon & Rectum	13,415	16.4	0.14	9.3	0.08	12,571	11.9	0.11	6.6	0.07
Liver	8,131	9.1	0.10	6.1	0.07	3,184	3.1	0.06	1.8	0.03
Pancreas	9,723	11.8	0.12	6.8	0.07	9,726	9.3	0.10	5.2	0.06
Respiratory System	35,114	43.7	0.24	24.1	0.13	30,673	29.9	0.17	16.8	0.10
Larynx	1,210	1.5	0.04	0.8	0.03	265	0.3	0.02	0.2	0.01
Lung & bronchus	33,569	41.9	0.23	23.0	0.13	30,217	29.5	0.17	16.6	0.10
Skin	4,413	5.4	0.08	3.0	0.05	2,051	1.9	0.04	1.2	0.03
Melanomas of the skin	3,138	3.8	0.07	2.2	0.04	1,571	1.5	0.04	0.9	0.03
Breast	166	0.2	0.02	0.1	0.01	21,761	20.9	0.14	13.5	0.10
Female Genital System	-	-	-	-	-	15,493	15.0	0.12	9.6	0.08
Cervix uteri	-	-	-	-	-	2,268	2.3	0.05	1.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	4,560	4.3	0.07	2.8	0.04
Ovary	-	-	-	-	-	7,748	7.5	0.09	4.7	0.06
Male Genital System	15,804	21.1	0.17	9.3	0.08	-	-	-	-	-
Prostate	15,349	20.6	0.17	8.9	0.08	-	-	-	-	-
Testis	307	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	9,641	12.1	0.13	6.3	0.07	4,600	4.3	0.07	2.3	0.04
Bladder	5,187	6.8	0.10	3.1	0.05	2,114	2.0	0.04	0.9	0.02
Kidney & renal pelvis	4,258	5.1	0.08	3.1	0.05	2,322	2.2	0.05	1.3	0.03
Brain & Other Nervous System	4,575	5.2	0.08	3.6	0.06	3,564	3.5	0.06	2.5	0.05
Endocrine System	729	0.9	0.03	0.6	0.02	926	0.9	0.03	0.6	0.02
Thyroid gland	444	0.5	0.03	0.3	0.02	654	0.6	0.02	0.4	0.02
Lymphomas	6,240	7.8	0.10	4.2	0.06	4,977	4.8	0.07	2.6	0.04
Hodgkin Lymphoma	422	0.5	0.02	0.3	0.02	281	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,818	7.3	0.10	3.9	0.05	4,696	4.5	0.07	2.4	0.04
Multiple Myeloma	3,170	4.0	0.07	2.1	0.04	2,544	2.5	0.05	1.3	0.03
Leukemias	6,787	8.5	0.10	4.8	0.06	5,201	5.0	0.07	3.0	0.05
Other, Ill-defined & Unknown	12,421	15.2	0.14	8.7	0.08	10,513	10.1	0.10	5.8	0.06

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	119,522	186.2	0.55	103.5	0.31	111,906	138.3	0.42	81.5	0.27
Oral Cavity & Pharynx	2,554	3.8	0.08	2.4	0.05	1,142	1.4	0.04	0.8	0.03
Digestive System	34,516	52.3	0.29	31.0	0.17	26,406	32.2	0.20	18.2	0.12
Esophagus	4,424	6.7	0.10	4.0	0.06	1,186	1.5	0.04	0.8	0.03
Stomach	3,268	5.0	0.09	2.9	0.05	2,245	2.8	0.06	1.7	0.04
Colon & Rectum	10,637	16.4	0.16	9.3	0.09	9,864	11.8	0.12	6.5	0.07
Liver	5,728	8.1	0.11	5.5	0.07	2,168	2.7	0.06	1.6	0.04
Pancreas	7,930	12.2	0.14	7.0	0.08	7,751	9.5	0.11	5.3	0.07
Respiratory System	27,958	44.1	0.27	24.2	0.15	25,430	31.8	0.20	17.8	0.12
Larynx	983	1.5	0.05	0.9	0.03	225	0.3	0.02	0.2	0.01
Lung & bronchus	26,691	42.1	0.26	23.0	0.15	25,044	31.3	0.20	17.5	0.12
Skin	4,265	6.6	0.10	3.7	0.06	1,942	2.4	0.05	1.4	0.04
Melanomas of the skin	3,066	4.7	0.09	2.8	0.05	1,508	1.9	0.05	1.2	0.03
Breast	124	0.2	0.02	0.1	0.01	17,592	21.8	0.17	14.0	0.11
Female Genital System	-	-	-	-	-	12,574	15.7	0.14	10.1	0.10
Cervix uteri	-	-	-	-	-	1,730	2.3	0.06	1.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	3,535	4.3	0.07	2.8	0.05
Ovary	-	-	-	-	-	6,505	8.1	0.10	5.1	0.07
Male Genital System	13,021	21.6	0.19	9.5	0.09	-	-	-	-	-
Prostate	12,617	21.0	0.19	9.0	0.09	-	-	-	-	-
Testis	282	0.4	0.02	0.3	0.02	-	-	-	-	-
Urinary System	8,362	13.2	0.15	6.9	0.08	3,900	4.7	0.08	2.5	0.04
Bladder	4,619	7.6	0.11	3.5	0.05	1,799	2.1	0.05	1.0	0.03
Kidney & renal pelvis	3,579	5.4	0.09	3.3	0.06	1,970	2.4	0.06	1.4	0.04
Brain & Other Nervous System	4,044	5.9	0.09	4.1	0.07	3,085	3.9	0.07	2.8	0.05
Endocrine System	565	0.8	0.04	0.6	0.03	686	0.9	0.03	0.5	0.02
Thyroid gland	345	0.5	0.03	0.3	0.02	482	0.6	0.03	0.3	0.02
Lymphomas	5,343	8.4	0.12	4.6	0.07	4,185	5.1	0.08	2.8	0.05
Hodgkin Lymphoma	360	0.5	0.03	0.4	0.02	248	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,983	7.9	0.11	4.2	0.06	3,937	4.8	0.08	2.5	0.05
Multiple Myeloma	2,588	4.1	0.08	2.2	0.04	1,954	2.4	0.06	1.3	0.03
Leukemias	5,771	9.1	0.12	5.1	0.07	4,333	5.4	0.08	3.2	0.06
Other, Ill-defined & Unknown	10,411	16.1	0.16	9.2	0.09	8,677	10.6	0.12	6.1	0.07

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,775	233.4	2.39	134.8	1.32	10,701	169.9	1.67	105.6	1.07
Oral Cavity & Pharynx	216	4.2	0.30	2.8	0.19	105	1.6	0.16	1.1	0.11
Digestive System	3,314	67.3	1.25	41.6	0.73	2,803	45.0	0.87	26.7	0.53
Esophagus	209	4.3	0.32	2.6	0.18	116	1.8	0.17	1.2	0.11
Stomach	353	7.7	0.44	4.3	0.24	259	4.2	0.26	2.3	0.15
Colon & Rectum	1,136	24.1	0.76	14.2	0.43	1,128	18.2	0.55	10.7	0.33
Liver	672	11.7	0.48	8.7	0.34	255	3.9	0.25	2.5	0.16
Pancreas	729	15.1	0.59	9.1	0.34	782	12.7	0.46	7.4	0.28
Respiratory System	2,874	61.3	1.21	36.2	0.69	2,295	36.9	0.78	22.5	0.49
Larynx	136	2.9	0.26	1.7	0.15	28	0.5	0.09	0.3	0.06
Lung & bronchus	2,719	58.0	1.18	34.2	0.67	2,260	36.3	0.78	22.2	0.49
Skin	51	1.0	0.14	0.6	0.09	34	0.5	0.09	0.3	0.06
Melanomas of the skin	19	0.3	0.08	0.2	0.06	17	0.3	0.07	0.2	0.04
Breast	24	0.5	0.10	0.3	0.06	2,011	30.9	0.70	20.7	0.48
Female Genital System	-	-	-	-	-	1,229	19.0	0.55	12.8	0.38
Cervix uteri	-	-	-	-	-	212	3.2	0.22	2.3	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	512	8.0	0.36	5.3	0.24
Ovary	-	-	-	-	-	452	7.1	0.34	4.6	0.23
Male Genital System	1,730	45.3	1.14	20.7	0.51	-	-	-	-	-
Prostate	1,708	44.8	1.13	20.5	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	515	11.3	0.53	6.5	0.29	307	5.0	0.29	2.7	0.17
Bladder	235	5.7	0.39	2.9	0.19	169	2.8	0.22	1.4	0.11
Kidney & renal pelvis	275	5.5	0.35	3.6	0.22	127	2.1	0.19	1.2	0.12
Brain & Other Nervous System	180	3.3	0.26	2.3	0.18	165	2.6	0.20	1.8	0.15
Endocrine System	39	0.7	0.12	0.5	0.09	49	0.8	0.11	0.5	0.07
Thyroid gland	19	0.4	0.09	0.2	0.06	32	0.5	0.09	0.3	0.05
Lymphomas	296	5.9	0.37	3.8	0.22	234	3.8	0.25	2.3	0.16
Hodgkin Lymphoma	29	0.5	0.10	0.4	0.07	13	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	267	5.4	0.35	3.4	0.21	221	3.6	0.25	2.2	0.15
Multiple Myeloma	320	7.1	0.42	4.0	0.23	364	6.0	0.32	3.3	0.18
Leukemias	362	7.7	0.43	4.6	0.25	320	5.2	0.29	3.1	0.19
Other, Ill-defined & Unknown	854	17.9	0.66	10.8	0.38	785	12.5	0.45	7.8	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	15,176	132.9	1.10	74.0	0.62	14,649	94.4	0.79	55.7	0.49
Oral Cavity & Pharynx	397	3.2	0.16	2.1	0.11	200	1.3	0.09	0.8	0.06
Digestive System	5,932	50.6	0.67	29.3	0.39	4,825	31.5	0.46	17.1	0.26
Esophagus	327	2.7	0.15	1.7	0.09	121	0.8	0.07	0.4	0.04
Stomach	871	7.8	0.27	4.1	0.15	748	4.8	0.18	2.7	0.11
Colon & Rectum	1,569	13.4	0.35	7.8	0.20	1,514	9.7	0.25	5.5	0.15
Liver	1,645	13.4	0.34	8.4	0.21	719	4.8	0.18	2.5	0.10
Pancreas	1,008	8.8	0.28	4.9	0.16	1,149	7.6	0.23	4.0	0.13
Respiratory System	4,092	36.4	0.58	19.5	0.32	2,791	18.2	0.35	10.1	0.20
Larynx	83	0.7	0.08	0.4	0.04	-	-	-	-	-
Lung & bronchus	3,979	35.4	0.57	19.0	0.31	2,759	18.0	0.35	10.0	0.20
Skin	87	0.8	0.08	0.4	0.05	69	0.4	0.05	0.3	0.03
Melanomas of the skin	47	0.4	0.06	0.2	0.03	41	0.3	0.04	0.2	0.03
Breast	16	0.1	0.04	0.1	0.02	2,055	12.7	0.28	8.8	0.20
Female Genital System	-	-	-	-	-	1,611	10.0	0.25	6.7	0.18
Cervix uteri	-	-	-	-	-	308	1.9	0.11	1.4	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	494	3.1	0.14	2.0	0.10
Ovary	-	-	-	-	-	755	4.7	0.17	3.2	0.12
Male Genital System	968	9.6	0.31	4.0	0.14	-	-	-	-	-
Prostate	939	9.4	0.31	3.9	0.13	-	-	-	-	-
Testis	16	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	711	6.4	0.25	3.3	0.13	364	2.4	0.13	1.2	0.07
Bladder	313	3.1	0.18	1.3	0.08	133	0.9	0.08	0.4	0.04
Kidney & renal pelvis	372	3.1	0.17	1.9	0.10	210	1.4	0.09	0.8	0.06
Brain & Other Nervous System	328	2.6	0.15	1.9	0.11	296	1.9	0.11	1.4	0.09
Endocrine System	122	1.0	0.10	0.7	0.07	184	1.2	0.09	0.7	0.06
Thyroid gland	78	0.7	0.08	0.4	0.05	134	0.9	0.08	0.5	0.04
Lymphomas	579	5.2	0.22	2.8	0.12	536	3.5	0.15	1.9	0.09
Hodgkin Lymphoma	33	0.3	0.05	0.2	0.03	20	0.1	0.03	0.1	0.02
Non-Hodgkin Lymphoma	546	4.9	0.21	2.6	0.12	516	3.4	0.15	1.8	0.09
Multiple Myeloma	250	2.3	0.15	1.2	0.08	211	1.4	0.10	0.7	0.05
Leukemias	614	5.4	0.22	3.2	0.14	522	3.4	0.15	2.2	0.11
Other, Ill-defined & Unknown	1,080	9.3	0.29	5.4	0.17	985	6.4	0.21	3.8	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,434	168.0	1.06	92.2	0.60	25,629	125.5	0.80	73.0	0.51
Oral Cavity & Pharynx	584	3.5	0.15	2.2	0.09	271	1.3	0.08	0.7	0.05
Digestive System	8,237	50.7	0.57	29.6	0.34	6,648	32.3	0.40	18.0	0.24
Esophagus	869	5.3	0.19	3.2	0.11	300	1.5	0.09	0.8	0.05
Stomach	839	5.3	0.19	2.9	0.11	637	3.1	0.13	1.8	0.08
Colon & Rectum	2,353	14.7	0.31	8.3	0.18	2,318	11.0	0.23	6.1	0.14
Liver	1,653	9.5	0.24	6.3	0.16	608	3.0	0.12	1.7	0.08
Pancreas	1,830	11.4	0.27	6.5	0.16	1,884	9.2	0.22	5.0	0.13
Respiratory System	6,076	39.1	0.51	21.1	0.28	5,564	27.7	0.38	15.2	0.22
Larynx	199	1.3	0.09	0.7	0.05	33	0.2	0.03	0.1	0.02
Lung & bronchus	5,831	37.6	0.50	20.2	0.28	5,492	27.4	0.38	15.0	0.22
Skin	767	4.8	0.18	2.7	0.10	363	1.7	0.09	1.0	0.06
Melanomas of the skin	553	3.4	0.15	2.0	0.09	286	1.4	0.08	0.8	0.05
Breast	36	0.2	0.04	0.1	0.02	3,951	19.3	0.31	12.5	0.21
Female Genital System	-	-	-	-	-	2,778	13.7	0.26	8.7	0.18
Cervix uteri	-	-	-	-	-	296	1.5	0.09	1.1	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	874	4.2	0.15	2.7	0.10
Ovary	-	-	-	-	-	1,421	7.0	0.19	4.4	0.13
Male Genital System	2,799	19.1	0.36	8.4	0.17	-	-	-	-	-
Prostate	2,729	18.6	0.36	8.1	0.16	-	-	-	-	-
Testis	49	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,655	10.7	0.27	5.5	0.14	805	3.8	0.14	1.9	0.08
Bladder	909	6.1	0.21	2.8	0.10	376	1.7	0.09	0.8	0.05
Kidney & renal pelvis	702	4.3	0.17	2.6	0.10	397	1.9	0.10	1.1	0.06
Brain & Other Nervous System	834	4.9	0.17	3.4	0.13	662	3.4	0.13	2.4	0.10
Endocrine System	130	0.8	0.07	0.5	0.05	187	0.9	0.07	0.6	0.05
Thyroid gland	78	0.5	0.06	0.3	0.03	129	0.6	0.06	0.4	0.03
Lymphomas	1,244	8.0	0.23	4.3	0.13	951	4.6	0.15	2.4	0.09
Hodgkin Lymphoma	72	0.4	0.05	0.3	0.04	46	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,172	7.6	0.23	4.0	0.12	905	4.3	0.15	2.3	0.09
Multiple Myeloma	591	3.9	0.16	2.0	0.09	498	2.5	0.11	1.3	0.07
Leukemias	1,201	7.8	0.23	4.3	0.14	933	4.6	0.16	2.8	0.11
Other, Ill-defined & Unknown	2,280	14.5	0.31	8.0	0.18	2,018	9.7	0.22	5.5	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,160	175.7	1.30	95.8	0.73	18,600	133.7	1.01	77.1	0.64
Oral Cavity & Pharynx	400	3.4	0.18	2.2	0.11	183	1.2	0.10	0.7	0.06
Digestive System	5,598	50.0	0.68	29.0	0.40	4,473	31.6	0.49	17.5	0.30
Esophagus	709	6.3	0.24	3.8	0.15	222	1.6	0.11	0.8	0.06
Stomach	503	4.6	0.21	2.6	0.12	346	2.5	0.14	1.5	0.09
Colon & Rectum	1,643	15.0	0.38	8.2	0.21	1,612	11.1	0.29	6.1	0.17
Liver	914	7.5	0.25	5.1	0.17	337	2.4	0.14	1.4	0.09
Pancreas	1,356	12.2	0.34	7.0	0.20	1,321	9.3	0.26	5.1	0.16
Respiratory System	4,080	37.9	0.61	20.3	0.33	4,119	30.1	0.48	16.4	0.28
Larynx	144	1.3	0.11	0.7	0.06	28	0.2	0.04	0.1	0.02
Lung & bronchus	3,903	36.3	0.59	19.4	0.33	4,063	29.7	0.48	16.1	0.28
Skin	728	6.6	0.25	3.7	0.14	336	2.3	0.13	1.3	0.08
Melanomas of the skin	534	4.8	0.21	2.8	0.13	266	1.9	0.12	1.1	0.08
Breast	23	0.2	0.04	0.1	0.03	2,895	21.0	0.40	13.4	0.27
Female Genital System	-	-	-	-	-	2,061	15.1	0.34	9.5	0.23
Cervix uteri	-	-	-	-	-	182	1.4	0.11	1.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	624	4.4	0.18	2.8	0.12
Ovary	-	-	-	-	-	1,104	8.2	0.25	5.0	0.17
Male Genital System	2,136	20.6	0.45	9.1	0.21	-	-	-	-	-
Prostate	2,075	20.1	0.45	8.6	0.20	-	-	-	-	-
Testis	44	0.4	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,306	12.2	0.34	6.2	0.18	640	4.4	0.18	2.2	0.10
Bladder	752	7.2	0.27	3.3	0.13	303	2.0	0.12	0.9	0.06
Kidney & renal pelvis	524	4.7	0.21	2.8	0.13	315	2.2	0.13	1.2	0.08
Brain & Other Nervous System	699	5.9	0.23	4.2	0.17	539	4.1	0.18	2.9	0.14
Endocrine System	86	0.8	0.08	0.5	0.06	117	0.9	0.08	0.6	0.06
Thyroid gland	50	0.5	0.07	0.3	0.04	81	0.6	0.07	0.3	0.04
Lymphomas	984	9.1	0.30	4.9	0.16	719	5.0	0.19	2.7	0.12
Hodgkin Lymphoma	54	0.5	0.07	0.3	0.04	41	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	930	8.7	0.29	4.6	0.16	678	4.7	0.19	2.4	0.11
Multiple Myeloma	447	4.2	0.20	2.1	0.11	339	2.5	0.14	1.3	0.08
Leukemias	925	8.7	0.29	4.8	0.17	703	5.1	0.20	3.0	0.13
Other, Ill-defined & Unknown	1,748	16.1	0.39	8.8	0.22	1,476	10.4	0.28	5.7	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,307	238.8	5.27	139.0	2.95	2,245	172.9	3.73	109.6	2.45
Oral Cavity & Pharynx	45	4.4	0.69	2.9	0.43	15	1.2	0.32	0.8	0.20
Digestive System	704	67.1	2.69	43.0	1.65	613	47.3	1.95	29.6	1.26
Esophagus	44	4.2	0.67	2.7	0.41	35	2.7	0.46	1.8	0.31
Stomach	75	7.9	0.96	4.5	0.53	51	3.9	0.56	2.3	0.34
Colon & Rectum	204	20.6	1.53	12.1	0.86	223	17.1	1.18	10.7	0.76
Liver	172	14.2	1.15	10.7	0.83	59	4.2	0.57	3.0	0.41
Pancreas	159	15.6	1.31	9.8	0.79	184	14.6	1.10	8.7	0.68
Respiratory System	622	63.6	2.70	37.6	1.53	513	40.8	1.84	24.3	1.13
Larynx	30	3.1	0.60	1.9	0.35	-	-	-	-	-
Lung & bronchus	590	60.2	2.63	35.6	1.49	511	40.6	1.84	24.2	1.13
Skin	10	1.0	0.34	0.6	0.20	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	382	28.5	1.49	20.0	1.07
Female Genital System	-	-	-	-	-	222	16.5	1.13	11.3	0.79
Cervix uteri	-	-	-	-	-	34	2.4	0.42	1.9	0.34
Corpus & uterus, NOS ¹	-	-	-	-	-	92	7.0	0.74	4.5	0.49
Ovary	-	-	-	-	-	87	6.5	0.71	4.5	0.50
Male Genital System	357	42.7	2.36	20.4	1.10	-	-	-	-	-
Prostate	356	42.6	2.36	20.3	1.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	117	12.5	1.22	7.0	0.67	64	4.8	0.62	2.7	0.37
Bladder	62	7.3	0.97	3.5	0.46	37	2.8	0.47	1.5	0.26
Kidney & renal pelvis	54	5.1	0.73	3.5	0.48	24	1.9	0.39	1.1	0.24
Brain & Other Nervous System	28	2.8	0.55	1.9	0.38	33	2.6	0.46	2.0	0.38
Endocrine System	-	-	-	-	-	10	0.8	0.25	0.4	0.14
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	66	6.6	0.86	4.1	0.52	54	4.2	0.58	2.6	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	74	8.2	1.01	4.4	0.52	82	6.6	0.74	3.6	0.43
Leukemias	83	9.1	1.05	5.1	0.57	61	4.8	0.62	2.8	0.42
Other, Ill-defined & Unknown	185	19.2	1.50	11.1	0.83	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	4,875	130.2	1.90	71.1	1.07	4,703	92.9	1.37	54.1	0.85
Oral Cavity & Pharynx	137	3.3	0.29	2.2	0.19	72	1.4	0.16	0.9	0.11
Digestive System	1,902	49.2	1.15	28.3	0.67	1,538	30.8	0.79	16.3	0.45
Esophagus	115	2.9	0.28	1.7	0.17	43	0.9	0.13	0.4	0.07
Stomach	257	7.0	0.44	3.6	0.24	239	4.7	0.31	2.7	0.19
Colon & Rectum	492	12.7	0.59	7.4	0.34	470	9.2	0.43	5.1	0.25
Liver	556	13.9	0.60	8.5	0.37	209	4.3	0.30	2.1	0.16
Pancreas	315	8.4	0.48	4.5	0.27	373	7.6	0.40	3.9	0.22
Respiratory System	1,356	37.0	1.02	19.2	0.54	918	18.3	0.61	10.1	0.36
Larynx	24	0.7	0.14	0.3	0.07	-	-	-	-	-
Lung & bronchus	1,321	36.0	1.01	18.7	0.54	904	18.0	0.60	9.9	0.36
Skin	29	0.8	0.15	0.4	0.08	-	-	-	-	-
Melanomas of the skin	16	0.4	0.11	0.2	0.06	14	0.3	0.08	0.2	0.06
Breast	-	-	-	-	-	661	12.5	0.49	8.6	0.35
Female Genital System	-	-	-	-	-	486	9.2	0.42	6.2	0.29
Cervix uteri	-	-	-	-	-	80	1.5	0.17	1.1	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	152	2.9	0.24	1.9	0.16
Ovary	-	-	-	-	-	228	4.3	0.29	2.9	0.20
Male Genital System	296	8.9	0.52	3.6	0.22	-	-	-	-	-
Prostate	288	8.7	0.52	3.5	0.22	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	223	6.1	0.42	3.1	0.22	99	2.0	0.20	1.0	0.11
Bladder	88	2.6	0.28	1.1	0.13	36	0.7	0.12	0.3	0.05
Kidney & renal pelvis	122	3.2	0.29	1.8	0.17	56	1.1	0.15	0.6	0.09
Brain & Other Nervous System	104	2.6	0.26	1.8	0.19	86	1.7	0.19	1.3	0.15
Endocrine System	35	0.9	0.16	0.6	0.11	60	1.2	0.16	0.7	0.10
Thyroid gland	23	0.6	0.13	0.3	0.08	42	0.8	0.13	0.4	0.07
Lymphomas	191	5.1	0.38	2.8	0.21	175	3.5	0.27	1.8	0.15
Hodgkin Lymphoma	11	0.3	0.08	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	180	4.8	0.37	2.6	0.20	-	-	-	-	-
Multiple Myeloma	70	2.0	0.24	1.0	0.12	75	1.5	0.18	0.8	0.10
Leukemias	189	5.1	0.38	3.0	0.23	167	3.3	0.26	2.2	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,385	175.6	0.95	98.6	0.55	34,667	129.7	0.71	77.1	0.45
Oral Cavity & Pharynx	776	3.6	0.13	2.3	0.08	383	1.4	0.07	0.8	0.05
Digestive System	11,552	55.8	0.53	33.0	0.32	9,279	34.5	0.36	19.6	0.22
Esophagus	1,043	5.1	0.16	3.0	0.10	322	1.2	0.07	0.7	0.04
Stomach	1,499	7.3	0.19	4.3	0.11	1,122	4.2	0.13	2.6	0.08
Colon & Rectum	3,502	17.1	0.29	9.8	0.17	3,279	12.1	0.21	6.8	0.13
Liver	2,211	10.1	0.22	6.6	0.14	922	3.5	0.12	1.9	0.07
Pancreas	2,445	11.9	0.25	6.9	0.15	2,564	9.6	0.19	5.2	0.11
Respiratory System	8,170	41.2	0.47	22.9	0.26	6,679	25.3	0.31	14.2	0.19
Larynx	306	1.5	0.09	0.9	0.05	52	0.2	0.03	0.1	0.02
Lung & bronchus	7,787	39.3	0.45	21.8	0.26	6,591	25.0	0.31	14.0	0.19
Skin	849	4.2	0.15	2.4	0.08	393	1.4	0.07	0.8	0.05
Melanomas of the skin	589	2.9	0.12	1.7	0.07	278	1.0	0.06	0.6	0.04
Breast	48	0.2	0.03	0.1	0.02	5,756	21.4	0.29	14.0	0.20
Female Genital System	-	-	-	-	-	4,164	15.6	0.25	10.2	0.17
Cervix uteri	-	-	-	-	-	719	2.7	0.10	2.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,282	4.8	0.14	3.1	0.09
Ovary	-	-	-	-	-	1,955	7.3	0.17	4.7	0.11
Male Genital System	3,809	20.5	0.34	9.1	0.16	-	-	-	-	-
Prostate	3,702	20.0	0.33	8.8	0.15	-	-	-	-	-
Testis	67	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,168	11.0	0.24	5.8	0.13	1,088	4.0	0.12	2.1	0.07
Bladder	1,147	6.1	0.18	2.8	0.09	498	1.8	0.08	0.8	0.04
Kidney & renal pelvis	980	4.7	0.15	2.9	0.10	551	2.1	0.09	1.2	0.06
Brain & Other Nervous System	1,065	4.9	0.15	3.3	0.11	867	3.3	0.11	2.3	0.09
Endocrine System	211	1.0	0.07	0.7	0.05	259	1.0	0.06	0.6	0.04
Thyroid gland	129	0.6	0.06	0.4	0.03	186	0.7	0.05	0.4	0.03
Lymphomas	1,502	7.4	0.20	4.2	0.11	1,315	4.9	0.14	2.6	0.08
Hodgkin Lymphoma	112	0.5	0.05	0.3	0.03	80	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,390	6.9	0.19	3.8	0.11	1,235	4.6	0.13	2.4	0.08
Multiple Myeloma	774	4.0	0.14	2.1	0.08	667	2.5	0.10	1.4	0.06
Leukemias	1,694	8.4	0.21	4.9	0.13	1,351	5.0	0.14	3.1	0.10
Other, Ill-defined & Unknown	2,767	13.5	0.26	7.9	0.16	2,466	9.2	0.19	5.4	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,842	177.3	1.13	99.0	0.65	25,197	133.0	0.85	78.4	0.55
Oral Cavity & Pharynx	545	3.5	0.15	2.2	0.10	259	1.3	0.09	0.8	0.05
Digestive System	8,157	54.4	0.62	32.2	0.37	6,468	33.9	0.43	19.3	0.27
Esophagus	844	5.7	0.20	3.3	0.12	244	1.3	0.08	0.7	0.05
Stomach	1,009	6.7	0.22	4.0	0.13	727	3.9	0.15	2.4	0.10
Colon & Rectum	2,470	16.7	0.34	9.5	0.20	2,265	11.7	0.25	6.5	0.15
Liver	1,433	9.1	0.25	5.9	0.16	581	3.1	0.13	1.8	0.08
Pancreas	1,816	12.3	0.29	7.1	0.17	1,856	9.7	0.23	5.3	0.14
Respiratory System	5,640	39.5	0.54	21.8	0.30	4,819	25.8	0.38	14.1	0.23
Larynx	211	1.4	0.10	0.8	0.06	35	0.2	0.03	0.1	0.02
Lung & bronchus	5,367	37.7	0.52	20.7	0.30	4,758	25.5	0.38	14.0	0.22
Skin	794	5.4	0.19	3.0	0.11	354	1.8	0.10	1.0	0.06
Melanomas of the skin	567	3.8	0.16	2.2	0.10	259	1.4	0.09	0.8	0.06
Breast	37	0.3	0.04	0.2	0.03	4,146	21.8	0.34	14.1	0.24
Female Genital System	-	-	-	-	-	3,079	16.4	0.30	10.7	0.21
Cervix uteri	-	-	-	-	-	518	2.8	0.12	2.1	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	870	4.6	0.16	3.0	0.11
Ovary	-	-	-	-	-	1,515	8.1	0.21	5.1	0.14
Male Genital System	2,745	20.2	0.39	8.9	0.18	-	-	-	-	-
Prostate	2,653	19.7	0.39	8.5	0.18	-	-	-	-	-
Testis	59	0.3	0.04	0.3	0.04	-	-	-	-	-
Urinary System	1,700	11.9	0.29	6.2	0.16	830	4.3	0.15	2.3	0.09
Bladder	927	6.8	0.22	3.1	0.11	378	1.9	0.10	0.9	0.05
Kidney & renal pelvis	740	4.9	0.18	3.0	0.12	425	2.3	0.11	1.4	0.07
Brain & Other Nervous System	906	5.7	0.19	3.9	0.13	713	3.8	0.14	2.6	0.11
Endocrine System	148	1.0	0.08	0.7	0.06	185	1.0	0.08	0.6	0.05
Thyroid gland	89	0.6	0.07	0.3	0.04	130	0.7	0.06	0.4	0.04
Lymphomas	1,177	8.1	0.24	4.4	0.14	1,024	5.3	0.17	2.8	0.10
Hodgkin Lymphoma	88	0.6	0.06	0.4	0.04	66	0.4	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,089	7.5	0.23	4.1	0.13	958	5.0	0.16	2.6	0.09
Multiple Myeloma	556	3.9	0.17	2.1	0.09	430	2.3	0.11	1.2	0.07
Leukemias	1,365	9.4	0.26	5.4	0.15	1,021	5.3	0.17	3.2	0.12
Other, Ill-defined & Unknown	2,072	14.0	0.32	8.0	0.19	1,869	9.8	0.23	5.6	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,484	243.6	3.79	141.2	2.16	4,749	174.8	2.57	109.0	1.68
Oral Cavity & Pharynx	96	4.7	0.50	3.1	0.32	58	2.1	0.28	1.4	0.20
Digestive System	1,362	70.6	1.99	43.6	1.21	1,251	46.3	1.32	26.9	0.81
Esophagus	89	4.6	0.51	2.8	0.30	44	1.6	0.25	1.1	0.17
Stomach	156	8.4	0.70	4.8	0.39	133	4.9	0.43	2.9	0.26
Colon & Rectum	488	26.1	1.23	15.6	0.72	517	19.1	0.85	11.1	0.52
Liver	246	11.3	0.75	8.3	0.54	99	3.6	0.37	2.1	0.22
Pancreas	296	15.4	0.94	9.3	0.55	343	12.8	0.70	7.3	0.42
Respiratory System	1,193	64.4	1.93	37.6	1.11	997	36.8	1.18	22.8	0.76
Larynx	63	3.4	0.45	2.0	0.26	17	0.6	0.15	0.4	0.10
Lung & bronchus	1,122	60.5	1.87	35.4	1.08	976	36.0	1.17	22.3	0.75
Skin	23	1.1	0.24	0.8	0.16	18	0.7	0.15	0.4	0.11
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	908	33.1	1.11	22.1	0.77
Female Genital System	-	-	-	-	-	562	20.5	0.87	13.8	0.61
Cervix uteri	-	-	-	-	-	98	3.6	0.37	2.6	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	252	9.1	0.58	6.2	0.40
Ovary	-	-	-	-	-	191	7.0	0.51	4.5	0.34
Male Genital System	761	47.7	1.78	22.2	0.82	-	-	-	-	-
Prostate	752	47.2	1.77	21.8	0.82	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	203	11.0	0.81	6.4	0.46	123	4.6	0.42	2.4	0.23
Bladder	95	5.5	0.59	2.9	0.30	69	2.6	0.31	1.2	0.16
Kidney & renal pelvis	106	5.4	0.55	3.5	0.35	50	1.9	0.26	1.0	0.16
Brain & Other Nervous System	64	3.1	0.41	2.2	0.28	70	2.6	0.32	1.8	0.24
Endocrine System	19	0.8	0.20	0.7	0.15	21	0.8	0.17	0.5	0.11
Thyroid gland	12	0.5	0.15	0.4	0.12	15	0.6	0.14	0.3	0.08
Lymphomas	120	6.0	0.57	4.0	0.38	108	4.1	0.40	2.5	0.26
Hodgkin Lymphoma	10	0.5	0.15	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	110	5.6	0.55	3.7	0.36	-	-	-	-	-
Multiple Myeloma	133	7.3	0.65	4.2	0.37	177	6.6	0.50	3.7	0.29
Leukemias	134	7.2	0.64	4.4	0.39	150	5.6	0.46	3.5	0.32
Other, Ill-defined & Unknown	-	-	-	-	-	306	11.2	0.65	7.1	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,944	141.0	2.04	78.8	1.19	4,623	96.0	1.43	57.3	0.92
Oral Cavity & Pharynx	132	3.6	0.32	2.3	0.21	65	1.4	0.17	0.8	0.11
Digestive System	1,995	56.0	1.27	32.1	0.75	1,538	31.9	0.82	17.5	0.49
Esophagus	102	2.7	0.28	1.7	0.18	34	0.7	0.12	0.3	0.06
Stomach	330	9.6	0.53	5.1	0.29	261	5.4	0.34	3.1	0.21
Colon & Rectum	538	15.0	0.66	8.7	0.39	490	10.1	0.46	5.8	0.29
Liver	520	14.2	0.63	8.7	0.40	238	5.0	0.33	2.7	0.20
Pancreas	326	9.2	0.52	5.2	0.30	361	7.5	0.40	3.9	0.22
Respiratory System	1,307	37.6	1.06	20.3	0.59	844	17.8	0.62	9.8	0.37
Larynx	32	0.9	0.17	0.5	0.09	-	-	-	-	-
Lung & bronchus	1,268	36.4	1.04	19.7	0.58	838	17.6	0.62	9.7	0.36
Skin	29	0.8	0.16	0.5	0.09	20	0.4	0.09	0.2	0.05
Melanomas of the skin	14	0.4	0.11	0.2	0.06	10	0.2	0.07	0.1	0.04
Breast	-	-	-	-	-	684	14.0	0.54	9.8	0.39
Female Genital System	-	-	-	-	-	509	10.4	0.47	7.1	0.34
Cervix uteri	-	-	-	-	-	99	2.1	0.21	1.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	158	3.2	0.26	2.2	0.18
Ovary	-	-	-	-	-	242	4.9	0.32	3.3	0.23
Male Genital System	295	9.1	0.53	3.8	0.23	-	-	-	-	-
Prostate	289	8.9	0.53	3.6	0.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	258	7.6	0.48	3.9	0.25	133	2.8	0.24	1.4	0.13
Bladder	123	3.8	0.35	1.6	0.15	50	1.0	0.15	0.4	0.07
Kidney & renal pelvis	129	3.6	0.32	2.2	0.20	75	1.6	0.18	0.9	0.11
Brain & Other Nervous System	90	2.6	0.28	1.8	0.21	84	1.8	0.20	1.3	0.17
Endocrine System	44	1.3	0.19	0.9	0.16	52	1.1	0.16	0.6	0.11
Thyroid gland	28	0.8	0.15	0.4	0.09	41	0.8	0.13	0.4	0.08
Lymphomas	204	5.8	0.41	3.2	0.24	180	3.8	0.28	2.0	0.17
Hodgkin Lymphoma	14	0.4	0.11	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	190	5.4	0.40	3.0	0.23	-	-	-	-	-
Multiple Myeloma	83	2.4	0.27	1.3	0.15	57	1.2	0.16	0.7	0.10
Leukemias	189	5.5	0.40	3.3	0.27	178	3.8	0.29	2.4	0.21
Other, Ill-defined & Unknown	-	-	-	-	-	279	5.8	0.35	3.6	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	18,302	170.0	1.31	93.2	0.71	17,397	127.9	0.99	74.0	0.60
Oral Cavity & Pharynx	316	2.7	0.16	1.7	0.10	181	1.3	0.10	0.8	0.06
Digestive System	5,149	45.2	0.66	26.8	0.38	3,971	29.2	0.47	16.3	0.28
Esophagus	808	6.9	0.25	4.3	0.15	188	1.4	0.10	0.8	0.06
Stomach	414	3.8	0.19	2.2	0.11	263	2.0	0.12	1.1	0.07
Colon & Rectum	1,619	14.8	0.38	8.3	0.21	1,569	11.5	0.29	6.2	0.17
Liver	796	6.3	0.23	4.3	0.15	256	1.9	0.12	1.1	0.07
Pancreas	1,185	10.4	0.32	6.2	0.18	1,205	8.9	0.26	5.0	0.15
Respiratory System	4,321	40.1	0.63	22.0	0.34	3,906	29.2	0.48	16.4	0.28
Larynx	119	1.1	0.10	0.6	0.06	44	0.3	0.05	0.2	0.03
Lung & bronchus	4,169	38.7	0.62	21.2	0.34	3,846	28.8	0.47	16.1	0.28
Skin	679	6.2	0.25	3.5	0.14	367	2.7	0.14	1.6	0.09
Melanomas of the skin	509	4.5	0.21	2.7	0.12	298	2.2	0.13	1.4	0.09
Breast	31	0.3	0.06	0.2	0.03	2,701	19.5	0.38	12.2	0.25
Female Genital System	-	-	-	-	-	2,018	14.6	0.33	9.3	0.22
Cervix uteri	-	-	-	-	-	212	1.5	0.11	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	532	3.8	0.17	2.4	0.11
Ovary	-	-	-	-	-	1,127	8.1	0.25	5.1	0.16
Male Genital System	2,116	22.5	0.50	9.7	0.22	-	-	-	-	-
Prostate	2,057	22.0	0.50	9.4	0.21	-	-	-	-	-
Testis	37	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	1,260	11.9	0.35	6.3	0.18	586	4.3	0.18	2.2	0.10
Bladder	674	6.7	0.27	3.3	0.13	257	1.9	0.12	0.9	0.06
Kidney & renal pelvis	563	4.9	0.22	3.0	0.13	314	2.3	0.13	1.3	0.08
Brain & Other Nervous System	654	5.5	0.22	3.7	0.15	501	3.7	0.17	2.6	0.12
Endocrine System	93	0.8	0.09	0.5	0.05	100	0.7	0.08	0.5	0.06
Thyroid gland	59	0.5	0.07	0.3	0.04	61	0.5	0.06	0.3	0.03
Lymphomas	739	7.0	0.27	3.7	0.14	584	4.3	0.18	2.2	0.10
Hodgkin Lymphoma	31	0.3	0.05	0.2	0.03	36	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	708	6.7	0.26	3.6	0.14	548	4.1	0.18	2.0	0.09
Multiple Myeloma	412	4.0	0.20	2.0	0.10	323	2.4	0.14	1.3	0.08
Leukemias	881	8.4	0.29	4.6	0.16	648	4.9	0.19	2.7	0.12
Other, Ill-defined & Unknown	1,651	15.4	0.39	8.5	0.21	1,511	11.1	0.29	6.0	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,170	170.2	1.35	93.2	0.73	16,370	128.9	1.03	74.6	0.63
Oral Cavity & Pharynx	293	2.6	0.16	1.7	0.10	170	1.3	0.10	0.8	0.06
Digestive System	4,806	45.1	0.68	26.7	0.39	3,675	28.9	0.49	16.1	0.29
Esophagus	786	7.2	0.27	4.4	0.16	179	1.4	0.11	0.8	0.07
Stomach	366	3.6	0.19	2.0	0.11	235	1.9	0.13	1.1	0.08
Colon & Rectum	1,512	14.7	0.39	8.3	0.22	1,460	11.4	0.30	6.2	0.18
Liver	718	6.1	0.24	4.1	0.16	228	1.8	0.12	1.1	0.08
Pancreas	1,119	10.5	0.33	6.2	0.19	1,112	8.8	0.27	4.9	0.16
Respiratory System	4,037	39.9	0.65	21.9	0.35	3,679	29.4	0.49	16.5	0.29
Larynx	110	1.1	0.11	0.6	0.06	41	0.3	0.05	0.2	0.03
Lung & bronchus	3,895	38.6	0.64	21.1	0.35	3,623	29.0	0.49	16.2	0.29
Skin	673	6.5	0.26	3.7	0.15	360	2.8	0.15	1.7	0.10
Melanomas of the skin	507	4.8	0.22	2.8	0.13	293	2.3	0.14	1.5	0.09
Breast	29	0.3	0.06	0.2	0.03	2,536	19.6	0.40	12.3	0.26
Female Genital System	-	-	-	-	-	1,901	14.7	0.35	9.4	0.23
Cervix uteri	-	-	-	-	-	199	1.6	0.11	1.2	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	488	3.8	0.17	2.4	0.11
Ovary	-	-	-	-	-	1,075	8.3	0.26	5.3	0.17
Male Genital System	1,955	22.1	0.51	9.5	0.22	-	-	-	-	-
Prostate	1,898	21.6	0.51	9.1	0.21	-	-	-	-	-
Testis	37	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,201	12.1	0.36	6.4	0.19	560	4.4	0.19	2.3	0.10
Bladder	654	6.9	0.28	3.4	0.14	245	1.9	0.12	0.9	0.06
Kidney & renal pelvis	525	4.9	0.22	2.9	0.13	301	2.4	0.14	1.3	0.08
Brain & Other Nervous System	627	5.7	0.24	3.8	0.16	484	3.8	0.18	2.7	0.13
Endocrine System	87	0.8	0.09	0.5	0.06	97	0.8	0.08	0.5	0.06
Thyroid gland	56	0.6	0.08	0.3	0.04	58	0.5	0.06	0.3	0.04
Lymphomas	699	7.1	0.28	3.8	0.15	560	4.4	0.19	2.2	0.10
Hodgkin Lymphoma	29	0.3	0.05	0.2	0.03	36	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	670	6.8	0.27	3.6	0.14	524	4.1	0.18	2.0	0.10
Multiple Myeloma	375	3.9	0.21	2.0	0.10	285	2.3	0.14	1.2	0.08
Leukemias	832	8.5	0.30	4.7	0.17	626	5.1	0.21	2.8	0.13
Other, Ill-defined & Unknown	1,556	15.5	0.41	8.5	0.22	1,437	11.2	0.30	6.1	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	742	213.8	8.99	123.5	4.67	613	148.1	6.17	86.1	3.60
Oral Cavity & Pharynx	13	3.1	0.91	2.3	0.65	-	-	-	-	-
Digestive System	213	55.8	4.38	34.9	2.46	157	38.0	3.12	22.3	1.85
Esophagus	14	4.0	1.24	2.1	0.59	-	-	-	-	-
Stomach	27	6.9	1.56	4.7	0.93	12	3.0	0.89	1.5	0.46
Colon & Rectum	76	22.6	2.97	12.2	1.44	58	14.2	1.91	8.4	1.15
Liver	41	7.6	1.23	6.6	1.05	10	2.2	0.72	1.6	0.51
Pancreas	45	12.7	2.09	7.9	1.21	58	14.8	1.99	7.9	1.09
Respiratory System	186	54.0	4.50	30.7	2.32	136	34.1	3.00	19.0	1.68
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	182	53.0	4.46	30.1	2.30	135	33.8	2.99	18.8	1.67
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	106	24.4	2.45	15.1	1.52
Female Genital System	-	-	-	-	-	73	17.4	2.11	10.1	1.23
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	33	8.0	1.43	4.7	0.84
Ovary	-	-	-	-	-	31	7.4	1.37	4.2	0.78
Male Genital System	133	50.6	4.92	23.7	2.12	-	-	-	-	-
Prostate	131	50.0	4.89	23.4	2.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	11.4	1.93	7.4	1.13	17	4.6	1.13	2.2	0.56
Bladder	17	4.2	1.19	2.8	0.71	-	-	-	-	-
Kidney & renal pelvis	29	7.2	1.52	4.6	0.88	-	-	-	-	-
Brain & Other Nervous System	11	1.8	0.55	1.6	0.50	11	2.2	0.71	1.5	0.47
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	20	4.6	1.13	3.0	0.67	17	4.1	1.03	2.4	0.60
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	17	4.1	1.03	2.4	0.60
Multiple Myeloma	29	7.8	1.62	4.7	0.90	34	8.4	1.49	4.6	0.82
Leukemias	26	7.6	1.70	4.6	0.92	12	2.6	0.77	1.7	0.50
Other, Ill-defined & Unknown	55	14.5	2.21	8.9	1.22	42	10.4	1.65	5.7	0.92

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	285	128.4	8.16	68.7	4.14	303	87.2	5.18	50.3	2.99
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	98	44.3	4.79	23.4	2.40	108	33.1	3.28	17.0	1.70
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	20	9.5	2.29	4.3	0.99	15	4.6	1.22	2.6	0.70
Colon & Rectum	23	12.2	2.66	5.3	1.12	40	11.9	1.94	6.3	1.04
Liver	27	10.5	2.17	6.7	1.30	11	3.7	1.12	1.7	0.53
Pancreas	14	5.7	1.63	3.5	0.96	26	8.4	1.68	3.9	0.80
Respiratory System	72	34.3	4.28	17.9	2.14	64	18.6	2.40	11.0	1.43
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	70	33.7	4.26	17.4	2.11	63	18.3	2.37	10.9	1.43
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	40	10.8	1.77	6.9	1.12
Female Genital System	-	-	-	-	-	33	8.0	1.44	5.9	1.05
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	10	2.5	0.83	1.9	0.60
Ovary	-	-	-	-	-	14	3.6	0.99	2.3	0.63
Male Genital System	17	10.0	2.51	3.8	0.92	-	-	-	-	-
Prostate	17	10.0	2.51	3.8	0.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	4.1	1.42	2.4	0.79	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	4.0	1.17	3.2	0.89	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	16	6.9	1.87	3.8	0.99	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	15	6.3	1.75	3.7	0.98	-	-	-	-	-
Other, Ill-defined & Unknown	29	11.4	2.30	7.2	1.36	24	7.3	1.53	3.8	0.81

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,022	186.6	1.46	103.2	0.84	16,888	136.4	1.08	79.6	0.70
Oral Cavity & Pharynx	306	3.1	0.18	2.0	0.12	120	0.9	0.09	0.6	0.06
Digestive System	4,624	49.7	0.75	29.2	0.45	3,798	30.1	0.50	16.6	0.31
Esophagus	671	7.1	0.28	4.4	0.18	194	1.6	0.12	0.9	0.07
Stomach	457	5.0	0.24	2.9	0.14	308	2.4	0.14	1.4	0.09
Colon & Rectum	1,320	14.3	0.40	8.1	0.24	1,374	10.6	0.30	5.7	0.18
Liver	601	6.2	0.26	4.0	0.17	175	1.4	0.11	0.8	0.07
Pancreas	1,167	12.7	0.38	7.2	0.22	1,261	10.1	0.29	5.6	0.18
Respiratory System	4,583	50.0	0.75	28.3	0.44	4,331	35.8	0.56	20.8	0.35
Larynx	149	1.6	0.13	0.9	0.08	38	0.3	0.05	0.2	0.03
Lung & bronchus	4,403	48.1	0.74	27.2	0.43	4,276	35.3	0.55	20.5	0.35
Skin	421	4.6	0.23	2.5	0.13	271	2.2	0.14	1.3	0.09
Melanomas of the skin	312	3.3	0.19	1.9	0.12	221	1.8	0.12	1.1	0.08
Breast	35	0.4	0.07	0.2	0.04	2,418	19.8	0.42	12.6	0.29
Female Genital System	-	-	-	-	-	1,728	14.3	0.35	9.0	0.24
Cervix uteri	-	-	-	-	-	177	1.6	0.12	1.2	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	541	4.5	0.20	2.8	0.13
Ovary	-	-	-	-	-	865	7.1	0.25	4.5	0.17
Male Genital System	1,699	19.5	0.48	8.4	0.22	-	-	-	-	-
Prostate	1,673	19.2	0.47	8.2	0.21	-	-	-	-	-
Testis	15	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,212	13.6	0.40	6.9	0.21	592	4.6	0.20	2.4	0.11
Bladder	748	8.5	0.32	4.0	0.16	335	2.5	0.14	1.2	0.08
Kidney & renal pelvis	434	4.7	0.23	2.8	0.14	236	1.9	0.13	1.0	0.08
Brain & Other Nervous System	474	5.0	0.24	3.5	0.17	401	3.5	0.18	2.4	0.14
Endocrine System	61	0.7	0.09	0.4	0.06	80	0.7	0.08	0.4	0.06
Thyroid gland	37	0.4	0.07	0.2	0.04	53	0.4	0.06	0.2	0.04
Lymphomas	682	7.6	0.29	4.1	0.17	603	4.6	0.20	2.4	0.12
Hodgkin Lymphoma	31	0.4	0.06	0.2	0.05	33	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	651	7.2	0.29	3.8	0.16	570	4.3	0.19	2.2	0.11
Multiple Myeloma	337	3.7	0.21	1.9	0.11	322	2.5	0.14	1.4	0.09
Leukemias	835	9.4	0.33	5.2	0.19	627	4.9	0.20	2.7	0.13
Other, Ill-defined & Unknown	1,753	19.4	0.47	10.6	0.27	1,597	12.5	0.33	7.1	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,565	187.0	1.52	103.3	0.89	15,426	137.5	1.15	80.1	0.75
Oral Cavity & Pharynx	273	3.1	0.19	2.0	0.13	107	0.9	0.09	0.5	0.06
Digestive System	4,128	48.8	0.77	28.5	0.47	3,428	29.8	0.53	16.4	0.33
Esophagus	624	7.3	0.30	4.5	0.19	178	1.6	0.13	0.9	0.07
Stomach	388	4.7	0.24	2.7	0.15	268	2.3	0.15	1.3	0.10
Colon & Rectum	1,196	14.2	0.42	8.0	0.25	1,241	10.4	0.31	5.6	0.19
Liver	489	5.6	0.26	3.5	0.17	147	1.3	0.11	0.7	0.07
Pancreas	1,063	12.7	0.40	7.2	0.23	1,149	10.1	0.31	5.6	0.19
Respiratory System	4,174	50.0	0.79	28.2	0.46	4,037	36.9	0.60	21.5	0.38
Larynx	131	1.6	0.14	0.9	0.08	30	0.3	0.05	0.1	0.03
Lung & bronchus	4,014	48.1	0.77	27.1	0.45	3,990	36.5	0.60	21.2	0.38
Skin	415	4.9	0.25	2.7	0.14	265	2.4	0.15	1.4	0.10
Melanomas of the skin	308	3.6	0.21	2.1	0.13	217	2.0	0.14	1.2	0.10
Breast	33	0.4	0.07	0.2	0.04	2,162	19.6	0.44	12.3	0.30
Female Genital System	-	-	-	-	-	1,553	14.4	0.38	9.1	0.26
Cervix uteri	-	-	-	-	-	153	1.6	0.13	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	455	4.1	0.20	2.6	0.13
Ovary	-	-	-	-	-	807	7.4	0.27	4.7	0.18
Male Genital System	1,528	18.8	0.49	8.0	0.22	-	-	-	-	-
Prostate	1,505	18.6	0.48	7.8	0.22	-	-	-	-	-
Testis	14	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,157	14.1	0.42	7.2	0.23	550	4.7	0.21	2.4	0.12
Bladder	727	9.0	0.34	4.2	0.17	312	2.6	0.15	1.2	0.08
Kidney & renal pelvis	403	4.8	0.24	2.8	0.15	219	1.9	0.14	1.0	0.09
Brain & Other Nervous System	454	5.4	0.26	3.8	0.19	386	3.8	0.20	2.6	0.16
Endocrine System	56	0.7	0.09	0.5	0.07	72	0.7	0.08	0.4	0.06
Thyroid gland	32	0.4	0.07	0.2	0.04	46	0.4	0.06	0.2	0.04
Lymphomas	634	7.7	0.31	4.2	0.18	563	4.7	0.21	2.5	0.13
Hodgkin Lymphoma	27	0.4	0.07	0.3	0.05	30	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	607	7.3	0.30	3.9	0.17	533	4.4	0.20	2.3	0.12
Multiple Myeloma	310	3.7	0.21	1.9	0.12	263	2.2	0.14	1.1	0.08
Leukemias	789	9.8	0.35	5.4	0.21	580	5.0	0.22	2.7	0.15
Other, Ill-defined & Unknown	1,614	19.6	0.49	10.7	0.29	1,460	12.5	0.34	7.1	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,212	206.2	6.40	117.5	3.43	1,262	137.5	3.96	85.7	2.49
Oral Cavity & Pharynx	27	4.4	0.91	2.6	0.51	-	-	-	-	-
Digestive System	411	67.0	3.58	39.7	1.98	311	34.8	2.02	20.5	1.20
Esophagus	40	6.4	1.09	4.0	0.64	15	1.6	0.41	1.1	0.28
Stomach	56	8.8	1.26	5.7	0.77	31	3.7	0.68	2.0	0.37
Colon & Rectum	108	18.6	1.94	10.1	0.98	114	12.6	1.20	7.5	0.73
Liver	87	12.1	1.40	8.3	0.90	20	1.9	0.43	1.4	0.32
Pancreas	90	15.6	1.78	8.7	0.93	100	11.5	1.18	6.5	0.67
Respiratory System	339	55.9	3.27	32.7	1.81	264	28.9	1.82	17.8	1.13
Larynx	16	2.5	0.68	1.5	0.39	-	-	-	-	-
Lung & bronchus	322	53.3	3.20	31.1	1.76	257	28.1	1.79	17.4	1.12
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	222	22.7	1.56	16.1	1.10
Female Genital System	-	-	-	-	-	148	16.1	1.35	10.3	0.87
Cervix uteri	-	-	-	-	-	21	2.0	0.44	1.6	0.35
Corpus & uterus, NOS ¹	-	-	-	-	-	76	8.4	0.99	5.3	0.63
Ovary	-	-	-	-	-	47	5.2	0.78	3.1	0.47
Male Genital System	160	33.1	2.76	15.5	1.24	-	-	-	-	-
Prostate	157	32.6	2.74	15.2	1.23	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	45	7.1	1.16	4.5	0.68	37	4.1	0.69	2.4	0.42
Bladder	17	2.8	0.74	1.8	0.43	19	2.2	0.51	1.2	0.28
Kidney & renal pelvis	26	3.8	0.81	2.5	0.50	17	1.8	0.45	1.2	0.29
Brain & Other Nervous System	-	-	-	-	-	12	1.2	0.36	0.9	0.27
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	36	6.1	1.09	3.5	0.60	29	3.1	0.58	2.0	0.39
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	23	4.2	0.95	2.3	0.48	56	6.1	0.84	3.7	0.51
Leukemias	31	5.2	1.03	3.0	0.54	39	4.5	0.74	2.4	0.39
Other, Ill-defined & Unknown	118	19.6	1.96	11.6	1.08	124	13.8	1.27	8.3	0.77

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	224	114.7	9.01	63.9	4.37	187	76.8	6.17	44.4	3.30
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	80	38.5	5.01	23.2	2.64	55	24.8	3.65	12.9	1.76
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	5.7	1.97	3.4	1.03	-	-	-	-	-
Colon & Rectum	15	6.0	1.66	4.2	1.11	18	8.1	2.09	4.2	1.01
Liver	24	10.3	2.49	6.7	1.40	-	-	-	-	-
Pancreas	13	7.2	2.24	4.0	1.12	11	5.5	1.76	2.6	0.80
Respiratory System	62	31.4	4.66	17.0	2.21	28	12.5	2.57	6.6	1.26
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	59	30.5	4.63	16.2	2.16	27	12.2	2.55	6.4	1.24
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	34	10.2	1.90	7.6	1.33
Female Genital System	-	-	-	-	-	23	9.8	2.20	5.6	1.20
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	10	9.6	3.25	3.5	1.13	-	-	-	-	-
Prostate	10	9.6	3.25	3.5	1.13	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	10	6.3	2.30	3.2	1.02	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	11	3.7	1.28	3.0	0.93	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	6.9	2.45	3.1	1.00	10	5.7	1.90	2.5	0.81
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	10	5.7	1.90	2.5	0.81
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	14	5.5	1.69	3.8	1.03	-	-	-	-	-
Other, Ill-defined & Unknown	17	8.3	2.40	4.2	1.04	12	4.5	1.41	2.9	0.85

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,946	212.4	3.09	121.6	1.81	4,521	151.5	2.29	91.5	1.49
Oral Cavity & Pharynx	106	4.3	0.43	2.9	0.29	37	1.2	0.20	0.7	0.12
Digestive System	1,341	56.0	1.56	34.3	0.97	960	31.7	1.04	18.2	0.64
Esophagus	181	7.2	0.54	4.7	0.36	59	1.9	0.25	1.1	0.16
Stomach	117	5.1	0.48	3.0	0.29	69	2.3	0.28	1.3	0.17
Colon & Rectum	414	17.9	0.90	10.5	0.54	335	11.0	0.61	6.0	0.36
Liver	212	8.3	0.58	5.6	0.40	76	2.6	0.30	1.4	0.18
Pancreas	321	13.4	0.76	7.9	0.46	287	9.5	0.56	5.6	0.36
Respiratory System	1,588	66.7	1.71	38.7	1.01	1,311	43.7	1.22	26.2	0.78
Larynx	43	1.7	0.27	1.2	0.19	17	0.5	0.13	0.3	0.08
Lung & bronchus	1,539	64.7	1.68	37.4	0.99	1,285	42.9	1.21	25.7	0.77
Skin	144	6.4	0.55	3.5	0.31	79	2.7	0.31	1.8	0.21
Melanomas of the skin	91	4.0	0.42	2.3	0.25	61	2.1	0.28	1.5	0.20
Breast	-	-	-	-	-	639	21.8	0.88	14.2	0.61
Female Genital System	-	-	-	-	-	475	16.1	0.75	10.6	0.52
Cervix uteri	-	-	-	-	-	69	2.6	0.32	2.1	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	149	5.0	0.42	3.1	0.27
Ovary	-	-	-	-	-	227	7.5	0.50	4.8	0.34
Male Genital System	439	20.5	1.00	9.4	0.47	-	-	-	-	-
Prostate	428	20.1	0.99	9.1	0.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	278	12.5	0.77	6.5	0.41	180	6.0	0.45	3.3	0.28
Bladder	155	7.2	0.59	3.4	0.29	90	3.0	0.32	1.6	0.18
Kidney & renal pelvis	117	5.0	0.48	3.0	0.29	83	2.8	0.31	1.6	0.21
Brain & Other Nervous System	112	4.8	0.47	3.1	0.31	105	3.7	0.37	2.8	0.32
Endocrine System	20	0.9	0.21	0.5	0.11	24	0.8	0.17	0.5	0.12
Thyroid gland	12	0.6	0.16	0.3	0.08	19	0.6	0.14	0.4	0.10
Lymphomas	183	8.0	0.60	4.7	0.37	154	5.2	0.43	2.5	0.22
Hodgkin Lymphoma	11	0.5	0.15	0.4	0.13	-	-	-	-	-
Non-Hodgkin Lymphoma	172	7.5	0.58	4.2	0.34	-	-	-	-	-
Multiple Myeloma	105	4.5	0.44	2.6	0.26	86	2.8	0.31	1.7	0.19
Leukemias	217	9.8	0.68	5.1	0.38	140	4.7	0.40	2.6	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	331	11.0	0.62	6.6	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,088	210.9	3.36	119.9	2.00	3,689	151.3	2.55	91.3	1.69
Oral Cavity & Pharynx	80	4.0	0.45	2.6	0.30	31	1.2	0.22	0.7	0.13
Digestive System	1,082	54.8	1.70	33.3	1.07	747	30.0	1.12	17.1	0.70
Esophagus	156	7.5	0.61	4.9	0.41	47	1.9	0.28	1.1	0.17
Stomach	82	4.2	0.48	2.5	0.29	48	2.0	0.29	1.0	0.18
Colon & Rectum	346	18.1	0.99	10.7	0.61	271	10.7	0.67	5.8	0.40
Liver	157	7.7	0.62	5.1	0.43	50	2.1	0.30	1.2	0.19
Pancreas	266	13.4	0.84	7.8	0.50	228	9.1	0.61	5.4	0.39
Respiratory System	1,327	66.9	1.87	38.5	1.11	1,117	45.3	1.37	27.2	0.89
Larynx	29	1.4	0.27	1.0	0.20	14	0.5	0.14	0.3	0.09
Lung & bronchus	1,293	65.2	1.84	37.3	1.09	1,095	44.5	1.36	26.7	0.88
Skin	139	7.4	0.64	4.0	0.36	75	3.2	0.39	2.1	0.27
Melanomas of the skin	91	4.7	0.50	2.8	0.31	58	2.5	0.35	1.8	0.26
Breast	-	-	-	-	-	508	21.4	0.98	13.9	0.69
Female Genital System	-	-	-	-	-	366	15.4	0.82	10.2	0.59
Cervix uteri	-	-	-	-	-	47	2.3	0.35	1.9	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	111	4.6	0.45	3.0	0.31
Ovary	-	-	-	-	-	185	7.5	0.56	4.9	0.39
Male Genital System	334	18.5	1.03	8.4	0.48	-	-	-	-	-
Prostate	325	18.0	1.01	8.0	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	242	12.9	0.85	6.8	0.47	150	6.0	0.50	3.4	0.32
Bladder	137	7.5	0.65	3.6	0.32	75	3.0	0.35	1.6	0.20
Kidney & renal pelvis	103	5.3	0.54	3.2	0.34	70	2.9	0.35	1.7	0.25
Brain & Other Nervous System	102	5.5	0.56	3.6	0.39	93	4.2	0.46	3.1	0.39
Endocrine System	18	1.0	0.24	0.5	0.13	20	0.8	0.20	0.5	0.14
Thyroid gland	12	0.7	0.19	0.3	0.09	16	0.6	0.16	0.4	0.11
Lymphomas	155	8.2	0.67	4.6	0.41	132	5.4	0.48	2.5	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	78	3.9	0.45	2.2	0.26	68	2.8	0.34	1.6	0.22
Leukemias	183	9.8	0.74	5.1	0.42	120	4.8	0.46	2.7	0.28
Other, Ill-defined & Unknown	-	-	-	-	-	262	10.8	0.69	6.3	0.47

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	812	240.9	9.17	143.6	5.09	778	163.8	6.05	100.4	3.71
Oral Cavity & Pharynx	23	5.8	1.32	4.3	0.90	-	-	-	-	-
Digestive System	240	67.8	4.74	42.7	2.78	199	42.8	3.12	25.1	1.83
Esophagus	24	6.0	1.31	4.4	0.90	11	2.0	0.63	1.5	0.47
Stomach	31	9.5	1.83	5.6	1.01	17	3.3	0.84	2.1	0.53
Colon & Rectum	63	18.8	2.57	11.1	1.42	61	13.1	1.73	7.7	1.01
Liver	50	12.4	1.88	8.9	1.26	24	5.7	1.19	2.9	0.61
Pancreas	54	15.2	2.21	9.7	1.33	58	12.5	1.68	7.6	1.02
Respiratory System	250	72.0	4.92	44.5	2.84	179	37.8	2.92	23.2	1.78
Larynx	14	4.7	1.39	2.6	0.71	-	-	-	-	-
Lung & bronchus	235	66.9	4.70	41.7	2.75	176	37.1	2.89	22.8	1.76
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	126	25.0	2.29	16.4	1.50
Female Genital System	-	-	-	-	-	102	21.7	2.20	13.7	1.39
Cervix uteri	-	-	-	-	-	21	4.1	0.92	3.1	0.69
Corpus & uterus, NOS ¹	-	-	-	-	-	36	8.3	1.40	4.6	0.79
Ovary	-	-	-	-	-	38	7.8	1.31	5.1	0.85
Male Genital System	103	38.1	3.98	17.6	1.76	-	-	-	-	-
Prostate	101	37.4	3.95	17.3	1.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	11.9	2.18	5.8	1.00	29	6.6	1.25	3.5	0.68
Bladder	17	6.2	1.62	2.8	0.70	14	3.2	0.88	1.6	0.44
Kidney & renal pelvis	13	4.1	1.18	2.3	0.64	13	2.9	0.83	1.6	0.46
Brain & Other Nervous System	-	-	-	-	-	10	2.0	0.66	1.7	0.57
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	27	7.0	1.45	4.9	0.96	21	4.7	1.06	2.5	0.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	26	7.7	1.66	4.5	0.90	18	3.8	0.92	2.2	0.53
Leukemias	32	10.0	1.92	5.7	1.01	19	4.1	0.96	2.5	0.60
Other, Ill-defined & Unknown	60	16.9	2.37	10.6	1.38	62	12.7	1.67	8.0	1.04

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	35	76.4	14.25	38.6	6.64	44	83.8	13.55	41.1	6.25
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	15	32.6	9.40	16.3	4.28	13	26.0	7.72	12.3	3.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	12	27.2	8.17	10.9	3.16
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	11	24.4	7.66	10.0	3.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,628	216.3	4.34	125.1	2.52	2,790	161.1	3.12	97.7	2.04
Oral Cavity & Pharynx	76	5.7	0.67	4.0	0.46	27	1.5	0.29	1.0	0.21
Digestive System	809	64.2	2.33	39.9	1.44	734	42.4	1.60	24.4	1.00
Esophagus	84	6.6	0.75	4.0	0.45	41	2.3	0.37	1.4	0.23
Stomach	82	7.0	0.79	3.8	0.44	55	3.4	0.46	1.8	0.28
Colon & Rectum	225	18.0	1.24	10.9	0.74	272	15.8	0.98	8.9	0.60
Liver	179	13.1	1.00	9.4	0.71	73	4.0	0.48	2.8	0.36
Pancreas	182	14.7	1.12	9.0	0.68	214	12.4	0.86	6.6	0.51
Respiratory System	672	54.8	2.18	32.9	1.30	581	33.9	1.43	20.8	0.94
Larynx	39	3.1	0.51	1.9	0.32	11	0.7	0.20	0.4	0.13
Lung & bronchus	629	51.4	2.11	30.8	1.26	569	33.2	1.42	20.3	0.93
Skin	28	2.2	0.43	1.5	0.28	-	-	-	-	-
Melanomas of the skin	16	1.2	0.30	0.9	0.22	19	1.1	0.26	0.8	0.19
Breast	-	-	-	-	-	502	29.3	1.34	18.9	0.92
Female Genital System	-	-	-	-	-	326	18.8	1.07	12.4	0.74
Cervix uteri	-	-	-	-	-	49	2.9	0.43	2.1	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	135	7.8	0.68	5.1	0.47
Ovary	-	-	-	-	-	125	7.1	0.65	4.6	0.45
Male Genital System	393	35.9	1.84	15.9	0.84	-	-	-	-	-
Prostate	389	35.7	1.84	15.7	0.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	115	9.7	0.93	5.3	0.51	81	4.6	0.52	2.4	0.30
Bladder	58	5.1	0.69	2.5	0.34	54	3.1	0.43	1.5	0.23
Kidney & renal pelvis	55	4.4	0.61	2.7	0.37	26	1.5	0.30	0.9	0.19
Brain & Other Nervous System	53	4.2	0.60	2.7	0.39	44	2.6	0.40	1.7	0.28
Endocrine System	15	1.1	0.30	0.8	0.21	15	0.8	0.22	0.5	0.17
Thyroid gland	-	-	-	-	-	14	0.7	0.20	0.3	0.10
Lymphomas	79	6.5	0.75	3.9	0.46	76	4.4	0.52	2.4	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	59	5.0	0.67	2.8	0.37	65	3.5	0.45	1.9	0.27
Leukemias	89	7.7	0.84	4.0	0.44	75	4.3	0.51	2.5	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	622	136.4	5.66	70.4	2.94	636	115.2	4.78	64.0	2.80
Oral Cavity & Pharynx	18	3.3	0.80	2.3	0.55	-	-	-	-	-
Digestive System	170	36.5	2.91	19.9	1.57	136	25.6	2.29	12.8	1.22
Esophagus	26	6.1	1.23	2.9	0.58	-	-	-	-	-
Stomach	17	3.5	0.91	1.7	0.42	13	2.3	0.67	1.2	0.38
Colon & Rectum	41	8.2	1.33	5.1	0.82	53	10.4	1.50	5.2	0.78
Liver	13	2.8	0.82	1.5	0.43	-	-	-	-	-
Pancreas	49	10.5	1.56	5.9	0.86	38	6.7	1.14	3.4	0.63
Respiratory System	121	27.6	2.59	13.9	1.30	114	20.8	2.03	11.1	1.14
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	117	27.0	2.57	13.5	1.28	112	20.4	2.01	10.9	1.12
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	13	2.3	0.64	1.8	0.50	14	2.3	0.63	1.6	0.47
Breast	-	-	-	-	-	131	23.6	2.15	14.2	1.34
Female Genital System	-	-	-	-	-	66	11.6	1.51	7.2	0.95
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	16	2.8	0.73	1.7	0.47
Ovary	-	-	-	-	-	43	7.5	1.21	4.6	0.75
Male Genital System	80	19.0	2.15	7.5	0.88	-	-	-	-	-
Prostate	80	19.0	2.15	7.5	0.88	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	36	8.1	1.39	3.8	0.65	20	3.6	0.83	1.8	0.45
Bladder	19	4.6	1.06	1.8	0.43	11	2.0	0.63	0.9	0.32
Kidney & renal pelvis	17	3.5	0.89	2.0	0.49	-	-	-	-	-
Brain & Other Nervous System	26	5.0	1.02	3.3	0.65	26	4.6	0.93	2.8	0.59
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	30	6.9	1.30	3.3	0.62	22	4.0	0.91	1.7	0.42
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	2.9	0.82	1.5	0.43	10	1.6	0.54	0.9	0.32
Leukemias	42	9.6	1.54	4.4	0.71	24	4.5	0.98	2.6	0.58
Other, Ill-defined & Unknown	60	12.5	1.69	7.3	1.03	57	10.3	1.42	5.8	0.91

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,978	277.1	6.40	167.2	3.90	2,113	188.7	4.20	118.7	2.89
Oral Cavity & Pharynx	58	7.6	1.02	5.3	0.71	18	1.6	0.39	1.1	0.29
Digestive System	628	84.8	3.48	55.0	2.26	587	51.8	2.19	31.3	1.46
Esophagus	57	7.2	0.98	5.0	0.68	34	3.0	0.52	1.9	0.36
Stomach	64	9.6	1.23	5.5	0.71	42	4.0	0.63	2.2	0.39
Colon & Rectum	183	25.5	1.93	15.4	1.18	216	19.1	1.34	11.1	0.87
Liver	159	19.8	1.62	14.7	1.19	65	5.6	0.71	4.1	0.56
Pancreas	133	18.2	1.63	11.6	1.04	173	15.1	1.17	8.4	0.72
Respiratory System	545	74.9	3.30	47.1	2.08	458	41.0	1.95	26.3	1.34
Larynx	35	4.8	0.84	3.0	0.52	-	-	-	-	-
Lung & bronchus	506	69.5	3.18	43.7	2.00	449	40.3	1.93	25.8	1.33
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	366	33.8	1.82	22.5	1.29
Female Genital System	-	-	-	-	-	254	23.0	1.48	15.5	1.06
Cervix uteri	-	-	-	-	-	41	4.0	0.65	3.0	0.50
Corpus & uterus, NOS ¹	-	-	-	-	-	117	10.5	0.99	7.1	0.71
Ovary	-	-	-	-	-	80	7.1	0.81	4.6	0.57
Male Genital System	310	48.2	2.78	22.2	1.33	-	-	-	-	-
Prostate	306	47.7	2.77	21.8	1.31	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	79	11.3	1.30	6.6	0.78	58	4.9	0.66	2.7	0.40
Bladder	39	5.7	0.94	3.1	0.51	41	3.5	0.56	1.8	0.32
Kidney & renal pelvis	38	5.3	0.88	3.4	0.57	16	1.4	0.35	0.9	0.24
Brain & Other Nervous System	27	3.9	0.78	2.5	0.51	17	1.7	0.42	1.3	0.33
Endocrine System	10	1.4	0.44	0.9	0.31	11	0.9	0.28	0.6	0.27
Thyroid gland	-	-	-	-	-	10	0.8	0.25	0.4	0.15
Lymphomas	46	6.3	0.96	4.4	0.68	53	4.9	0.69	3.0	0.47
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	46	6.6	1.00	3.8	0.58	53	4.4	0.63	2.4	0.39
Leukemias	44	6.3	0.97	3.5	0.56	50	4.2	0.61	2.5	0.41
Other, Ill-defined & Unknown	175	24.3	1.89	14.9	1.17	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	28	107.0	21.12	61.2	11.99	36	89.3	15.34	46.8	8.10
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	11	38.8	12.46	24.1	7.50	10	27.5	8.89	14.3	4.65
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	112,774	193.1	0.58	113.3	0.37	96,226	134.9	0.45	81.9	0.30
Oral Cavity & Pharynx	2,404	4.1	0.08	2.8	0.06	978	1.4	0.05	0.9	0.03
Digestive System	29,457	50.2	0.30	31.0	0.19	21,353	29.2	0.20	16.9	0.13
Esophagus	4,151	7.0	0.11	4.4	0.07	1,046	1.4	0.04	0.8	0.03
Stomach	2,218	3.9	0.08	2.3	0.05	1,526	2.2	0.06	1.3	0.04
Colon & Rectum	9,743	16.8	0.17	10.0	0.11	8,475	11.6	0.13	6.6	0.08
Liver	4,367	7.3	0.11	5.1	0.08	1,667	2.3	0.06	1.4	0.04
Pancreas	7,062	12.0	0.14	7.1	0.09	6,594	8.9	0.11	5.0	0.07
Respiratory System	34,693	58.5	0.32	35.1	0.20	26,765	37.0	0.23	22.3	0.15
Larynx	1,231	2.1	0.06	1.4	0.04	278	0.4	0.02	0.3	0.02
Lung & bronchus	33,248	56.1	0.31	33.5	0.20	26,378	36.5	0.23	22.0	0.15
Skin	3,501	6.1	0.10	3.5	0.07	1,521	2.2	0.06	1.3	0.04
Melanomas of the skin	2,530	4.4	0.09	2.6	0.06	1,227	1.8	0.05	1.1	0.04
Breast	184	0.3	0.02	0.2	0.02	14,073	20.6	0.18	13.5	0.13
Female Genital System	-	-	-	-	-	9,916	14.5	0.15	9.5	0.11
Cervix uteri	-	-	-	-	-	1,608	2.7	0.07	2.1	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,909	4.1	0.08	2.6	0.05
Ovary	-	-	-	-	-	4,854	6.9	0.10	4.3	0.07
Male Genital System	10,688	18.6	0.18	8.5	0.09	-	-	-	-	-
Prostate	10,456	18.1	0.18	8.2	0.09	-	-	-	-	-
Testis	127	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	7,439	12.8	0.15	6.8	0.09	3,219	4.3	0.08	2.3	0.05
Bladder	4,416	7.6	0.11	3.7	0.06	1,563	2.0	0.05	1.0	0.03
Kidney & renal pelvis	2,865	4.9	0.09	2.9	0.06	1,547	2.1	0.05	1.2	0.04
Brain & Other Nervous System	2,823	5.1	0.10	3.6	0.07	2,182	3.3	0.07	2.3	0.06
Endocrine System	426	0.8	0.04	0.5	0.03	452	0.7	0.03	0.4	0.03
Thyroid gland	256	0.4	0.03	0.3	0.02	304	0.4	0.02	0.2	0.02
Lymphomas	4,490	7.9	0.12	4.4	0.07	3,422	4.7	0.08	2.6	0.05
Hodgkin Lymphoma	235	0.4	0.03	0.3	0.02	174	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,255	7.4	0.11	4.1	0.07	3,248	4.4	0.08	2.4	0.05
Multiple Myeloma	2,204	3.8	0.08	2.1	0.05	1,785	2.4	0.06	1.3	0.04
Leukemias	4,952	8.7	0.12	5.0	0.08	3,403	4.8	0.08	2.8	0.06
Other, Ill-defined & Unknown	9,513	16.4	0.17	9.8	0.11	7,157	9.9	0.12	5.8	0.08

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	100,684	193.2	0.62	113.5	0.40	85,126	135.4	0.48	82.0	0.33
Oral Cavity & Pharynx	2,155	4.2	0.09	2.9	0.07	874	1.4	0.05	0.9	0.03
Digestive System	25,837	49.6	0.31	30.6	0.21	18,464	28.5	0.22	16.3	0.14
Esophagus	3,834	7.3	0.12	4.7	0.08	936	1.4	0.05	0.9	0.03
Stomach	1,734	3.4	0.08	2.0	0.05	1,206	1.9	0.06	1.1	0.04
Colon & Rectum	8,465	16.4	0.18	9.7	0.12	7,307	11.3	0.14	6.4	0.09
Liver	3,748	7.2	0.12	5.0	0.09	1,402	2.2	0.06	1.3	0.04
Pancreas	6,360	12.1	0.15	7.2	0.10	5,813	8.8	0.12	5.0	0.08
Respiratory System	31,326	59.3	0.34	35.6	0.22	24,799	39.0	0.25	23.6	0.17
Larynx	1,046	2.0	0.06	1.3	0.04	256	0.4	0.03	0.3	0.02
Lung & bronchus	30,092	56.9	0.33	34.0	0.21	24,445	38.5	0.25	23.2	0.17
Skin	3,445	6.7	0.12	3.9	0.08	1,487	2.5	0.07	1.6	0.05
Melanomas of the skin	2,507	4.9	0.10	3.0	0.07	1,202	2.1	0.06	1.3	0.05
Breast	158	0.3	0.02	0.2	0.02	11,939	19.9	0.19	13.0	0.14
Female Genital System	-	-	-	-	-	8,402	14.1	0.16	9.2	0.12
Cervix uteri	-	-	-	-	-	1,218	2.5	0.08	1.9	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,316	3.7	0.08	2.4	0.06
Ovary	-	-	-	-	-	4,391	7.1	0.11	4.5	0.08
Male Genital System	8,849	16.9	0.18	7.6	0.09	-	-	-	-	-
Prostate	8,645	16.4	0.18	7.3	0.09	-	-	-	-	-
Testis	118	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	6,960	13.2	0.16	7.0	0.09	2,928	4.4	0.08	2.4	0.05
Bladder	4,181	7.9	0.12	3.9	0.07	1,425	2.1	0.06	1.0	0.03
Kidney & renal pelvis	2,626	5.0	0.10	3.0	0.07	1,405	2.2	0.06	1.3	0.04
Brain & Other Nervous System	2,610	5.4	0.11	3.8	0.09	2,016	3.5	0.08	2.5	0.07
Endocrine System	384	0.8	0.04	0.5	0.03	382	0.6	0.03	0.4	0.03
Thyroid gland	238	0.5	0.03	0.3	0.02	258	0.4	0.03	0.2	0.02
Lymphomas	4,088	8.0	0.13	4.5	0.08	3,093	4.7	0.09	2.6	0.06
Hodgkin Lymphoma	209	0.5	0.03	0.3	0.03	160	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	3,879	7.5	0.12	4.1	0.08	2,933	4.4	0.08	2.4	0.05
Multiple Myeloma	1,812	3.5	0.08	1.9	0.05	1,430	2.2	0.06	1.2	0.04
Leukemias	4,538	8.9	0.13	5.1	0.09	3,029	4.8	0.09	2.7	0.06
Other, Ill-defined & Unknown	8,522	16.5	0.18	9.9	0.12	6,283	9.8	0.13	5.7	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	11,085	216.2	2.20	126.5	1.22	10,040	138.5	1.41	87.0	0.90
Oral Cavity & Pharynx	233	3.9	0.27	2.7	0.18	87	1.2	0.13	0.8	0.09
Digestive System	3,235	60.0	1.13	37.0	0.66	2,581	36.2	0.72	21.6	0.44
Esophagus	290	5.2	0.33	3.3	0.20	102	1.4	0.14	0.9	0.09
Stomach	428	8.5	0.44	4.8	0.24	276	3.9	0.24	2.2	0.14
Colon & Rectum	1,157	22.0	0.69	13.2	0.39	1,080	15.0	0.46	9.0	0.29
Liver	534	8.5	0.39	6.2	0.27	205	2.8	0.20	1.8	0.13
Pancreas	640	12.4	0.52	7.3	0.29	712	10.2	0.39	5.9	0.23
Respiratory System	3,094	57.9	1.11	35.6	0.65	1,717	23.9	0.59	14.8	0.37
Larynx	174	3.0	0.24	2.0	0.16	21	0.3	0.06	0.2	0.04
Lung & bronchus	2,897	54.5	1.08	33.3	0.63	1,685	23.5	0.58	14.6	0.37
Skin	52	0.9	0.13	0.6	0.08	-	-	-	-	-
Melanomas of the skin	20	0.3	0.08	0.2	0.05	20	0.3	0.07	0.2	0.04
Breast	25	0.4	0.09	0.3	0.06	1,990	26.6	0.61	17.8	0.41
Female Genital System	-	-	-	-	-	1,379	18.7	0.51	12.3	0.34
Cervix uteri	-	-	-	-	-	360	4.7	0.25	3.4	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	563	7.7	0.33	5.0	0.22
Ovary	-	-	-	-	-	396	5.4	0.28	3.4	0.18
Male Genital System	1,774	43.0	1.07	19.6	0.47	-	-	-	-	-
Prostate	1,748	42.6	1.07	19.3	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	437	8.9	0.46	5.0	0.24	270	3.9	0.24	2.1	0.14
Bladder	217	4.9	0.36	2.4	0.17	127	1.9	0.17	0.9	0.09
Kidney & renal pelvis	216	3.9	0.28	2.5	0.17	132	1.9	0.16	1.1	0.10
Brain & Other Nervous System	188	3.0	0.23	2.2	0.16	150	2.0	0.16	1.4	0.12
Endocrine System	38	0.6	0.09	0.5	0.08	60	0.8	0.11	0.6	0.08
Thyroid gland	15	0.2	0.06	0.2	0.05	36	0.5	0.09	0.3	0.05
Lymphomas	362	6.5	0.37	4.2	0.22	294	4.1	0.24	2.5	0.15
Hodgkin Lymphoma	25	0.3	0.07	0.3	0.06	13	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	337	6.1	0.36	3.9	0.21	281	3.9	0.24	2.4	0.15
Multiple Myeloma	373	7.2	0.40	4.3	0.22	341	4.9	0.27	2.8	0.16
Leukemias	370	7.1	0.40	4.2	0.22	337	4.8	0.26	3.0	0.17
Other, Ill-defined & Unknown	904	16.8	0.60	10.3	0.35	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	855	91.2	3.40	52.1	1.80	981	76.4	2.57	44.6	1.45
Oral Cavity & Pharynx	15	1.3	0.35	0.9	0.23	17	1.2	0.31	0.8	0.20
Digestive System	339	35.0	2.08	20.7	1.14	294	23.7	1.46	13.2	0.78
Esophagus	24	2.2	0.49	1.5	0.30	-	-	-	-	-
Stomach	52	4.7	0.71	3.3	0.46	42	3.0	0.50	2.0	0.31
Colon & Rectum	105	11.1	1.18	6.4	0.63	85	6.8	0.78	3.8	0.42
Liver	76	7.2	0.88	4.6	0.53	58	5.2	0.71	2.5	0.33
Pancreas	52	6.0	0.91	3.2	0.44	66	5.4	0.69	2.9	0.37
Respiratory System	219	23.6	1.73	13.4	0.91	218	17.4	1.24	9.7	0.66
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	209	22.7	1.70	12.8	0.89	217	17.3	1.23	9.6	0.66
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	138	9.7	0.87	6.4	0.55
Female Genital System	-	-	-	-	-	125	8.8	0.83	5.8	0.53
Cervix uteri	-	-	-	-	-	29	1.9	0.36	1.4	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	29	2.2	0.43	1.3	0.25
Ovary	-	-	-	-	-	59	4.1	0.56	2.7	0.36
Male Genital System	53	7.5	1.11	3.2	0.44	-	-	-	-	-
Prostate	52	7.4	1.11	3.1	0.44	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	37	4.3	0.78	2.3	0.37	18	1.8	0.43	0.8	0.18
Bladder	16	2.1	0.56	1.0	0.25	-	-	-	-	-
Kidney & renal pelvis	21	2.3	0.53	1.3	0.28	-	-	-	-	-
Brain & Other Nervous System	24	2.1	0.44	1.5	0.30	15	1.2	0.32	0.8	0.24
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	37	3.9	0.68	2.2	0.36	35	2.8	0.50	1.6	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	1.5	0.41	1.0	0.25	14	1.3	0.35	0.6	0.16
Leukemias	38	4.1	0.73	2.3	0.38	33	2.5	0.45	1.5	0.28
Other, Ill-defined & Unknown	70	7.1	0.92	4.3	0.52	60	4.8	0.66	2.8	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	41,741	215.7	1.12	124.0	0.62	36,872	142.0	0.75	86.5	0.48
Oral Cavity & Pharynx	879	4.1	0.14	2.7	0.09	364	1.4	0.07	0.8	0.05
Digestive System	11,018	53.9	0.54	33.1	0.32	8,002	31.0	0.35	18.0	0.21
Esophagus	1,477	6.8	0.19	4.5	0.12	363	1.4	0.07	0.8	0.05
Stomach	941	4.8	0.16	2.8	0.09	654	2.6	0.10	1.4	0.06
Colon & Rectum	3,831	19.4	0.33	11.5	0.19	3,268	12.6	0.22	7.3	0.14
Liver	1,612	7.2	0.19	4.9	0.12	633	2.4	0.10	1.4	0.06
Pancreas	2,431	12.1	0.26	7.2	0.15	2,321	9.0	0.19	5.1	0.11
Respiratory System	13,641	68.4	0.62	40.5	0.35	9,612	37.0	0.38	22.7	0.24
Larynx	428	2.0	0.10	1.3	0.06	101	0.4	0.04	0.2	0.03
Lung & bronchus	13,152	66.2	0.61	39.0	0.34	9,477	36.5	0.38	22.3	0.24
Skin	1,043	5.5	0.18	3.1	0.10	467	1.8	0.08	1.1	0.05
Melanomas of the skin	766	4.0	0.15	2.3	0.08	365	1.4	0.08	0.9	0.05
Breast	94	0.5	0.05	0.3	0.03	6,051	22.9	0.30	15.0	0.20
Female Genital System	-	-	-	-	-	4,056	15.5	0.25	9.9	0.16
Cervix uteri	-	-	-	-	-	683	2.6	0.10	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,133	4.2	0.13	2.8	0.09
Ovary	-	-	-	-	-	2,005	7.7	0.17	4.8	0.11
Male Genital System	3,915	24.4	0.41	11.0	0.18	-	-	-	-	-
Prostate	3,808	23.9	0.40	10.6	0.17	-	-	-	-	-
Testis	48	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,430	13.6	0.29	7.0	0.14	1,169	4.6	0.14	2.4	0.08
Bladder	1,330	7.9	0.23	3.7	0.10	556	2.2	0.09	1.1	0.05
Kidney & renal pelvis	1,048	5.3	0.17	3.1	0.10	574	2.2	0.09	1.3	0.06
Brain & Other Nervous System	1,103	5.1	0.16	3.6	0.11	839	3.2	0.11	2.3	0.09
Endocrine System	154	0.7	0.06	0.5	0.04	158	0.6	0.05	0.4	0.04
Thyroid gland	85	0.4	0.05	0.3	0.03	99	0.4	0.04	0.2	0.02
Lymphomas	1,438	7.8	0.22	4.3	0.11	1,102	4.4	0.13	2.4	0.08
Hodgkin Lymphoma	100	0.5	0.05	0.3	0.03	66	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,338	7.3	0.21	3.9	0.11	1,036	4.1	0.13	2.2	0.07
Multiple Myeloma	855	4.5	0.16	2.5	0.09	783	3.1	0.11	1.7	0.06
Leukemias	1,587	8.7	0.23	4.8	0.12	1,229	4.9	0.14	2.8	0.09
Other, Ill-defined & Unknown	3,584	18.3	0.32	10.7	0.18	3,040	11.7	0.22	7.1	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,552	209.0	1.24	119.3	0.70	26,299	140.5	0.88	84.9	0.57
Oral Cavity & Pharynx	594	3.7	0.16	2.4	0.10	259	1.4	0.09	0.8	0.05
Digestive System	7,611	50.0	0.60	30.3	0.35	5,314	28.3	0.39	16.2	0.24
Esophagus	1,060	6.6	0.21	4.3	0.13	223	1.2	0.08	0.7	0.05
Stomach	537	3.6	0.16	2.1	0.09	355	1.9	0.10	1.1	0.06
Colon & Rectum	2,637	17.9	0.36	10.4	0.21	2,145	11.4	0.25	6.5	0.15
Liver	1,067	6.6	0.21	4.3	0.14	419	2.2	0.11	1.3	0.07
Pancreas	1,798	12.0	0.29	7.1	0.17	1,636	8.7	0.22	4.9	0.13
Respiratory System	10,391	69.1	0.70	40.5	0.40	7,600	40.4	0.47	24.8	0.30
Larynx	285	1.8	0.11	1.2	0.07	74	0.4	0.04	0.2	0.03
Lung & bronchus	10,059	67.0	0.69	39.1	0.40	7,504	39.9	0.47	24.4	0.30
Skin	986	6.8	0.23	3.9	0.13	426	2.3	0.11	1.4	0.07
Melanomas of the skin	745	5.0	0.19	3.0	0.11	339	1.9	0.10	1.2	0.07
Breast	59	0.4	0.06	0.2	0.03	3,921	20.9	0.34	13.4	0.23
Female Genital System	-	-	-	-	-	2,730	14.7	0.28	9.4	0.19
Cervix uteri	-	-	-	-	-	411	2.3	0.12	1.8	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	620	3.2	0.13	2.1	0.09
Ovary	-	-	-	-	-	1,519	8.1	0.21	5.0	0.14
Male Genital System	2,357	18.9	0.40	8.3	0.18	-	-	-	-	-
Prostate	2,273	18.3	0.40	7.9	0.17	-	-	-	-	-
Testis	41	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,977	14.4	0.34	7.4	0.17	854	4.5	0.16	2.4	0.09
Bladder	1,135	8.7	0.27	4.1	0.12	407	2.2	0.11	1.1	0.06
Kidney & renal pelvis	795	5.4	0.20	3.1	0.11	422	2.2	0.11	1.3	0.07
Brain & Other Nervous System	932	5.9	0.20	4.1	0.14	683	3.8	0.15	2.7	0.12
Endocrine System	113	0.7	0.07	0.5	0.05	113	0.6	0.06	0.4	0.04
Thyroid gland	70	0.5	0.06	0.3	0.04	73	0.4	0.05	0.2	0.03
Lymphomas	1,142	8.3	0.25	4.4	0.13	893	4.8	0.16	2.6	0.10
Hodgkin Lymphoma	69	0.5	0.06	0.3	0.04	47	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,073	7.8	0.25	4.1	0.13	846	4.5	0.16	2.4	0.09
Multiple Myeloma	529	3.7	0.17	2.0	0.09	444	2.4	0.11	1.2	0.06
Leukemias	1,252	9.2	0.27	4.9	0.15	924	5.0	0.17	2.9	0.11
Other, Ill-defined & Unknown	2,609	17.8	0.36	10.4	0.21	2,138	11.4	0.25	6.8	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,664	255.4	2.83	148.5	1.46	10,086	151.9	1.57	94.8	0.97
Oral Cavity & Pharynx	265	5.2	0.36	3.6	0.22	101	1.5	0.15	1.0	0.10
Digestive System	3,186	69.9	1.42	43.4	0.78	2,526	39.0	0.81	23.2	0.48
Esophagus	398	7.9	0.45	5.4	0.28	138	2.0	0.18	1.3	0.11
Stomach	368	9.2	0.54	5.2	0.27	270	4.4	0.28	2.4	0.15
Colon & Rectum	1,142	26.6	0.91	15.6	0.47	1,069	16.3	0.52	9.7	0.30
Liver	480	8.8	0.46	6.3	0.29	193	2.8	0.21	1.8	0.14
Pancreas	611	13.2	0.61	8.3	0.34	650	10.4	0.42	6.1	0.25
Respiratory System	3,122	70.6	1.43	43.5	0.79	1,921	29.3	0.69	18.3	0.43
Larynx	140	2.8	0.27	1.9	0.16	27	0.4	0.08	0.3	0.05
Lung & bronchus	2,968	67.5	1.40	41.4	0.77	1,883	28.7	0.69	17.9	0.42
Skin	53	1.2	0.19	0.7	0.10	39	0.6	0.10	0.3	0.06
Melanomas of the skin	18	0.5	0.14	0.2	0.06	24	0.4	0.08	0.2	0.05
Breast	35	0.9	0.17	0.5	0.08	2,055	28.9	0.66	19.5	0.44
Female Genital System	-	-	-	-	-	1,272	18.9	0.55	12.3	0.35
Cervix uteri	-	-	-	-	-	262	3.7	0.24	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	503	7.6	0.35	4.9	0.23
Ovary	-	-	-	-	-	458	6.9	0.33	4.4	0.21
Male Genital System	1,530	50.9	1.43	22.9	0.59	-	-	-	-	-
Prostate	1,508	50.4	1.42	22.6	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	432	10.5	0.58	6.0	0.29	306	5.0	0.29	2.7	0.16
Bladder	185	5.1	0.43	2.7	0.20	146	2.5	0.22	1.2	0.10
Kidney & renal pelvis	243	5.3	0.39	3.3	0.22	147	2.3	0.19	1.4	0.12
Brain & Other Nervous System	158	3.0	0.28	2.1	0.17	141	2.0	0.18	1.5	0.13
Endocrine System	37	0.7	0.14	0.5	0.08	42	0.6	0.10	0.4	0.07
Thyroid gland	12	0.3	0.09	0.2	0.05	24	0.4	0.08	0.2	0.05
Lymphomas	279	6.0	0.41	3.7	0.23	197	3.1	0.23	1.9	0.14
Hodgkin Lymphoma	31	0.5	0.10	0.4	0.07	19	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	248	5.5	0.40	3.3	0.22	178	2.8	0.22	1.7	0.13
Multiple Myeloma	316	8.0	0.51	4.5	0.26	335	5.4	0.31	3.1	0.17
Leukemias	314	7.3	0.47	4.4	0.25	286	4.6	0.28	2.7	0.16
Other, Ill-defined & Unknown	937	21.2	0.80	12.7	0.42	865	13.0	0.46	8.1	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	505	105.8	5.71	60.9	2.79	458	78.6	4.14	44.0	2.08
Oral Cavity & Pharynx	19	3.7	1.02	2.2	0.51	-	-	-	-	-
Digestive System	213	42.1	3.44	24.7	1.74	155	29.1	2.62	15.3	1.24
Esophagus	18	3.4	0.99	2.0	0.49	-	-	-	-	-
Stomach	36	7.7	1.58	4.4	0.76	29	5.7	1.19	2.7	0.52
Colon & Rectum	48	9.3	1.59	5.7	0.85	50	9.2	1.48	5.0	0.71
Liver	64	12.0	1.79	7.1	0.91	21	3.9	0.94	2.0	0.45
Pancreas	21	4.1	0.99	2.4	0.53	32	5.5	1.07	3.2	0.58
Respiratory System	124	25.5	2.75	15.6	1.43	86	15.2	1.80	8.2	0.89
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	121	25.1	2.74	15.2	1.42	85	15.0	1.79	8.0	0.88
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	69	10.1	1.40	6.3	0.77
Female Genital System	-	-	-	-	-	48	7.2	1.17	4.6	0.67
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	25	3.3	0.73	2.5	0.50
Male Genital System	27	9.3	2.04	3.7	0.74	-	-	-	-	-
Prostate	26	9.1	2.03	3.6	0.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	21	5.1	1.29	2.5	0.56	-	-	-	-	-
Bladder	10	2.5	0.89	1.2	0.37	-	-	-	-	-
Kidney & renal pelvis	10	2.4	0.93	1.2	0.39	-	-	-	-	-
Brain & Other Nervous System	12	1.4	0.41	1.3	0.39	14	2.0	0.58	1.4	0.38
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	16	3.8	1.25	2.1	0.54	12	2.6	0.81	1.1	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	16	3.8	1.25	2.1	0.54	12	2.6	0.81	1.1	0.33
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	21	4.5	1.23	2.5	0.57	17	2.7	0.74	1.5	0.37
Other, Ill-defined & Unknown	36	7.4	1.49	4.4	0.75	37	6.0	1.13	3.7	0.62

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,479	192.5	2.04	107.2	1.06	10,404	134.1	1.35	79.9	0.82
Oral Cavity & Pharynx	244	3.8	0.27	2.4	0.16	86	1.1	0.12	0.7	0.07
Digestive System	3,009	51.6	1.02	30.6	0.57	2,348	30.7	0.65	17.4	0.38
Esophagus	328	5.4	0.32	3.4	0.19	124	1.6	0.15	1.0	0.09
Stomach	293	5.3	0.33	3.0	0.18	235	3.1	0.21	1.7	0.11
Colon & Rectum	1,063	19.0	0.63	10.8	0.33	914	11.8	0.40	6.7	0.23
Liver	483	7.2	0.36	4.8	0.22	201	2.6	0.19	1.5	0.11
Pancreas	639	11.3	0.49	6.6	0.26	651	8.7	0.35	4.9	0.20
Respiratory System	2,863	52.5	1.06	29.6	0.56	2,357	31.2	0.66	18.2	0.39
Larynx	96	1.6	0.17	1.0	0.10	23	0.3	0.07	0.2	0.04
Lung & bronchus	2,755	50.7	1.04	28.5	0.55	2,322	30.8	0.66	17.9	0.39
Skin	239	4.3	0.30	2.4	0.16	114	1.5	0.14	0.9	0.09
Melanomas of the skin	165	2.9	0.24	1.7	0.13	94	1.2	0.13	0.7	0.08
Breast	30	0.6	0.11	0.3	0.06	1,969	24.0	0.56	15.6	0.36
Female Genital System	-	-	-	-	-	1,276	16.1	0.46	10.1	0.29
Cervix uteri	-	-	-	-	-	195	2.3	0.17	1.6	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	388	4.9	0.25	3.2	0.17
Ovary	-	-	-	-	-	628	8.1	0.33	4.9	0.20
Male Genital System	1,178	26.3	0.81	11.9	0.35	-	-	-	-	-
Prostate	1,152	25.9	0.80	11.7	0.35	-	-	-	-	-
Testis	12	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	626	12.5	0.54	6.3	0.26	315	4.1	0.24	2.2	0.13
Bladder	349	7.6	0.43	3.5	0.19	142	2.0	0.17	0.9	0.08
Kidney & renal pelvis	264	4.6	0.31	2.7	0.17	164	2.0	0.16	1.2	0.10
Brain & Other Nervous System	331	4.8	0.29	3.4	0.19	237	2.9	0.20	2.1	0.14
Endocrine System	52	0.9	0.14	0.6	0.08	56	0.7	0.10	0.5	0.07
Thyroid gland	25	0.5	0.11	0.2	0.05	33	0.4	0.08	0.2	0.04
Lymphomas	396	7.7	0.42	4.0	0.20	283	3.8	0.23	2.1	0.13
Hodgkin Lymphoma	34	0.5	0.09	0.3	0.06	12	0.1	0.04	0.1	0.04
Non-Hodgkin Lymphoma	362	7.2	0.41	3.6	0.19	271	3.7	0.23	1.9	0.12
Multiple Myeloma	279	5.2	0.34	2.9	0.18	236	3.1	0.21	1.8	0.12
Leukemias	419	8.0	0.42	4.4	0.22	347	4.6	0.26	2.6	0.15
Other, Ill-defined & Unknown	813	14.2	0.54	8.4	0.30	780	10.1	0.37	5.9	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,258	179.4	2.38	97.7	1.26	6,033	128.3	1.69	75.0	1.05
Oral Cavity & Pharynx	133	3.4	0.31	2.2	0.19	51	1.0	0.15	0.6	0.09
Digestive System	1,674	45.4	1.17	26.3	0.66	1,264	27.0	0.78	14.8	0.45
Esophagus	221	5.7	0.40	3.5	0.24	75	1.6	0.19	1.0	0.12
Stomach	127	3.6	0.33	2.0	0.18	108	2.3	0.22	1.2	0.13
Colon & Rectum	589	16.6	0.72	9.1	0.38	478	10.2	0.48	5.4	0.27
Liver	211	5.2	0.38	3.3	0.23	97	2.1	0.22	1.1	0.13
Pancreas	409	11.3	0.59	6.5	0.33	381	8.2	0.43	4.4	0.24
Respiratory System	1,717	49.7	1.25	26.9	0.66	1,533	33.2	0.87	18.9	0.52
Larynx	49	1.4	0.21	0.8	0.11	14	0.3	0.09	0.2	0.05
Lung & bronchus	1,661	48.1	1.23	26.0	0.65	1,512	32.8	0.86	18.7	0.51
Skin	211	5.8	0.42	3.3	0.23	99	2.1	0.22	1.3	0.14
Melanomas of the skin	157	4.1	0.35	2.5	0.20	83	1.8	0.20	1.1	0.13
Breast	13	0.4	0.12	0.2	0.05	1,006	20.9	0.67	13.4	0.45
Female Genital System	-	-	-	-	-	698	14.6	0.57	9.1	0.37
Cervix uteri	-	-	-	-	-	87	1.9	0.20	1.3	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	172	3.5	0.27	2.3	0.19
Ovary	-	-	-	-	-	398	8.4	0.43	5.0	0.27
Male Genital System	597	19.7	0.83	8.6	0.36	-	-	-	-	-
Prostate	579	19.2	0.82	8.3	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	444	13.5	0.67	6.7	0.33	210	4.3	0.31	2.3	0.17
Bladder	275	8.9	0.55	4.1	0.25	92	2.0	0.21	0.9	0.10
Kidney & renal pelvis	158	4.3	0.36	2.5	0.20	112	2.2	0.22	1.3	0.14
Brain & Other Nervous System	251	6.0	0.40	4.3	0.27	165	3.5	0.28	2.6	0.22
Endocrine System	33	0.9	0.17	0.6	0.10	33	0.7	0.12	0.4	0.07
Thyroid gland	18	0.6	0.14	0.3	0.06	22	0.4	0.09	0.2	0.05
Lymphomas	274	8.5	0.53	4.1	0.25	180	3.9	0.30	2.0	0.17
Hodgkin Lymphoma	21	0.5	0.12	0.3	0.07	-	-	-	-	-
Non-Hodgkin Lymphoma	253	8.0	0.52	3.8	0.24	-	-	-	-	-
Multiple Myeloma	140	4.2	0.37	2.2	0.19	103	2.1	0.21	1.2	0.13
Leukemias	287	8.6	0.53	4.6	0.29	224	4.8	0.33	2.8	0.22
Other, Ill-defined & Unknown	484	13.4	0.64	7.8	0.36	467	10.0	0.47	5.7	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2009-2013, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,860	240.9	4.65	136.9	2.26	4,091	151.5	2.53	93.2	1.49
Oral Cavity & Pharynx	97	4.8	0.61	3.0	0.32	32	1.3	0.24	0.8	0.14
Digestive System	1,173	66.7	2.34	40.1	1.20	992	38.2	1.29	22.3	0.72
Esophagus	95	5.0	0.59	3.3	0.35	47	1.7	0.26	1.1	0.16
Stomach	141	9.6	0.95	5.0	0.43	111	4.6	0.47	2.4	0.23
Colon & Rectum	436	26.2	1.52	15.0	0.74	407	15.2	0.80	9.0	0.45
Liver	224	10.0	0.79	7.2	0.50	89	3.3	0.37	2.0	0.21
Pancreas	214	12.7	1.03	7.5	0.52	249	10.1	0.67	5.9	0.38
Respiratory System	1,067	63.7	2.30	37.9	1.19	778	29.3	1.12	18.2	0.67
Larynx	46	2.0	0.34	1.5	0.23	-	-	-	-	-
Lung & bronchus	1,016	61.4	2.27	36.3	1.16	765	28.9	1.11	17.9	0.66
Skin	27	1.4	0.32	0.9	0.17	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	10	0.3	0.12	0.2	0.07
Breast	17	1.1	0.32	0.6	0.14	915	31.1	1.10	20.2	0.68
Female Genital System	-	-	-	-	-	543	19.9	0.91	12.7	0.56
Cervix uteri	-	-	-	-	-	102	3.4	0.36	2.2	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	210	7.8	0.58	5.0	0.35
Ovary	-	-	-	-	-	210	7.9	0.58	4.9	0.35
Male Genital System	559	49.5	2.37	22.5	0.97	-	-	-	-	-
Prostate	552	49.0	2.36	22.3	0.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	164	10.2	0.96	5.8	0.47	99	4.0	0.43	2.2	0.22
Bladder	65	4.5	0.66	2.5	0.31	47	2.1	0.32	1.0	0.15
Kidney & renal pelvis	98	5.6	0.69	3.3	0.35	49	1.8	0.27	1.1	0.16
Brain & Other Nervous System	69	3.0	0.43	2.2	0.28	68	2.4	0.32	1.7	0.21
Endocrine System	15	0.9	0.28	0.5	0.14	20	0.8	0.19	0.5	0.13
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	111	5.7	0.68	3.6	0.36	94	3.5	0.39	2.1	0.23
Hodgkin Lymphoma	13	0.4	0.12	0.4	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	98	5.3	0.67	3.3	0.34	-	-	-	-	-
Multiple Myeloma	133	8.9	0.92	4.9	0.43	130	5.3	0.49	3.0	0.27
Leukemias	123	7.4	0.80	4.3	0.40	113	4.5	0.45	2.6	0.25
Other, Ill-defined & Unknown	305	17.6	1.23	10.4	0.61	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	354	112.0	7.18	63.3	3.47	273	72.6	4.96	41.4	2.54
Oral Cavity & Pharynx	14	3.6	1.03	2.3	0.61	-	-	-	-	-
Digestive System	160	48.3	4.57	27.7	2.26	91	25.6	3.02	14.3	1.51
Esophagus	11	3.4	1.31	1.8	0.58	-	-	-	-	-
Stomach	25	7.3	1.84	4.5	0.93	16	4.9	1.37	2.3	0.59
Colon & Rectum	38	11.6	2.24	6.9	1.15	29	7.4	1.58	4.6	0.86
Liver	47	14.1	2.47	7.8	1.17	15	4.3	1.24	2.3	0.61
Pancreas	16	4.3	1.17	2.7	0.69	20	5.4	1.33	3.3	0.73
Respiratory System	78	25.3	3.44	14.6	1.70	46	12.8	2.09	7.0	1.05
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	77	25.1	3.44	14.5	1.69	45	12.5	2.07	6.8	1.03
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	46	10.2	1.74	6.6	0.98
Female Genital System	-	-	-	-	-	33	7.8	1.53	5.0	0.88
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	18	4.0	1.04	2.8	0.68
Male Genital System	21	10.3	2.57	4.1	0.94	-	-	-	-	-
Prostate	20	10.0	2.55	4.0	0.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	18	6.9	1.87	3.2	0.77	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	10	1.7	0.55	1.6	0.52	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	2.9	1.19	1.8	0.58	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	10	2.9	1.19	1.8	0.58	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	23	6.9	1.70	4.2	0.90	20	4.8	1.23	3.1	0.72

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,274	168.8	2.18	98.3	1.32	5,130	114.2	1.64	69.9	1.11
Oral Cavity & Pharynx	146	3.8	0.32	2.5	0.22	66	1.4	0.18	0.8	0.12
Digestive System	2,092	55.4	1.24	33.9	0.78	1,434	31.1	0.84	17.8	0.54
Esophagus	211	5.5	0.39	3.5	0.25	41	0.9	0.14	0.6	0.10
Stomach	241	6.7	0.44	3.6	0.25	176	3.6	0.28	2.0	0.18
Colon & Rectum	650	17.3	0.69	10.4	0.43	486	10.7	0.50	6.5	0.33
Liver	368	9.5	0.51	6.4	0.35	142	3.0	0.26	1.7	0.16
Pancreas	480	12.7	0.59	7.5	0.36	452	9.9	0.48	5.4	0.29
Respiratory System	1,627	44.0	1.11	25.2	0.66	1,154	25.6	0.77	14.8	0.49
Larynx	62	1.6	0.21	1.0	0.13	-	-	-	-	-
Lung & bronchus	1,547	41.9	1.09	23.9	0.64	1,139	25.3	0.77	14.6	0.48
Skin	138	3.7	0.33	2.1	0.20	63	1.3	0.17	0.8	0.11
Melanomas of the skin	89	2.4	0.26	1.5	0.17	45	0.9	0.15	0.6	0.10
Breast	-	-	-	-	-	639	14.9	0.61	10.3	0.44
Female Genital System	-	-	-	-	-	540	12.6	0.56	8.6	0.40
Cervix uteri	-	-	-	-	-	80	2.1	0.24	1.5	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	194	4.5	0.33	3.1	0.24
Ovary	-	-	-	-	-	237	5.4	0.36	3.5	0.25
Male Genital System	510	14.1	0.63	6.3	0.30	-	-	-	-	-
Prostate	505	13.9	0.63	6.2	0.30	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	350	9.4	0.51	5.1	0.29	128	2.7	0.24	1.5	0.15
Bladder	181	5.0	0.38	2.4	0.19	50	1.0	0.14	0.5	0.08
Kidney & renal pelvis	159	4.1	0.34	2.5	0.21	69	1.5	0.18	0.9	0.12
Brain & Other Nervous System	118	3.0	0.28	2.4	0.24	93	2.2	0.24	1.8	0.21
Endocrine System	38	1.0	0.17	0.7	0.13	49	1.1	0.17	0.7	0.13
Thyroid gland	24	0.6	0.13	0.4	0.09	41	0.9	0.15	0.6	0.10
Lymphomas	268	7.4	0.46	4.1	0.27	197	4.2	0.31	2.3	0.18
Hodgkin Lymphoma	10	0.3	0.09	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	258	7.1	0.45	3.9	0.26	-	-	-	-	-
Multiple Myeloma	126	3.3	0.30	1.8	0.17	79	1.8	0.20	1.0	0.13
Leukemias	251	7.0	0.45	4.2	0.29	177	4.1	0.32	2.7	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	511	11.3	0.51	6.9	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,009	184.9	4.35	105.9	2.48	1,398	131.7	3.71	78.6	2.37
Oral Cavity & Pharynx	51	4.0	0.60	2.8	0.40	18	1.7	0.42	0.9	0.24
Digestive System	585	51.7	2.25	31.7	1.35	313	29.8	1.76	16.8	1.04
Esophagus	80	7.1	0.83	4.4	0.50	19	1.7	0.40	1.1	0.26
Stomach	38	3.8	0.64	2.2	0.37	18	1.8	0.44	0.9	0.21
Colon & Rectum	173	15.6	1.25	8.9	0.70	120	11.5	1.10	6.4	0.65
Liver	114	9.4	0.93	6.4	0.62	22	1.7	0.39	1.1	0.25
Pancreas	140	12.3	1.10	7.6	0.66	98	9.6	1.01	5.3	0.58
Respiratory System	486	44.3	2.12	25.3	1.18	336	31.1	1.77	17.6	1.03
Larynx	24	2.0	0.44	1.3	0.28	-	-	-	-	-
Lung & bronchus	455	41.6	2.06	23.6	1.13	334	31.0	1.77	17.6	1.02
Skin	98	9.7	1.03	5.0	0.53	-	-	-	-	-
Melanomas of the skin	65	6.1	0.80	3.5	0.45	27	2.4	0.47	1.4	0.30
Breast	-	-	-	-	-	185	17.6	1.37	11.7	0.94
Female Genital System	-	-	-	-	-	150	14.6	1.25	9.2	0.82
Cervix uteri	-	-	-	-	-	23	2.5	0.54	1.8	0.40
Corpus & uterus, NOS ¹	-	-	-	-	-	38	3.4	0.59	2.1	0.36
Ovary	-	-	-	-	-	77	7.6	0.91	4.6	0.56
Male Genital System	186	19.2	1.46	8.6	0.64	-	-	-	-	-
Prostate	185	19.1	1.45	8.5	0.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	132	12.5	1.14	6.4	0.58	34	3.2	0.58	1.6	0.29
Bladder	84	8.3	0.95	4.0	0.45	15	1.5	0.41	0.7	0.20
Kidney & renal pelvis	45	3.8	0.60	2.3	0.35	17	1.5	0.37	0.8	0.20
Brain & Other Nervous System	58	4.7	0.67	3.7	0.56	46	4.5	0.75	4.0	0.73
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	77	7.3	0.88	4.4	0.57	51	4.4	0.64	2.3	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	53	5.0	0.72	2.7	0.38	24	2.2	0.47	1.4	0.30
Leukemias	71	6.9	0.85	3.8	0.47	38	4.1	0.72	2.6	0.59
Other, Ill-defined & Unknown	202	18.6	1.38	10.7	0.80	163	14.8	1.22	8.4	0.77

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	82	186.3	24.15	112.7	13.01	42	127.4	21.48	85.5	13.83
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	46.8	10.89	33.1	6.94	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	12	23.4	8.22	15.2	4.63	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	56.4	14.44	29.3	6.58	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	51.7	13.65	27.8	6.41	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	34.9	11.35	22.7	7.18
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,167	162.1	2.55	94.8	1.60	3,679	109.2	1.86	67.2	1.28
Oral Cavity & Pharynx	92	3.6	0.38	2.3	0.26	48	1.4	0.20	0.8	0.15
Digestive System	1,478	57.0	1.51	35.0	0.97	1,112	31.7	0.98	18.2	0.64
Esophagus	129	5.0	0.44	3.2	0.30	21	0.6	0.13	0.4	0.09
Stomach	202	7.9	0.56	4.4	0.33	156	4.2	0.35	2.3	0.23
Colon & Rectum	464	18.0	0.85	11.0	0.55	363	10.7	0.58	6.6	0.40
Liver	249	9.6	0.62	6.4	0.43	119	3.4	0.32	1.8	0.20
Pancreas	332	12.7	0.70	7.5	0.44	353	10.0	0.55	5.5	0.34
Respiratory System	1,113	43.6	1.33	25.0	0.80	806	23.8	0.86	13.7	0.55
Larynx	36	1.4	0.23	0.8	0.15	-	-	-	-	-
Lung & bronchus	1,066	41.8	1.30	23.9	0.78	793	23.4	0.85	13.5	0.54
Skin	40	1.5	0.25	1.0	0.17	31	0.9	0.16	0.5	0.11
Melanomas of the skin	24	0.9	0.19	0.6	0.13	18	0.5	0.12	0.3	0.08
Breast	-	-	-	-	-	441	13.9	0.68	9.7	0.51
Female Genital System	-	-	-	-	-	383	12.1	0.64	8.4	0.47
Cervix uteri	-	-	-	-	-	56	1.9	0.27	1.5	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	153	4.9	0.40	3.4	0.30
Ovary	-	-	-	-	-	157	4.8	0.39	3.2	0.28
Male Genital System	318	12.1	0.69	5.3	0.33	-	-	-	-	-
Prostate	314	11.9	0.68	5.2	0.33	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	213	8.3	0.58	4.5	0.34	93	2.6	0.27	1.5	0.18
Bladder	93	3.6	0.38	1.7	0.19	35	0.9	0.15	0.4	0.09
Kidney & renal pelvis	113	4.4	0.42	2.7	0.27	51	1.5	0.22	1.0	0.15
Brain & Other Nervous System	57	2.2	0.29	1.8	0.25	45	1.4	0.22	1.1	0.18
Endocrine System	32	1.2	0.22	0.9	0.17	41	1.3	0.21	0.9	0.16
Thyroid gland	22	0.8	0.18	0.6	0.13	35	1.1	0.19	0.7	0.13
Lymphomas	184	7.3	0.55	3.9	0.32	145	4.1	0.35	2.2	0.22
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	71	2.7	0.33	1.5	0.19	54	1.6	0.22	0.9	0.14
Leukemias	175	6.9	0.53	4.3	0.36	135	4.1	0.37	2.8	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	345	10.3	0.57	6.5	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,978	186.8	2.29	103.7	1.29	5,862	132.8	1.76	78.0	1.11
Oral Cavity & Pharynx	146	3.6	0.31	2.4	0.20	56	1.3	0.18	0.7	0.11
Digestive System	1,843	47.6	1.14	28.3	0.68	1,269	28.5	0.81	16.4	0.50
Esophagus	281	7.1	0.44	4.5	0.27	61	1.3	0.17	0.8	0.11
Stomach	115	3.1	0.30	1.7	0.16	66	1.4	0.18	0.8	0.11
Colon & Rectum	618	16.3	0.67	9.4	0.39	490	11.1	0.51	6.2	0.31
Liver	217	5.1	0.35	3.5	0.25	82	1.8	0.20	1.2	0.14
Pancreas	495	12.8	0.59	7.6	0.35	406	9.2	0.47	5.1	0.27
Respiratory System	1,758	46.3	1.13	25.9	0.64	1,440	32.7	0.87	19.1	0.54
Larynx	47	1.1	0.17	0.7	0.11	12	0.3	0.08	0.2	0.05
Lung & bronchus	1,700	44.9	1.11	25.0	0.63	1,420	32.3	0.87	18.8	0.54
Skin	269	7.1	0.45	4.2	0.27	129	2.9	0.26	1.8	0.17
Melanomas of the skin	191	4.9	0.37	3.1	0.23	102	2.4	0.24	1.5	0.16
Breast	12	0.3	0.09	0.2	0.05	912	20.8	0.70	13.1	0.46
Female Genital System	-	-	-	-	-	638	14.4	0.58	9.0	0.39
Cervix uteri	-	-	-	-	-	69	1.7	0.21	1.2	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	185	4.2	0.31	2.6	0.21
Ovary	-	-	-	-	-	344	7.7	0.42	4.7	0.28
Male Genital System	814	24.1	0.86	10.2	0.37	-	-	-	-	-
Prostate	797	23.6	0.85	9.9	0.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	491	13.3	0.61	7.1	0.33	204	4.5	0.32	2.4	0.18
Bladder	259	7.3	0.46	3.5	0.22	82	1.8	0.20	0.8	0.10
Kidney & renal pelvis	218	5.6	0.39	3.4	0.24	113	2.5	0.24	1.4	0.15
Brain & Other Nervous System	263	6.7	0.42	4.7	0.30	131	3.0	0.26	2.1	0.20
Endocrine System	40	1.1	0.17	0.7	0.12	37	0.9	0.14	0.5	0.09
Thyroid gland	26	0.7	0.14	0.4	0.09	29	0.7	0.13	0.4	0.07
Lymphomas	301	8.1	0.48	4.4	0.27	241	5.5	0.36	2.7	0.20
Hodgkin Lymphoma	17	0.4	0.11	0.3	0.08	15	0.4	0.10	0.2	0.06
Non-Hodgkin Lymphoma	284	7.7	0.47	4.1	0.25	226	5.1	0.34	2.5	0.18
Multiple Myeloma	161	4.3	0.35	2.3	0.19	112	2.6	0.25	1.3	0.14
Leukemias	319	8.9	0.51	4.7	0.28	213	4.8	0.33	2.7	0.21
Other, Ill-defined & Unknown	561	15.2	0.66	8.5	0.38	480	10.9	0.51	6.2	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,861	187.9	2.32	104.5	1.32	5,754	133.6	1.79	78.5	1.13
Oral Cavity & Pharynx	143	3.7	0.31	2.4	0.20	54	1.3	0.18	0.7	0.11
Digestive System	1,800	47.6	1.15	28.3	0.69	1,231	28.4	0.82	16.2	0.51
Esophagus	278	7.2	0.44	4.5	0.28	61	1.4	0.18	0.8	0.12
Stomach	109	3.0	0.29	1.6	0.16	63	1.4	0.18	0.8	0.11
Colon & Rectum	603	16.3	0.68	9.3	0.39	477	11.1	0.52	6.2	0.32
Liver	204	4.9	0.35	3.4	0.24	73	1.6	0.19	1.0	0.13
Pancreas	490	13.0	0.60	7.7	0.36	401	9.3	0.47	5.2	0.28
Respiratory System	1,739	46.8	1.15	26.3	0.65	1,418	33.0	0.89	19.3	0.55
Larynx	46	1.1	0.17	0.7	0.11	12	0.3	0.08	0.2	0.05
Lung & bronchus	1,682	45.3	1.13	25.4	0.64	1,398	32.5	0.88	19.0	0.55
Skin	268	7.3	0.46	4.3	0.27	128	3.0	0.27	1.8	0.18
Melanomas of the skin	191	5.1	0.38	3.2	0.24	101	2.4	0.24	1.5	0.17
Breast	12	0.3	0.09	0.2	0.06	901	21.1	0.72	13.3	0.48
Female Genital System	-	-	-	-	-	624	14.5	0.59	9.1	0.39
Cervix uteri	-	-	-	-	-	69	1.7	0.21	1.2	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	181	4.2	0.32	2.6	0.21
Ovary	-	-	-	-	-	335	7.7	0.43	4.7	0.28
Male Genital System	799	24.2	0.87	10.2	0.37	-	-	-	-	-
Prostate	783	23.7	0.86	9.9	0.37	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	486	13.5	0.62	7.2	0.34	202	4.6	0.33	2.4	0.19
Bladder	257	7.4	0.47	3.5	0.23	81	1.8	0.21	0.8	0.10
Kidney & renal pelvis	215	5.7	0.40	3.5	0.24	112	2.6	0.25	1.5	0.15
Brain & Other Nervous System	258	6.8	0.43	4.8	0.31	131	3.1	0.27	2.2	0.20
Endocrine System	39	1.1	0.17	0.7	0.12	35	0.8	0.14	0.5	0.09
Thyroid gland	25	0.7	0.14	0.4	0.09	28	0.7	0.12	0.3	0.07
Lymphomas	294	8.1	0.48	4.4	0.27	240	5.6	0.36	2.8	0.20
Hodgkin Lymphoma	17	0.5	0.11	0.3	0.09	15	0.4	0.10	0.2	0.07
Non-Hodgkin Lymphoma	277	7.6	0.47	4.1	0.26	225	5.2	0.35	2.6	0.19
Multiple Myeloma	158	4.3	0.35	2.3	0.19	110	2.6	0.25	1.3	0.14
Leukemias	314	9.0	0.52	4.8	0.29	208	4.8	0.34	2.7	0.21
Other, Ill-defined & Unknown	551	15.3	0.66	8.6	0.39	472	11.0	0.51	6.3	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	16	109.0	33.71	67.2	17.76	10	100.7	35.39	59.4	19.63
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	49	155.1	23.60	80.4	11.88	40	75.4	12.42	46.2	7.63
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	18	53.3	13.37	30.4	7.42	17	32.2	8.16	19.5	4.94
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	61,824	211.9	0.87	119.6	0.50	59,487	152.3	0.64	91.0	0.41
Oral Cavity & Pharynx	1,137	3.6	0.11	2.4	0.07	521	1.3	0.06	0.8	0.04
Digestive System	16,942	56.6	0.44	33.5	0.27	13,557	34.1	0.30	19.4	0.19
Esophagus	2,422	7.9	0.16	4.9	0.10	667	1.7	0.07	1.0	0.04
Stomach	1,511	5.1	0.13	3.0	0.08	996	2.5	0.08	1.5	0.05
Colon & Rectum	5,750	19.6	0.26	11.1	0.15	5,490	13.6	0.19	7.5	0.12
Liver	2,146	6.8	0.15	4.4	0.10	855	2.2	0.08	1.2	0.05
Pancreas	3,847	12.9	0.21	7.6	0.13	3,882	9.8	0.16	5.6	0.10
Respiratory System	18,541	62.7	0.47	36.4	0.28	15,578	40.6	0.33	24.2	0.21
Larynx	667	2.2	0.09	1.3	0.05	160	0.4	0.03	0.3	0.02
Lung & bronchus	17,780	60.2	0.46	34.9	0.27	15,363	40.0	0.33	23.8	0.21
Skin	1,433	4.9	0.13	2.8	0.08	774	2.0	0.07	1.2	0.05
Melanomas of the skin	1,101	3.7	0.11	2.2	0.07	628	1.7	0.07	1.0	0.05
Breast	80	0.3	0.03	0.2	0.02	8,845	22.7	0.25	14.7	0.17
Female Genital System	-	-	-	-	-	6,281	16.3	0.21	10.4	0.14
Cervix uteri	-	-	-	-	-	897	2.4	0.08	1.8	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,999	5.1	0.12	3.2	0.08
Ovary	-	-	-	-	-	2,987	7.7	0.14	4.8	0.10
Male Genital System	5,835	21.9	0.29	9.7	0.13	-	-	-	-	-
Prostate	5,716	21.5	0.29	9.4	0.13	-	-	-	-	-
Testis	63	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	3,953	13.9	0.23	7.3	0.12	2,068	5.1	0.11	2.7	0.07
Bladder	2,057	7.5	0.17	3.5	0.08	925	2.2	0.08	1.1	0.04
Kidney & renal pelvis	1,792	6.0	0.15	3.5	0.09	1,063	2.7	0.08	1.6	0.05
Brain & Other Nervous System	1,592	5.1	0.13	3.6	0.09	1,250	3.3	0.10	2.4	0.07
Endocrine System	240	0.8	0.05	0.6	0.04	325	0.9	0.05	0.6	0.04
Thyroid gland	136	0.4	0.04	0.3	0.02	208	0.5	0.04	0.3	0.02
Lymphomas	2,383	8.4	0.18	4.5	0.10	2,056	5.1	0.12	2.7	0.07
Hodgkin Lymphoma	112	0.4	0.04	0.2	0.02	90	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,271	8.0	0.17	4.2	0.09	1,966	4.9	0.11	2.5	0.07
Multiple Myeloma	1,209	4.3	0.13	2.2	0.07	1,085	2.7	0.08	1.4	0.05
Leukemias	2,810	10.1	0.19	5.4	0.11	2,216	5.6	0.12	3.2	0.08
Other, Ill-defined & Unknown	5,669	19.4	0.26	11.2	0.16	4,931	12.5	0.18	7.2	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,549	208.0	0.93	116.6	0.54	49,126	150.3	0.69	89.2	0.45
Oral Cavity & Pharynx	892	3.4	0.12	2.2	0.08	439	1.3	0.07	0.8	0.04
Digestive System	13,753	54.3	0.47	31.9	0.28	10,860	32.5	0.32	18.3	0.20
Esophagus	2,106	8.2	0.18	5.0	0.11	523	1.6	0.07	0.9	0.04
Stomach	1,096	4.3	0.13	2.6	0.08	717	2.2	0.08	1.2	0.05
Colon & Rectum	4,664	18.8	0.28	10.5	0.16	4,395	12.9	0.20	7.1	0.12
Liver	1,625	6.1	0.16	3.9	0.10	660	2.0	0.08	1.1	0.05
Pancreas	3,216	12.7	0.23	7.5	0.14	3,172	9.6	0.17	5.5	0.11
Respiratory System	15,433	61.7	0.51	35.5	0.30	13,079	40.9	0.36	24.3	0.23
Larynx	513	2.0	0.09	1.2	0.05	111	0.4	0.03	0.2	0.02
Lung & bronchus	14,835	59.3	0.50	34.1	0.29	12,923	40.4	0.36	24.0	0.23
Skin	1,388	5.6	0.15	3.2	0.09	739	2.3	0.09	1.4	0.06
Melanomas of the skin	1,077	4.3	0.13	2.6	0.08	605	1.9	0.08	1.2	0.06
Breast	65	0.3	0.03	0.2	0.02	7,064	21.7	0.27	13.9	0.18
Female Genital System	-	-	-	-	-	5,071	15.8	0.23	10.1	0.16
Cervix uteri	-	-	-	-	-	607	2.0	0.08	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,547	4.8	0.12	3.0	0.08
Ovary	-	-	-	-	-	2,560	8.0	0.16	5.0	0.11
Male Genital System	4,498	19.5	0.29	8.5	0.13	-	-	-	-	-
Prostate	4,394	19.1	0.29	8.2	0.13	-	-	-	-	-
Testis	57	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,543	14.5	0.25	7.6	0.13	1,768	5.2	0.13	2.8	0.08
Bladder	1,876	7.9	0.19	3.7	0.09	780	2.2	0.08	1.0	0.04
Kidney & renal pelvis	1,570	6.2	0.16	3.6	0.10	923	2.8	0.09	1.6	0.06
Brain & Other Nervous System	1,424	5.5	0.15	3.8	0.11	1,124	3.7	0.11	2.6	0.09
Endocrine System	199	0.8	0.06	0.6	0.04	272	0.9	0.05	0.6	0.04
Thyroid gland	117	0.4	0.04	0.3	0.03	178	0.5	0.04	0.3	0.03
Lymphomas	2,128	8.8	0.19	4.7	0.11	1,838	5.4	0.13	2.8	0.08
Hodgkin Lymphoma	100	0.4	0.04	0.3	0.03	74	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,028	8.4	0.19	4.4	0.10	1,764	5.2	0.13	2.6	0.07
Multiple Myeloma	969	4.0	0.13	2.1	0.07	821	2.4	0.09	1.3	0.05
Leukemias	2,444	10.3	0.21	5.4	0.12	1,906	5.8	0.14	3.3	0.09
Other, Ill-defined & Unknown	4,813	19.4	0.29	11.0	0.17	4,145	12.4	0.20	7.1	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,036	276.2	3.07	164.0	1.76	9,198	185.4	1.96	115.4	1.26
Oral Cavity & Pharynx	202	5.1	0.38	3.8	0.27	65	1.3	0.16	0.9	0.11
Digestive System	2,708	79.4	1.61	49.4	0.96	2,341	47.5	0.99	27.9	0.61
Esophagus	288	7.9	0.49	5.3	0.32	125	2.5	0.22	1.5	0.14
Stomach	346	10.9	0.62	6.2	0.34	226	4.6	0.31	2.7	0.19
Colon & Rectum	944	28.8	0.99	17.1	0.56	985	20.0	0.65	11.6	0.39
Liver	405	10.4	0.54	7.6	0.38	160	3.2	0.26	1.9	0.16
Pancreas	557	16.5	0.74	10.2	0.44	627	12.9	0.52	7.4	0.31
Respiratory System	2,799	82.6	1.65	51.6	0.99	2,284	46.1	0.98	28.5	0.62
Larynx	150	4.2	0.37	2.7	0.23	47	0.9	0.13	0.6	0.09
Lung & bronchus	2,640	78.2	1.60	48.7	0.96	2,227	45.0	0.97	27.7	0.61
Skin	37	1.1	0.18	0.7	0.11	29	0.6	0.11	0.4	0.07
Melanomas of the skin	17	0.5	0.12	0.3	0.08	17	0.3	0.08	0.2	0.06
Breast	12	0.4	0.11	0.2	0.07	1,615	32.0	0.81	21.3	0.55
Female Genital System	-	-	-	-	-	1,075	21.4	0.66	14.1	0.45
Cervix uteri	-	-	-	-	-	270	5.2	0.32	3.8	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	415	8.3	0.41	5.4	0.27
Ovary	-	-	-	-	-	354	7.0	0.38	4.5	0.25
Male Genital System	1,259	46.7	1.37	21.5	0.62	-	-	-	-	-
Prostate	1,247	46.4	1.37	21.3	0.61	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	356	11.7	0.65	6.4	0.34	271	5.6	0.35	3.1	0.20
Bladder	158	5.7	0.48	2.7	0.22	127	2.7	0.24	1.4	0.13
Kidney & renal pelvis	193	5.8	0.44	3.6	0.26	130	2.7	0.24	1.6	0.15
Brain & Other Nervous System	129	3.3	0.30	2.5	0.22	99	1.9	0.20	1.4	0.15
Endocrine System	30	0.8	0.15	0.6	0.11	42	0.9	0.14	0.6	0.10
Thyroid gland	11	0.3	0.10	0.2	0.06	24	0.5	0.10	0.3	0.06
Lymphomas	214	6.1	0.44	4.0	0.27	175	3.6	0.27	2.3	0.19
Hodgkin Lymphoma	11	0.3	0.08	0.2	0.06	15	0.3	0.08	0.2	0.06
Non-Hodgkin Lymphoma	203	5.8	0.43	3.7	0.27	160	3.2	0.26	2.1	0.18
Multiple Myeloma	223	7.2	0.51	3.9	0.27	252	5.3	0.34	2.9	0.19
Leukemias	306	9.5	0.58	5.6	0.32	257	5.4	0.34	3.1	0.21
Other, Ill-defined & Unknown	761	22.3	0.86	13.9	0.51	693	14.0	0.54	8.8	0.35

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,205	117.7	3.74	63.4	1.84	1,122	81.7	2.55	47.5	1.44
Oral Cavity & Pharynx	43	3.2	0.53	2.2	0.34	17	1.2	0.31	0.7	0.18
Digestive System	469	43.7	2.22	24.5	1.14	345	26.2	1.47	14.2	0.78
Esophagus	26	2.2	0.47	1.3	0.26	18	1.4	0.35	0.7	0.17
Stomach	69	6.9	0.92	3.6	0.43	52	4.0	0.57	2.1	0.30
Colon & Rectum	137	13.2	1.25	7.2	0.62	107	8.2	0.83	4.4	0.43
Liver	113	10.4	1.07	5.9	0.56	34	2.6	0.46	1.4	0.25
Pancreas	72	6.8	0.88	3.7	0.44	80	6.1	0.71	3.3	0.37
Respiratory System	301	30.1	1.91	15.7	0.91	203	15.4	1.12	8.5	0.61
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	297	29.6	1.89	15.4	0.90	201	15.2	1.12	8.4	0.60
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	163	10.6	0.86	7.3	0.58
Female Genital System	-	-	-	-	-	134	9.2	0.84	5.7	0.50
Cervix uteri	-	-	-	-	-	19	1.2	0.30	0.8	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	37	2.7	0.46	1.6	0.26
Ovary	-	-	-	-	-	73	5.0	0.61	3.1	0.37
Male Genital System	72	9.6	1.21	3.9	0.46	-	-	-	-	-
Prostate	70	9.5	1.21	3.7	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	6.0	0.89	2.8	0.39	25	1.9	0.41	1.0	0.21
Bladder	23	2.7	0.62	1.2	0.26	17	1.3	0.34	0.7	0.17
Kidney & renal pelvis	29	3.1	0.62	1.5	0.28	-	-	-	-	-
Brain & Other Nervous System	39	3.0	0.53	2.2	0.37	25	1.6	0.33	1.2	0.26
Endocrine System	10	1.0	0.34	0.5	0.18	11	0.9	0.27	0.4	0.13
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	41	4.4	0.76	2.1	0.33	42	3.1	0.51	1.8	0.28
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	16	1.7	0.45	0.8	0.21	12	1.0	0.29	0.5	0.14
Leukemias	60	6.0	0.85	3.3	0.43	52	3.9	0.56	2.2	0.31
Other, Ill-defined & Unknown	89	8.2	0.96	4.8	0.52	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,003	228.0	1.25	131.4	0.73	31,060	155.3	0.90	94.4	0.59
Oral Cavity & Pharynx	606	3.6	0.15	2.4	0.10	258	1.3	0.08	0.8	0.05
Digestive System	8,768	55.5	0.61	33.6	0.37	6,650	32.6	0.41	19.0	0.26
Esophagus	1,442	8.9	0.24	5.6	0.15	351	1.7	0.09	1.1	0.06
Stomach	595	3.9	0.16	2.3	0.10	357	1.8	0.10	1.1	0.06
Colon & Rectum	3,057	19.8	0.37	11.6	0.22	2,761	13.4	0.26	7.5	0.16
Liver	1,047	6.1	0.19	4.2	0.13	409	2.0	0.10	1.2	0.07
Pancreas	2,045	13.1	0.30	7.8	0.18	1,942	9.5	0.22	5.6	0.14
Respiratory System	11,836	75.7	0.71	45.0	0.43	8,753	44.2	0.48	27.1	0.31
Larynx	327	2.0	0.11	1.3	0.07	94	0.5	0.05	0.3	0.03
Lung & bronchus	11,432	73.2	0.70	43.4	0.42	8,614	43.5	0.48	26.7	0.31
Skin	950	6.2	0.20	3.6	0.12	511	2.6	0.12	1.6	0.08
Melanomas of the skin	710	4.5	0.17	2.8	0.11	402	2.1	0.11	1.4	0.08
Breast	54	0.3	0.05	0.2	0.03	4,422	22.3	0.34	14.4	0.24
Female Genital System	-	-	-	-	-	3,174	16.0	0.29	10.4	0.20
Cervix uteri	-	-	-	-	-	448	2.5	0.12	1.8	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	943	4.6	0.15	3.0	0.11
Ovary	-	-	-	-	-	1,570	7.9	0.20	5.0	0.14
Male Genital System	2,980	21.7	0.40	9.6	0.18	-	-	-	-	-
Prostate	2,902	21.2	0.40	9.2	0.18	-	-	-	-	-
Testis	46	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	2,304	15.5	0.33	8.3	0.18	1,139	5.5	0.17	2.9	0.10
Bladder	1,221	8.6	0.25	4.1	0.12	497	2.4	0.11	1.1	0.06
Kidney & renal pelvis	1,020	6.5	0.21	4.0	0.13	592	2.9	0.12	1.7	0.08
Brain & Other Nervous System	907	5.6	0.19	4.0	0.14	687	3.6	0.14	2.6	0.11
Endocrine System	130	0.8	0.07	0.6	0.06	134	0.7	0.06	0.4	0.04
Thyroid gland	76	0.5	0.06	0.3	0.04	91	0.4	0.05	0.2	0.03
Lymphomas	1,331	8.9	0.25	4.9	0.14	1,104	5.5	0.17	3.1	0.10
Hodgkin Lymphoma	68	0.5	0.06	0.3	0.04	50	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,263	8.5	0.24	4.6	0.14	1,054	5.2	0.16	2.9	0.10
Multiple Myeloma	719	4.8	0.18	2.5	0.10	577	2.8	0.12	1.5	0.07
Leukemias	1,441	9.8	0.26	5.3	0.15	1,161	5.8	0.17	3.3	0.11
Other, Ill-defined & Unknown	2,977	19.6	0.37	11.3	0.22	2,490	12.3	0.25	7.4	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,295	226.9	1.29	130.6	0.76	28,302	153.8	0.93	93.3	0.62
Oral Cavity & Pharynx	564	3.6	0.16	2.5	0.11	238	1.3	0.08	0.8	0.06
Digestive System	7,975	54.6	0.63	32.9	0.38	5,953	31.6	0.42	18.3	0.27
Esophagus	1,366	9.1	0.25	5.8	0.16	314	1.7	0.10	1.0	0.06
Stomach	511	3.6	0.16	2.1	0.10	287	1.6	0.09	0.9	0.06
Colon & Rectum	2,787	19.5	0.38	11.4	0.22	2,490	13.1	0.27	7.3	0.17
Liver	897	5.8	0.20	3.8	0.13	348	1.9	0.10	1.1	0.07
Pancreas	1,876	12.9	0.31	7.7	0.18	1,760	9.3	0.23	5.5	0.15
Respiratory System	10,940	75.4	0.74	44.8	0.44	8,058	44.3	0.50	27.2	0.33
Larynx	281	1.8	0.11	1.2	0.07	84	0.5	0.05	0.3	0.03
Lung & bronchus	10,589	73.1	0.73	43.3	0.43	7,933	43.6	0.50	26.8	0.33
Skin	936	6.5	0.22	3.9	0.13	499	2.8	0.13	1.8	0.09
Melanomas of the skin	707	4.9	0.19	3.0	0.12	395	2.3	0.12	1.5	0.08
Breast	50	0.3	0.05	0.2	0.03	3,962	21.7	0.35	13.9	0.24
Female Genital System	-	-	-	-	-	2,906	16.0	0.30	10.4	0.21
Cervix uteri	-	-	-	-	-	399	2.4	0.13	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	830	4.4	0.16	2.9	0.11
Ovary	-	-	-	-	-	1,474	8.0	0.21	5.0	0.14
Male Genital System	2,632	20.5	0.41	9.0	0.18	-	-	-	-	-
Prostate	2,556	20.0	0.40	8.6	0.18	-	-	-	-	-
Testis	45	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,197	15.9	0.35	8.5	0.19	1,049	5.5	0.17	2.9	0.10
Bladder	1,177	8.9	0.26	4.3	0.13	454	2.3	0.11	1.1	0.06
Kidney & renal pelvis	959	6.6	0.22	4.0	0.13	548	2.9	0.13	1.6	0.08
Brain & Other Nervous System	864	5.8	0.20	4.2	0.15	658	3.8	0.15	2.7	0.12
Endocrine System	121	0.8	0.08	0.6	0.06	116	0.6	0.06	0.4	0.04
Thyroid gland	74	0.5	0.06	0.3	0.04	81	0.4	0.05	0.2	0.03
Lymphomas	1,266	9.1	0.26	5.0	0.15	1,032	5.5	0.18	3.1	0.11
Hodgkin Lymphoma	65	0.5	0.06	0.3	0.04	42	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,201	8.7	0.25	4.7	0.14	990	5.3	0.17	2.9	0.10
Multiple Myeloma	641	4.6	0.19	2.4	0.10	481	2.5	0.12	1.4	0.07
Leukemias	1,368	10.0	0.28	5.4	0.16	1,082	5.9	0.18	3.3	0.12
Other, Ill-defined & Unknown	2,741	19.5	0.38	11.2	0.23	2,268	12.2	0.26	7.2	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,582	274.9	5.80	160.7	3.22	2,578	188.8	3.79	116.0	2.39
Oral Cavity & Pharynx	40	3.6	0.61	2.5	0.40	19	1.4	0.33	0.9	0.21
Digestive System	747	73.6	2.89	47.1	1.75	640	47.5	1.91	27.6	1.15
Esophagus	72	7.1	0.89	4.6	0.55	36	2.6	0.45	1.6	0.28
Stomach	73	7.4	0.93	4.5	0.54	61	4.7	0.61	2.4	0.33
Colon & Rectum	259	26.6	1.78	16.2	1.03	254	18.9	1.21	10.5	0.70
Liver	140	11.1	0.98	8.9	0.77	50	3.5	0.50	2.5	0.36
Pancreas	163	17.2	1.44	10.4	0.83	169	12.8	1.00	7.4	0.60
Respiratory System	871	91.8	3.32	54.3	1.87	664	49.4	1.96	29.9	1.21
Larynx	46	4.8	0.75	2.9	0.43	10	0.7	0.24	0.5	0.15
Lung & bronchus	818	86.3	3.22	51.0	1.81	650	48.3	1.93	29.3	1.20
Skin	13	1.3	0.37	0.8	0.23	12	0.8	0.24	0.6	0.17
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	433	30.8	1.51	20.3	1.01
Female Genital System	-	-	-	-	-	251	17.8	1.15	11.9	0.78
Cervix uteri	-	-	-	-	-	45	3.0	0.46	2.2	0.33
Corpus & uterus, NOS ¹	-	-	-	-	-	109	8.0	0.78	5.1	0.51
Ovary	-	-	-	-	-	87	6.1	0.67	4.2	0.46
Male Genital System	341	45.0	2.56	20.4	1.13	-	-	-	-	-
Prostate	339	44.8	2.55	20.3	1.12	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	105	11.4	1.19	6.6	0.66	81	6.0	0.68	3.4	0.40
Bladder	44	5.4	0.86	2.7	0.41	38	2.9	0.48	1.4	0.25
Kidney & renal pelvis	60	5.9	0.82	3.9	0.51	41	2.9	0.46	1.9	0.30
Brain & Other Nervous System	35	3.4	0.63	2.3	0.39	26	1.8	0.36	1.3	0.27
Endocrine System	-	-	-	-	-	13	0.9	0.25	0.6	0.18
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	54	5.9	0.87	3.2	0.44	66	5.0	0.63	2.9	0.37
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	77	8.5	1.04	4.6	0.53	93	7.3	0.76	4.0	0.44
Leukemias	64	6.8	0.91	4.0	0.50	71	5.3	0.64	2.9	0.37
Other, Ill-defined & Unknown	223	22.3	1.59	14.2	0.97	209	14.9	1.05	9.7	0.70

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	113	89.8	10.34	48.5	4.71	163	86.2	7.37	53.7	4.29
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	45	35.4	6.38	18.9	2.90	52	27.2	4.10	16.3	2.31
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	7.2	2.73	4.5	1.40	-	-	-	-	-
Colon & Rectum	11	9.1	3.41	4.6	1.43	16	8.0	2.17	4.8	1.22
Liver	10	7.6	3.00	4.4	1.42	10	5.2	1.78	3.1	0.99
Pancreas	-	-	-	-	-	11	6.5	2.05	3.8	1.16
Respiratory System	20	19.7	5.22	9.0	2.07	27	15.7	3.23	9.3	1.81
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	20	19.7	5.22	9.0	2.07	27	15.7	3.23	9.3	1.81
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	25	11.6	2.62	8.0	1.64
Female Genital System	-	-	-	-	-	15	7.6	2.16	5.0	1.33
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	10	8.5	3.23	4.4	1.43	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	11	7.3	2.72	5.0	1.56	12	5.9	1.81	4.0	1.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,864	206.6	1.61	116.8	0.96	15,171	143.9	1.21	86.0	0.81
Oral Cavity & Pharynx	298	3.5	0.21	2.3	0.14	127	1.1	0.10	0.6	0.07
Digestive System	4,360	52.7	0.81	31.2	0.50	3,493	31.9	0.56	17.9	0.36
Esophagus	713	8.5	0.33	5.3	0.21	148	1.4	0.12	0.8	0.08
Stomach	247	3.0	0.19	1.7	0.12	167	1.5	0.12	0.9	0.08
Colon & Rectum	1,574	19.4	0.50	10.8	0.29	1,577	14.1	0.37	7.5	0.23
Liver	461	5.3	0.25	3.6	0.18	151	1.4	0.12	0.8	0.08
Pancreas	1,043	12.5	0.39	7.5	0.25	994	9.1	0.30	5.2	0.19
Respiratory System	5,169	62.6	0.88	36.6	0.54	3,859	37.7	0.62	23.0	0.41
Larynx	140	1.6	0.14	1.0	0.09	36	0.4	0.06	0.2	0.04
Lung & bronchus	4,982	60.4	0.87	35.3	0.53	3,798	37.1	0.62	22.6	0.41
Skin	478	5.8	0.27	3.5	0.17	235	2.3	0.16	1.4	0.11
Melanomas of the skin	353	4.3	0.23	2.7	0.15	181	1.9	0.15	1.2	0.11
Breast	19	0.2	0.05	0.1	0.03	2,034	19.7	0.46	12.7	0.32
Female Genital System	-	-	-	-	-	1,704	16.6	0.42	10.5	0.29
Cervix uteri	-	-	-	-	-	173	2.0	0.16	1.5	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	537	5.1	0.23	3.3	0.16
Ovary	-	-	-	-	-	840	8.1	0.29	5.0	0.19
Male Genital System	1,594	20.3	0.51	8.7	0.24	-	-	-	-	-
Prostate	1,558	19.8	0.51	8.4	0.23	-	-	-	-	-
Testis	21	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,237	15.3	0.44	7.9	0.24	556	5.0	0.22	2.7	0.13
Bladder	633	8.0	0.32	3.7	0.16	239	2.0	0.14	1.0	0.08
Kidney & renal pelvis	571	6.9	0.29	4.1	0.18	295	2.8	0.17	1.6	0.11
Brain & Other Nervous System	517	6.3	0.28	4.6	0.22	385	4.0	0.21	2.8	0.17
Endocrine System	69	0.9	0.10	0.6	0.08	64	0.6	0.08	0.4	0.06
Thyroid gland	43	0.5	0.08	0.3	0.05	43	0.4	0.06	0.2	0.04
Lymphomas	742	9.2	0.34	4.8	0.19	617	5.6	0.23	2.9	0.14
Hodgkin Lymphoma	37	0.5	0.08	0.3	0.05	27	0.3	0.06	0.2	0.04
Non-Hodgkin Lymphoma	705	8.8	0.33	4.5	0.18	590	5.3	0.23	2.8	0.14
Multiple Myeloma	357	4.5	0.24	2.4	0.13	280	2.6	0.16	1.4	0.10
Leukemias	766	9.7	0.35	5.1	0.20	582	5.3	0.23	3.0	0.15
Other, Ill-defined & Unknown	1,258	15.5	0.44	8.8	0.27	1,235	11.4	0.34	6.7	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,436	206.1	1.63	116.4	0.98	14,828	143.9	1.23	86.0	0.83
Oral Cavity & Pharynx	284	3.5	0.21	2.2	0.14	124	1.1	0.10	0.6	0.07
Digestive System	4,209	52.2	0.82	30.8	0.51	3,391	31.6	0.56	17.6	0.36
Esophagus	704	8.7	0.33	5.4	0.22	146	1.4	0.12	0.8	0.08
Stomach	236	3.0	0.20	1.7	0.12	155	1.5	0.12	0.9	0.08
Colon & Rectum	1,534	19.4	0.50	10.7	0.29	1,537	14.0	0.37	7.5	0.23
Liver	411	4.9	0.24	3.2	0.17	140	1.3	0.11	0.7	0.08
Pancreas	1,016	12.5	0.40	7.5	0.25	969	9.1	0.30	5.1	0.19
Respiratory System	5,048	62.6	0.89	36.6	0.54	3,763	37.7	0.63	22.9	0.42
Larynx	137	1.7	0.14	1.0	0.09	35	0.4	0.06	0.2	0.05
Lung & bronchus	4,866	60.4	0.88	35.2	0.53	3,705	37.1	0.62	22.6	0.42
Skin	473	5.9	0.28	3.5	0.17	234	2.4	0.16	1.5	0.12
Melanomas of the skin	349	4.3	0.24	2.7	0.15	180	1.9	0.15	1.3	0.11
Breast	18	0.2	0.05	0.1	0.03	1,997	19.8	0.46	12.7	0.33
Female Genital System	-	-	-	-	-	1,669	16.6	0.42	10.5	0.29
Cervix uteri	-	-	-	-	-	165	2.0	0.16	1.5	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	522	5.1	0.23	3.2	0.16
Ovary	-	-	-	-	-	829	8.2	0.29	5.0	0.20
Male Genital System	1,560	20.2	0.51	8.7	0.24	-	-	-	-	-
Prostate	1,525	19.7	0.51	8.4	0.23	-	-	-	-	-
Testis	21	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,217	15.4	0.45	8.0	0.25	546	5.0	0.22	2.7	0.13
Bladder	624	8.0	0.32	3.7	0.16	235	2.0	0.14	1.0	0.08
Kidney & renal pelvis	560	6.9	0.30	4.1	0.18	289	2.8	0.17	1.6	0.11
Brain & Other Nervous System	507	6.4	0.29	4.7	0.23	378	4.1	0.22	2.9	0.17
Endocrine System	64	0.8	0.10	0.6	0.08	58	0.6	0.08	0.4	0.06
Thyroid gland	42	0.5	0.08	0.3	0.06	39	0.4	0.06	0.2	0.03
Lymphomas	727	9.3	0.35	4.8	0.20	607	5.6	0.23	2.9	0.14
Hodgkin Lymphoma	36	0.5	0.08	0.3	0.06	26	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	691	8.8	0.34	4.5	0.19	581	5.3	0.23	2.8	0.14
Multiple Myeloma	347	4.4	0.24	2.3	0.13	274	2.6	0.16	1.4	0.10
Leukemias	755	9.7	0.36	5.2	0.21	579	5.4	0.24	3.1	0.16
Other, Ill-defined & Unknown	1,227	15.5	0.45	8.7	0.27	1,208	11.4	0.34	6.8	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	313	270.9	17.56	161.7	9.46	253	190.6	12.44	123.0	8.03
Oral Cavity & Pharynx	11	6.5	2.22	4.9	1.52	-	-	-	-	-
Digestive System	100	79.4	9.15	50.0	5.16	70	50.3	6.24	34.1	4.23
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	28	21.2	4.73	12.9	2.52	31	22.9	4.25	15.3	2.84
Liver	26	16.7	3.60	12.7	2.59	-	-	-	-	-
Pancreas	23	18.4	4.22	12.6	2.70	19	14.4	3.42	9.5	2.27
Respiratory System	94	77.5	9.15	49.6	5.29	74	59.0	7.10	36.4	4.40
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	89	71.3	8.58	47.1	5.15	72	57.1	6.97	35.1	4.31
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	28	19.8	3.89	13.4	2.61
Female Genital System	-	-	-	-	-	28	21.1	4.10	14.4	2.82
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	13	10.5	2.97	7.7	2.19
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	27	36.2	7.37	15.1	2.97	-	-	-	-	-
Prostate	26	35.7	7.36	14.8	2.95	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	14.8	4.21	8.2	2.19	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	9.6	3.21	5.8	1.82	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	20	16.5	4.14	10.6	2.45	22	17.2	3.82	10.3	2.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	87	158.3	20.48	83.2	9.28	70	88.3	11.66	48.8	5.94
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	35	55.5	11.30	33.3	5.83	26	38.5	8.13	18.3	3.65
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	18	25.3	7.39	16.7	4.10	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	21	38.4	9.13	19.5	4.30	16	19.2	5.17	10.9	2.79
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	21	38.4	9.13	19.5	4.30	15	17.3	4.81	10.4	2.74
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,123	202.1	1.73	116.5	1.04	12,821	144.0	1.30	86.7	0.87
Oral Cavity & Pharynx	221	3.0	0.20	2.0	0.14	104	1.2	0.12	0.7	0.08
Digestive System	3,680	51.6	0.87	31.5	0.55	2,842	31.2	0.60	17.8	0.38
Esophagus	583	8.1	0.34	5.2	0.22	122	1.3	0.12	0.8	0.08
Stomach	241	3.4	0.22	2.0	0.14	147	1.7	0.14	1.1	0.10
Colon & Rectum	1,267	18.1	0.52	10.7	0.32	1,192	12.9	0.38	7.2	0.24
Liver	463	5.9	0.28	4.2	0.20	193	2.1	0.16	1.3	0.11
Pancreas	882	12.6	0.43	7.4	0.26	883	9.8	0.34	5.5	0.21
Respiratory System	4,257	60.5	0.94	35.7	0.57	3,431	39.2	0.68	24.0	0.45
Larynx	92	1.3	0.14	0.8	0.09	25	0.3	0.06	0.2	0.04
Lung & bronchus	4,134	58.8	0.93	34.6	0.56	3,395	38.8	0.68	23.7	0.45
Skin	432	6.3	0.31	3.6	0.18	199	2.2	0.16	1.4	0.11
Melanomas of the skin	324	4.7	0.26	2.8	0.16	160	1.8	0.15	1.2	0.11
Breast	17	0.2	0.06	0.2	0.04	1,808	20.6	0.50	13.1	0.35
Female Genital System	-	-	-	-	-	1,286	14.8	0.42	9.3	0.29
Cervix uteri	-	-	-	-	-	149	1.9	0.16	1.4	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	384	4.3	0.23	2.7	0.15
Ovary	-	-	-	-	-	668	7.6	0.30	4.7	0.20
Male Genital System	1,277	19.4	0.55	8.5	0.25	-	-	-	-	-
Prostate	1,245	18.9	0.54	8.2	0.25	-	-	-	-	-
Testis	16	0.2	0.06	0.2	0.04	-	-	-	-	-
Urinary System	953	13.8	0.45	7.5	0.26	462	5.1	0.24	2.8	0.15
Bladder	473	7.0	0.33	3.4	0.17	189	2.0	0.15	1.0	0.09
Kidney & renal pelvis	459	6.5	0.31	3.9	0.19	253	2.9	0.19	1.6	0.12
Brain & Other Nervous System	460	6.4	0.30	4.5	0.22	342	4.1	0.22	2.9	0.18
Endocrine System	60	0.8	0.11	0.5	0.07	62	0.7	0.09	0.5	0.08
Thyroid gland	42	0.6	0.10	0.3	0.05	39	0.4	0.07	0.2	0.04
Lymphomas	595	8.7	0.36	4.7	0.21	475	5.2	0.24	2.7	0.15
Hodgkin Lymphoma	29	0.4	0.08	0.3	0.05	25	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	566	8.3	0.35	4.5	0.20	450	4.8	0.23	2.5	0.14
Multiple Myeloma	325	4.8	0.27	2.5	0.15	262	2.9	0.18	1.5	0.11
Leukemias	693	10.3	0.40	5.5	0.23	519	5.7	0.26	3.3	0.17
Other, Ill-defined & Unknown	1,153	16.3	0.49	9.7	0.30	1,029	11.3	0.36	6.7	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	13,124	200.0	1.77	114.9	1.07	11,870	142.0	1.34	85.5	0.90
Oral Cavity & Pharynx	204	2.9	0.21	1.9	0.14	98	1.2	0.12	0.7	0.08
Digestive System	3,378	50.6	0.89	30.8	0.56	2,593	30.2	0.61	17.2	0.39
Esophagus	556	8.3	0.36	5.3	0.23	112	1.3	0.12	0.7	0.08
Stomach	211	3.2	0.22	1.9	0.14	122	1.5	0.14	1.0	0.10
Colon & Rectum	1,170	17.8	0.53	10.6	0.33	1,091	12.4	0.39	7.0	0.25
Liver	397	5.5	0.28	3.8	0.20	164	1.9	0.16	1.2	0.10
Pancreas	820	12.5	0.44	7.3	0.27	826	9.7	0.35	5.5	0.22
Respiratory System	3,941	59.6	0.96	35.1	0.59	3,177	38.7	0.70	23.8	0.47
Larynx	83	1.2	0.14	0.8	0.09	24	0.3	0.06	0.2	0.04
Lung & bronchus	3,832	58.0	0.95	34.0	0.58	3,142	38.3	0.70	23.5	0.46
Skin	423	6.5	0.32	3.8	0.19	195	2.3	0.17	1.5	0.12
Melanomas of the skin	320	4.9	0.28	2.9	0.17	157	1.9	0.16	1.3	0.12
Breast	15	0.2	0.06	0.1	0.04	1,666	20.2	0.51	12.9	0.36
Female Genital System	-	-	-	-	-	1,198	14.7	0.44	9.3	0.30
Cervix uteri	-	-	-	-	-	139	2.0	0.17	1.4	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	344	4.1	0.23	2.6	0.16
Ovary	-	-	-	-	-	634	7.7	0.31	4.8	0.21
Male Genital System	1,166	18.6	0.55	8.1	0.26	-	-	-	-	-
Prostate	1,136	18.1	0.54	7.8	0.25	-	-	-	-	-
Testis	16	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	912	14.0	0.47	7.6	0.27	434	5.1	0.25	2.8	0.16
Bladder	456	7.1	0.34	3.5	0.17	176	2.0	0.15	1.0	0.09
Kidney & renal pelvis	435	6.5	0.32	3.9	0.20	239	2.9	0.19	1.6	0.12
Brain & Other Nervous System	441	6.6	0.32	4.7	0.24	322	4.1	0.24	3.0	0.19
Endocrine System	57	0.8	0.11	0.5	0.08	53	0.6	0.09	0.5	0.08
Thyroid gland	40	0.6	0.10	0.3	0.05	34	0.4	0.07	0.2	0.05
Lymphomas	570	8.9	0.38	4.8	0.22	451	5.2	0.25	2.7	0.15
Hodgkin Lymphoma	29	0.5	0.09	0.3	0.06	25	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	541	8.4	0.37	4.5	0.21	426	4.8	0.24	2.5	0.14
Multiple Myeloma	290	4.5	0.27	2.4	0.15	233	2.7	0.18	1.4	0.11
Leukemias	653	10.4	0.41	5.5	0.23	497	5.8	0.27	3.3	0.19
Other, Ill-defined & Unknown	1,074	16.3	0.50	9.6	0.31	953	11.1	0.37	6.5	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2009-2013, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	727	259.9	10.48	155.9	5.90	718	194.8	7.39	119.5	4.69
Oral Cavity & Pharynx	10	3.4	1.17	2.1	0.69	-	-	-	-	-
Digestive System	226	74.9	5.41	49.0	3.32	184	50.7	3.79	29.3	2.29
Esophagus	22	7.8	1.80	5.0	1.08	-	-	-	-	-
Stomach	18	5.8	1.48	3.8	0.91	17	5.0	1.22	2.6	0.66
Colon & Rectum	72	26.1	3.34	15.4	1.84	78	21.8	2.50	12.0	1.44
Liver	47	12.2	1.89	9.9	1.47	23	5.8	1.23	3.7	0.81
Pancreas	55	18.8	2.73	12.2	1.68	38	10.5	1.71	6.2	1.07
Respiratory System	228	80.0	5.74	49.1	3.32	188	51.8	3.84	30.8	2.37
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	217	76.3	5.61	46.6	3.23	187	51.6	3.83	30.6	2.36
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	113	29.7	2.84	20.1	1.95
Female Genital System	-	-	-	-	-	61	17.0	2.21	10.6	1.43
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	30	8.7	1.61	4.9	0.95
Ovary	-	-	-	-	-	23	6.2	1.32	4.1	0.89
Male Genital System	95	45.3	4.87	19.8	2.07	-	-	-	-	-
Prostate	93	44.6	4.84	19.4	2.05	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	25	9.4	2.03	5.5	1.12	21	5.9	1.31	3.1	0.72
Bladder	11	5.2	1.64	2.4	0.75	11	3.2	0.96	1.7	0.55
Kidney & renal pelvis	14	4.2	1.18	3.0	0.83	10	2.7	0.89	1.4	0.46
Brain & Other Nervous System	14	3.5	1.08	2.9	0.79	13	3.0	0.86	2.3	0.65
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	11	3.6	1.18	2.4	0.73	18	4.9	1.17	3.2	0.80
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	11	3.6	1.18	2.4	0.73	18	4.9	1.17	3.2	0.80
Multiple Myeloma	28	11.3	2.29	5.8	1.12	24	6.7	1.39	4.2	0.89
Leukemias	27	9.4	1.96	5.5	1.07	20	5.2	1.18	3.5	0.82
Other, Ill-defined & Unknown	55	16.5	2.40	11.9	1.64	62	16.1	2.09	10.2	1.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	121	129.5	13.95	74.4	6.88	112	93.0	9.55	50.7	4.87
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	37	36.1	6.97	22.0	3.67	33	27.3	5.22	14.4	2.54
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	12	9.8	3.07	5.3	1.55
Liver	13	10.9	3.70	7.5	2.13	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	35	41.3	8.14	21.9	3.74	27	25.7	5.26	11.9	2.33
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	34	39.7	7.99	21.3	3.70	27	25.7	5.26	11.9	2.33
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	16	11.1	3.03	7.2	1.82
Female Genital System	-	-	-	-	-	13	9.8	2.93	6.2	1.75
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	12	8.8	2.72	7.3	2.10	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,415	250.5	1.59	146.6	0.93	22,976	169.0	1.13	104.1	0.75
Oral Cavity & Pharynx	515	4.5	0.21	3.0	0.14	220	1.6	0.11	1.0	0.07
Digestive System	6,220	56.9	0.75	35.3	0.46	4,638	33.8	0.50	19.4	0.31
Esophagus	900	7.9	0.27	5.3	0.18	195	1.4	0.10	0.8	0.07
Stomach	441	4.1	0.20	2.5	0.12	281	2.1	0.13	1.2	0.08
Colon & Rectum	2,230	21.1	0.46	12.5	0.27	2,027	14.8	0.33	8.3	0.20
Liver	812	7.0	0.25	4.7	0.17	312	2.3	0.13	1.3	0.08
Pancreas	1,432	13.0	0.36	8.1	0.22	1,311	9.6	0.27	5.5	0.17
Respiratory System	10,143	93.4	0.96	56.4	0.57	7,582	55.6	0.65	35.5	0.43
Larynx	285	2.5	0.15	1.6	0.10	86	0.7	0.07	0.5	0.05
Lung & bronchus	9,808	90.5	0.94	54.4	0.56	7,481	54.8	0.64	34.9	0.43
Skin	670	6.5	0.26	3.8	0.15	333	2.5	0.14	1.5	0.09
Melanomas of the skin	485	4.6	0.22	2.8	0.13	278	2.2	0.13	1.4	0.09
Breast	23	0.2	0.05	0.1	0.03	3,044	22.4	0.41	14.7	0.29
Female Genital System	-	-	-	-	-	2,057	15.3	0.34	9.9	0.24
Cervix uteri	-	-	-	-	-	376	3.0	0.16	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	513	3.7	0.17	2.4	0.12
Ovary	-	-	-	-	-	1,004	7.4	0.24	4.5	0.15
Male Genital System	1,898	21.1	0.50	9.3	0.22	-	-	-	-	-
Prostate	1,833	20.5	0.49	8.8	0.21	-	-	-	-	-
Testis	34	0.3	0.05	0.3	0.05	-	-	-	-	-
Urinary System	1,543	15.4	0.41	8.2	0.21	771	5.5	0.20	3.0	0.12
Bladder	797	8.4	0.31	4.0	0.15	334	2.4	0.13	1.2	0.07
Kidney & renal pelvis	717	6.7	0.26	4.0	0.15	418	3.0	0.15	1.7	0.09
Brain & Other Nervous System	618	5.5	0.23	3.9	0.16	531	4.1	0.18	2.9	0.14
Endocrine System	97	0.9	0.09	0.6	0.07	91	0.7	0.07	0.5	0.06
Thyroid gland	57	0.5	0.07	0.3	0.04	65	0.5	0.06	0.3	0.04
Lymphomas	934	9.3	0.31	5.1	0.17	758	5.6	0.21	3.0	0.12
Hodgkin Lymphoma	33	0.3	0.06	0.2	0.04	28	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	901	8.9	0.31	4.9	0.17	730	5.4	0.20	2.9	0.12
Multiple Myeloma	454	4.5	0.22	2.4	0.11	373	2.7	0.14	1.4	0.08
Leukemias	1,048	10.6	0.34	5.9	0.19	743	5.6	0.21	3.3	0.14
Other, Ill-defined & Unknown	2,252	21.7	0.47	12.6	0.27	1,835	13.5	0.32	8.1	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,744	250.3	1.64	146.4	0.96	21,361	168.7	1.17	104.1	0.78
Oral Cavity & Pharynx	471	4.4	0.21	3.0	0.14	205	1.6	0.11	1.0	0.08
Digestive System	5,743	56.4	0.77	34.8	0.47	4,235	33.1	0.52	19.0	0.32
Esophagus	843	7.9	0.28	5.3	0.19	176	1.4	0.10	0.8	0.07
Stomach	405	4.0	0.21	2.4	0.12	254	2.0	0.13	1.2	0.08
Colon & Rectum	2,073	21.0	0.48	12.3	0.28	1,862	14.6	0.34	8.2	0.21
Liver	713	6.6	0.26	4.4	0.17	284	2.2	0.13	1.2	0.08
Pancreas	1,327	12.9	0.37	8.0	0.22	1,192	9.3	0.27	5.4	0.17
Respiratory System	9,566	93.8	0.99	56.7	0.59	7,114	56.0	0.67	35.9	0.45
Larynx	257	2.4	0.15	1.6	0.10	78	0.6	0.07	0.5	0.05
Lung & bronchus	9,260	91.0	0.97	54.8	0.58	7,023	55.2	0.67	35.4	0.45
Skin	661	6.8	0.27	4.0	0.16	331	2.7	0.15	1.6	0.10
Melanomas of the skin	482	4.9	0.23	3.0	0.14	277	2.3	0.14	1.5	0.10
Breast	20	0.2	0.05	0.1	0.03	2,774	21.9	0.42	14.4	0.29
Female Genital System	-	-	-	-	-	1,911	15.3	0.36	9.9	0.25
Cervix uteri	-	-	-	-	-	341	3.0	0.16	2.2	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	454	3.5	0.17	2.3	0.12
Ovary	-	-	-	-	-	958	7.5	0.25	4.6	0.16
Male Genital System	1,716	20.2	0.50	8.9	0.22	-	-	-	-	-
Prostate	1,653	19.6	0.49	8.4	0.21	-	-	-	-	-
Testis	33	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,469	15.5	0.42	8.3	0.22	715	5.5	0.21	3.0	0.12
Bladder	761	8.5	0.32	4.1	0.15	314	2.4	0.14	1.2	0.08
Kidney & renal pelvis	680	6.7	0.27	4.1	0.16	385	3.0	0.15	1.7	0.09
Brain & Other Nervous System	594	5.6	0.24	4.1	0.18	513	4.2	0.19	3.0	0.15
Endocrine System	87	0.9	0.10	0.6	0.07	86	0.7	0.08	0.5	0.07
Thyroid gland	54	0.5	0.08	0.3	0.05	61	0.5	0.06	0.3	0.04
Lymphomas	893	9.4	0.32	5.2	0.18	730	5.8	0.22	3.1	0.13
Hodgkin Lymphoma	31	0.3	0.06	0.2	0.05	26	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	862	9.1	0.32	5.0	0.18	704	5.6	0.21	3.0	0.13
Multiple Myeloma	411	4.3	0.22	2.3	0.12	322	2.5	0.14	1.3	0.08
Leukemias	995	10.7	0.35	5.9	0.20	698	5.6	0.22	3.3	0.15
Other, Ill-defined & Unknown	2,118	21.8	0.49	12.6	0.28	1,727	13.7	0.33	8.1	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,599	282.8	7.69	166.1	4.24	1,516	188.5	4.95	114.7	3.10
Oral Cavity & Pharynx	43	7.0	1.14	4.7	0.74	14	1.7	0.46	1.0	0.29
Digestive System	444	69.3	3.58	46.2	2.24	374	46.8	2.47	27.1	1.49
Esophagus	52	8.3	1.24	5.5	0.78	17	2.2	0.55	1.4	0.34
Stomach	33	5.8	1.09	3.5	0.62	21	2.9	0.63	1.2	0.29
Colon & Rectum	147	24.5	2.19	15.5	1.30	156	19.4	1.58	10.8	0.93
Liver	90	11.5	1.30	9.1	0.98	25	2.9	0.59	2.0	0.42
Pancreas	101	16.1	1.75	10.5	1.06	111	14.1	1.37	8.4	0.85
Respiratory System	557	97.2	4.47	57.7	2.50	442	56.9	2.77	33.8	1.69
Larynx	27	4.5	0.96	2.7	0.54	-	-	-	-	-
Lung & bronchus	529	92.5	4.36	54.8	2.44	432	55.5	2.73	32.9	1.66
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	256	30.2	1.93	20.3	1.32
Female Genital System	-	-	-	-	-	135	16.6	1.46	10.6	0.96
Cervix uteri	-	-	-	-	-	31	3.5	0.64	2.7	0.49
Corpus & uterus, NOS ¹	-	-	-	-	-	57	7.1	0.97	4.4	0.61
Ovary	-	-	-	-	-	42	5.4	0.84	3.1	0.51
Male Genital System	180	40.9	3.21	18.5	1.41	-	-	-	-	-
Prostate	178	40.3	3.19	18.3	1.40	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	73	14.8	1.86	7.6	0.90	55	7.2	0.98	4.0	0.58
Bladder	36	8.3	1.45	3.7	0.63	20	2.7	0.62	1.4	0.34
Kidney & renal pelvis	36	6.4	1.16	3.8	0.64	32	4.0	0.72	2.4	0.45
Brain & Other Nervous System	23	3.9	0.90	2.4	0.50	16	2.0	0.51	1.3	0.34
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	37	7.1	1.26	3.7	0.61	24	2.8	0.59	1.8	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	43	8.3	1.36	4.3	0.66	50	6.1	0.88	3.4	0.52
Leukemias	49	9.1	1.40	5.3	0.77	41	5.1	0.82	3.2	0.53
Other, Ill-defined & Unknown	130	22.2	2.11	13.7	1.23	102	12.3	1.24	7.8	0.81

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	60	102.5	16.47	55.9	7.51	78	95.6	11.93	50.4	5.78
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	28	46.4	10.54	25.4	4.95	27	40.5	8.27	17.4	3.39
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	14	31.0	9.85	14.9	4.08	16	20.8	5.83	11.0	2.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	14	31.0	9.85	14.9	4.08	16	20.8	5.83	11.0	2.76
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	10.6	3.49	6.8	2.16
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,062	241.9	1.58	142.5	0.93	21,199	158.7	1.10	97.4	0.72
Oral Cavity & Pharynx	608	5.4	0.23	3.6	0.15	202	1.5	0.10	0.9	0.07
Digestive System	6,921	64.4	0.80	40.2	0.50	5,042	37.6	0.54	22.1	0.34
Esophagus	878	7.8	0.27	5.2	0.18	227	1.6	0.11	1.0	0.07
Stomach	611	5.9	0.24	3.6	0.15	396	3.0	0.15	1.8	0.10
Colon & Rectum	2,304	22.1	0.48	13.3	0.29	2,015	15.0	0.34	8.9	0.22
Liver	1,233	10.7	0.32	7.3	0.21	493	3.7	0.17	2.2	0.11
Pancreas	1,555	14.7	0.38	8.9	0.23	1,505	11.2	0.29	6.3	0.18
Respiratory System	8,251	77.8	0.89	47.0	0.53	5,747	43.0	0.57	26.4	0.37
Larynx	261	2.3	0.15	1.5	0.10	74	0.5	0.06	0.4	0.04
Lung & bronchus	7,946	75.1	0.87	45.2	0.52	5,645	42.2	0.57	25.9	0.37
Skin	502	5.1	0.23	2.9	0.13	238	1.8	0.12	1.1	0.08
Melanomas of the skin	349	3.5	0.19	2.0	0.11	183	1.4	0.10	0.9	0.07
Breast	40	0.4	0.06	0.2	0.04	3,279	24.5	0.44	16.1	0.30
Female Genital System	-	-	-	-	-	1,900	14.4	0.34	9.4	0.23
Cervix uteri	-	-	-	-	-	363	3.0	0.16	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	507	3.8	0.17	2.5	0.12
Ovary	-	-	-	-	-	911	6.8	0.23	4.2	0.15
Male Genital System	2,136	23.6	0.52	10.8	0.24	-	-	-	-	-
Prostate	2,085	23.1	0.52	10.5	0.24	-	-	-	-	-
Testis	24	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,435	14.3	0.39	8.0	0.22	796	5.9	0.21	3.3	0.13
Bladder	652	7.0	0.28	3.4	0.14	308	2.3	0.13	1.2	0.07
Kidney & renal pelvis	751	6.9	0.26	4.4	0.16	461	3.4	0.16	2.0	0.10
Brain & Other Nervous System	572	5.3	0.23	3.7	0.16	462	3.5	0.16	2.4	0.12
Endocrine System	74	0.7	0.08	0.5	0.06	89	0.7	0.07	0.5	0.06
Thyroid gland	43	0.4	0.07	0.2	0.04	60	0.4	0.06	0.2	0.04
Lymphomas	930	9.3	0.31	5.3	0.18	699	5.3	0.20	2.9	0.12
Hodgkin Lymphoma	57	0.5	0.07	0.4	0.05	53	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	873	8.7	0.31	4.9	0.17	646	4.9	0.19	2.6	0.11
Multiple Myeloma	485	4.9	0.23	2.6	0.12	403	3.0	0.15	1.7	0.09
Leukemias	935	9.7	0.33	5.2	0.18	707	5.4	0.20	3.1	0.13
Other, Ill-defined & Unknown	2,173	21.0	0.47	12.4	0.28	1,635	12.3	0.31	7.6	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,380	226.5	1.76	130.7	1.03	14,716	152.0	1.27	92.1	0.84
Oral Cavity & Pharynx	411	5.1	0.26	3.3	0.17	150	1.5	0.13	0.9	0.08
Digestive System	4,605	58.5	0.88	35.5	0.54	3,301	33.8	0.60	19.6	0.38
Esophagus	649	7.9	0.32	5.1	0.21	151	1.5	0.12	0.9	0.08
Stomach	300	3.9	0.23	2.3	0.14	181	1.9	0.14	1.1	0.09
Colon & Rectum	1,507	19.6	0.52	11.6	0.31	1,328	13.5	0.38	7.9	0.24
Liver	748	9.2	0.34	5.9	0.22	313	3.2	0.18	1.9	0.12
Pancreas	1,152	14.7	0.44	8.6	0.26	1,050	10.7	0.33	6.1	0.21
Respiratory System	5,679	72.2	0.98	42.7	0.59	4,305	44.5	0.69	27.3	0.45
Larynx	159	2.0	0.16	1.2	0.10	56	0.6	0.08	0.4	0.06
Lung & bronchus	5,493	69.9	0.97	41.3	0.58	4,230	43.7	0.68	26.7	0.45
Skin	461	6.2	0.30	3.5	0.17	213	2.2	0.16	1.4	0.11
Melanomas of the skin	338	4.5	0.25	2.7	0.15	164	1.7	0.14	1.1	0.10
Breast	31	0.4	0.08	0.3	0.05	2,001	20.8	0.47	13.3	0.33
Female Genital System	-	-	-	-	-	1,274	13.5	0.39	8.7	0.27
Cervix uteri	-	-	-	-	-	203	2.5	0.18	1.8	0.14
Corpus & uterus, NOS ¹	-	-	-	-	-	295	3.1	0.18	2.0	0.13
Ovary	-	-	-	-	-	685	7.0	0.27	4.3	0.18
Male Genital System	1,297	18.9	0.53	8.4	0.24	-	-	-	-	-
Prostate	1,260	18.4	0.53	8.1	0.24	-	-	-	-	-
Testis	18	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,127	14.9	0.46	8.3	0.26	573	5.8	0.25	3.3	0.15
Bladder	537	7.5	0.33	3.7	0.16	212	2.1	0.15	1.1	0.09
Kidney & renal pelvis	566	7.0	0.30	4.4	0.19	341	3.5	0.19	2.1	0.12
Brain & Other Nervous System	464	5.9	0.28	4.1	0.20	366	3.8	0.21	2.7	0.16
Endocrine System	51	0.7	0.10	0.4	0.06	61	0.7	0.09	0.4	0.07
Thyroid gland	34	0.4	0.08	0.2	0.04	41	0.4	0.07	0.2	0.04
Lymphomas	713	9.6	0.37	5.3	0.21	570	5.8	0.25	3.0	0.14
Hodgkin Lymphoma	43	0.6	0.09	0.4	0.06	42	0.5	0.07	0.3	0.05
Non-Hodgkin Lymphoma	670	9.0	0.36	4.9	0.20	528	5.3	0.23	2.7	0.13
Multiple Myeloma	281	3.9	0.24	2.0	0.12	237	2.4	0.16	1.3	0.09
Leukemias	710	9.8	0.38	5.2	0.21	525	5.4	0.24	3.1	0.16
Other, Ill-defined & Unknown	1,550	20.4	0.53	11.7	0.31	1,140	11.8	0.36	7.1	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2009-2013, Black

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	7,447	296.4	3.72	181.2	2.13	6,316	179.5	2.31	113.0	1.48
Oral Cavity & Pharynx	194	6.5	0.50	4.7	0.34	52	1.4	0.19	1.0	0.14
Digestive System	2,234	83.0	1.90	54.4	1.17	1,674	48.2	1.21	28.7	0.73
Esophagus	224	7.8	0.57	5.4	0.36	74	2.1	0.24	1.2	0.15
Stomach	303	12.4	0.77	7.5	0.43	202	5.8	0.42	3.5	0.26
Colon & Rectum	778	30.8	1.19	19.0	0.69	671	19.2	0.76	11.6	0.47
Liver	454	14.3	0.72	10.9	0.52	174	5.0	0.39	3.0	0.24
Pancreas	389	14.3	0.78	9.6	0.49	434	12.8	0.63	7.2	0.36
Respiratory System	2,496	97.3	2.10	61.0	1.24	1,396	39.7	1.09	24.8	0.69
Larynx	99	3.5	0.38	2.4	0.24	18	0.4	0.10	0.3	0.08
Lung & bronchus	2,380	93.1	2.06	58.3	1.21	1,370	39.1	1.08	24.4	0.68
Skin	41	1.5	0.25	1.0	0.16	-	-	-	-	-
Melanomas of the skin	11	0.5	0.17	0.3	0.08	18	0.5	0.12	0.3	0.07
Breast	-	-	-	-	-	1,262	34.8	1.00	23.5	0.68
Female Genital System	-	-	-	-	-	613	17.3	0.72	11.4	0.48
Cervix uteri	-	-	-	-	-	155	4.3	0.36	3.1	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	209	5.9	0.42	3.9	0.28
Ovary	-	-	-	-	-	221	6.3	0.43	4.0	0.28
Male Genital System	825	42.3	1.56	19.6	0.69	-	-	-	-	-
Prostate	812	41.9	1.55	19.3	0.69	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	303	13.0	0.81	7.4	0.43	219	6.5	0.45	3.5	0.25
Bladder	113	5.5	0.56	2.7	0.26	95	2.9	0.30	1.4	0.15
Kidney & renal pelvis	182	7.0	0.56	4.5	0.34	117	3.5	0.33	2.0	0.20
Brain & Other Nervous System	100	3.5	0.38	2.6	0.26	94	2.6	0.27	1.9	0.21
Endocrine System	21	0.6	0.14	0.6	0.12	26	0.7	0.15	0.5	0.10
Thyroid gland	-	-	-	-	-	17	0.5	0.12	0.3	0.07
Lymphomas	206	7.7	0.58	5.0	0.36	127	3.7	0.33	2.4	0.22
Hodgkin Lymphoma	14	0.4	0.13	0.4	0.10	11	0.3	0.09	0.3	0.08
Non-Hodgkin Lymphoma	192	7.3	0.57	4.7	0.34	116	3.4	0.32	2.1	0.20
Multiple Myeloma	200	8.7	0.66	4.9	0.35	166	4.9	0.39	2.9	0.23
Leukemias	217	9.3	0.68	5.3	0.37	177	5.2	0.40	3.2	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	161	127.5	11.47	75.1	6.02	119	81.5	8.01	47.9	4.46
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	58	39.6	5.87	26.9	3.59	52	36.2	5.36	20.9	2.93
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	12	8.1	2.56	4.7	1.39
Colon & Rectum	10	6.8	2.44	4.4	1.42	12	7.0	2.15	4.6	1.35
Liver	26	18.4	4.09	12.2	2.43	-	-	-	-	-
Pancreas	-	-	-	-	-	16	11.6	3.04	6.6	1.67
Respiratory System	52	46.5	7.37	23.7	3.35	32	25.0	4.66	12.6	2.26
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	51	45.0	7.22	23.3	3.32	31	24.6	4.64	12.2	2.23
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	11	7.9	2.53	4.6	1.40
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	10	7.1	2.56	4.5	1.46	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,516	220.6	2.44	123.4	1.41	7,518	153.0	1.81	90.5	1.18
Oral Cavity & Pharynx	183	4.5	0.34	2.9	0.22	64	1.2	0.16	0.7	0.10
Digestive System	2,028	51.2	1.17	30.3	0.70	1,627	32.6	0.83	18.4	0.52
Esophagus	421	10.3	0.51	6.5	0.33	92	1.8	0.20	1.0	0.12
Stomach	108	2.7	0.26	1.6	0.16	81	1.6	0.18	0.8	0.11
Colon & Rectum	644	17.0	0.69	9.5	0.39	625	12.5	0.51	6.9	0.32
Liver	237	5.8	0.39	3.5	0.24	74	1.6	0.19	0.9	0.12
Pancreas	470	11.8	0.56	6.9	0.33	533	10.7	0.47	6.0	0.29
Respiratory System	2,725	68.5	1.34	39.7	0.79	2,196	45.2	0.98	27.0	0.63
Larynx	101	2.4	0.24	1.5	0.16	21	0.4	0.10	0.3	0.07
Lung & bronchus	2,608	65.8	1.32	37.9	0.77	2,164	44.5	0.97	26.6	0.63
Skin	237	6.2	0.41	3.5	0.24	134	2.7	0.24	1.6	0.16
Melanomas of the skin	176	4.6	0.36	2.7	0.22	90	1.9	0.21	1.2	0.15
Breast	13	0.3	0.10	0.2	0.05	907	18.8	0.65	12.0	0.45
Female Genital System	-	-	-	-	-	700	14.2	0.55	9.0	0.37
Cervix uteri	-	-	-	-	-	64	1.4	0.19	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	220	4.3	0.30	2.6	0.19
Ovary	-	-	-	-	-	352	7.1	0.39	4.6	0.27
Male Genital System	760	21.6	0.79	9.1	0.35	-	-	-	-	-
Prostate	743	21.1	0.78	8.8	0.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	660	17.4	0.69	9.0	0.37	271	5.4	0.33	2.8	0.19
Bladder	389	10.5	0.54	5.0	0.27	141	2.8	0.24	1.4	0.13
Kidney & renal pelvis	249	6.3	0.41	3.7	0.25	121	2.4	0.22	1.3	0.13
Brain & Other Nervous System	257	6.5	0.42	4.5	0.31	163	3.5	0.29	2.6	0.24
Endocrine System	24	0.6	0.13	0.5	0.10	38	0.8	0.14	0.5	0.11
Thyroid gland	12	0.3	0.08	0.2	0.06	27	0.5	0.11	0.3	0.06
Lymphomas	318	8.7	0.50	4.6	0.28	276	5.4	0.34	2.9	0.20
Hodgkin Lymphoma	18	0.5	0.12	0.3	0.08	12	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	300	8.2	0.48	4.3	0.27	264	5.2	0.32	2.7	0.19
Multiple Myeloma	142	3.7	0.32	2.0	0.17	133	2.6	0.23	1.4	0.14
Leukemias	352	9.5	0.52	5.3	0.32	263	5.3	0.34	3.0	0.23
Other, Ill-defined & Unknown	817	21.7	0.78	11.9	0.45	746	15.2	0.57	8.7	0.37

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,430	221.3	2.46	123.9	1.43	7,451	153.7	1.83	90.8	1.20
Oral Cavity & Pharynx	180	4.5	0.34	2.9	0.22	64	1.3	0.16	0.7	0.10
Digestive System	2,001	51.3	1.17	30.3	0.71	1,611	32.7	0.84	18.4	0.52
Esophagus	417	10.3	0.52	6.5	0.33	91	1.8	0.20	1.0	0.12
Stomach	105	2.6	0.26	1.6	0.16	80	1.6	0.18	0.8	0.11
Colon & Rectum	638	17.1	0.69	9.6	0.40	617	12.5	0.52	6.9	0.32
Liver	229	5.7	0.38	3.4	0.23	72	1.5	0.19	0.9	0.12
Pancreas	465	11.9	0.56	6.9	0.33	530	10.7	0.48	6.1	0.29
Respiratory System	2,703	68.9	1.35	39.9	0.80	2,178	45.4	0.99	27.2	0.64
Larynx	101	2.4	0.24	1.6	0.16	20	0.4	0.10	0.3	0.07
Lung & bronchus	2,586	66.1	1.33	38.1	0.78	2,147	44.8	0.99	26.8	0.64
Skin	235	6.3	0.42	3.5	0.24	132	2.7	0.24	1.6	0.16
Melanomas of the skin	175	4.6	0.36	2.7	0.22	89	1.9	0.21	1.3	0.15
Breast	12	0.3	0.09	0.1	0.04	897	18.9	0.65	12.0	0.45
Female Genital System	-	-	-	-	-	696	14.3	0.55	9.1	0.38
Cervix uteri	-	-	-	-	-	62	1.4	0.19	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	218	4.3	0.30	2.6	0.19
Ovary	-	-	-	-	-	352	7.2	0.39	4.7	0.27
Male Genital System	752	21.6	0.80	9.1	0.35	-	-	-	-	-
Prostate	736	21.1	0.79	8.9	0.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	658	17.6	0.70	9.1	0.38	270	5.4	0.34	2.8	0.19
Bladder	388	10.6	0.55	5.1	0.27	141	2.8	0.24	1.4	0.13
Kidney & renal pelvis	248	6.4	0.41	3.7	0.25	120	2.4	0.23	1.3	0.14
Brain & Other Nervous System	256	6.5	0.42	4.6	0.32	162	3.5	0.29	2.6	0.24
Endocrine System	24	0.7	0.14	0.5	0.11	37	0.8	0.14	0.5	0.12
Thyroid gland	12	0.3	0.08	0.2	0.06	27	0.5	0.11	0.3	0.06
Lymphomas	314	8.7	0.50	4.6	0.28	273	5.4	0.34	2.8	0.20
Hodgkin Lymphoma	18	0.5	0.12	0.3	0.09	12	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	296	8.2	0.48	4.3	0.27	261	5.1	0.33	2.6	0.19
Multiple Myeloma	141	3.7	0.32	2.0	0.17	131	2.6	0.23	1.4	0.14
Leukemias	343	9.4	0.52	5.2	0.32	262	5.4	0.35	3.0	0.23
Other, Ill-defined & Unknown	811	21.9	0.78	12.0	0.46	738	15.3	0.58	8.6	0.38

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	27	114.0	25.95	69.9	13.96	28	131.9	26.42	100.9	19.68
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	10	36.6	13.15	25.2	8.33	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	18	107.7	28.51	55.5	13.26	19	71.7	19.12	40.4	9.54
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,452	202.4	1.28	113.8	0.72	25,609	145.4	0.93	86.7	0.59
Oral Cavity & Pharynx	508	3.6	0.16	2.3	0.11	240	1.3	0.09	0.8	0.06
Digestive System	7,470	55.1	0.66	32.8	0.39	5,771	32.5	0.44	18.6	0.27
Esophagus	987	7.2	0.23	4.4	0.14	281	1.6	0.10	0.9	0.06
Stomach	618	4.7	0.19	2.7	0.11	409	2.3	0.12	1.3	0.07
Colon & Rectum	2,402	18.1	0.38	10.3	0.22	2,235	12.5	0.27	7.1	0.17
Liver	1,170	7.9	0.24	5.3	0.16	429	2.4	0.12	1.4	0.08
Pancreas	1,829	13.8	0.33	7.9	0.19	1,765	10.0	0.24	5.7	0.15
Respiratory System	7,541	56.9	0.67	32.8	0.39	6,611	38.1	0.48	22.1	0.29
Larynx	291	2.1	0.13	1.3	0.08	74	0.4	0.05	0.2	0.03
Lung & bronchus	7,190	54.2	0.66	31.3	0.38	6,504	37.5	0.47	21.7	0.29
Skin	725	5.7	0.22	3.0	0.12	356	2.0	0.11	1.2	0.07
Melanomas of the skin	531	4.2	0.19	2.2	0.10	277	1.6	0.10	1.0	0.06
Breast	60	0.4	0.06	0.3	0.04	4,068	23.0	0.37	14.9	0.25
Female Genital System	-	-	-	-	-	2,819	15.9	0.31	10.3	0.21
Cervix uteri	-	-	-	-	-	353	2.1	0.11	1.5	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	962	5.3	0.18	3.5	0.12
Ovary	-	-	-	-	-	1,334	7.5	0.21	4.7	0.14
Male Genital System	2,562	21.7	0.44	9.7	0.20	-	-	-	-	-
Prostate	2,509	21.3	0.43	9.4	0.20	-	-	-	-	-
Testis	28	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,866	15.0	0.36	7.6	0.18	870	4.9	0.17	2.6	0.10
Bladder	1,069	8.9	0.28	4.2	0.13	442	2.5	0.12	1.2	0.06
Kidney & renal pelvis	752	5.7	0.21	3.3	0.12	392	2.2	0.11	1.3	0.07
Brain & Other Nervous System	712	5.1	0.20	3.5	0.14	555	3.2	0.14	2.3	0.11
Endocrine System	103	0.7	0.07	0.5	0.06	113	0.7	0.06	0.4	0.05
Thyroid gland	56	0.4	0.06	0.2	0.03	76	0.4	0.05	0.2	0.03
Lymphomas	957	7.5	0.25	4.1	0.14	779	4.4	0.16	2.4	0.10
Hodgkin Lymphoma	57	0.4	0.06	0.3	0.04	51	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	900	7.0	0.24	3.8	0.13	728	4.1	0.16	2.2	0.09
Multiple Myeloma	542	4.2	0.19	2.3	0.10	595	3.4	0.14	1.9	0.08
Leukemias	1,091	8.8	0.27	4.8	0.15	879	5.0	0.17	2.9	0.11
Other, Ill-defined & Unknown	2,315	17.7	0.38	10.2	0.22	1,953	11.0	0.25	6.4	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,829	197.8	1.47	109.7	0.84	17,808	144.0	1.11	84.7	0.72
Oral Cavity & Pharynx	328	3.3	0.18	2.1	0.12	170	1.3	0.10	0.7	0.07
Digestive System	4,974	51.0	0.74	29.7	0.44	3,756	29.8	0.50	16.8	0.31
Esophagus	794	8.0	0.29	4.9	0.18	207	1.7	0.12	0.9	0.07
Stomach	333	3.5	0.20	2.0	0.11	226	1.8	0.12	1.0	0.08
Colon & Rectum	1,584	16.4	0.42	9.3	0.24	1,431	11.1	0.30	6.2	0.19
Liver	645	6.3	0.25	4.1	0.17	253	2.1	0.13	1.2	0.08
Pancreas	1,302	13.5	0.38	7.7	0.22	1,197	9.6	0.28	5.4	0.17
Respiratory System	5,392	56.0	0.78	31.9	0.45	4,913	40.3	0.59	23.3	0.37
Larynx	181	1.8	0.14	1.1	0.09	48	0.4	0.06	0.2	0.03
Lung & bronchus	5,171	53.7	0.76	30.5	0.44	4,842	39.8	0.58	22.9	0.36
Skin	681	7.3	0.28	3.9	0.16	326	2.7	0.15	1.7	0.10
Melanomas of the skin	510	5.4	0.24	3.0	0.14	257	2.2	0.14	1.4	0.10
Breast	34	0.3	0.06	0.2	0.04	2,606	21.2	0.43	13.4	0.29
Female Genital System	-	-	-	-	-	1,883	15.5	0.37	9.9	0.25
Cervix uteri	-	-	-	-	-	186	1.7	0.13	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	553	4.4	0.19	2.8	0.13
Ovary	-	-	-	-	-	1,014	8.3	0.27	5.1	0.18
Male Genital System	1,608	18.0	0.45	7.7	0.20	-	-	-	-	-
Prostate	1,566	17.5	0.45	7.4	0.20	-	-	-	-	-
Testis	24	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,507	16.2	0.42	8.1	0.22	664	5.2	0.21	2.7	0.12
Bladder	885	9.8	0.33	4.5	0.16	344	2.6	0.15	1.3	0.08
Kidney & renal pelvis	581	6.0	0.25	3.5	0.15	295	2.3	0.14	1.4	0.09
Brain & Other Nervous System	584	5.9	0.25	4.2	0.19	449	3.9	0.19	2.7	0.15
Endocrine System	75	0.7	0.09	0.5	0.07	80	0.7	0.08	0.4	0.06
Thyroid gland	46	0.4	0.07	0.3	0.04	58	0.5	0.07	0.3	0.04
Lymphomas	772	8.2	0.30	4.4	0.17	583	4.6	0.20	2.4	0.11
Hodgkin Lymphoma	37	0.4	0.06	0.3	0.05	32	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	735	7.8	0.29	4.2	0.16	551	4.3	0.19	2.2	0.11
Multiple Myeloma	344	3.7	0.20	1.9	0.11	333	2.6	0.15	1.4	0.09
Leukemias	839	9.3	0.32	5.0	0.19	657	5.3	0.21	3.0	0.14
Other, Ill-defined & Unknown	1,691	17.9	0.44	10.0	0.26	1,388	11.0	0.31	6.2	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,960	240.2	3.14	139.6	1.69	7,143	159.5	1.94	98.7	1.21
Oral Cavity & Pharynx	164	4.9	0.41	3.3	0.26	62	1.3	0.17	0.8	0.11
Digestive System	2,213	71.5	1.67	44.0	0.95	1,818	41.6	1.01	24.2	0.59
Esophagus	182	5.5	0.44	3.8	0.28	72	1.5	0.19	1.0	0.12
Stomach	227	8.1	0.59	4.5	0.30	153	3.7	0.31	1.9	0.16
Colon & Rectum	749	25.7	1.03	14.8	0.55	730	16.7	0.63	9.7	0.37
Liver	453	12.4	0.63	8.9	0.42	146	3.1	0.27	2.0	0.17
Pancreas	475	15.8	0.79	9.5	0.44	523	12.1	0.54	7.0	0.32
Respiratory System	1,985	66.9	1.63	40.0	0.91	1,564	35.7	0.93	21.4	0.56
Larynx	107	3.6	0.38	2.2	0.21	25	0.6	0.12	0.3	0.07
Lung & bronchus	1,860	62.5	1.58	37.4	0.88	1,530	34.9	0.92	20.9	0.55
Skin	42	1.4	0.23	0.8	0.13	-	-	-	-	-
Melanomas of the skin	20	0.7	0.16	0.4	0.09	17	0.4	0.09	0.2	0.06
Breast	25	0.8	0.17	0.5	0.10	1,375	29.0	0.80	19.7	0.54
Female Genital System	-	-	-	-	-	844	18.2	0.65	12.1	0.43
Cervix uteri	-	-	-	-	-	149	3.1	0.26	2.2	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	385	8.4	0.44	5.4	0.29
Ovary	-	-	-	-	-	275	6.0	0.37	3.9	0.24
Male Genital System	928	39.8	1.40	18.6	0.62	-	-	-	-	-
Prostate	917	39.4	1.39	18.4	0.62	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	316	11.6	0.71	6.4	0.37	190	4.4	0.33	2.5	0.19
Bladder	159	6.2	0.53	3.3	0.26	94	2.3	0.24	1.2	0.13
Kidney & renal pelvis	154	5.3	0.47	3.1	0.25	87	2.0	0.22	1.2	0.13
Brain & Other Nervous System	109	3.4	0.35	2.3	0.22	98	2.1	0.22	1.6	0.17
Endocrine System	25	0.8	0.17	0.5	0.11	27	0.6	0.12	0.4	0.09
Thyroid gland	-	-	-	-	-	13	0.3	0.08	0.2	0.06
Lymphomas	157	5.3	0.46	3.1	0.25	176	4.1	0.31	2.4	0.19
Hodgkin Lymphoma	17	0.4	0.11	0.4	0.09	18	0.4	0.10	0.2	0.06
Non-Hodgkin Lymphoma	140	4.9	0.45	2.8	0.24	158	3.7	0.30	2.2	0.18
Multiple Myeloma	189	6.6	0.52	3.8	0.28	252	6.0	0.39	3.3	0.22
Leukemias	226	8.1	0.59	4.5	0.31	198	4.5	0.33	2.8	0.21
Other, Ill-defined & Unknown	581	19.2	0.87	11.8	0.49	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	638	102.5	4.40	57.7	2.31	637	81.8	3.40	46.2	1.86
Oral Cavity & Pharynx	16	2.1	0.58	1.6	0.39	-	-	-	-	-
Digestive System	277	43.4	2.82	24.5	1.49	190	26.0	1.97	13.5	0.99
Esophagus	10	1.7	0.59	0.9	0.29	-	-	-	-	-
Stomach	56	9.1	1.32	4.9	0.67	30	3.7	0.70	2.2	0.41
Colon & Rectum	66	11.2	1.49	5.8	0.72	70	8.9	1.13	5.0	0.61
Liver	72	10.6	1.34	6.4	0.76	30	4.4	0.83	2.0	0.38
Pancreas	52	7.6	1.12	4.7	0.66	43	6.6	1.02	3.0	0.47
Respiratory System	152	25.2	2.21	13.6	1.11	128	17.1	1.58	9.2	0.83
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	147	24.0	2.14	13.2	1.10	126	16.9	1.57	9.1	0.82
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	86	9.0	1.00	6.6	0.71
Female Genital System	-	-	-	-	-	90	10.2	1.13	7.0	0.74
Cervix uteri	-	-	-	-	-	18	1.9	0.47	1.4	0.33
Corpus & uterus, NOS ¹	-	-	-	-	-	23	2.8	0.60	1.8	0.38
Ovary	-	-	-	-	-	44	5.0	0.80	3.4	0.52
Male Genital System	26	5.2	1.10	2.4	0.48	-	-	-	-	-
Prostate	26	5.2	1.10	2.4	0.48	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	43	7.9	1.29	3.9	0.60	14	2.0	0.57	1.0	0.26
Bladder	25	4.8	1.02	2.2	0.44	-	-	-	-	-
Kidney & renal pelvis	17	2.9	0.78	1.6	0.39	-	-	-	-	-
Brain & Other Nervous System	18	2.7	0.69	1.7	0.42	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	26	4.1	0.87	2.5	0.50	20	2.7	0.64	1.4	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	25	3.6	0.78	2.3	0.46	24	3.3	0.70	1.7	0.34
Other, Ill-defined & Unknown	43	6.3	1.05	4.1	0.64	50	7.0	1.03	3.5	0.50

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,510	200.3	1.13	111.2	0.65	32,212	144.6	0.83	84.3	0.54
Oral Cavity & Pharynx	662	3.8	0.15	2.5	0.10	304	1.3	0.08	0.8	0.05
Digestive System	9,016	54.4	0.58	31.8	0.35	7,225	31.5	0.38	17.3	0.24
Esophagus	1,474	8.7	0.23	5.3	0.14	374	1.7	0.09	0.9	0.06
Stomach	679	4.2	0.16	2.4	0.10	550	2.4	0.11	1.3	0.06
Colon & Rectum	2,673	16.5	0.33	9.0	0.18	2,746	11.8	0.23	6.3	0.14
Liver	1,382	7.9	0.22	5.2	0.14	427	1.9	0.10	1.1	0.07
Pancreas	2,093	12.7	0.28	7.4	0.17	2,265	9.9	0.21	5.4	0.13
Respiratory System	9,120	56.1	0.60	31.7	0.35	8,675	39.9	0.44	23.4	0.28
Larynx	278	1.7	0.10	1.0	0.06	92	0.4	0.04	0.2	0.03
Lung & bronchus	8,775	54.0	0.59	30.5	0.34	8,555	39.3	0.43	23.1	0.28
Skin	922	5.7	0.19	3.2	0.11	542	2.4	0.11	1.4	0.07
Melanomas of the skin	699	4.3	0.16	2.5	0.10	423	2.0	0.10	1.2	0.07
Breast	53	0.3	0.05	0.2	0.03	4,321	19.7	0.31	12.5	0.21
Female Genital System	-	-	-	-	-	3,246	14.8	0.27	9.3	0.18
Cervix uteri	-	-	-	-	-	274	1.3	0.08	1.0	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,010	4.5	0.15	2.8	0.10
Ovary	-	-	-	-	-	1,695	7.7	0.19	4.8	0.13
Male Genital System	3,108	20.3	0.37	8.8	0.17	-	-	-	-	-
Prostate	3,048	19.9	0.36	8.6	0.17	-	-	-	-	-
Testis	25	0.1	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,150	13.5	0.29	6.8	0.16	1,204	5.1	0.15	2.6	0.09
Bladder	1,331	8.5	0.24	4.0	0.12	654	2.7	0.11	1.3	0.06
Kidney & renal pelvis	775	4.6	0.17	2.7	0.10	517	2.3	0.10	1.3	0.07
Brain & Other Nervous System	884	5.2	0.18	3.7	0.13	727	3.5	0.13	2.5	0.11
Endocrine System	166	1.0	0.08	0.8	0.07	156	0.7	0.06	0.5	0.05
Thyroid gland	105	0.6	0.06	0.4	0.04	114	0.5	0.05	0.3	0.03
Lymphomas	1,203	7.6	0.22	4.0	0.12	1,085	4.7	0.15	2.4	0.08
Hodgkin Lymphoma	72	0.4	0.05	0.3	0.04	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,131	7.1	0.22	3.7	0.12	1,032	4.4	0.14	2.2	0.08
Multiple Myeloma	629	3.9	0.16	2.1	0.09	627	2.7	0.11	1.5	0.07
Leukemias	1,422	9.1	0.24	4.8	0.14	1,157	5.2	0.16	3.0	0.11
Other, Ill-defined & Unknown	3,175	19.6	0.35	10.9	0.21	2,943	13.1	0.25	7.3	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	30,334	203.8	1.19	113.1	0.69	30,156	148.0	0.88	86.4	0.57
Oral Cavity & Pharynx	606	3.9	0.16	2.5	0.11	283	1.4	0.08	0.8	0.05
Digestive System	8,260	54.5	0.61	31.7	0.37	6,629	31.4	0.40	17.2	0.25
Esophagus	1,405	9.1	0.25	5.6	0.16	352	1.7	0.09	1.0	0.06
Stomach	599	4.0	0.17	2.3	0.10	479	2.2	0.11	1.2	0.06
Colon & Rectum	2,483	16.8	0.34	9.0	0.19	2,533	11.8	0.24	6.3	0.15
Liver	1,146	7.2	0.22	4.7	0.14	370	1.8	0.10	1.0	0.06
Pancreas	1,971	13.0	0.30	7.6	0.18	2,107	10.1	0.23	5.5	0.14
Respiratory System	8,544	57.3	0.63	32.4	0.37	8,280	41.6	0.47	24.5	0.30
Larynx	261	1.7	0.11	1.0	0.07	89	0.4	0.05	0.3	0.03
Lung & bronchus	8,223	55.1	0.62	31.2	0.36	8,164	41.1	0.47	24.2	0.30
Skin	909	6.1	0.21	3.5	0.12	535	2.6	0.12	1.6	0.08
Melanomas of the skin	689	4.6	0.18	2.7	0.11	416	2.1	0.11	1.3	0.07
Breast	51	0.3	0.05	0.2	0.03	4,010	20.1	0.33	12.8	0.23
Female Genital System	-	-	-	-	-	3,005	15.0	0.28	9.4	0.19
Cervix uteri	-	-	-	-	-	239	1.3	0.09	1.0	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	912	4.5	0.15	2.8	0.10
Ovary	-	-	-	-	-	1,601	8.0	0.21	5.0	0.14
Male Genital System	2,854	20.0	0.38	8.7	0.17	-	-	-	-	-
Prostate	2,796	19.6	0.37	8.4	0.17	-	-	-	-	-
Testis	25	0.2	0.03	0.1	0.03	-	-	-	-	-
Urinary System	2,069	14.0	0.31	7.2	0.17	1,158	5.4	0.16	2.8	0.10
Bladder	1,289	8.9	0.25	4.2	0.13	632	2.9	0.12	1.3	0.06
Kidney & renal pelvis	737	4.8	0.18	2.8	0.11	494	2.4	0.11	1.3	0.07
Brain & Other Nervous System	854	5.6	0.20	4.0	0.15	694	3.7	0.15	2.7	0.12
Endocrine System	148	1.0	0.08	0.7	0.07	141	0.7	0.07	0.5	0.06
Thyroid gland	100	0.7	0.07	0.4	0.04	105	0.5	0.05	0.3	0.03
Lymphomas	1,133	7.8	0.23	4.1	0.13	1,029	4.8	0.16	2.4	0.09
Hodgkin Lymphoma	65	0.5	0.06	0.3	0.04	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,068	7.3	0.23	3.8	0.12	976	4.5	0.15	2.2	0.09
Multiple Myeloma	569	3.8	0.16	2.0	0.09	554	2.6	0.11	1.4	0.07
Leukemias	1,355	9.4	0.26	5.0	0.15	1,089	5.3	0.17	3.0	0.12
Other, Ill-defined & Unknown	2,982	20.1	0.37	11.2	0.22	2,749	13.3	0.26	7.4	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,467	193.0	5.45	110.1	2.92	1,474	129.6	3.44	77.6	2.11
Oral Cavity & Pharynx	36	4.2	0.76	2.6	0.45	10	0.8	0.27	0.6	0.19
Digestive System	468	57.1	2.86	35.3	1.66	391	34.6	1.78	19.8	1.05
Esophagus	44	5.3	0.88	3.4	0.52	14	1.2	0.32	0.7	0.21
Stomach	50	6.6	1.01	3.8	0.54	45	4.1	0.63	2.0	0.32
Colon & Rectum	133	16.3	1.53	10.0	0.88	145	12.6	1.07	7.3	0.64
Liver	112	11.6	1.18	8.4	0.81	28	2.3	0.45	1.6	0.32
Pancreas	94	12.6	1.39	7.0	0.73	112	10.0	0.96	5.7	0.57
Respiratory System	361	46.9	2.65	27.3	1.46	283	25.1	1.53	14.7	0.91
Larynx	12	1.3	0.39	1.0	0.29	-	-	-	-	-
Lung & bronchus	345	45.2	2.61	26.0	1.43	281	24.9	1.52	14.6	0.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	240	20.4	1.35	12.9	0.86
Female Genital System	-	-	-	-	-	185	16.0	1.20	10.3	0.78
Cervix uteri	-	-	-	-	-	27	2.1	0.42	1.5	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	78	6.9	0.80	4.3	0.51
Ovary	-	-	-	-	-	68	5.8	0.72	3.8	0.47
Male Genital System	218	35.6	2.53	16.3	1.12	-	-	-	-	-
Prostate	217	35.5	2.52	16.2	1.12	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	60	9.1	1.25	4.4	0.58	35	3.1	0.53	1.7	0.30
Bladder	32	5.1	0.95	2.3	0.42	19	1.8	0.42	0.8	0.19
Kidney & renal pelvis	27	3.8	0.78	2.0	0.39	16	1.3	0.33	0.9	0.23
Brain & Other Nervous System	19	2.0	0.51	1.3	0.31	18	1.5	0.37	1.1	0.27
Endocrine System	12	1.4	0.44	0.9	0.28	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	50	5.8	0.90	3.7	0.53	39	3.6	0.59	1.9	0.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	39	3.6	0.59	1.9	0.32
Multiple Myeloma	52	6.7	1.01	3.9	0.55	66	5.9	0.74	3.6	0.46
Leukemias	40	5.2	0.90	2.9	0.47	54	4.9	0.68	3.1	0.44
Other, Ill-defined & Unknown	141	17.8	1.63	10.6	0.91	140	12.5	1.08	7.2	0.64

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	673	119.3	4.94	67.3	2.64	547	78.8	3.51	45.3	2.00
Oral Cavity & Pharynx	19	2.5	0.59	1.8	0.41	11	1.5	0.48	0.9	0.29
Digestive System	277	46.1	2.98	28.0	1.71	193	28.4	2.13	15.9	1.19
Esophagus	23	4.7	1.05	2.3	0.48	-	-	-	-	-
Stomach	29	4.9	0.97	2.8	0.52	25	3.5	0.72	2.2	0.44
Colon & Rectum	53	8.8	1.31	5.2	0.73	64	9.7	1.26	4.9	0.64
Liver	122	19.0	1.85	12.5	1.15	29	4.3	0.84	2.6	0.51
Pancreas	27	5.1	1.05	2.9	0.56	42	6.6	1.05	3.3	0.52
Respiratory System	204	38.9	2.90	20.1	1.43	105	16.3	1.64	8.5	0.86
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	197	37.5	2.85	19.5	1.42	103	16.0	1.63	8.3	0.85
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	66	8.2	1.06	5.7	0.71
Female Genital System	-	-	-	-	-	52	6.9	1.00	4.4	0.62
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	17	2.3	0.59	1.5	0.37
Ovary	-	-	-	-	-	25	3.2	0.67	2.1	0.43
Male Genital System	31	7.7	1.43	3.1	0.56	-	-	-	-	-
Prostate	30	7.6	1.42	3.0	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	4.2	1.00	1.9	0.44	-	-	-	-	-
Bladder	10	2.1	0.71	0.9	0.30	-	-	-	-	-
Kidney & renal pelvis	10	2.0	0.70	1.0	0.32	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	15	1.8	0.50	1.2	0.33
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	2.5	0.65	1.6	0.41	16	2.5	0.64	1.3	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	16	2.5	0.64	1.3	0.33
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	27	4.9	1.00	2.7	0.53	13	1.6	0.45	1.3	0.37
Other, Ill-defined & Unknown	51	8.5	1.29	5.4	0.76	53	8.0	1.15	4.2	0.60

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	53,140	212.1	0.94	121.3	0.55	49,020	152.6	0.70	92.0	0.46
Oral Cavity & Pharynx	1,037	3.9	0.12	2.5	0.08	427	1.3	0.06	0.8	0.04
Digestive System	14,094	54.9	0.47	32.9	0.29	10,798	32.9	0.32	18.8	0.20
Esophagus	2,233	8.6	0.19	5.3	0.12	567	1.7	0.07	1.0	0.05
Stomach	1,066	4.3	0.13	2.5	0.08	705	2.1	0.08	1.2	0.05
Colon & Rectum	4,544	18.3	0.28	10.4	0.16	4,233	12.8	0.20	7.2	0.13
Liver	1,802	6.5	0.16	4.4	0.11	738	2.3	0.09	1.3	0.06
Pancreas	3,459	13.4	0.23	8.0	0.14	3,353	10.3	0.18	5.8	0.11
Respiratory System	16,649	65.3	0.52	38.3	0.31	13,614	42.8	0.37	25.9	0.24
Larynx	556	2.1	0.09	1.3	0.06	149	0.5	0.04	0.3	0.03
Lung & bronchus	15,990	62.8	0.51	36.7	0.30	13,402	42.1	0.37	25.5	0.24
Skin	1,295	5.2	0.15	3.1	0.09	645	2.0	0.08	1.3	0.06
Melanomas of the skin	918	3.6	0.12	2.2	0.08	481	1.6	0.07	1.0	0.05
Breast	92	0.4	0.04	0.2	0.02	7,148	22.5	0.27	14.5	0.19
Female Genital System	-	-	-	-	-	5,169	16.3	0.23	10.4	0.16
Cervix uteri	-	-	-	-	-	601	2.1	0.09	1.6	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,660	5.1	0.13	3.2	0.09
Ovary	-	-	-	-	-	2,545	8.0	0.16	5.0	0.11
Male Genital System	4,624	20.1	0.30	9.0	0.14	-	-	-	-	-
Prostate	4,513	19.7	0.30	8.6	0.13	-	-	-	-	-
Testis	60	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,565	14.7	0.25	7.6	0.13	1,811	5.5	0.13	3.0	0.08
Bladder	1,964	8.4	0.19	3.9	0.09	835	2.5	0.09	1.2	0.05
Kidney & renal pelvis	1,502	5.9	0.16	3.5	0.09	909	2.8	0.09	1.7	0.06
Brain & Other Nervous System	1,485	5.7	0.15	4.1	0.11	1,166	3.8	0.12	2.7	0.09
Endocrine System	222	0.9	0.06	0.6	0.04	236	0.8	0.05	0.5	0.04
Thyroid gland	125	0.5	0.05	0.3	0.03	163	0.5	0.04	0.3	0.02
Lymphomas	2,313	9.5	0.20	5.3	0.12	1,792	5.5	0.13	3.0	0.08
Hodgkin Lymphoma	116	0.5	0.05	0.3	0.04	88	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,197	9.0	0.20	4.9	0.11	1,704	5.2	0.13	2.8	0.08
Multiple Myeloma	1,131	4.6	0.14	2.5	0.08	931	2.9	0.10	1.5	0.06
Leukemias	2,319	9.6	0.20	5.3	0.12	1,726	5.4	0.13	3.1	0.09
Other, Ill-defined & Unknown	4,314	17.3	0.27	10.0	0.16	3,557	10.9	0.19	6.4	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	45,746	207.8	0.99	117.9	0.58	41,667	149.5	0.75	89.7	0.50
Oral Cavity & Pharynx	869	3.7	0.13	2.4	0.08	370	1.3	0.07	0.8	0.05
Digestive System	11,795	52.6	0.49	31.0	0.30	8,913	31.2	0.34	17.6	0.21
Esophagus	2,036	8.9	0.20	5.5	0.13	493	1.7	0.08	1.0	0.05
Stomach	831	3.8	0.13	2.2	0.08	513	1.8	0.08	1.0	0.05
Colon & Rectum	3,801	17.4	0.29	9.8	0.17	3,511	12.2	0.21	6.7	0.13
Liver	1,290	5.4	0.15	3.5	0.10	578	2.0	0.09	1.2	0.06
Pancreas	2,986	13.2	0.25	7.8	0.15	2,780	9.8	0.19	5.5	0.12
Respiratory System	14,284	63.7	0.54	37.1	0.32	11,787	42.8	0.40	25.9	0.26
Larynx	435	1.9	0.09	1.2	0.06	112	0.4	0.04	0.3	0.03
Lung & bronchus	13,756	61.4	0.53	35.7	0.32	11,619	42.1	0.40	25.5	0.26
Skin	1,260	5.7	0.16	3.4	0.10	616	2.3	0.10	1.5	0.07
Melanomas of the skin	905	4.1	0.14	2.5	0.09	466	1.8	0.09	1.2	0.06
Breast	77	0.3	0.04	0.2	0.02	5,880	21.4	0.29	13.6	0.20
Female Genital System	-	-	-	-	-	4,356	15.9	0.25	10.1	0.17
Cervix uteri	-	-	-	-	-	435	1.8	0.09	1.4	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,340	4.7	0.13	3.0	0.09
Ovary	-	-	-	-	-	2,257	8.2	0.18	5.1	0.12
Male Genital System	3,788	18.6	0.31	8.2	0.14	-	-	-	-	-
Prostate	3,691	18.1	0.30	7.8	0.14	-	-	-	-	-
Testis	54	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	3,243	15.0	0.27	7.8	0.14	1,587	5.5	0.14	3.0	0.09
Bladder	1,826	8.7	0.21	4.1	0.10	732	2.5	0.09	1.2	0.05
Kidney & renal pelvis	1,325	5.9	0.17	3.5	0.10	797	2.8	0.10	1.7	0.07
Brain & Other Nervous System	1,363	6.0	0.17	4.3	0.13	1,053	4.1	0.13	2.9	0.10
Endocrine System	193	0.9	0.06	0.6	0.05	199	0.7	0.05	0.5	0.05
Thyroid gland	114	0.5	0.05	0.3	0.03	135	0.5	0.04	0.3	0.03
Lymphomas	2,102	9.8	0.22	5.4	0.13	1,636	5.7	0.15	3.1	0.09
Hodgkin Lymphoma	96	0.5	0.05	0.3	0.04	80	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	2,006	9.3	0.21	5.0	0.12	1,556	5.4	0.14	2.8	0.08
Multiple Myeloma	929	4.3	0.14	2.3	0.08	715	2.5	0.10	1.3	0.06
Leukemias	2,084	9.8	0.22	5.4	0.13	1,542	5.5	0.14	3.1	0.10
Other, Ill-defined & Unknown	3,759	17.2	0.29	9.8	0.17	3,013	10.6	0.20	6.2	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,790	265.4	3.40	159.7	1.98	6,708	181.4	2.26	113.1	1.46
Oral Cavity & Pharynx	155	5.3	0.45	3.8	0.31	51	1.4	0.20	0.9	0.13
Digestive System	2,085	77.8	1.80	49.7	1.11	1,696	46.0	1.14	27.6	0.71
Esophagus	175	6.4	0.51	4.2	0.32	71	1.8	0.22	1.2	0.15
Stomach	216	8.6	0.61	5.1	0.36	168	4.6	0.36	2.6	0.22
Colon & Rectum	691	27.5	1.10	16.4	0.63	655	17.8	0.71	10.6	0.44
Liver	453	14.4	0.71	10.9	0.52	134	3.6	0.31	2.2	0.20
Pancreas	437	16.6	0.84	10.4	0.50	533	14.6	0.64	8.6	0.40
Respiratory System	2,187	84.5	1.91	51.8	1.13	1,664	45.2	1.13	27.9	0.72
Larynx	116	4.1	0.40	2.8	0.26	37	1.0	0.17	0.7	0.11
Lung & bronchus	2,061	80.0	1.86	48.7	1.09	1,620	44.0	1.12	27.1	0.71
Skin	29	1.0	0.19	0.7	0.14	23	0.6	0.13	0.4	0.09
Melanomas of the skin	11	0.4	0.12	0.3	0.08	11	0.3	0.10	0.2	0.06
Breast	15	0.5	0.13	0.4	0.10	1,192	31.7	0.93	21.2	0.64
Female Genital System	-	-	-	-	-	743	19.8	0.74	13.1	0.50
Cervix uteri	-	-	-	-	-	149	3.9	0.33	2.9	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	305	8.1	0.48	5.3	0.31
Ovary	-	-	-	-	-	252	6.8	0.44	4.3	0.29
Male Genital System	800	37.1	1.36	17.5	0.64	-	-	-	-	-
Prostate	786	36.7	1.35	17.2	0.63	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	303	12.4	0.75	7.0	0.41	210	5.8	0.40	3.1	0.23
Bladder	132	5.8	0.52	3.0	0.26	102	2.8	0.28	1.4	0.15
Kidney & renal pelvis	165	6.4	0.53	3.9	0.31	100	2.7	0.28	1.6	0.17
Brain & Other Nervous System	101	3.4	0.35	2.6	0.26	94	2.6	0.27	1.8	0.20
Endocrine System	20	0.7	0.16	0.5	0.11	32	0.8	0.15	0.6	0.11
Thyroid gland	-	-	-	-	-	24	0.6	0.13	0.4	0.09
Lymphomas	192	7.4	0.56	4.6	0.34	139	3.8	0.33	2.3	0.21
Hodgkin Lymphoma	19	0.6	0.15	0.5	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	173	6.8	0.54	4.1	0.32	-	-	-	-	-
Multiple Myeloma	192	8.0	0.61	4.5	0.33	202	5.6	0.40	3.2	0.24
Leukemias	199	7.8	0.59	4.7	0.34	166	4.7	0.37	2.8	0.23
Other, Ill-defined & Unknown	512	19.5	0.91	12.0	0.54	496	13.4	0.62	8.3	0.40

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	333	93.9	5.84	50.9	2.82	396	88.7	4.78	49.9	2.53
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	129	36.3	3.64	19.7	1.75	136	32.1	2.95	16.9	1.46
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	14	3.7	1.16	2.2	0.60	21	4.4	1.05	2.6	0.57
Colon & Rectum	31	8.7	1.83	4.7	0.86	44	9.9	1.61	5.6	0.85
Liver	33	7.9	1.57	5.1	0.90	17	4.5	1.14	2.1	0.51
Pancreas	23	7.8	1.78	3.5	0.73	32	8.2	1.53	3.9	0.69
Respiratory System	71	20.4	2.71	10.8	1.30	75	17.4	2.12	9.7	1.13
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	71	20.4	2.71	10.8	1.30	75	17.4	2.12	9.7	1.13
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	50	9.8	1.50	6.1	0.87
Female Genital System	-	-	-	-	-	52	10.3	1.55	6.6	0.93
Cervix uteri	-	-	-	-	-	13	2.2	0.63	1.7	0.47
Corpus & uterus, NOS ¹	-	-	-	-	-	12	2.3	0.72	1.6	0.46
Ovary	-	-	-	-	-	26	5.7	1.20	3.2	0.65
Male Genital System	22	8.9	2.06	3.5	0.76	-	-	-	-	-
Prostate	22	8.9	2.06	3.5	0.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	12	2.9	0.99	1.9	0.55	12	2.5	0.77	1.7	0.49
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	13	3.3	1.10	2.0	0.56	15	3.5	0.96	1.9	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	13	3.3	1.10	2.0	0.56	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	24	6.4	1.45	3.6	0.74	10	1.9	0.65	1.4	0.44
Other, Ill-defined & Unknown	27	6.0	1.31	4.1	0.80	24	6.5	1.40	2.9	0.59

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,137	217.6	1.57	124.5	0.92	19,701	156.7	1.14	94.6	0.75
Oral Cavity & Pharynx	371	3.7	0.20	2.5	0.13	175	1.4	0.11	0.9	0.07
Digestive System	5,630	59.1	0.81	35.5	0.49	4,461	34.8	0.53	20.1	0.34
Esophagus	747	7.8	0.29	4.8	0.18	224	1.8	0.12	1.0	0.08
Stomach	485	5.2	0.24	3.1	0.15	349	2.7	0.15	1.6	0.10
Colon & Rectum	1,792	19.4	0.47	11.0	0.27	1,778	13.8	0.33	7.8	0.21
Liver	853	8.2	0.29	5.6	0.20	296	2.3	0.14	1.4	0.09
Pancreas	1,391	14.6	0.40	8.7	0.24	1,403	11.0	0.30	6.3	0.19
Respiratory System	6,133	65.9	0.86	38.3	0.51	5,353	43.2	0.60	25.7	0.38
Larynx	214	2.2	0.16	1.4	0.10	64	0.5	0.07	0.4	0.05
Lung & bronchus	5,883	63.2	0.85	36.7	0.50	5,265	42.4	0.60	25.3	0.38
Skin	441	4.7	0.23	2.8	0.14	226	1.8	0.12	1.2	0.09
Melanomas of the skin	304	3.2	0.19	2.0	0.12	177	1.4	0.11	1.0	0.08
Breast	38	0.4	0.07	0.2	0.04	3,035	24.3	0.45	15.7	0.31
Female Genital System	-	-	-	-	-	2,127	17.1	0.38	11.1	0.26
Cervix uteri	-	-	-	-	-	283	2.5	0.15	1.8	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	698	5.5	0.21	3.5	0.14
Ovary	-	-	-	-	-	1,003	8.0	0.26	5.1	0.17
Male Genital System	1,851	21.6	0.51	9.8	0.24	-	-	-	-	-
Prostate	1,817	21.2	0.51	9.6	0.24	-	-	-	-	-
Testis	22	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	1,355	15.1	0.42	7.9	0.23	694	5.4	0.21	2.9	0.13
Bladder	759	8.7	0.32	4.1	0.16	339	2.6	0.14	1.3	0.08
Kidney & renal pelvis	563	6.0	0.26	3.6	0.16	331	2.6	0.15	1.6	0.10
Brain & Other Nervous System	526	5.4	0.24	3.9	0.18	432	3.6	0.18	2.6	0.14
Endocrine System	81	0.8	0.10	0.6	0.07	104	0.8	0.08	0.6	0.06
Thyroid gland	45	0.5	0.07	0.3	0.04	76	0.6	0.07	0.4	0.05
Lymphomas	832	9.3	0.33	5.2	0.19	690	5.5	0.21	3.0	0.13
Hodgkin Lymphoma	40	0.4	0.07	0.3	0.05	37	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	792	8.8	0.32	4.9	0.18	653	5.1	0.21	2.7	0.13
Multiple Myeloma	436	4.8	0.23	2.6	0.13	370	2.9	0.15	1.6	0.09
Leukemias	836	9.5	0.33	5.1	0.19	624	5.0	0.20	2.8	0.13
Other, Ill-defined & Unknown	1,607	17.3	0.44	10.1	0.27	1,410	11.1	0.30	6.6	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,997	209.2	1.74	117.6	1.02	14,408	151.5	1.30	90.4	0.86
Oral Cavity & Pharynx	258	3.4	0.22	2.2	0.14	130	1.3	0.12	0.8	0.09
Digestive System	4,022	54.9	0.88	32.1	0.53	3,093	31.6	0.58	17.8	0.37
Esophagus	621	8.3	0.34	5.1	0.21	170	1.7	0.14	1.0	0.09
Stomach	321	4.5	0.26	2.5	0.15	198	2.0	0.15	1.1	0.10
Colon & Rectum	1,272	17.8	0.51	9.9	0.29	1,241	12.5	0.37	6.9	0.23
Liver	495	6.4	0.30	4.0	0.19	190	2.0	0.15	1.1	0.09
Pancreas	1,051	14.3	0.45	8.4	0.27	988	10.2	0.33	5.7	0.21
Respiratory System	4,516	62.7	0.95	35.8	0.56	4,087	43.7	0.70	25.9	0.45
Larynx	136	1.9	0.16	1.1	0.10	34	0.4	0.07	0.3	0.05
Lung & bronchus	4,349	60.5	0.94	34.4	0.55	4,036	43.1	0.69	25.5	0.44
Skin	420	5.8	0.29	3.4	0.18	207	2.3	0.16	1.5	0.12
Melanomas of the skin	294	4.0	0.24	2.5	0.15	167	1.8	0.15	1.2	0.11
Breast	25	0.4	0.08	0.2	0.04	2,112	22.4	0.50	14.2	0.35
Female Genital System	-	-	-	-	-	1,551	16.6	0.43	10.6	0.30
Cervix uteri	-	-	-	-	-	157	1.9	0.16	1.4	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	462	4.8	0.23	3.0	0.16
Ovary	-	-	-	-	-	816	8.7	0.31	5.5	0.21
Male Genital System	1,234	18.2	0.52	8.2	0.25	-	-	-	-	-
Prostate	1,210	17.8	0.52	7.9	0.24	-	-	-	-	-
Testis	17	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	1,128	16.0	0.48	8.2	0.26	534	5.5	0.24	3.0	0.16
Bladder	653	9.5	0.38	4.4	0.18	259	2.6	0.17	1.3	0.10
Kidney & renal pelvis	447	6.1	0.30	3.6	0.18	255	2.7	0.17	1.6	0.12
Brain & Other Nervous System	444	6.0	0.29	4.3	0.22	351	4.0	0.22	2.8	0.18
Endocrine System	59	0.8	0.11	0.5	0.07	74	0.8	0.09	0.5	0.07
Thyroid gland	37	0.5	0.08	0.3	0.05	52	0.5	0.07	0.3	0.05
Lymphomas	691	9.9	0.38	5.5	0.22	572	5.9	0.26	3.1	0.16
Hodgkin Lymphoma	30	0.4	0.08	0.3	0.07	31	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	661	9.4	0.37	5.1	0.21	541	5.5	0.25	2.9	0.15
Multiple Myeloma	293	4.2	0.25	2.2	0.14	209	2.1	0.15	1.2	0.09
Leukemias	684	10.0	0.39	5.3	0.22	485	5.1	0.24	2.8	0.16
Other, Ill-defined & Unknown	1,223	17.1	0.50	9.8	0.30	1,003	10.3	0.34	6.1	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,876	266.4	4.00	161.3	2.36	5,029	182.1	2.62	113.6	1.70
Oral Cavity & Pharynx	109	5.1	0.51	3.8	0.37	43	1.6	0.25	1.0	0.16
Digestive System	1,514	78.8	2.13	50.9	1.33	1,284	46.5	1.32	28.1	0.84
Esophagus	121	6.1	0.58	4.2	0.38	53	1.9	0.26	1.2	0.18
Stomach	153	8.4	0.71	5.2	0.43	135	4.9	0.43	2.8	0.26
Colon & Rectum	501	28.0	1.31	16.7	0.76	508	18.4	0.83	11.1	0.53
Liver	331	14.7	0.85	11.3	0.63	96	3.4	0.36	2.1	0.23
Pancreas	325	17.1	1.00	10.8	0.61	396	14.3	0.73	8.6	0.46
Respiratory System	1,546	83.5	2.23	51.4	1.34	1,218	44.5	1.30	27.4	0.83
Larynx	78	3.9	0.46	2.6	0.30	30	1.1	0.20	0.7	0.13
Lung & bronchus	1,463	79.2	2.18	48.6	1.30	1,181	43.1	1.28	26.5	0.81
Skin	18	0.9	0.22	0.6	0.15	17	0.6	0.15	0.4	0.09
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	13	0.6	0.17	0.5	0.14	885	31.5	1.08	21.1	0.75
Female Genital System	-	-	-	-	-	545	19.4	0.85	13.1	0.58
Cervix uteri	-	-	-	-	-	118	4.2	0.40	3.2	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	231	8.2	0.55	5.4	0.37
Ovary	-	-	-	-	-	170	6.1	0.48	4.0	0.32
Male Genital System	598	38.2	1.61	17.9	0.76	-	-	-	-	-
Prostate	588	37.7	1.60	17.5	0.75	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	219	12.8	0.90	7.2	0.50	155	5.5	0.45	3.0	0.26
Bladder	103	6.2	0.64	3.2	0.33	80	2.9	0.33	1.4	0.17
Kidney & renal pelvis	111	6.3	0.62	3.8	0.37	71	2.5	0.30	1.5	0.19
Brain & Other Nervous System	73	3.7	0.45	2.7	0.32	72	2.6	0.31	1.9	0.24
Endocrine System	18	0.9	0.21	0.6	0.15	28	1.0	0.20	0.7	0.14
Thyroid gland	-	-	-	-	-	22	0.8	0.17	0.5	0.12
Lymphomas	134	7.3	0.65	4.6	0.41	108	4.0	0.39	2.4	0.25
Hodgkin Lymphoma	10	0.4	0.14	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	124	6.8	0.64	4.2	0.39	-	-	-	-	-
Multiple Myeloma	137	7.7	0.69	4.5	0.40	156	5.8	0.47	3.1	0.27
Leukemias	130	7.3	0.67	4.4	0.40	129	4.9	0.44	2.8	0.27
Other, Ill-defined & Unknown	367	19.7	1.08	12.2	0.65	389	14.2	0.73	8.6	0.46

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	224	98.0	7.42	53.8	3.63	230	83.1	5.85	47.5	3.16
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	81	35.8	4.54	20.0	2.25	78	29.9	3.59	16.0	1.84
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	15	5.2	1.45	3.2	0.84
Colon & Rectum	18	7.8	2.14	4.6	1.10	28	10.3	2.07	5.8	1.10
Liver	23	9.2	2.19	5.6	1.18	-	-	-	-	-
Pancreas	13	7.1	2.19	3.2	0.89	18	7.5	1.86	3.6	0.86
Respiratory System	53	22.9	3.51	12.5	1.73	39	15.2	2.56	8.2	1.33
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	53	22.9	3.51	12.5	1.73	39	15.2	2.56	8.2	1.33
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	33	9.9	1.83	6.8	1.19
Female Genital System	-	-	-	-	-	28	9.7	1.97	5.7	1.08
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	14	5.7	1.62	2.8	0.74
Male Genital System	17	11.2	2.89	4.2	1.04	-	-	-	-	-
Prostate	17	11.2	2.89	4.2	1.04	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	20	8.0	2.01	4.7	1.07	-	-	-	-	-
Other, Ill-defined & Unknown	17	5.9	1.60	3.9	0.94	14	5.8	1.66	2.7	0.72

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,909	193.4	1.25	106.6	0.71	22,797	138.3	0.94	81.3	0.60
Oral Cavity & Pharynx	411	3.0	0.15	1.9	0.10	222	1.3	0.09	0.8	0.06
Digestive System	6,516	49.2	0.62	28.7	0.37	5,114	30.4	0.44	17.1	0.27
Esophagus	1,003	7.5	0.24	4.5	0.15	321	1.9	0.11	1.2	0.07
Stomach	471	3.6	0.17	2.0	0.10	306	1.9	0.11	1.1	0.07
Colon & Rectum	2,033	15.7	0.35	8.7	0.20	2,015	11.7	0.27	6.4	0.16
Liver	743	5.2	0.19	3.5	0.13	268	1.6	0.10	1.0	0.07
Pancreas	1,647	12.4	0.31	7.3	0.19	1,475	8.8	0.23	4.9	0.14
Respiratory System	6,521	50.1	0.63	28.4	0.37	5,578	34.9	0.48	20.6	0.30
Larynx	173	1.3	0.10	0.8	0.06	38	0.2	0.04	0.2	0.03
Lung & bronchus	6,303	48.5	0.62	27.5	0.36	5,511	34.5	0.47	20.4	0.30
Skin	640	4.9	0.20	2.8	0.12	332	2.0	0.11	1.2	0.08
Melanomas of the skin	503	3.8	0.17	2.3	0.11	255	1.6	0.10	1.0	0.07
Breast	20	0.2	0.03	0.1	0.02	3,240	19.6	0.35	12.4	0.24
Female Genital System	-	-	-	-	-	2,351	14.4	0.30	9.0	0.20
Cervix uteri	-	-	-	-	-	217	1.5	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	691	4.2	0.16	2.5	0.11
Ovary	-	-	-	-	-	1,234	7.5	0.22	4.7	0.15
Male Genital System	2,622	21.9	0.43	9.2	0.19	-	-	-	-	-
Prostate	2,583	21.6	0.43	9.0	0.19	-	-	-	-	-
Testis	18	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,743	13.7	0.33	7.2	0.18	833	4.9	0.17	2.6	0.10
Bladder	861	7.0	0.24	3.2	0.12	350	2.0	0.11	1.0	0.06
Kidney & renal pelvis	842	6.4	0.22	3.8	0.14	449	2.7	0.13	1.5	0.08
Brain & Other Nervous System	776	5.6	0.21	4.1	0.16	536	3.5	0.15	2.6	0.12
Endocrine System	118	0.9	0.08	0.6	0.06	104	0.7	0.07	0.4	0.05
Thyroid gland	75	0.6	0.07	0.3	0.04	76	0.5	0.05	0.3	0.03
Lymphomas	1,188	9.5	0.28	5.0	0.15	964	5.7	0.19	2.8	0.11
Hodgkin Lymphoma	57	0.4	0.06	0.3	0.04	44	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,131	9.0	0.27	4.7	0.15	920	5.4	0.18	2.7	0.10
Multiple Myeloma	580	4.6	0.19	2.4	0.10	417	2.5	0.13	1.3	0.07
Leukemias	1,301	10.4	0.29	5.5	0.16	942	5.6	0.19	3.0	0.12
Other, Ill-defined & Unknown	2,473	19.3	0.40	10.6	0.23	2,164	12.9	0.28	7.3	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	23,664	192.7	1.27	105.8	0.73	21,734	138.2	0.96	81.1	0.63
Oral Cavity & Pharynx	382	3.0	0.15	1.8	0.10	208	1.3	0.09	0.8	0.06
Digestive System	6,041	48.1	0.63	27.8	0.38	4,786	29.7	0.44	16.6	0.28
Esophagus	966	7.6	0.25	4.5	0.15	297	1.9	0.11	1.1	0.07
Stomach	425	3.5	0.17	1.9	0.10	268	1.7	0.11	1.0	0.07
Colon & Rectum	1,933	15.7	0.36	8.7	0.21	1,925	11.7	0.28	6.3	0.17
Liver	576	4.3	0.18	2.8	0.12	212	1.3	0.09	0.8	0.06
Pancreas	1,558	12.4	0.32	7.2	0.19	1,410	8.8	0.24	4.9	0.15
Respiratory System	6,221	50.1	0.65	28.4	0.38	5,355	35.2	0.49	20.8	0.31
Larynx	168	1.3	0.11	0.8	0.06	32	0.2	0.04	0.1	0.03
Lung & bronchus	6,011	48.4	0.64	27.4	0.37	5,297	34.8	0.49	20.5	0.31
Skin	628	5.1	0.21	3.0	0.13	331	2.1	0.12	1.3	0.08
Melanomas of the skin	500	4.0	0.18	2.5	0.12	254	1.7	0.11	1.1	0.08
Breast	20	0.2	0.04	0.1	0.02	3,107	19.8	0.37	12.5	0.25
Female Genital System	-	-	-	-	-	2,232	14.4	0.31	9.0	0.21
Cervix uteri	-	-	-	-	-	182	1.3	0.10	1.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	655	4.2	0.17	2.5	0.11
Ovary	-	-	-	-	-	1,195	7.6	0.23	4.8	0.15
Male Genital System	2,528	21.8	0.44	9.2	0.19	-	-	-	-	-
Prostate	2,490	21.5	0.43	9.0	0.19	-	-	-	-	-
Testis	17	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,686	13.9	0.34	7.2	0.19	800	4.9	0.18	2.6	0.11
Bladder	834	7.1	0.25	3.3	0.12	334	2.0	0.11	0.9	0.06
Kidney & renal pelvis	814	6.5	0.23	3.8	0.14	434	2.7	0.13	1.5	0.08
Brain & Other Nervous System	741	5.8	0.22	4.2	0.17	519	3.6	0.16	2.7	0.14
Endocrine System	110	0.9	0.09	0.6	0.07	98	0.7	0.07	0.4	0.05
Thyroid gland	70	0.6	0.07	0.3	0.04	71	0.4	0.05	0.3	0.03
Lymphomas	1,137	9.5	0.29	5.0	0.16	933	5.7	0.19	2.9	0.11
Hodgkin Lymphoma	55	0.5	0.06	0.3	0.04	43	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,082	9.0	0.28	4.7	0.15	890	5.4	0.19	2.7	0.11
Multiple Myeloma	559	4.6	0.20	2.4	0.11	397	2.5	0.13	1.3	0.07
Leukemias	1,256	10.5	0.30	5.5	0.17	901	5.6	0.19	3.0	0.12
Other, Ill-defined & Unknown	2,355	19.4	0.41	10.6	0.23	2,067	12.8	0.29	7.3	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2009-2013, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	640	212.8	10.08	127.1	5.29	527	148.1	7.11	88.6	3.97
Oral Cavity & Pharynx	15	4.6	1.44	2.9	0.79	-	-	-	-	-
Digestive System	233	68.9	5.39	45.1	3.11	151	41.1	3.70	25.7	2.15
Esophagus	20	7.2	1.91	4.0	0.94	16	4.8	1.32	2.7	0.69
Stomach	18	5.1	1.45	3.1	0.77	16	4.1	1.14	2.7	0.69
Colon & Rectum	48	13.0	2.26	8.8	1.35	36	9.4	1.78	5.8	0.99
Liver	82	21.8	2.88	15.8	1.83	24	5.7	1.27	4.1	0.87
Pancreas	56	18.8	2.94	11.6	1.62	37	11.3	2.03	6.2	1.05
Respiratory System	150	52.5	5.05	31.1	2.66	104	29.7	3.20	17.8	1.78
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	147	51.2	4.97	30.4	2.63	99	28.0	3.09	16.8	1.73
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	83	21.7	2.63	13.6	1.55
Female Genital System	-	-	-	-	-	53	15.1	2.28	9.0	1.27
Cervix uteri	-	-	-	-	-	12	2.1	0.63	1.8	0.54
Corpus & uterus, NOS ¹	-	-	-	-	-	20	5.9	1.45	3.6	0.82
Ovary	-	-	-	-	-	18	5.9	1.52	2.9	0.71
Male Genital System	67	31.8	4.38	15.1	1.90	-	-	-	-	-
Prostate	67	31.8	4.38	15.1	1.90	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	34	11.9	2.45	6.8	1.24	21	7.8	1.80	3.5	0.78
Bladder	16	6.2	1.85	3.2	0.83	12	4.6	1.39	2.0	0.60
Kidney & renal pelvis	16	5.0	1.46	3.3	0.88	-	-	-	-	-
Brain & Other Nervous System	16	3.8	1.25	2.3	0.59	10	2.1	0.79	1.3	0.41
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	21	6.4	1.67	4.1	0.94	13	3.8	1.15	2.4	0.68
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	4.6	1.49	2.5	0.73	18	6.4	1.61	2.9	0.70
Leukemias	17	4.6	1.41	3.0	0.77	18	5.4	1.37	3.1	0.77
Other, Ill-defined & Unknown	65	21.6	3.23	12.9	1.69	52	14.3	2.18	8.7	1.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	366	151.2	8.90	85.9	4.60	321	99.6	5.92	59.3	3.41
Oral Cavity & Pharynx	10	3.4	1.25	2.1	0.69	-	-	-	-	-
Digestive System	175	68.8	5.80	41.6	3.22	119	39.7	3.83	21.8	2.07
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	21	9.1	2.20	5.3	1.18	18	6.1	1.53	3.1	0.77
Colon & Rectum	31	12.1	2.44	7.0	1.30	30	9.8	1.89	5.1	0.95
Liver	68	23.6	3.22	15.7	1.95	20	6.6	1.55	3.9	0.90
Pancreas	22	10.4	2.45	5.6	1.21	23	7.4	1.62	4.5	0.95
Respiratory System	67	30.5	4.14	16.2	2.02	46	15.9	2.45	8.8	1.34
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	66	29.8	4.08	16.0	2.01	45	15.7	2.44	8.6	1.33
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	32	9.7	1.82	5.9	1.07
Female Genital System	-	-	-	-	-	47	13.6	2.13	8.8	1.31
Cervix uteri	-	-	-	-	-	19	5.5	1.36	3.5	0.82
Corpus & uterus, NOS ¹	-	-	-	-	-	11	2.6	0.83	2.2	0.69
Ovary	-	-	-	-	-	13	3.8	1.14	2.4	0.68
Male Genital System	12	7.7	2.32	2.9	0.83	-	-	-	-	-
Prostate	12	7.7	2.32	2.9	0.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	5.9	1.87	2.9	0.86	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	3.8	1.23	2.5	0.72	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	9.3	2.44	4.1	1.00	13	3.9	1.15	2.7	0.76
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	18	9.3	2.44	4.1	1.00	13	3.9	1.15	2.7	0.76
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	19	6.0	1.65	4.1	0.97	18	4.4	1.14	3.2	0.77
Other, Ill-defined & Unknown	29	12.2	2.57	6.7	1.26	25	6.9	1.49	4.5	0.93

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,485	257.0	2.01	151.7	1.18	14,217	158.2	1.34	98.6	0.90
Oral Cavity & Pharynx	460	6.2	0.30	4.2	0.20	152	1.7	0.14	1.1	0.10
Digestive System	4,478	63.7	0.99	40.0	0.61	3,456	38.0	0.65	22.5	0.42
Esophagus	561	7.6	0.33	5.2	0.22	136	1.5	0.13	1.0	0.09
Stomach	359	5.2	0.29	3.2	0.17	275	3.0	0.19	1.8	0.12
Colon & Rectum	1,631	23.8	0.61	14.6	0.37	1,463	16.1	0.43	9.7	0.28
Liver	706	9.5	0.37	6.4	0.25	338	3.7	0.20	2.1	0.13
Pancreas	1,003	14.3	0.47	8.9	0.29	989	10.9	0.35	6.2	0.22
Respiratory System	6,182	88.3	1.16	53.3	0.69	3,783	41.8	0.69	26.4	0.46
Larynx	170	2.3	0.18	1.6	0.12	39	0.4	0.07	0.3	0.05
Lung & bronchus	5,975	85.5	1.14	51.5	0.68	3,724	41.1	0.68	25.9	0.45
Skin	353	5.4	0.30	3.0	0.17	155	1.7	0.14	1.1	0.10
Melanomas of the skin	236	3.6	0.24	2.1	0.14	120	1.4	0.13	0.9	0.09
Breast	20	0.3	0.06	0.2	0.04	2,130	24.1	0.53	15.9	0.37
Female Genital System	-	-	-	-	-	1,371	15.5	0.43	10.2	0.30
Cervix uteri	-	-	-	-	-	284	3.4	0.21	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	365	4.0	0.21	2.7	0.15
Ovary	-	-	-	-	-	622	7.0	0.28	4.3	0.19
Male Genital System	1,632	27.7	0.71	12.6	0.32	-	-	-	-	-
Prostate	1,609	27.4	0.70	12.4	0.32	-	-	-	-	-
Testis	11	0.2	0.05	0.1	0.04	-	-	-	-	-
Urinary System	906	13.8	0.48	7.7	0.26	436	4.7	0.23	2.6	0.14
Bladder	408	6.6	0.34	3.3	0.17	171	1.9	0.14	0.9	0.08
Kidney & renal pelvis	479	6.9	0.33	4.3	0.20	247	2.7	0.17	1.6	0.11
Brain & Other Nervous System	398	5.6	0.29	3.9	0.20	368	4.1	0.22	2.9	0.17
Endocrine System	45	0.6	0.10	0.4	0.07	67	0.8	0.09	0.6	0.08
Thyroid gland	27	0.4	0.08	0.2	0.05	41	0.5	0.07	0.3	0.04
Lymphomas	524	8.1	0.36	4.5	0.20	429	4.8	0.23	2.7	0.14
Hodgkin Lymphoma	37	0.6	0.09	0.3	0.06	31	0.4	0.07	0.3	0.05
Non-Hodgkin Lymphoma	487	7.5	0.35	4.1	0.19	398	4.4	0.23	2.4	0.13
Multiple Myeloma	306	4.7	0.28	2.5	0.15	294	3.2	0.19	1.8	0.12
Leukemias	662	10.3	0.41	5.9	0.24	492	5.5	0.25	3.2	0.16
Other, Ill-defined & Unknown	1,519	22.2	0.59	13.4	0.36	1,084	12.1	0.37	7.7	0.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	11,862	239.0	2.25	139.5	1.34	9,507	150.3	1.57	92.7	1.07
Oral Cavity & Pharynx	266	5.1	0.32	3.4	0.21	107	1.7	0.17	1.0	0.11
Digestive System	2,913	57.4	1.09	35.9	0.69	2,163	33.4	0.73	19.5	0.47
Esophagus	373	7.2	0.38	4.8	0.26	83	1.3	0.14	0.8	0.10
Stomach	165	3.3	0.26	1.9	0.15	147	2.3	0.19	1.4	0.13
Colon & Rectum	1,038	20.9	0.67	12.9	0.42	887	13.7	0.47	8.2	0.31
Liver	493	9.4	0.43	6.2	0.29	225	3.4	0.23	2.0	0.15
Pancreas	688	13.5	0.53	8.3	0.33	647	10.0	0.40	5.7	0.25
Respiratory System	4,315	84.4	1.32	50.0	0.79	2,827	44.3	0.84	28.2	0.58
Larynx	85	1.6	0.18	1.1	0.12	23	0.4	0.07	0.2	0.05
Lung & bronchus	4,205	82.2	1.30	48.6	0.78	2,790	43.7	0.84	27.8	0.57
Skin	321	6.8	0.39	3.8	0.22	140	2.3	0.20	1.5	0.15
Melanomas of the skin	223	4.6	0.32	2.8	0.19	110	1.8	0.18	1.3	0.14
Breast	-	-	-	-	-	1,219	19.8	0.58	12.6	0.40
Female Genital System	-	-	-	-	-	844	13.9	0.49	9.0	0.35
Cervix uteri	-	-	-	-	-	135	2.6	0.23	1.9	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	186	2.9	0.22	1.9	0.16
Ovary	-	-	-	-	-	438	7.0	0.34	4.3	0.23
Male Genital System	832	18.9	0.67	8.4	0.30	-	-	-	-	-
Prostate	814	18.5	0.66	8.1	0.29	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	693	14.5	0.57	7.9	0.32	299	4.6	0.27	2.5	0.16
Bladder	336	7.4	0.41	3.5	0.20	112	1.7	0.16	0.8	0.09
Kidney & renal pelvis	342	6.9	0.38	4.2	0.24	175	2.7	0.21	1.6	0.14
Brain & Other Nervous System	326	6.5	0.37	4.5	0.27	286	4.8	0.29	3.4	0.23
Endocrine System	32	0.6	0.12	0.4	0.09	41	0.7	0.11	0.5	0.10
Thyroid gland	21	0.4	0.10	0.2	0.06	24	0.4	0.07	0.2	0.04
Lymphomas	407	8.6	0.44	4.5	0.24	335	5.3	0.29	2.8	0.18
Hodgkin Lymphoma	24	0.5	0.11	0.3	0.06	23	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	383	8.1	0.42	4.3	0.23	312	4.8	0.28	2.5	0.16
Multiple Myeloma	189	4.0	0.30	2.0	0.15	161	2.5	0.20	1.3	0.11
Leukemias	500	10.6	0.48	6.0	0.29	361	5.7	0.31	3.3	0.21
Other, Ill-defined & Unknown	-	-	-	-	-	724	11.5	0.44	7.1	0.30

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,541	312.3	4.55	186.4	2.53	4,613	176.4	2.65	112.0	1.72
Oral Cavity & Pharynx	191	9.0	0.70	6.4	0.47	45	1.6	0.24	1.2	0.18
Digestive System	1,533	82.5	2.29	51.3	1.33	1,253	48.7	1.40	29.0	0.86
Esophagus	186	8.7	0.69	6.1	0.46	51	1.9	0.27	1.3	0.19
Stomach	191	10.7	0.84	6.4	0.47	124	4.8	0.44	2.8	0.27
Colon & Rectum	579	33.1	1.49	19.6	0.83	568	22.1	0.95	13.2	0.59
Liver	205	9.5	0.73	6.7	0.47	98	3.8	0.39	2.2	0.24
Pancreas	314	17.1	1.04	10.6	0.60	336	13.2	0.73	7.7	0.44
Respiratory System	1,846	99.4	2.50	62.3	1.47	933	36.3	1.22	22.8	0.78
Larynx	84	4.0	0.47	2.9	0.32	16	0.6	0.14	0.4	0.11
Lung & bronchus	1,751	94.8	2.45	59.1	1.43	911	35.5	1.20	22.3	0.77
Skin	32	1.6	0.30	1.1	0.20	-	-	-	-	-
Melanomas of the skin	13	0.8	0.22	0.4	0.13	10	0.4	0.12	0.3	0.09
Breast	11	0.6	0.21	0.4	0.12	905	33.4	1.13	22.7	0.78
Female Genital System	-	-	-	-	-	517	19.8	0.89	13.2	0.60
Cervix uteri	-	-	-	-	-	145	5.4	0.46	3.7	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	178	6.8	0.52	4.5	0.35
Ovary	-	-	-	-	-	179	7.0	0.53	4.5	0.35
Male Genital System	791	57.6	2.16	26.2	0.94	-	-	-	-	-
Prostate	786	57.3	2.15	26.0	0.94	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	211	11.4	0.85	7.1	0.49	136	5.2	0.46	3.0	0.27
Bladder	72	4.0	0.52	2.3	0.28	59	2.3	0.31	1.3	0.18
Kidney & renal pelvis	135	7.2	0.67	4.6	0.40	71	2.7	0.33	1.6	0.20
Brain & Other Nervous System	72	3.6	0.47	2.5	0.29	81	2.9	0.33	2.1	0.25
Endocrine System	13	0.6	0.19	0.4	0.12	26	1.0	0.20	0.7	0.15
Thyroid gland	-	-	-	-	-	17	0.7	0.16	0.4	0.11
Lymphomas	113	5.9	0.60	3.9	0.37	91	3.5	0.38	2.3	0.25
Hodgkin Lymphoma	13	0.5	0.16	0.5	0.13	-	-	-	-	-
Non-Hodgkin Lymphoma	100	5.3	0.58	3.4	0.34	-	-	-	-	-
Multiple Myeloma	117	7.0	0.69	4.0	0.37	130	5.1	0.45	3.0	0.27
Leukemias	160	9.3	0.80	5.5	0.44	129	5.2	0.46	3.0	0.28
Other, Ill-defined & Unknown	451	23.8	1.22	15.3	0.73	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	50	131.9	22.09	78.0	11.29	63	127.6	17.60	66.5	8.58
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	20	56.8	15.06	30.1	6.90	28	59.8	12.18	28.9	5.56
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	12	26.5	7.96	11.8	3.48
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	16	38.9	11.06	26.2	6.67	14	33.2	9.58	14.1	3.82
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	32.3	8.87	24.1	6.32	14	33.2	9.58	14.1	3.82
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33,206	219.6	1.23	127.4	0.73	30,239	155.4	0.91	94.3	0.60
Oral Cavity & Pharynx	610	3.8	0.16	2.6	0.11	271	1.4	0.08	0.8	0.05
Digestive System	8,546	55.2	0.61	33.7	0.38	6,533	33.0	0.42	18.9	0.26
Esophagus	1,204	7.6	0.22	4.9	0.15	329	1.7	0.09	1.0	0.06
Stomach	570	3.7	0.16	2.3	0.10	358	1.8	0.10	1.1	0.06
Colon & Rectum	2,979	19.9	0.37	11.4	0.22	2,697	13.6	0.27	7.6	0.17
Liver	1,231	7.4	0.22	5.1	0.15	422	2.1	0.11	1.3	0.07
Pancreas	1,957	12.7	0.29	7.6	0.18	1,944	9.8	0.23	5.6	0.14
Respiratory System	11,231	73.1	0.70	43.3	0.42	8,809	45.5	0.49	28.0	0.32
Larynx	310	2.0	0.12	1.2	0.07	85	0.4	0.05	0.3	0.04
Lung & bronchus	10,885	70.9	0.69	41.9	0.42	8,694	44.9	0.49	27.6	0.32
Skin	955	6.4	0.21	3.7	0.13	427	2.3	0.11	1.4	0.08
Melanomas of the skin	719	4.8	0.18	2.8	0.11	337	1.8	0.10	1.1	0.07
Breast	42	0.3	0.04	0.2	0.03	4,362	22.8	0.35	14.7	0.24
Female Genital System	-	-	-	-	-	2,903	15.1	0.29	9.7	0.20
Cervix uteri	-	-	-	-	-	451	2.6	0.13	2.0	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	855	4.4	0.15	2.8	0.10
Ovary	-	-	-	-	-	1,392	7.1	0.19	4.4	0.13
Male Genital System	2,679	19.5	0.38	8.6	0.17	-	-	-	-	-
Prostate	2,601	19.0	0.38	8.2	0.17	-	-	-	-	-
Testis	53	0.4	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,085	14.1	0.32	7.6	0.17	1,109	5.5	0.17	3.0	0.10
Bladder	1,030	7.3	0.23	3.5	0.11	463	2.3	0.11	1.1	0.06
Kidney & renal pelvis	1,009	6.5	0.21	4.0	0.13	599	3.0	0.13	1.8	0.08
Brain & Other Nervous System	832	5.3	0.19	3.9	0.14	682	3.7	0.14	2.7	0.11
Endocrine System	109	0.7	0.07	0.5	0.05	150	0.8	0.07	0.5	0.05
Thyroid gland	74	0.5	0.06	0.3	0.04	101	0.5	0.05	0.3	0.03
Lymphomas	1,191	8.1	0.24	4.4	0.13	991	5.1	0.16	2.7	0.10
Hodgkin Lymphoma	63	0.4	0.06	0.3	0.04	52	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,128	7.7	0.23	4.1	0.13	939	4.8	0.16	2.5	0.09
Multiple Myeloma	673	4.5	0.18	2.5	0.10	549	2.8	0.12	1.5	0.07
Leukemias	1,430	9.8	0.26	5.5	0.16	1,041	5.3	0.17	3.1	0.12
Other, Ill-defined & Unknown	2,823	18.8	0.36	11.0	0.22	2,412	12.3	0.25	7.3	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,879	217.0	1.28	125.6	0.77	26,793	153.3	0.96	92.9	0.64
Oral Cavity & Pharynx	550	3.8	0.16	2.6	0.11	236	1.3	0.09	0.8	0.06
Digestive System	7,483	53.3	0.63	32.3	0.39	5,698	31.9	0.43	18.3	0.28
Esophagus	1,101	7.6	0.23	4.9	0.15	291	1.7	0.10	1.0	0.07
Stomach	465	3.4	0.16	2.0	0.10	295	1.7	0.10	1.0	0.07
Colon & Rectum	2,634	19.3	0.38	11.0	0.23	2,369	13.2	0.28	7.4	0.17
Liver	992	6.7	0.22	4.5	0.15	340	1.9	0.11	1.1	0.07
Pancreas	1,763	12.6	0.30	7.5	0.19	1,712	9.5	0.23	5.5	0.15
Respiratory System	10,170	72.7	0.73	42.8	0.44	7,943	45.7	0.52	28.1	0.34
Larynx	267	1.9	0.12	1.2	0.07	67	0.4	0.05	0.3	0.04
Lung & bronchus	9,871	70.6	0.72	41.5	0.44	7,847	45.2	0.52	27.8	0.34
Skin	936	6.8	0.23	4.0	0.14	417	2.5	0.13	1.5	0.09
Melanomas of the skin	714	5.2	0.20	3.1	0.12	330	2.0	0.11	1.3	0.08
Breast	38	0.3	0.05	0.2	0.03	3,752	21.9	0.37	14.0	0.25
Female Genital System	-	-	-	-	-	2,504	14.6	0.30	9.3	0.21
Cervix uteri	-	-	-	-	-	361	2.4	0.13	1.8	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	686	3.9	0.15	2.5	0.10
Ovary	-	-	-	-	-	1,277	7.3	0.21	4.5	0.14
Male Genital System	2,304	18.2	0.38	8.0	0.18	-	-	-	-	-
Prostate	2,232	17.7	0.38	7.6	0.17	-	-	-	-	-
Testis	52	0.4	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,957	14.5	0.33	7.8	0.18	1,000	5.5	0.18	3.0	0.11
Bladder	981	7.5	0.24	3.6	0.12	422	2.3	0.11	1.1	0.06
Kidney & renal pelvis	935	6.7	0.22	4.0	0.14	539	3.0	0.13	1.8	0.09
Brain & Other Nervous System	787	5.6	0.20	4.1	0.16	641	3.9	0.16	2.9	0.13
Endocrine System	100	0.7	0.08	0.5	0.06	133	0.8	0.07	0.5	0.06
Thyroid gland	68	0.5	0.06	0.3	0.04	90	0.5	0.05	0.3	0.04
Lymphomas	1,115	8.3	0.25	4.5	0.14	920	5.2	0.18	2.8	0.11
Hodgkin Lymphoma	56	0.4	0.06	0.3	0.04	49	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	1,059	7.9	0.25	4.2	0.14	871	4.9	0.17	2.6	0.10
Multiple Myeloma	570	4.2	0.18	2.3	0.10	453	2.5	0.12	1.3	0.07
Leukemias	1,311	9.8	0.28	5.6	0.17	961	5.4	0.18	3.2	0.13
Other, Ill-defined & Unknown	2,558	18.7	0.38	11.0	0.23	2,135	12.0	0.27	7.1	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,103	269.9	5.19	161.4	2.95	3,211	187.1	3.36	115.2	2.13
Oral Cavity & Pharynx	57	4.2	0.59	3.0	0.40	32	1.9	0.34	1.1	0.21
Digestive System	977	79.7	2.73	50.7	1.65	764	45.2	1.66	25.8	0.98
Esophagus	98	7.7	0.83	5.1	0.52	37	2.2	0.36	1.3	0.23
Stomach	98	8.0	0.87	5.2	0.54	59	3.4	0.46	1.9	0.27
Colon & Rectum	324	28.7	1.71	16.8	0.95	302	18.0	1.05	10.1	0.62
Liver	210	14.2	1.03	10.9	0.76	67	3.8	0.47	2.3	0.29
Pancreas	182	15.3	1.22	9.3	0.70	217	13.0	0.90	7.2	0.52
Respiratory System	1,000	83.6	2.82	52.6	1.69	818	47.4	1.69	29.9	1.09
Larynx	42	3.4	0.55	2.2	0.35	18	1.0	0.25	0.7	0.17
Lung & bronchus	954	80.0	2.76	50.2	1.65	799	46.3	1.67	29.1	1.07
Skin	19	1.4	0.36	1.0	0.22	10	0.6	0.18	0.4	0.13
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	578	32.6	1.38	21.3	0.92
Female Genital System	-	-	-	-	-	375	21.9	1.15	14.0	0.75
Cervix uteri	-	-	-	-	-	83	4.7	0.53	3.3	0.38
Corpus & uterus, NOS ¹	-	-	-	-	-	162	9.5	0.76	6.2	0.51
Ovary	-	-	-	-	-	105	6.3	0.62	3.6	0.37
Male Genital System	362	40.2	2.21	18.1	0.97	-	-	-	-	-
Prostate	356	39.7	2.20	17.8	0.96	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	117	10.4	1.03	6.1	0.57	102	5.9	0.60	3.5	0.37
Bladder	42	4.4	0.71	2.2	0.34	38	2.1	0.35	1.2	0.21
Kidney & renal pelvis	70	5.6	0.71	3.6	0.44	56	3.3	0.45	2.0	0.28
Brain & Other Nervous System	36	2.8	0.50	1.9	0.33	35	2.1	0.36	1.3	0.22
Endocrine System	-	-	-	-	-	15	0.9	0.23	0.6	0.17
Thyroid gland	-	-	-	-	-	10	0.6	0.20	0.4	0.12
Lymphomas	70	6.1	0.77	3.7	0.44	64	3.8	0.49	2.2	0.29
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	99	9.0	0.96	5.2	0.54	93	5.6	0.59	3.2	0.35
Leukemias	109	10.1	1.03	5.7	0.56	73	4.4	0.52	2.7	0.33
Other, Ill-defined & Unknown	246	21.6	1.48	12.7	0.83	252	14.9	0.95	9.1	0.60

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	168	118.4	10.34	65.0	5.08	178	90.1	7.30	50.9	3.88
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	75	50.6	6.62	28.7	3.36	59	32.4	4.54	16.5	2.17
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	21	15.9	3.91	7.8	1.72	20	12.3	2.94	5.5	1.26
Liver	25	13.7	3.08	9.4	1.91	14	8.2	2.35	3.7	0.99
Pancreas	10	7.1	2.55	3.8	1.22	12	6.2	1.92	3.3	0.95
Respiratory System	39	28.5	5.07	15.8	2.54	32	16.9	3.14	9.1	1.63
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	39	28.5	5.07	15.8	2.54	32	16.9	3.14	9.1	1.63
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	28	11.5	2.35	7.8	1.49
Female Genital System	-	-	-	-	-	17	8.8	2.31	4.8	1.17
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	14	11.1	3.22	5.6	1.49	16	7.5	2.01	5.0	1.26

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2009-2013, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	5,217	184.7	2.62	103.0	1.51	4,593	139.1	2.10	82.8	1.37
Oral Cavity & Pharynx	95	3.1	0.33	2.0	0.22	38	1.1	0.19	0.7	0.13
Digestive System	1,330	45.6	1.28	27.2	0.78	970	29.0	0.95	16.6	0.59
Esophagus	210	7.1	0.50	4.4	0.32	55	1.6	0.23	0.9	0.13
Stomach	79	2.8	0.33	1.6	0.18	58	1.8	0.24	1.1	0.16
Colon & Rectum	474	16.5	0.77	9.5	0.46	395	11.7	0.60	6.7	0.38
Liver	159	5.0	0.41	3.4	0.28	55	1.6	0.22	1.0	0.14
Pancreas	320	11.1	0.64	6.4	0.38	280	8.3	0.51	4.8	0.31
Respiratory System	1,394	48.5	1.33	27.3	0.76	1,216	37.1	1.08	21.5	0.67
Larynx	55	1.9	0.27	1.1	0.15	13	0.4	0.11	0.2	0.07
Lung & bronchus	1,325	46.1	1.30	25.9	0.74	1,199	36.6	1.07	21.2	0.66
Skin	155	5.3	0.44	3.2	0.27	81	2.6	0.30	1.5	0.19
Melanomas of the skin	117	3.9	0.38	2.5	0.24	67	2.2	0.28	1.3	0.19
Breast	-	-	-	-	-	684	20.9	0.83	13.6	0.57
Female Genital System	-	-	-	-	-	505	15.1	0.69	9.6	0.47
Cervix uteri	-	-	-	-	-	55	1.8	0.26	1.3	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	137	4.1	0.36	2.5	0.23
Ovary	-	-	-	-	-	286	8.4	0.51	5.4	0.35
Male Genital System	602	23.1	0.95	10.1	0.43	-	-	-	-	-
Prostate	587	22.5	0.94	9.7	0.42	-	-	-	-	-
Testis	10	0.4	0.14	0.3	0.11	-	-	-	-	-
Urinary System	404	14.6	0.74	7.6	0.40	129	3.9	0.35	2.2	0.21
Bladder	236	8.8	0.58	4.1	0.28	68	2.0	0.25	1.1	0.15
Kidney & renal pelvis	155	5.3	0.44	3.4	0.28	56	1.7	0.23	1.0	0.15
Brain & Other Nervous System	147	5.1	0.43	3.8	0.34	126	4.0	0.37	3.1	0.32
Endocrine System	27	1.0	0.19	0.7	0.15	19	0.6	0.14	0.4	0.11
Thyroid gland	19	0.6	0.14	0.4	0.10	11	0.3	0.10	0.1	0.05
Lymphomas	216	8.0	0.56	4.1	0.30	149	4.5	0.38	2.3	0.21
Hodgkin Lymphoma	10	0.4	0.13	0.3	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	206	7.6	0.54	3.8	0.28	-	-	-	-	-
Multiple Myeloma	121	4.3	0.40	2.3	0.21	95	2.8	0.29	1.5	0.17
Leukemias	230	8.4	0.57	4.5	0.32	167	5.1	0.41	2.9	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	414	12.4	0.62	6.9	0.38

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,977	182.9	2.65	101.8	1.53	4,384	138.2	2.15	82.1	1.40
Oral Cavity & Pharynx	92	3.1	0.33	2.1	0.22	37	1.1	0.19	0.8	0.14
Digestive System	1,247	44.5	1.29	26.4	0.79	923	28.6	0.97	16.3	0.60
Esophagus	203	7.1	0.51	4.4	0.32	53	1.7	0.23	0.9	0.14
Stomach	73	2.7	0.33	1.5	0.19	54	1.7	0.24	1.0	0.16
Colon & Rectum	440	15.9	0.77	9.1	0.46	375	11.6	0.62	6.6	0.38
Liver	138	4.6	0.40	3.1	0.28	51	1.5	0.21	0.9	0.14
Pancreas	311	11.2	0.65	6.5	0.39	273	8.5	0.52	4.8	0.32
Respiratory System	1,331	48.1	1.35	27.0	0.77	1,153	36.6	1.10	21.2	0.68
Larynx	52	1.9	0.27	1.1	0.15	12	0.4	0.11	0.2	0.07
Lung & bronchus	1,266	45.8	1.31	25.7	0.75	1,137	36.1	1.09	21.0	0.68
Skin	152	5.4	0.45	3.3	0.28	80	2.7	0.31	1.5	0.20
Melanomas of the skin	116	4.1	0.39	2.6	0.26	66	2.3	0.29	1.4	0.19
Breast	-	-	-	-	-	659	21.0	0.85	13.7	0.59
Female Genital System	-	-	-	-	-	478	14.9	0.70	9.5	0.48
Cervix uteri	-	-	-	-	-	48	1.6	0.25	1.2	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	132	4.1	0.37	2.6	0.24
Ovary	-	-	-	-	-	272	8.4	0.52	5.3	0.35
Male Genital System	583	23.1	0.97	10.1	0.44	-	-	-	-	-
Prostate	568	22.4	0.95	9.7	0.42	-	-	-	-	-
Testis	10	0.4	0.15	0.4	0.12	-	-	-	-	-
Urinary System	387	14.4	0.75	7.5	0.41	123	3.8	0.35	2.1	0.22
Bladder	231	8.8	0.59	4.1	0.28	67	2.0	0.26	1.1	0.15
Kidney & renal pelvis	144	5.2	0.44	3.2	0.29	51	1.6	0.23	1.0	0.15
Brain & Other Nervous System	143	5.1	0.45	3.8	0.35	121	4.1	0.38	3.1	0.32
Endocrine System	26	1.0	0.20	0.7	0.16	19	0.6	0.15	0.4	0.12
Thyroid gland	19	0.6	0.15	0.4	0.10	11	0.3	0.10	0.2	0.05
Lymphomas	206	7.9	0.56	4.1	0.31	147	4.6	0.39	2.4	0.23
Hodgkin Lymphoma	10	0.4	0.14	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	196	7.5	0.54	3.8	0.28	-	-	-	-	-
Multiple Myeloma	115	4.2	0.40	2.2	0.22	94	2.9	0.31	1.5	0.17
Leukemias	224	8.5	0.58	4.6	0.34	163	5.2	0.42	3.0	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	387	12.0	0.63	6.6	0.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	-	-	-	-	-	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14	149.1	42.83	78.2	21.21	15	77.6	21.23	48.6	13.07
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,014	198.5	2.12	111.8	1.25	8,108	139.5	1.59	82.7	1.05
Oral Cavity & Pharynx	163	3.4	0.27	2.2	0.18	82	1.4	0.15	0.8	0.10
Digestive System	2,406	51.7	1.07	30.7	0.66	1,915	32.5	0.76	17.9	0.47
Esophagus	394	8.4	0.43	5.1	0.27	92	1.6	0.17	0.9	0.11
Stomach	132	2.8	0.25	1.7	0.16	79	1.4	0.16	0.8	0.11
Colon & Rectum	856	18.7	0.65	10.5	0.38	857	14.3	0.50	7.6	0.30
Liver	281	5.7	0.35	3.8	0.24	88	1.6	0.17	0.9	0.11
Pancreas	575	12.4	0.52	7.4	0.32	552	9.4	0.41	5.0	0.25
Respiratory System	2,589	57.1	1.14	32.6	0.67	2,020	35.4	0.80	21.3	0.53
Larynx	70	1.5	0.19	0.9	0.12	14	0.3	0.07	0.2	0.05
Lung & bronchus	2,501	55.1	1.12	31.4	0.66	1,995	35.0	0.80	21.0	0.52
Skin	259	5.7	0.36	3.4	0.22	150	2.7	0.22	1.8	0.16
Melanomas of the skin	187	4.1	0.31	2.5	0.20	124	2.2	0.21	1.5	0.15
Breast	11	0.2	0.07	0.1	0.04	1,137	19.8	0.61	12.6	0.42
Female Genital System	-	-	-	-	-	804	14.4	0.52	9.3	0.36
Cervix uteri	-	-	-	-	-	99	2.0	0.21	1.6	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	257	4.5	0.29	2.7	0.19
Ovary	-	-	-	-	-	403	7.1	0.36	4.6	0.25
Male Genital System	955	22.1	0.72	9.7	0.34	-	-	-	-	-
Prostate	933	21.6	0.71	9.3	0.33	-	-	-	-	-
Testis	10	0.2	0.07	0.2	0.07	-	-	-	-	-
Urinary System	638	14.0	0.56	7.6	0.32	305	5.0	0.30	2.8	0.19
Bladder	304	7.0	0.40	3.2	0.20	125	2.0	0.19	1.0	0.10
Kidney & renal pelvis	313	6.6	0.38	4.2	0.25	159	2.6	0.21	1.6	0.14
Brain & Other Nervous System	283	6.2	0.38	4.3	0.28	225	4.1	0.28	2.8	0.21
Endocrine System	42	0.9	0.14	0.7	0.11	40	0.6	0.11	0.4	0.07
Thyroid gland	31	0.6	0.12	0.4	0.08	31	0.5	0.08	0.2	0.05
Lymphomas	361	8.1	0.43	4.5	0.25	324	5.3	0.30	2.7	0.18
Hodgkin Lymphoma	25	0.6	0.11	0.4	0.08	11	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	336	7.5	0.42	4.1	0.24	313	5.1	0.30	2.6	0.17
Multiple Myeloma	193	4.2	0.31	2.3	0.18	157	2.6	0.21	1.4	0.13
Leukemias	395	9.0	0.46	4.7	0.26	310	5.2	0.30	3.0	0.21
Other, Ill-defined & Unknown	719	15.9	0.60	9.0	0.36	639	10.6	0.43	6.1	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,586	197.0	2.15	110.8	1.28	7,730	138.7	1.63	82.1	1.08
Oral Cavity & Pharynx	153	3.3	0.27	2.2	0.18	75	1.3	0.16	0.8	0.10
Digestive System	2,245	50.5	1.08	29.7	0.67	1,804	31.8	0.77	17.4	0.48
Esophagus	376	8.3	0.44	5.1	0.28	85	1.5	0.17	0.8	0.11
Stomach	120	2.7	0.25	1.6	0.16	69	1.2	0.15	0.7	0.10
Colon & Rectum	804	18.4	0.66	10.3	0.39	821	14.2	0.51	7.5	0.31
Liver	238	5.1	0.34	3.3	0.22	78	1.5	0.17	0.8	0.11
Pancreas	550	12.3	0.53	7.4	0.33	519	9.2	0.41	4.9	0.25
Respiratory System	2,460	56.4	1.15	32.2	0.69	1,928	35.3	0.82	21.3	0.54
Larynx	68	1.6	0.19	1.0	0.12	12	0.2	0.07	0.2	0.05
Lung & bronchus	2,375	54.4	1.13	31.1	0.67	1,905	34.9	0.82	21.0	0.54
Skin	256	5.9	0.37	3.5	0.23	150	2.8	0.24	1.9	0.17
Melanomas of the skin	185	4.3	0.32	2.6	0.21	124	2.4	0.22	1.6	0.16
Breast	10	0.2	0.07	0.1	0.04	1,081	19.7	0.62	12.4	0.43
Female Genital System	-	-	-	-	-	776	14.5	0.54	9.4	0.38
Cervix uteri	-	-	-	-	-	93	2.0	0.22	1.6	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	247	4.5	0.29	2.7	0.20
Ovary	-	-	-	-	-	393	7.3	0.38	4.7	0.26
Male Genital System	920	22.0	0.73	9.5	0.34	-	-	-	-	-
Prostate	899	21.5	0.72	9.2	0.33	-	-	-	-	-
Testis	10	0.2	0.08	0.2	0.07	-	-	-	-	-
Urinary System	623	14.2	0.58	7.8	0.33	291	5.0	0.30	2.7	0.19
Bladder	299	7.1	0.41	3.2	0.20	116	1.9	0.19	0.9	0.11
Kidney & renal pelvis	304	6.7	0.39	4.3	0.26	154	2.7	0.22	1.6	0.15
Brain & Other Nervous System	277	6.4	0.39	4.5	0.29	216	4.1	0.29	2.7	0.21
Endocrine System	41	0.9	0.15	0.7	0.11	37	0.6	0.11	0.3	0.07
Thyroid gland	31	0.7	0.12	0.5	0.08	28	0.4	0.08	0.2	0.04
Lymphomas	350	8.2	0.44	4.5	0.26	319	5.4	0.31	2.8	0.19
Hodgkin Lymphoma	24	0.6	0.12	0.4	0.08	10	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	326	7.6	0.42	4.1	0.25	309	5.3	0.31	2.7	0.18
Multiple Myeloma	177	4.1	0.31	2.2	0.18	146	2.5	0.21	1.3	0.13
Leukemias	384	9.1	0.47	4.8	0.27	297	5.2	0.31	3.0	0.22
Other, Ill-defined & Unknown	690	15.8	0.61	9.0	0.38	610	10.5	0.44	6.0	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	333	281.6	17.23	159.0	8.96	272	175.0	10.95	106.7	6.70
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	117	95.1	10.03	56.7	5.38	81	53.3	6.11	30.9	3.55
Esophagus	17	11.1	2.89	7.8	1.95	-	-	-	-	-
Stomach	11	8.3	2.90	4.8	1.48	-	-	-	-	-
Colon & Rectum	39	38.0	6.81	19.6	3.23	27	18.3	3.62	9.8	1.95
Liver	22	12.9	2.87	11.2	2.43	-	-	-	-	-
Pancreas	19	17.2	4.40	9.3	2.19	28	18.6	3.63	10.5	2.07
Respiratory System	106	93.1	9.81	50.8	5.08	65	42.6	5.44	25.9	3.33
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	104	91.4	9.73	49.6	5.00	64	42.2	5.42	25.5	3.31
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	42	26.4	4.18	16.9	2.68
Female Genital System	-	-	-	-	-	18	11.3	2.77	7.1	1.72
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	31	31.8	6.25	16.8	3.08	-	-	-	-	-
Prostate	30	30.8	6.18	16.2	3.03	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	13	13.7	4.15	6.4	1.82	12	8.3	2.45	4.4	1.34
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	13	9.3	3.01	5.6	1.59	11	8.3	2.53	4.1	1.30
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	20	15.5	3.76	9.1	2.09	21	12.5	2.83	8.5	1.92

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	60	126.9	18.79	82.4	10.85	58	105.9	15.15	60.2	8.03
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	29	52.6	10.65	40.3	7.63	17	30.5	8.01	17.9	4.42
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	17	30.2	7.90	23.8	5.91	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	13	25.5	8.29	15.9	4.56	13	26.6	7.96	12.7	3.55
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	12	23.9	8.14	14.7	4.38	13	26.6	7.96	12.7	3.55
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,435	197.1	1.85	110.3	1.01	10,587	147.0	1.45	85.7	0.88
Oral Cavity & Pharynx	241	3.5	0.23	2.3	0.15	99	1.4	0.14	0.8	0.08
Digestive System	3,530	53.8	0.95	31.8	0.55	2,305	32.1	0.68	18.3	0.40
Esophagus	540	7.9	0.35	4.9	0.21	128	1.7	0.15	1.1	0.10
Stomach	234	3.8	0.26	2.1	0.14	159	2.2	0.18	1.3	0.11
Colon & Rectum	1,300	20.4	0.59	11.6	0.33	977	13.9	0.45	7.5	0.25
Liver	481	6.8	0.32	4.5	0.21	203	2.8	0.20	1.6	0.12
Pancreas	799	12.2	0.45	7.2	0.26	665	9.2	0.36	5.3	0.21
Respiratory System	3,597	55.9	0.97	31.5	0.54	3,102	42.9	0.78	24.4	0.46
Larynx	108	1.6	0.16	1.0	0.10	24	0.3	0.07	0.2	0.04
Lung & bronchus	3,481	54.2	0.96	30.4	0.53	3,068	42.4	0.78	24.1	0.45
Skin	377	5.9	0.32	3.4	0.18	141	2.0	0.17	1.2	0.11
Melanomas of the skin	282	4.4	0.27	2.5	0.15	115	1.6	0.15	1.0	0.10
Breast	16	0.2	0.07	0.1	0.04	1,690	23.1	0.57	14.5	0.37
Female Genital System	-	-	-	-	-	985	13.3	0.43	8.6	0.29
Cervix uteri	-	-	-	-	-	156	2.1	0.17	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	259	3.4	0.22	2.2	0.14
Ovary	-	-	-	-	-	522	7.1	0.32	4.4	0.20
Male Genital System	1,183	21.7	0.66	9.7	0.29	-	-	-	-	-
Prostate	1,154	21.3	0.65	9.4	0.28	-	-	-	-	-
Testis	21	0.3	0.06	0.3	0.06	-	-	-	-	-
Urinary System	839	14.2	0.51	7.1	0.25	348	5.0	0.27	2.6	0.15
Bladder	486	8.8	0.41	3.9	0.18	174	2.5	0.19	1.2	0.10
Kidney & renal pelvis	336	5.1	0.29	3.1	0.17	167	2.3	0.18	1.3	0.11
Brain & Other Nervous System	340	5.0	0.28	3.3	0.19	230	3.2	0.21	2.2	0.16
Endocrine System	52	0.8	0.11	0.5	0.08	52	0.7	0.10	0.4	0.06
Thyroid gland	33	0.5	0.08	0.3	0.05	41	0.6	0.09	0.3	0.05
Lymphomas	455	7.4	0.36	4.1	0.20	310	4.5	0.26	2.3	0.14
Hodgkin Lymphoma	28	0.4	0.08	0.3	0.06	17	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	427	7.0	0.35	3.8	0.19	293	4.2	0.25	2.2	0.13
Multiple Myeloma	211	3.4	0.25	1.8	0.13	157	2.3	0.18	1.2	0.10
Leukemias	548	9.1	0.40	5.1	0.23	333	4.7	0.26	2.7	0.16
Other, Ill-defined & Unknown	1,046	16.1	0.52	9.6	0.30	835	11.8	0.42	6.7	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,933	202.3	2.01	113.2	1.12	9,166	153.5	1.63	89.3	0.99
Oral Cavity & Pharynx	214	3.6	0.26	2.3	0.16	87	1.5	0.16	0.8	0.09
Digestive System	3,015	53.8	1.02	31.8	0.59	1,929	32.4	0.75	18.4	0.45
Esophagus	495	8.5	0.39	5.2	0.24	111	1.8	0.17	1.1	0.11
Stomach	181	3.5	0.27	1.9	0.14	117	2.0	0.19	1.2	0.12
Colon & Rectum	1,116	20.6	0.64	11.7	0.36	823	14.0	0.49	7.6	0.28
Liver	378	6.2	0.33	4.2	0.22	162	2.6	0.21	1.6	0.13
Pancreas	698	12.4	0.49	7.3	0.28	564	9.4	0.40	5.4	0.24
Respiratory System	3,173	57.5	1.06	32.3	0.59	2,803	46.6	0.89	26.5	0.53
Larynx	95	1.6	0.17	1.0	0.11	24	0.4	0.08	0.2	0.05
Lung & bronchus	3,071	55.8	1.04	31.2	0.58	2,772	46.1	0.89	26.2	0.52
Skin	372	6.8	0.37	3.9	0.21	136	2.3	0.20	1.4	0.13
Melanomas of the skin	278	5.0	0.31	3.0	0.18	111	1.9	0.18	1.2	0.12
Breast	14	0.3	0.07	0.1	0.04	1,418	23.5	0.64	14.7	0.41
Female Genital System	-	-	-	-	-	832	13.7	0.48	8.8	0.32
Cervix uteri	-	-	-	-	-	127	2.2	0.20	1.6	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	205	3.3	0.23	2.1	0.15
Ovary	-	-	-	-	-	458	7.5	0.36	4.7	0.23
Male Genital System	1,006	21.2	0.69	9.5	0.31	-	-	-	-	-
Prostate	980	20.8	0.69	9.1	0.30	-	-	-	-	-
Testis	19	0.3	0.07	0.3	0.07	-	-	-	-	-
Urinary System	774	15.3	0.57	7.6	0.28	303	5.2	0.30	2.7	0.17
Bladder	454	9.5	0.46	4.2	0.20	155	2.7	0.22	1.3	0.11
Kidney & renal pelvis	304	5.5	0.33	3.2	0.19	141	2.4	0.20	1.3	0.12
Brain & Other Nervous System	314	5.4	0.32	3.7	0.22	206	3.4	0.24	2.4	0.18
Endocrine System	42	0.7	0.11	0.5	0.09	41	0.7	0.11	0.4	0.07
Thyroid gland	26	0.4	0.09	0.3	0.06	31	0.5	0.09	0.3	0.05
Lymphomas	419	7.9	0.40	4.4	0.22	258	4.5	0.28	2.3	0.15
Hodgkin Lymphoma	28	0.5	0.10	0.3	0.07	17	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	391	7.4	0.39	4.0	0.21	241	4.2	0.27	2.1	0.15
Multiple Myeloma	173	3.3	0.26	1.7	0.13	135	2.3	0.20	1.2	0.11
Leukemias	477	9.4	0.44	5.2	0.26	293	5.0	0.30	2.9	0.19
Other, Ill-defined & Unknown	940	17.0	0.58	10.1	0.34	725	12.3	0.46	6.9	0.28

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	863	214.2	8.01	121.0	4.17	742	145.4	5.55	89.5	3.34
Oral Cavity & Pharynx	13	2.4	0.67	1.9	0.54	-	-	-	-	-
Digestive System	271	65.6	4.36	38.0	2.34	199	39.7	2.93	23.7	1.70
Esophagus	24	5.6	1.23	3.3	0.68	11	2.2	0.69	1.3	0.40
Stomach	30	7.4	1.49	4.3	0.80	16	3.1	0.82	1.9	0.49
Colon & Rectum	100	24.1	2.59	13.8	1.39	91	18.5	2.02	10.7	1.14
Liver	46	10.8	1.80	6.6	0.98	11	2.3	0.71	1.3	0.39
Pancreas	57	14.0	2.02	8.0	1.08	58	11.4	1.56	6.9	0.92
Respiratory System	246	60.2	4.21	35.0	2.26	177	35.5	2.77	21.0	1.60
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	236	57.6	4.11	33.6	2.22	177	35.5	2.77	21.0	1.60
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	146	27.6	2.37	18.0	1.51
Female Genital System	-	-	-	-	-	62	10.7	1.42	8.0	1.03
Cervix uteri	-	-	-	-	-	13	2.0	0.56	1.8	0.49
Corpus & uterus, NOS ¹	-	-	-	-	-	23	3.9	0.84	3.0	0.63
Ovary	-	-	-	-	-	22	4.1	0.91	2.7	0.59
Male Genital System	126	38.5	3.73	17.7	1.60	-	-	-	-	-
Prostate	124	38.2	3.72	17.5	1.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	33	7.4	1.40	4.6	0.80	27	5.9	1.17	3.0	0.59
Bladder	20	4.8	1.15	2.7	0.62	10	2.0	0.67	1.1	0.37
Kidney & renal pelvis	12	2.4	0.77	1.7	0.50	17	3.8	0.96	1.9	0.46
Brain & Other Nervous System	11	2.7	0.91	1.6	0.48	11	2.2	0.69	1.3	0.41
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	18	4.3	1.10	2.2	0.51	20	4.1	0.95	2.4	0.55
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	18	4.3	1.10	2.2	0.51	20	4.1	0.95	2.4	0.55
Multiple Myeloma	28	7.4	1.50	3.7	0.70	16	3.5	0.91	1.8	0.47
Leukemias	42	8.7	1.46	5.9	0.91	20	3.7	0.86	2.5	0.57
Other, Ill-defined & Unknown	65	14.9	2.01	9.0	1.13	51	10.1	1.46	6.2	0.87

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	556	122.5	5.74	71.0	3.06	606	92.8	4.04	55.0	2.27
Oral Cavity & Pharynx	12	2.7	0.88	1.5	0.45	-	-	-	-	-
Digestive System	213	44.2	3.30	26.9	1.86	157	25.1	2.15	13.8	1.11
Esophagus	19	3.7	0.91	2.3	0.54	-	-	-	-	-
Stomach	21	5.3	1.31	2.8	0.61	26	4.1	0.87	2.3	0.46
Colon & Rectum	75	14.9	1.86	9.5	1.10	56	9.1	1.31	5.1	0.68
Liver	49	10.0	1.55	6.3	0.90	27	4.4	0.89	2.3	0.46
Pancreas	34	7.3	1.36	4.2	0.73	36	5.7	1.01	3.1	0.52
Respiratory System	158	35.5	3.12	19.7	1.59	104	16.3	1.71	9.3	0.92
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	154	34.5	3.06	19.2	1.56	101	15.8	1.68	9.0	0.91
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	117	16.2	1.60	11.1	1.03
Female Genital System	-	-	-	-	-	81	11.2	1.31	7.4	0.83
Cervix uteri	-	-	-	-	-	13	1.6	0.45	1.3	0.36
Corpus & uterus, NOS ¹	-	-	-	-	-	28	3.9	0.77	2.5	0.47
Ovary	-	-	-	-	-	38	5.4	0.93	3.4	0.56
Male Genital System	38	10.6	1.91	4.8	0.80	-	-	-	-	-
Prostate	37	10.5	1.91	4.7	0.78	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	31	7.0	1.42	4.0	0.74	15	2.5	0.70	1.3	0.34
Bladder	12	3.2	1.05	1.6	0.46	-	-	-	-	-
Kidney & renal pelvis	19	3.7	0.96	2.5	0.58	-	-	-	-	-
Brain & Other Nervous System	12	2.4	0.72	1.7	0.52	11	1.8	0.56	1.2	0.39
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	17	3.8	1.03	2.1	0.52	30	5.2	1.03	2.7	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	17	3.8	1.03	2.1	0.52	30	5.2	1.03	2.7	0.50
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	27	6.8	1.49	3.7	0.74	19	2.8	0.71	1.7	0.40
Other, Ill-defined & Unknown	34	6.7	1.25	4.7	0.83	54	9.1	1.33	4.9	0.68

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,892	203.4	2.52	112.0	1.41	6,179	144.2	1.88	84.4	1.19
Oral Cavity & Pharynx	127	3.3	0.30	2.2	0.20	44	1.1	0.17	0.6	0.10
Digestive System	1,835	52.4	1.26	30.3	0.73	1,330	30.7	0.86	16.7	0.51
Esophagus	353	9.8	0.54	5.9	0.32	86	1.9	0.21	1.1	0.13
Stomach	115	3.3	0.32	1.9	0.19	68	1.6	0.20	0.8	0.11
Colon & Rectum	505	15.3	0.70	8.1	0.37	546	12.5	0.55	6.7	0.32
Liver	224	5.7	0.40	3.9	0.26	58	1.4	0.18	0.8	0.11
Pancreas	472	13.5	0.64	7.8	0.37	406	9.3	0.47	5.2	0.28
Respiratory System	1,999	57.9	1.34	32.6	0.75	1,774	42.2	1.02	25.1	0.64
Larynx	62	1.8	0.24	1.0	0.14	16	0.4	0.10	0.2	0.05
Lung & bronchus	1,925	55.8	1.31	31.4	0.74	1,756	41.7	1.02	24.9	0.64
Skin	182	5.5	0.42	3.0	0.23	98	2.3	0.24	1.4	0.16
Melanomas of the skin	135	4.1	0.36	2.3	0.21	74	1.8	0.21	1.1	0.14
Breast	-	-	-	-	-	845	19.6	0.69	12.3	0.46
Female Genital System	-	-	-	-	-	657	15.3	0.61	9.5	0.41
Cervix uteri	-	-	-	-	-	64	1.6	0.20	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	201	4.6	0.33	2.8	0.21
Ovary	-	-	-	-	-	329	7.6	0.43	4.8	0.28
Male Genital System	613	20.4	0.84	8.6	0.36	-	-	-	-	-
Prostate	603	20.0	0.83	8.3	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	518	15.5	0.70	8.1	0.37	188	4.2	0.32	2.1	0.18
Bladder	293	9.2	0.55	4.3	0.26	97	2.2	0.23	1.0	0.11
Kidney & renal pelvis	215	5.9	0.42	3.7	0.26	86	1.9	0.21	1.1	0.13
Brain & Other Nervous System	217	6.1	0.43	4.1	0.31	146	3.5	0.30	2.5	0.23
Endocrine System	31	0.9	0.17	0.7	0.15	26	0.6	0.13	0.4	0.10
Thyroid gland	17	0.5	0.12	0.3	0.08	18	0.4	0.10	0.2	0.06
Lymphomas	251	7.5	0.49	4.2	0.28	196	4.6	0.34	2.5	0.21
Hodgkin Lymphoma	19	0.6	0.15	0.4	0.11	10	0.3	0.08	0.2	0.07
Non-Hodgkin Lymphoma	232	6.9	0.47	3.8	0.26	186	4.3	0.32	2.3	0.20
Multiple Myeloma	146	4.3	0.37	2.3	0.19	108	2.5	0.25	1.4	0.15
Leukemias	289	9.0	0.54	4.5	0.28	222	5.2	0.36	2.9	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	545	12.4	0.55	7.0	0.35

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,825	205.4	2.56	113.2	1.43	6,130	145.8	1.91	85.5	1.22
Oral Cavity & Pharynx	125	3.3	0.31	2.3	0.21	44	1.1	0.17	0.6	0.10
Digestive System	1,810	52.8	1.28	30.6	0.74	1,319	31.0	0.87	16.9	0.52
Esophagus	350	9.9	0.55	6.0	0.33	85	1.9	0.22	1.1	0.13
Stomach	115	3.4	0.32	2.0	0.19	67	1.6	0.20	0.8	0.11
Colon & Rectum	502	15.5	0.71	8.2	0.38	545	12.7	0.56	6.8	0.33
Liver	218	5.7	0.40	3.8	0.26	53	1.3	0.18	0.7	0.10
Pancreas	463	13.5	0.65	7.8	0.37	404	9.5	0.48	5.2	0.29
Respiratory System	1,984	58.6	1.36	33.0	0.76	1,763	42.7	1.04	25.5	0.65
Larynx	61	1.9	0.24	1.0	0.14	16	0.4	0.10	0.2	0.05
Lung & bronchus	1,911	56.4	1.33	31.8	0.75	1,745	42.3	1.03	25.3	0.65
Skin	182	5.6	0.43	3.1	0.24	98	2.3	0.24	1.4	0.16
Melanomas of the skin	135	4.2	0.37	2.4	0.22	74	1.8	0.22	1.2	0.15
Breast	-	-	-	-	-	837	19.8	0.70	12.4	0.47
Female Genital System	-	-	-	-	-	655	15.5	0.62	9.7	0.42
Cervix uteri	-	-	-	-	-	62	1.6	0.21	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	201	4.7	0.34	2.9	0.22
Ovary	-	-	-	-	-	329	7.8	0.44	4.9	0.29
Male Genital System	604	20.4	0.84	8.6	0.36	-	-	-	-	-
Prostate	594	20.0	0.83	8.3	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	513	15.6	0.71	8.2	0.38	186	4.3	0.32	2.2	0.18
Bladder	290	9.3	0.56	4.3	0.26	96	2.2	0.23	1.0	0.12
Kidney & renal pelvis	213	6.0	0.42	3.7	0.26	85	2.0	0.22	1.1	0.14
Brain & Other Nervous System	215	6.2	0.44	4.2	0.32	145	3.6	0.30	2.5	0.23
Endocrine System	31	1.0	0.18	0.7	0.16	25	0.6	0.13	0.4	0.11
Thyroid gland	17	0.5	0.12	0.3	0.08	17	0.4	0.10	0.2	0.06
Lymphomas	250	7.7	0.50	4.3	0.29	193	4.6	0.34	2.5	0.21
Hodgkin Lymphoma	19	0.6	0.15	0.4	0.11	10	0.3	0.09	0.2	0.07
Non-Hodgkin Lymphoma	231	7.0	0.47	3.9	0.27	183	4.3	0.33	2.3	0.20
Multiple Myeloma	144	4.3	0.37	2.3	0.19	103	2.4	0.25	1.4	0.15
Leukemias	287	9.1	0.55	4.6	0.29	221	5.3	0.37	3.0	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	541	12.6	0.56	7.1	0.36

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	33	118.1	23.87	73.6	13.25	23	89.8	19.65	55.9	12.06
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	36.0	11.56	25.3	7.56	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	30	96.9	21.46	49.4	9.35	23	45.1	10.54	27.8	6.01
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	12	41.7	14.20	20.2	5.99	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	41,058	194.7	0.98	107.7	0.56	41,803	143.7	0.72	84.7	0.47
Oral Cavity & Pharynx	682	3.0	0.12	2.0	0.08	340	1.2	0.07	0.7	0.04
Digestive System	11,911	55.2	0.52	32.1	0.31	9,915	33.4	0.34	18.6	0.21
Esophagus	1,557	7.0	0.18	4.4	0.12	458	1.6	0.07	0.9	0.05
Stomach	1,072	5.1	0.16	2.8	0.09	781	2.7	0.10	1.4	0.06
Colon & Rectum	3,993	18.9	0.30	10.4	0.17	4,014	13.3	0.21	7.2	0.13
Liver	1,462	6.4	0.17	4.2	0.11	594	2.1	0.09	1.2	0.06
Pancreas	2,882	13.3	0.25	7.8	0.15	2,993	10.2	0.19	5.6	0.12
Respiratory System	11,157	52.6	0.51	29.7	0.29	10,036	35.0	0.36	20.4	0.22
Larynx	430	2.0	0.10	1.2	0.06	146	0.5	0.04	0.3	0.03
Lung & bronchus	10,653	50.2	0.50	28.3	0.29	9,845	34.3	0.35	20.0	0.22
Skin	1,025	4.9	0.16	2.7	0.09	576	1.9	0.08	1.1	0.05
Melanomas of the skin	756	3.6	0.13	2.0	0.08	451	1.5	0.07	0.9	0.05
Breast	71	0.3	0.04	0.2	0.02	6,734	23.4	0.29	14.8	0.20
Female Genital System	-	-	-	-	-	4,729	16.6	0.25	10.7	0.17
Cervix uteri	-	-	-	-	-	622	2.3	0.10	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,573	5.5	0.14	3.5	0.10
Ovary	-	-	-	-	-	2,247	7.8	0.17	5.0	0.12
Male Genital System	3,924	19.8	0.32	8.7	0.15	-	-	-	-	-
Prostate	3,843	19.5	0.32	8.5	0.14	-	-	-	-	-
Testis	50	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,861	13.9	0.26	7.0	0.14	1,418	4.7	0.13	2.4	0.07
Bladder	1,700	8.5	0.21	3.9	0.10	765	2.5	0.09	1.2	0.05
Kidney & renal pelvis	1,086	5.0	0.16	3.0	0.09	604	2.0	0.08	1.1	0.05
Brain & Other Nervous System	1,040	4.7	0.15	3.3	0.11	815	3.0	0.11	2.1	0.08
Endocrine System	188	0.9	0.06	0.6	0.05	195	0.7	0.05	0.5	0.04
Thyroid gland	114	0.5	0.05	0.3	0.03	138	0.5	0.04	0.3	0.03
Lymphomas	1,590	7.7	0.20	4.1	0.11	1,384	4.7	0.13	2.5	0.08
Hodgkin Lymphoma	81	0.4	0.04	0.3	0.03	74	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,509	7.3	0.19	3.8	0.10	1,310	4.4	0.12	2.3	0.07
Multiple Myeloma	853	4.1	0.14	2.2	0.08	743	2.5	0.09	1.4	0.06
Leukemias	1,810	8.8	0.21	4.8	0.12	1,398	4.8	0.13	2.7	0.09
Other, Ill-defined & Unknown	3,946	18.8	0.31	10.5	0.18	3,520	11.9	0.20	6.8	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	34,908	197.5	1.07	109.3	0.63	35,354	146.6	0.80	86.3	0.53
Oral Cavity & Pharynx	534	2.9	0.13	1.8	0.08	287	1.2	0.07	0.7	0.05
Digestive System	9,922	55.2	0.56	31.9	0.34	8,244	33.2	0.38	18.3	0.24
Esophagus	1,379	7.5	0.21	4.7	0.13	382	1.6	0.08	0.9	0.05
Stomach	850	4.8	0.17	2.7	0.10	602	2.4	0.10	1.3	0.06
Colon & Rectum	3,313	18.7	0.33	10.3	0.19	3,353	13.1	0.23	7.1	0.14
Liver	1,138	6.1	0.18	3.9	0.12	493	2.1	0.10	1.2	0.07
Pancreas	2,424	13.4	0.28	7.9	0.17	2,524	10.3	0.21	5.7	0.13
Respiratory System	9,518	53.6	0.56	30.2	0.33	8,747	36.9	0.40	21.5	0.26
Larynx	349	1.9	0.10	1.2	0.07	116	0.5	0.05	0.3	0.03
Lung & bronchus	9,108	51.3	0.55	28.8	0.32	8,588	36.2	0.40	21.2	0.26
Skin	998	5.7	0.18	3.1	0.11	551	2.2	0.10	1.3	0.06
Melanomas of the skin	740	4.2	0.16	2.4	0.09	436	1.8	0.09	1.1	0.06
Breast	57	0.3	0.04	0.2	0.03	5,471	23.1	0.32	14.5	0.22
Female Genital System	-	-	-	-	-	3,879	16.6	0.27	10.7	0.19
Cervix uteri	-	-	-	-	-	453	2.2	0.11	1.6	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,213	5.1	0.15	3.2	0.10
Ovary	-	-	-	-	-	1,953	8.3	0.19	5.4	0.13
Male Genital System	3,089	18.1	0.33	7.9	0.15	-	-	-	-	-
Prostate	3,016	17.7	0.32	7.5	0.15	-	-	-	-	-
Testis	47	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,586	14.8	0.29	7.5	0.16	1,259	5.0	0.14	2.6	0.09
Bladder	1,570	9.1	0.23	4.2	0.11	687	2.6	0.10	1.3	0.06
Kidney & renal pelvis	950	5.3	0.17	3.1	0.11	531	2.1	0.10	1.2	0.06
Brain & Other Nervous System	930	5.2	0.17	3.7	0.13	736	3.3	0.13	2.4	0.10
Endocrine System	158	0.9	0.07	0.6	0.05	157	0.7	0.06	0.5	0.05
Thyroid gland	101	0.5	0.06	0.3	0.04	113	0.5	0.05	0.3	0.03
Lymphomas	1,426	8.2	0.22	4.3	0.12	1,238	5.0	0.15	2.6	0.09
Hodgkin Lymphoma	70	0.4	0.05	0.3	0.04	65	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,356	7.8	0.21	4.1	0.12	1,173	4.7	0.14	2.5	0.09
Multiple Myeloma	672	3.9	0.15	2.0	0.08	573	2.3	0.10	1.3	0.06
Leukemias	1,646	9.5	0.24	5.3	0.15	1,233	5.1	0.15	2.9	0.10
Other, Ill-defined & Unknown	3,372	19.2	0.34	10.7	0.20	2,979	12.0	0.23	6.9	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,961	234.1	3.56	134.4	1.94	5,307	158.9	2.21	98.1	1.40
Oral Cavity & Pharynx	110	4.4	0.45	3.1	0.30	41	1.2	0.18	0.8	0.13
Digestive System	1,549	68.7	1.87	42.0	1.08	1,352	41.2	1.14	24.0	0.68
Esophagus	143	6.0	0.54	3.9	0.33	64	1.9	0.24	1.2	0.15
Stomach	156	7.3	0.62	4.2	0.34	132	4.2	0.37	2.3	0.21
Colon & Rectum	568	26.4	1.18	15.3	0.65	550	16.7	0.72	9.7	0.43
Liver	232	8.7	0.61	6.4	0.43	73	2.2	0.26	1.3	0.16
Pancreas	364	16.0	0.90	9.9	0.53	399	12.3	0.63	7.1	0.37
Respiratory System	1,344	61.4	1.78	36.9	1.02	1,077	32.3	1.00	19.8	0.63
Larynx	70	3.1	0.40	1.9	0.23	30	0.9	0.16	0.6	0.11
Lung & bronchus	1,266	57.9	1.73	34.8	0.99	1,047	31.4	0.99	19.2	0.62
Skin	-	-	-	-	-	16	0.5	0.12	0.3	0.08
Melanomas of the skin	10	0.3	0.11	0.3	0.09	-	-	-	-	-
Breast	11	0.5	0.16	0.3	0.09	1,060	30.7	0.96	20.5	0.65
Female Genital System	-	-	-	-	-	688	20.3	0.79	13.3	0.52
Cervix uteri	-	-	-	-	-	145	4.1	0.35	3.0	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	304	9.0	0.53	5.8	0.35
Ovary	-	-	-	-	-	215	6.4	0.45	4.0	0.29
Male Genital System	777	44.7	1.68	20.5	0.75	-	-	-	-	-
Prostate	769	44.4	1.68	20.2	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	210	10.3	0.76	5.6	0.39	140	4.4	0.38	2.4	0.21
Bladder	100	5.3	0.57	2.6	0.27	68	2.2	0.27	1.1	0.14
Kidney & renal pelvis	105	4.7	0.49	2.8	0.28	65	2.0	0.25	1.2	0.15
Brain & Other Nervous System	73	3.0	0.38	2.0	0.24	60	1.7	0.23	1.3	0.19
Endocrine System	18	0.8	0.20	0.5	0.12	27	0.8	0.15	0.6	0.11
Thyroid gland	-	-	-	-	-	16	0.5	0.12	0.3	0.08
Lymphomas	120	5.5	0.55	3.2	0.30	106	3.2	0.32	1.9	0.20
Hodgkin Lymphoma	10	0.4	0.13	0.3	0.09	-	-	-	-	-
Non-Hodgkin Lymphoma	110	5.2	0.53	2.9	0.28	-	-	-	-	-
Multiple Myeloma	149	7.1	0.62	4.0	0.33	155	4.8	0.39	2.6	0.22
Leukemias	122	5.8	0.57	3.3	0.31	126	3.9	0.36	2.2	0.21
Other, Ill-defined & Unknown	-	-	-	-	-	459	13.9	0.66	8.3	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,159	94.0	3.13	50.5	1.50	1,102	70.7	2.28	40.5	1.24
Oral Cavity & Pharynx	38	2.8	0.52	1.6	0.26	12	0.8	0.25	0.4	0.12
Digestive System	431	33.7	1.84	18.7	0.91	307	20.4	1.25	11.2	0.64
Esophagus	34	2.6	0.52	1.5	0.27	11	0.7	0.24	0.4	0.13
Stomach	65	5.0	0.69	2.8	0.35	47	3.1	0.48	1.7	0.25
Colon & Rectum	108	8.5	0.94	4.7	0.46	106	7.1	0.74	3.9	0.38
Liver	92	6.6	0.76	3.9	0.41	28	1.9	0.39	1.0	0.19
Pancreas	92	8.3	0.97	4.0	0.43	66	4.4	0.58	2.4	0.30
Respiratory System	291	23.9	1.57	12.6	0.74	199	13.8	1.04	7.2	0.52
Larynx	10	0.8	0.27	0.4	0.13	-	-	-	-	-
Lung & bronchus	276	22.7	1.53	12.0	0.73	197	13.6	1.03	7.2	0.52
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	197	11.2	0.86	7.3	0.52
Female Genital System	-	-	-	-	-	158	8.8	0.74	5.9	0.48
Cervix uteri	-	-	-	-	-	24	1.3	0.28	0.9	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	54	3.0	0.44	2.0	0.28
Ovary	-	-	-	-	-	77	4.3	0.52	2.9	0.33
Male Genital System	56	6.3	0.92	2.5	0.35	-	-	-	-	-
Prostate	56	6.3	0.92	2.5	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	58	5.2	0.77	2.6	0.35	18	1.2	0.30	0.6	0.15
Bladder	25	2.8	0.61	1.1	0.23	-	-	-	-	-
Kidney & renal pelvis	29	2.1	0.45	1.3	0.25	-	-	-	-	-
Brain & Other Nervous System	36	2.0	0.35	1.6	0.27	19	1.1	0.28	0.7	0.17
Endocrine System	12	1.0	0.34	0.5	0.15	11	0.9	0.27	0.4	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	44	3.8	0.64	1.9	0.30	40	2.6	0.44	1.5	0.24
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	40	2.6	0.44	1.5	0.24
Multiple Myeloma	31	2.5	0.50	1.3	0.23	15	1.0	0.26	0.5	0.14
Leukemias	42	3.0	0.50	1.8	0.29	39	2.8	0.47	1.5	0.26
Other, Ill-defined & Unknown	110	8.9	0.97	4.8	0.46	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,056	178.2	1.92	100.2	1.10	7,774	125.0	1.44	74.1	0.92
Oral Cavity & Pharynx	179	3.3	0.25	2.1	0.16	85	1.3	0.15	0.8	0.10
Digestive System	2,744	52.2	1.02	31.5	0.62	1,919	30.8	0.71	17.5	0.44
Esophagus	319	6.0	0.34	3.6	0.21	83	1.4	0.15	0.8	0.09
Stomach	260	5.1	0.32	3.0	0.19	186	3.1	0.23	1.7	0.14
Colon & Rectum	896	17.6	0.60	9.9	0.34	729	11.7	0.44	6.4	0.26
Liver	481	8.5	0.40	5.9	0.28	164	2.6	0.21	1.5	0.12
Pancreas	583	11.2	0.47	6.6	0.28	514	8.1	0.36	4.7	0.22
Respiratory System	2,100	41.2	0.92	22.7	0.51	1,700	27.1	0.67	15.5	0.40
Larynx	85	1.6	0.17	1.0	0.11	18	0.3	0.07	0.2	0.04
Lung & bronchus	1,985	39.0	0.90	21.3	0.50	1,674	26.7	0.66	15.3	0.40
Skin	288	5.7	0.34	3.2	0.20	123	2.0	0.19	1.2	0.12
Melanomas of the skin	201	4.0	0.29	2.2	0.16	103	1.7	0.17	1.1	0.11
Breast	-	-	-	-	-	1,232	19.9	0.58	12.8	0.39
Female Genital System	-	-	-	-	-	849	13.6	0.48	8.8	0.33
Cervix uteri	-	-	-	-	-	117	2.1	0.20	1.5	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	222	3.5	0.24	2.3	0.16
Ovary	-	-	-	-	-	464	7.4	0.35	4.7	0.23
Male Genital System	1,015	22.0	0.70	9.7	0.32	-	-	-	-	-
Prostate	984	21.4	0.69	9.2	0.30	-	-	-	-	-
Testis	16	0.3	0.08	0.3	0.08	-	-	-	-	-
Urinary System	651	13.1	0.52	7.0	0.28	318	5.1	0.29	2.7	0.17
Bladder	333	7.0	0.39	3.3	0.19	111	1.8	0.17	0.9	0.09
Kidney & renal pelvis	303	5.8	0.34	3.5	0.21	195	3.1	0.22	1.7	0.14
Brain & Other Nervous System	220	4.1	0.28	2.8	0.20	182	3.1	0.23	2.1	0.17
Endocrine System	40	0.8	0.12	0.6	0.10	55	0.9	0.12	0.6	0.09
Thyroid gland	23	0.4	0.09	0.3	0.06	41	0.7	0.11	0.4	0.06
Lymphomas	340	6.7	0.37	3.8	0.21	260	4.2	0.26	2.3	0.16
Hodgkin Lymphoma	27	0.5	0.11	0.4	0.07	14	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	313	6.1	0.35	3.4	0.20	246	4.0	0.26	2.2	0.15
Multiple Myeloma	176	3.5	0.27	2.0	0.15	135	2.2	0.19	1.1	0.11
Leukemias	388	7.8	0.40	4.5	0.24	275	4.4	0.27	2.6	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	641	10.4	0.42	6.1	0.27

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,382	181.0	2.02	101.9	1.17	7,150	127.6	1.54	75.7	0.99
Oral Cavity & Pharynx	171	3.4	0.27	2.2	0.18	80	1.4	0.16	0.9	0.10
Digestive System	2,482	52.0	1.07	31.4	0.66	1,709	30.3	0.74	17.2	0.46
Esophagus	304	6.2	0.37	3.8	0.23	80	1.4	0.16	0.8	0.10
Stomach	215	4.6	0.32	2.8	0.20	146	2.7	0.23	1.5	0.14
Colon & Rectum	821	17.7	0.63	9.9	0.36	665	11.8	0.46	6.4	0.28
Liver	439	8.6	0.42	6.0	0.30	142	2.5	0.21	1.4	0.13
Pancreas	530	11.2	0.50	6.6	0.30	473	8.2	0.38	4.8	0.24
Respiratory System	1,980	42.5	0.97	23.4	0.55	1,633	28.8	0.72	16.5	0.44
Larynx	79	1.6	0.18	1.0	0.12	18	0.3	0.08	0.2	0.05
Lung & bronchus	1,875	40.4	0.95	22.0	0.53	1,607	28.4	0.72	16.3	0.44
Skin	284	6.1	0.37	3.4	0.22	115	2.1	0.20	1.3	0.13
Melanomas of the skin	199	4.3	0.31	2.4	0.18	98	1.8	0.19	1.1	0.13
Breast	-	-	-	-	-	1,141	20.7	0.63	13.3	0.43
Female Genital System	-	-	-	-	-	750	13.5	0.50	8.7	0.34
Cervix uteri	-	-	-	-	-	94	1.9	0.20	1.4	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	198	3.5	0.25	2.2	0.17
Ovary	-	-	-	-	-	415	7.4	0.37	4.7	0.25
Male Genital System	937	22.0	0.73	9.7	0.33	-	-	-	-	-
Prostate	911	21.4	0.72	9.3	0.32	-	-	-	-	-
Testis	13	0.3	0.09	0.3	0.08	-	-	-	-	-
Urinary System	587	12.9	0.54	6.8	0.30	293	5.1	0.30	2.7	0.18
Bladder	317	7.2	0.41	3.4	0.20	108	1.9	0.19	0.9	0.10
Kidney & renal pelvis	257	5.4	0.34	3.3	0.22	173	3.0	0.23	1.7	0.14
Brain & Other Nervous System	207	4.3	0.30	2.9	0.22	171	3.2	0.25	2.2	0.19
Endocrine System	40	0.9	0.14	0.6	0.11	51	0.9	0.13	0.6	0.10
Thyroid gland	23	0.5	0.10	0.3	0.06	37	0.7	0.11	0.3	0.06
Lymphomas	313	6.7	0.39	3.8	0.23	237	4.2	0.28	2.3	0.17
Hodgkin Lymphoma	25	0.5	0.11	0.4	0.08	14	0.2	0.07	0.1	0.04
Non-Hodgkin Lymphoma	288	6.2	0.37	3.4	0.21	223	4.0	0.27	2.1	0.16
Multiple Myeloma	163	3.5	0.28	2.0	0.16	126	2.2	0.20	1.2	0.11
Leukemias	367	8.2	0.43	4.7	0.27	257	4.6	0.29	2.7	0.20
Other, Ill-defined & Unknown	-	-	-	-	-	587	10.6	0.44	6.2	0.29

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	188	210.1	16.52	115.1	8.51	125	124.6	11.34	72.8	6.92
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	47	45.8	7.34	28.6	4.23	35	35.9	6.14	20.6	3.71
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	14	15.9	4.66	8.4	2.29	18	18.6	4.45	10.9	2.72
Liver	11	9.3	3.03	7.0	2.15	-	-	-	-	-
Pancreas	10	8.7	2.88	6.1	1.97	-	-	-	-	-
Respiratory System	63	69.2	9.27	39.7	5.07	20	18.9	4.28	10.9	2.60
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	62	68.3	9.23	38.9	5.01	20	18.9	4.28	10.9	2.60
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	26	26.2	5.23	15.4	3.20
Female Genital System	-	-	-	-	-	18	17.7	4.26	12.2	2.95
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	10.1	3.27	6.8	2.22
Male Genital System	27	40.6	8.11	15.7	3.04	-	-	-	-	-
Prostate	26	38.8	7.91	15.1	3.00	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	14	15.9	4.54	8.3	2.25	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	16	15.8	4.39	9.4	2.39	10	10.2	3.27	4.7	1.63

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	69	120.3	15.87	70.0	8.52	71	77.3	9.55	46.2	5.63
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	37	59.5	10.71	37.3	6.19	20	22.8	5.33	12.8	2.92
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	13	19.5	5.91	12.7	3.57	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	16	26.8	7.18	16.3	4.11	18	19.0	4.64	11.6	2.82
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	15	25.7	7.10	15.4	4.02	18	19.0	4.64	11.6	2.82
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	10	11.0	3.64	6.4	2.05
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88,550	190.7	0.65	107.6	0.38	89,181	139.9	0.48	83.4	0.31
Oral Cavity & Pharynx	1,679	3.4	0.08	2.2	0.06	795	1.2	0.04	0.8	0.03
Digestive System	25,751	54.3	0.34	32.1	0.21	21,461	32.9	0.23	18.4	0.14
Esophagus	3,382	7.0	0.12	4.3	0.08	1,022	1.6	0.05	0.9	0.03
Stomach	2,473	5.3	0.11	3.0	0.06	1,796	2.8	0.07	1.6	0.04
Colon & Rectum	8,062	17.4	0.20	9.8	0.11	8,308	12.5	0.14	6.8	0.09
Liver	3,690	7.3	0.12	4.9	0.08	1,403	2.2	0.06	1.3	0.04
Pancreas	6,184	13.1	0.17	7.6	0.10	6,417	9.9	0.13	5.5	0.08
Respiratory System	24,821	53.0	0.34	30.5	0.20	22,145	35.2	0.24	20.9	0.15
Larynx	990	2.1	0.07	1.3	0.04	289	0.5	0.03	0.3	0.02
Lung & bronchus	23,684	50.6	0.33	29.1	0.20	21,772	34.6	0.24	20.5	0.15
Skin	2,064	4.5	0.10	2.5	0.06	1,216	1.9	0.06	1.1	0.04
Melanomas of the skin	1,521	3.3	0.08	1.9	0.05	946	1.5	0.05	0.9	0.03
Breast	143	0.3	0.03	0.2	0.02	13,354	21.2	0.19	13.5	0.13
Female Genital System	-	-	-	-	-	10,262	16.4	0.16	10.6	0.11
Cervix uteri	-	-	-	-	-	1,371	2.3	0.06	1.7	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,455	5.4	0.09	3.5	0.06
Ovary	-	-	-	-	-	4,823	7.6	0.11	4.9	0.08
Male Genital System	8,836	20.4	0.22	9.0	0.10	-	-	-	-	-
Prostate	8,621	19.9	0.22	8.7	0.10	-	-	-	-	-
Testis	105	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,866	12.9	0.17	6.6	0.09	2,916	4.4	0.08	2.3	0.05
Bladder	3,432	7.7	0.13	3.6	0.07	1,506	2.2	0.06	1.1	0.03
Kidney & renal pelvis	2,304	4.9	0.10	2.9	0.06	1,306	2.0	0.06	1.2	0.04
Brain & Other Nervous System	2,213	4.6	0.10	3.2	0.07	1,900	3.2	0.07	2.3	0.06
Endocrine System	424	0.9	0.04	0.6	0.03	488	0.8	0.04	0.5	0.03
Thyroid gland	257	0.6	0.04	0.3	0.02	355	0.5	0.03	0.3	0.02
Lymphomas	3,601	7.8	0.13	4.4	0.08	3,083	4.8	0.09	2.6	0.05
Hodgkin Lymphoma	211	0.4	0.03	0.3	0.02	171	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,390	7.4	0.13	4.1	0.07	2,912	4.5	0.09	2.4	0.05
Multiple Myeloma	1,751	3.8	0.09	2.1	0.05	1,662	2.6	0.06	1.4	0.04
Leukemias	4,050	9.0	0.14	5.0	0.09	3,046	4.8	0.09	2.8	0.06
Other, Ill-defined & Unknown	7,351	15.9	0.19	9.0	0.11	6,853	10.6	0.13	6.2	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	73,013	194.5	0.73	109.5	0.43	73,042	145.2	0.55	86.3	0.37
Oral Cavity & Pharynx	1,299	3.3	0.09	2.2	0.06	607	1.2	0.05	0.7	0.03
Digestive System	20,485	53.8	0.38	31.6	0.23	17,035	32.7	0.26	18.2	0.16
Esophagus	2,939	7.6	0.14	4.7	0.09	849	1.6	0.06	0.9	0.04
Stomach	1,728	4.6	0.11	2.6	0.07	1,263	2.5	0.07	1.4	0.05
Colon & Rectum	6,488	17.4	0.22	9.7	0.13	6,672	12.6	0.16	6.8	0.10
Liver	2,568	6.4	0.13	4.2	0.09	992	2.0	0.06	1.1	0.04
Pancreas	5,208	13.7	0.19	8.0	0.12	5,232	10.1	0.14	5.6	0.09
Respiratory System	20,677	54.7	0.39	31.5	0.23	18,916	38.3	0.28	22.8	0.18
Larynx	767	2.0	0.07	1.2	0.05	230	0.5	0.03	0.3	0.02
Lung & bronchus	19,784	52.4	0.38	30.1	0.23	18,618	37.7	0.28	22.4	0.18
Skin	1,994	5.3	0.12	3.0	0.07	1,151	2.3	0.07	1.4	0.05
Melanomas of the skin	1,486	4.0	0.10	2.3	0.06	900	1.9	0.06	1.1	0.04
Breast	121	0.3	0.03	0.2	0.02	10,564	21.4	0.22	13.5	0.15
Female Genital System	-	-	-	-	-	8,015	16.4	0.19	10.5	0.13
Cervix uteri	-	-	-	-	-	925	2.1	0.07	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,513	5.0	0.10	3.2	0.07
Ovary	-	-	-	-	-	4,050	8.2	0.13	5.2	0.09
Male Genital System	6,710	18.6	0.23	8.1	0.11	-	-	-	-	-
Prostate	6,531	18.1	0.23	7.8	0.10	-	-	-	-	-
Testis	95	0.3	0.03	0.2	0.02	-	-	-	-	-
Urinary System	5,232	14.1	0.20	7.3	0.11	2,477	4.6	0.10	2.4	0.06
Bladder	3,123	8.5	0.15	4.0	0.08	1,282	2.3	0.07	1.1	0.04
Kidney & renal pelvis	1,990	5.2	0.12	3.1	0.07	1,110	2.2	0.07	1.2	0.04
Brain & Other Nervous System	1,968	5.2	0.12	3.6	0.09	1,669	3.6	0.09	2.6	0.07
Endocrine System	346	0.9	0.05	0.7	0.04	383	0.8	0.04	0.5	0.03
Thyroid gland	222	0.6	0.04	0.3	0.02	276	0.5	0.03	0.3	0.02
Lymphomas	3,085	8.3	0.15	4.6	0.09	2,657	5.2	0.10	2.8	0.06
Hodgkin Lymphoma	177	0.5	0.04	0.3	0.03	150	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,908	7.8	0.15	4.3	0.09	2,507	4.8	0.10	2.5	0.06
Multiple Myeloma	1,355	3.6	0.10	1.9	0.06	1,248	2.4	0.07	1.3	0.04
Leukemias	3,528	9.7	0.16	5.4	0.10	2,632	5.2	0.11	3.1	0.08
Other, Ill-defined & Unknown	6,213	16.6	0.21	9.4	0.13	5,688	11.1	0.15	6.5	0.10

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,006	204.0	1.97	119.4	1.10	13,209	137.9	1.21	86.4	0.79
Oral Cavity & Pharynx	272	4.0	0.26	2.8	0.17	139	1.4	0.12	0.9	0.08
Digestive System	3,810	61.4	1.05	38.1	0.63	3,490	36.8	0.63	21.4	0.38
Esophagus	342	5.3	0.31	3.5	0.19	149	1.6	0.13	1.0	0.08
Stomach	463	8.2	0.40	4.5	0.21	385	4.2	0.21	2.1	0.12
Colon & Rectum	1,219	20.5	0.62	12.1	0.35	1,337	14.0	0.39	8.1	0.24
Liver	755	10.5	0.40	7.7	0.28	281	2.9	0.17	1.8	0.11
Pancreas	750	12.2	0.47	7.5	0.28	970	10.3	0.33	6.0	0.20
Respiratory System	3,204	52.6	0.98	32.1	0.57	2,623	27.4	0.54	17.1	0.35
Larynx	191	3.1	0.24	1.9	0.14	57	0.6	0.08	0.4	0.06
Lung & bronchus	2,999	49.2	0.95	30.0	0.56	2,555	26.7	0.54	16.7	0.34
Skin	58	0.9	0.12	0.6	0.08	48	0.5	0.07	0.3	0.05
Melanomas of the skin	26	0.4	0.08	0.3	0.06	35	0.4	0.06	0.2	0.04
Breast	22	0.4	0.09	0.2	0.05	2,425	25.0	0.51	16.6	0.35
Female Genital System	-	-	-	-	-	1,902	19.6	0.46	13.1	0.31
Cervix uteri	-	-	-	-	-	386	3.9	0.20	2.8	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	855	8.9	0.31	5.8	0.21
Ovary	-	-	-	-	-	583	6.0	0.25	4.0	0.17
Male Genital System	1,942	40.7	0.96	18.2	0.42	-	-	-	-	-
Prostate	1,914	40.2	0.95	17.9	0.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	483	8.7	0.42	4.7	0.22	345	3.6	0.20	2.0	0.12
Bladder	248	4.8	0.32	2.3	0.15	186	2.0	0.15	1.0	0.08
Kidney & renal pelvis	227	3.7	0.26	2.3	0.16	149	1.5	0.13	1.0	0.08
Brain & Other Nervous System	175	2.5	0.20	1.9	0.14	163	1.7	0.13	1.3	0.11
Endocrine System	62	0.9	0.12	0.7	0.09	78	0.8	0.09	0.5	0.07
Thyroid gland	28	0.5	0.10	0.3	0.05	58	0.6	0.08	0.4	0.05
Lymphomas	367	5.7	0.31	3.7	0.20	331	3.5	0.19	2.2	0.13
Hodgkin Lymphoma	28	0.4	0.08	0.3	0.06	20	0.2	0.04	0.2	0.04
Non-Hodgkin Lymphoma	339	5.3	0.30	3.4	0.19	311	3.3	0.19	2.0	0.12
Multiple Myeloma	354	5.8	0.33	3.6	0.19	370	3.9	0.21	2.3	0.13
Leukemias	389	6.3	0.34	4.0	0.21	316	3.3	0.19	2.2	0.14
Other, Ill-defined & Unknown	868	14.3	0.51	8.8	0.30	979	10.3	0.33	6.3	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	3,407	120.3	2.21	66.2	1.15	2,794	78.4	1.53	45.6	0.89
Oral Cavity & Pharynx	105	3.2	0.33	2.1	0.20	47	1.2	0.19	0.8	0.12
Digestive System	1,414	48.5	1.38	27.5	0.74	906	26.4	0.90	14.3	0.49
Esophagus	93	3.0	0.34	1.8	0.19	22	0.6	0.14	0.4	0.08
Stomach	279	9.7	0.62	5.4	0.33	147	4.1	0.35	2.4	0.20
Colon & Rectum	347	12.6	0.73	6.7	0.36	288	8.4	0.51	4.4	0.27
Liver	354	10.9	0.62	6.9	0.37	124	3.6	0.33	2.0	0.18
Pancreas	220	8.0	0.57	4.2	0.29	208	6.4	0.45	3.2	0.23
Respiratory System	901	32.9	1.16	17.1	0.58	563	16.3	0.71	8.8	0.38
Larynx	31	1.2	0.22	0.6	0.10	-	-	-	-	-
Lung & bronchus	864	31.6	1.14	16.4	0.57	556	16.2	0.71	8.7	0.38
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	11	0.3	0.08	0.2	0.06
Breast	-	-	-	-	-	351	8.9	0.49	6.0	0.33
Female Genital System	-	-	-	-	-	331	8.6	0.49	5.5	0.31
Cervix uteri	-	-	-	-	-	59	1.5	0.20	1.0	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	85	2.3	0.26	1.4	0.15
Ovary	-	-	-	-	-	181	4.7	0.36	3.0	0.23
Male Genital System	175	7.8	0.62	3.3	0.25	-	-	-	-	-
Prostate	167	7.5	0.61	3.2	0.25	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	146	5.4	0.48	2.8	0.23	91	2.7	0.29	1.4	0.16
Bladder	59	2.4	0.33	1.1	0.15	37	1.1	0.19	0.5	0.09
Kidney & renal pelvis	84	2.8	0.33	1.6	0.18	46	1.3	0.20	0.7	0.12
Brain & Other Nervous System	68	2.0	0.26	1.5	0.19	63	1.7	0.22	1.2	0.16
Endocrine System	16	0.4	0.11	0.3	0.08	27	0.8	0.16	0.4	0.09
Thyroid gland	-	-	-	-	-	21	0.6	0.14	0.3	0.07
Lymphomas	144	5.0	0.44	2.8	0.24	92	2.6	0.28	1.5	0.16
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	40	1.4	0.24	0.8	0.13	36	1.1	0.18	0.6	0.10
Leukemias	130	4.5	0.42	2.7	0.25	93	2.6	0.28	1.7	0.19
Other, Ill-defined & Unknown	259	9.0	0.60	5.1	0.32	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	48,568	218.2	1.02	125.4	0.59	42,283	142.9	0.70	86.8	0.46
Oral Cavity & Pharynx	969	4.0	0.13	2.7	0.09	415	1.4	0.07	0.8	0.04
Digestive System	12,103	52.4	0.49	32.0	0.30	9,024	30.3	0.32	17.5	0.20
Esophagus	1,698	7.1	0.18	4.6	0.11	416	1.4	0.07	0.9	0.05
Stomach	932	4.2	0.14	2.5	0.08	684	2.3	0.09	1.3	0.06
Colon & Rectum	3,932	17.6	0.29	10.3	0.17	3,502	11.7	0.20	6.8	0.13
Liver	1,756	6.9	0.17	4.9	0.12	523	1.8	0.08	1.1	0.05
Pancreas	2,852	12.4	0.24	7.4	0.14	2,734	9.2	0.18	5.2	0.11
Respiratory System	16,631	72.6	0.58	43.1	0.34	11,566	39.0	0.37	23.9	0.24
Larynx	490	2.0	0.09	1.3	0.06	122	0.4	0.04	0.3	0.03
Lung & bronchus	16,033	70.0	0.57	41.5	0.34	11,379	38.4	0.36	23.5	0.24
Skin	1,358	6.2	0.17	3.5	0.10	652	2.2	0.09	1.4	0.06
Melanomas of the skin	977	4.4	0.15	2.6	0.09	507	1.7	0.08	1.1	0.06
Breast	62	0.3	0.04	0.2	0.02	6,373	21.7	0.28	14.2	0.19
Female Genital System	-	-	-	-	-	4,356	14.8	0.23	9.4	0.15
Cervix uteri	-	-	-	-	-	586	2.1	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,298	4.3	0.12	2.8	0.08
Ovary	-	-	-	-	-	2,179	7.4	0.16	4.6	0.10
Male Genital System	4,396	22.7	0.35	10.1	0.16	-	-	-	-	-
Prostate	4,293	22.2	0.35	9.8	0.15	-	-	-	-	-
Testis	58	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,922	13.8	0.26	7.2	0.14	1,435	4.8	0.13	2.6	0.08
Bladder	1,504	7.4	0.20	3.5	0.09	662	2.2	0.09	1.1	0.05
Kidney & renal pelvis	1,349	6.0	0.17	3.5	0.10	712	2.4	0.09	1.4	0.06
Brain & Other Nervous System	1,281	5.5	0.16	3.8	0.11	1,020	3.5	0.11	2.5	0.09
Endocrine System	193	0.9	0.06	0.6	0.05	215	0.8	0.05	0.5	0.04
Thyroid gland	120	0.5	0.05	0.3	0.03	143	0.5	0.04	0.3	0.03
Lymphomas	1,697	7.9	0.20	4.3	0.11	1,412	4.8	0.13	2.6	0.08
Hodgkin Lymphoma	103	0.4	0.05	0.3	0.03	69	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,594	7.5	0.19	4.0	0.10	1,343	4.5	0.13	2.4	0.07
Multiple Myeloma	948	4.4	0.15	2.3	0.08	938	3.1	0.10	1.7	0.06
Leukemias	1,925	9.2	0.22	4.9	0.12	1,479	5.1	0.13	2.9	0.09
Other, Ill-defined & Unknown	4,083	18.5	0.30	10.7	0.17	3,398	11.4	0.20	6.8	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	38,028	209.7	1.10	119.6	0.64	32,875	140.1	0.78	84.5	0.52
Oral Cavity & Pharynx	700	3.6	0.14	2.4	0.09	331	1.4	0.08	0.8	0.05
Digestive System	9,116	48.9	0.53	29.6	0.32	6,636	28.0	0.35	16.1	0.22
Esophagus	1,386	7.2	0.20	4.6	0.13	299	1.2	0.07	0.7	0.05
Stomach	615	3.4	0.14	2.0	0.08	445	1.9	0.09	1.1	0.06
Colon & Rectum	2,930	16.2	0.31	9.4	0.18	2,565	10.8	0.22	6.2	0.14
Liver	1,251	6.3	0.18	4.3	0.12	383	1.6	0.08	1.0	0.05
Pancreas	2,202	11.8	0.26	7.0	0.15	2,055	8.6	0.19	4.9	0.12
Respiratory System	13,156	70.5	0.63	41.4	0.37	9,583	40.7	0.42	24.9	0.27
Larynx	328	1.7	0.10	1.1	0.06	98	0.4	0.04	0.3	0.03
Lung & bronchus	12,742	68.3	0.62	40.0	0.37	9,427	40.1	0.42	24.5	0.27
Skin	1,283	7.2	0.21	4.1	0.12	613	2.7	0.11	1.7	0.08
Melanomas of the skin	951	5.2	0.17	3.1	0.11	489	2.2	0.10	1.4	0.07
Breast	48	0.3	0.04	0.2	0.03	4,663	20.1	0.30	12.9	0.21
Female Genital System	-	-	-	-	-	3,238	13.9	0.25	8.8	0.17
Cervix uteri	-	-	-	-	-	380	1.8	0.09	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	831	3.5	0.12	2.2	0.08
Ovary	-	-	-	-	-	1,789	7.6	0.18	4.7	0.12
Male Genital System	2,994	18.6	0.35	8.1	0.15	-	-	-	-	-
Prostate	2,910	18.1	0.34	7.8	0.15	-	-	-	-	-
Testis	52	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,483	14.2	0.29	7.5	0.16	1,107	4.6	0.14	2.4	0.08
Bladder	1,326	7.9	0.22	3.8	0.11	511	2.1	0.09	1.0	0.05
Kidney & renal pelvis	1,094	6.0	0.18	3.5	0.11	545	2.3	0.10	1.3	0.06
Brain & Other Nervous System	1,112	5.9	0.18	4.1	0.13	878	3.9	0.13	2.8	0.11
Endocrine System	155	0.9	0.07	0.6	0.05	173	0.8	0.06	0.6	0.05
Thyroid gland	99	0.6	0.06	0.3	0.03	111	0.5	0.05	0.3	0.03
Lymphomas	1,462	8.3	0.22	4.5	0.12	1,203	5.1	0.15	2.6	0.09
Hodgkin Lymphoma	91	0.5	0.05	0.3	0.04	54	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,371	7.8	0.22	4.2	0.12	1,149	4.8	0.14	2.5	0.08
Multiple Myeloma	668	3.8	0.15	1.9	0.08	605	2.5	0.10	1.3	0.06
Leukemias	1,619	9.4	0.24	5.0	0.13	1,195	5.2	0.15	3.0	0.10
Other, Ill-defined & Unknown	3,232	18.1	0.33	10.3	0.19	2,650	11.3	0.22	6.6	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,804	272.6	3.00	159.8	1.63	8,760	158.3	1.72	98.9	1.11
Oral Cavity & Pharynx	252	6.2	0.42	4.1	0.26	77	1.3	0.15	0.9	0.11
Digestive System	2,761	72.0	1.50	44.6	0.86	2,213	40.4	0.88	23.6	0.53
Esophagus	294	7.2	0.46	4.8	0.28	104	1.8	0.18	1.2	0.12
Stomach	293	8.2	0.52	4.7	0.28	215	4.1	0.28	2.2	0.16
Colon & Rectum	948	26.6	0.94	15.4	0.50	886	16.0	0.55	9.4	0.33
Liver	448	9.1	0.46	7.1	0.34	121	2.1	0.20	1.5	0.14
Pancreas	598	15.9	0.71	9.7	0.40	639	11.9	0.48	6.6	0.28
Respiratory System	3,226	85.3	1.62	53.1	0.94	1,813	32.9	0.79	20.8	0.51
Larynx	161	3.9	0.34	2.6	0.21	21	0.4	0.08	0.3	0.06
Lung & bronchus	3,043	80.8	1.58	50.0	0.92	1,785	32.4	0.78	20.5	0.50
Skin	67	1.7	0.23	1.1	0.13	38	0.7	0.11	0.4	0.07
Melanomas of the skin	22	0.7	0.15	0.4	0.08	17	0.3	0.08	0.2	0.05
Breast	13	0.4	0.11	0.2	0.06	1,628	28.5	0.72	19.4	0.50
Female Genital System	-	-	-	-	-	1,052	19.3	0.60	12.4	0.40
Cervix uteri	-	-	-	-	-	195	3.4	0.25	2.4	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	446	8.3	0.40	5.2	0.26
Ovary	-	-	-	-	-	359	6.6	0.36	4.2	0.23
Male Genital System	1,340	47.8	1.38	21.6	0.60	-	-	-	-	-
Prostate	1,323	47.3	1.38	21.3	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	408	12.3	0.66	6.6	0.33	302	5.4	0.32	3.3	0.20
Bladder	166	5.6	0.46	2.7	0.21	142	2.6	0.22	1.4	0.12
Kidney & renal pelvis	237	6.6	0.47	3.8	0.25	152	2.7	0.22	1.8	0.15
Brain & Other Nervous System	145	3.5	0.31	2.5	0.21	126	2.2	0.20	1.6	0.15
Endocrine System	35	0.8	0.15	0.7	0.12	40	0.7	0.12	0.4	0.07
Thyroid gland	20	0.5	0.12	0.3	0.07	31	0.6	0.10	0.3	0.06
Lymphomas	224	6.1	0.44	3.6	0.25	188	3.4	0.25	2.3	0.17
Hodgkin Lymphoma	11	0.3	0.09	0.2	0.06	15	0.3	0.07	0.2	0.06
Non-Hodgkin Lymphoma	213	5.8	0.44	3.5	0.24	173	3.1	0.24	2.0	0.16
Multiple Myeloma	264	7.7	0.51	4.3	0.27	326	6.1	0.34	3.3	0.19
Leukemias	277	8.0	0.52	4.6	0.28	259	4.8	0.30	2.8	0.19
Other, Ill-defined & Unknown	792	20.9	0.81	12.9	0.46	698	12.6	0.49	7.7	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	282	100.3	7.08	54.9	3.36	310	85.0	5.35	47.7	2.75
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	113	34.7	3.93	21.5	2.09	87	25.2	2.96	13.1	1.43
Esophagus	-	-	-	-	-	10	2.8	0.96	1.5	0.47
Stomach	12	5.7	1.96	2.4	0.73	14	3.9	1.21	2.2	0.60
Colon & Rectum	17	5.0	1.45	3.4	0.85	22	5.3	1.24	3.4	0.73
Liver	37	9.6	1.87	6.5	1.11	-	-	-	-	-
Pancreas	25	7.1	1.65	4.9	1.00	18	6.1	1.51	2.6	0.63
Respiratory System	73	29.6	3.94	14.9	1.77	76	21.7	2.71	12.2	1.42
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	72	28.9	3.88	14.7	1.76	76	21.7	2.71	12.2	1.42
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	37	8.6	1.56	5.5	0.92
Female Genital System	-	-	-	-	-	34	6.9	1.27	5.1	0.90
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	11	2.2	0.72	1.7	0.52
Ovary	-	-	-	-	-	14	2.7	0.77	2.1	0.58
Male Genital System	11	6.6	2.13	2.4	0.73	-	-	-	-	-
Prostate	11	6.6	2.13	2.4	0.73	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	6.2	2.16	2.6	0.81	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	13	2.8	0.88	1.9	0.54	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	13	4.3	1.27	2.1	0.58
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	13	4.3	1.27	2.1	0.58
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	13	4.3	1.38	2.4	0.68	13	3.2	1.03	1.9	0.53
Other, Ill-defined & Unknown	25	8.9	2.09	5.0	1.02	29	8.5	1.79	4.5	0.84

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,459	191.8	3.31	105.6	1.94	2,913	127.8	2.46	76.1	1.65
Oral Cavity & Pharynx	59	3.2	0.43	1.9	0.26	27	1.2	0.25	0.8	0.17
Digestive System	892	49.0	1.67	28.7	1.02	693	29.2	1.15	16.6	0.75
Esophagus	140	7.8	0.67	4.9	0.43	27	1.2	0.24	0.8	0.17
Stomach	64	3.4	0.43	2.0	0.27	49	2.1	0.32	1.2	0.20
Colon & Rectum	330	18.3	1.02	10.3	0.61	322	13.3	0.77	7.4	0.50
Liver	66	3.4	0.43	2.2	0.28	26	1.1	0.22	0.7	0.16
Pancreas	222	12.2	0.83	7.0	0.50	185	7.8	0.59	4.4	0.38
Respiratory System	1,008	55.7	1.78	30.9	1.04	679	31.1	1.22	19.0	0.82
Larynx	38	2.0	0.34	1.3	0.22	10	0.4	0.14	0.3	0.12
Lung & bronchus	965	53.4	1.74	29.5	1.01	665	30.5	1.21	18.6	0.81
Skin	85	4.6	0.51	2.8	0.33	44	1.9	0.30	1.2	0.21
Melanomas of the skin	64	3.5	0.45	2.2	0.30	29	1.3	0.25	0.9	0.19
Breast	-	-	-	-	-	430	19.0	0.96	11.7	0.66
Female Genital System	-	-	-	-	-	253	11.6	0.75	7.5	0.53
Cervix uteri	-	-	-	-	-	24	1.2	0.27	0.9	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	71	3.2	0.39	2.0	0.27
Ovary	-	-	-	-	-	134	6.2	0.55	4.0	0.39
Male Genital System	359	20.5	1.09	9.0	0.52	-	-	-	-	-
Prostate	350	20.0	1.08	8.6	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	248	13.8	0.89	7.2	0.50	109	4.6	0.46	2.6	0.30
Bladder	137	7.4	0.64	3.7	0.35	47	1.9	0.29	0.9	0.18
Kidney & renal pelvis	106	6.0	0.59	3.4	0.35	59	2.5	0.35	1.5	0.24
Brain & Other Nervous System	94	5.2	0.55	3.7	0.41	70	3.5	0.43	2.5	0.34
Endocrine System	-	-	-	-	-	20	0.8	0.18	0.4	0.12
Thyroid gland	-	-	-	-	-	16	0.6	0.16	0.3	0.09
Lymphomas	117	6.5	0.61	3.5	0.35	120	4.9	0.47	2.5	0.28
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	83	4.7	0.53	2.3	0.28	64	2.8	0.36	1.4	0.21
Leukemias	162	9.2	0.73	4.7	0.40	112	4.7	0.47	2.6	0.32
Other, Ill-defined & Unknown	340	18.5	1.02	10.4	0.61	292	12.6	0.77	7.3	0.51

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,339	190.7	3.35	104.8	1.97	2,785	125.8	2.49	74.7	1.68
Oral Cavity & Pharynx	58	3.3	0.44	1.9	0.27	27	1.3	0.26	0.8	0.18
Digestive System	855	48.6	1.69	28.4	1.04	662	28.6	1.16	16.1	0.75
Esophagus	132	7.6	0.67	4.8	0.44	26	1.2	0.24	0.8	0.17
Stomach	59	3.3	0.43	1.9	0.27	45	2.0	0.31	1.1	0.19
Colon & Rectum	323	18.5	1.04	10.3	0.62	307	13.0	0.78	7.2	0.50
Liver	60	3.2	0.43	2.0	0.27	25	1.1	0.22	0.7	0.17
Pancreas	212	12.1	0.84	6.9	0.51	181	7.9	0.61	4.4	0.39
Respiratory System	959	54.5	1.78	30.0	1.04	636	30.0	1.22	18.2	0.82
Larynx	35	1.9	0.33	1.2	0.21	-	-	-	-	-
Lung & bronchus	919	52.3	1.75	28.7	1.02	623	29.5	1.21	17.9	0.81
Skin	84	4.8	0.53	2.9	0.34	43	1.9	0.31	1.2	0.22
Melanomas of the skin	64	3.6	0.46	2.3	0.31	29	1.4	0.27	0.9	0.20
Breast	-	-	-	-	-	416	18.9	0.98	11.7	0.68
Female Genital System	-	-	-	-	-	247	11.8	0.78	7.7	0.56
Cervix uteri	-	-	-	-	-	24	1.3	0.28	1.0	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	69	3.2	0.39	2.0	0.27
Ovary	-	-	-	-	-	131	6.3	0.56	4.1	0.40
Male Genital System	354	20.6	1.11	9.1	0.53	-	-	-	-	-
Prostate	345	20.1	1.09	8.7	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	242	13.8	0.90	7.2	0.51	102	4.4	0.46	2.4	0.30
Bladder	135	7.5	0.65	3.8	0.36	46	1.9	0.30	1.0	0.19
Kidney & renal pelvis	102	6.0	0.60	3.3	0.36	53	2.4	0.34	1.4	0.23
Brain & Other Nervous System	91	5.2	0.56	3.8	0.43	67	3.5	0.44	2.5	0.36
Endocrine System	-	-	-	-	-	20	0.8	0.19	0.5	0.12
Thyroid gland	-	-	-	-	-	16	0.6	0.16	0.3	0.10
Lymphomas	115	6.6	0.62	3.5	0.36	119	5.0	0.48	2.5	0.28
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	82	4.8	0.54	2.4	0.29	63	2.8	0.37	1.4	0.22
Leukemias	159	9.3	0.75	4.8	0.42	111	4.8	0.49	2.7	0.33
Other, Ill-defined & Unknown	328	18.5	1.03	10.4	0.62	272	12.0	0.76	7.0	0.51

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	-	-	-	-	-	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	-	-	-	-	-	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	65,357	223.5	0.89	127.9	0.53	60,262	156.8	0.65	94.9	0.43
Oral Cavity & Pharynx	1,204	3.8	0.11	2.6	0.08	518	1.3	0.06	0.8	0.04
Digestive System	16,903	56.8	0.45	33.7	0.27	13,044	33.2	0.30	19.1	0.19
Esophagus	2,762	9.1	0.18	5.7	0.11	689	1.8	0.07	1.1	0.05
Stomach	1,101	3.8	0.12	2.2	0.07	791	2.0	0.07	1.1	0.05
Colon & Rectum	5,914	20.4	0.27	11.5	0.16	5,433	13.7	0.19	7.6	0.12
Liver	2,038	6.4	0.14	4.3	0.10	726	1.9	0.07	1.1	0.05
Pancreas	3,910	13.1	0.21	7.8	0.13	3,922	10.1	0.16	5.8	0.10
Respiratory System	21,290	71.4	0.50	42.3	0.30	16,813	44.2	0.35	27.0	0.23
Larynx	710	2.3	0.09	1.5	0.06	201	0.5	0.04	0.4	0.03
Lung & bronchus	20,471	68.7	0.49	40.6	0.30	16,557	43.5	0.34	26.5	0.23
Skin	1,685	5.8	0.14	3.4	0.09	883	2.3	0.08	1.5	0.06
Melanomas of the skin	1,285	4.4	0.13	2.6	0.08	708	1.9	0.07	1.2	0.05
Breast	102	0.3	0.03	0.2	0.02	8,862	23.3	0.25	15.0	0.18
Female Genital System	-	-	-	-	-	6,168	16.3	0.21	10.6	0.15
Cervix uteri	-	-	-	-	-	842	2.5	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,869	4.8	0.11	3.1	0.08
Ovary	-	-	-	-	-	3,007	7.9	0.15	5.0	0.10
Male Genital System	5,766	21.4	0.29	9.5	0.13	-	-	-	-	-
Prostate	5,628	20.9	0.28	9.2	0.13	-	-	-	-	-
Testis	70	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,354	15.2	0.23	8.1	0.13	2,221	5.6	0.12	3.0	0.07
Bladder	2,485	8.9	0.18	4.3	0.09	1,035	2.5	0.08	1.2	0.04
Kidney & renal pelvis	1,770	5.9	0.14	3.6	0.09	1,115	2.9	0.09	1.7	0.06
Brain & Other Nervous System	1,651	5.4	0.14	3.9	0.10	1,302	3.6	0.10	2.5	0.08
Endocrine System	240	0.8	0.05	0.6	0.04	285	0.8	0.05	0.5	0.04
Thyroid gland	158	0.5	0.04	0.3	0.03	196	0.5	0.04	0.3	0.02
Lymphomas	2,557	9.0	0.18	4.9	0.10	2,123	5.4	0.12	2.9	0.07
Hodgkin Lymphoma	129	0.5	0.04	0.3	0.03	98	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,428	8.5	0.18	4.6	0.10	2,025	5.1	0.12	2.7	0.07
Multiple Myeloma	1,285	4.5	0.13	2.4	0.07	1,169	3.0	0.09	1.7	0.05
Leukemias	2,763	9.9	0.19	5.4	0.11	2,083	5.4	0.12	3.1	0.08
Other, Ill-defined & Unknown	5,557	19.1	0.26	10.9	0.16	4,791	12.3	0.18	7.2	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	58,145	221.0	0.93	126.2	0.55	53,262	155.5	0.69	93.9	0.46
Oral Cavity & Pharynx	1,076	3.8	0.12	2.6	0.08	471	1.4	0.06	0.8	0.04
Digestive System	14,784	55.4	0.46	32.7	0.28	11,357	32.3	0.31	18.5	0.20
Esophagus	2,561	9.3	0.19	5.9	0.12	600	1.7	0.07	1.0	0.05
Stomach	901	3.5	0.12	2.0	0.07	632	1.8	0.07	1.0	0.05
Colon & Rectum	5,191	19.9	0.28	11.1	0.16	4,811	13.5	0.20	7.5	0.13
Liver	1,628	5.8	0.15	3.7	0.10	590	1.7	0.07	1.0	0.05
Pancreas	3,465	12.9	0.22	7.7	0.14	3,412	9.8	0.17	5.7	0.11
Respiratory System	18,940	70.6	0.52	41.8	0.32	14,912	44.1	0.37	26.9	0.24
Larynx	616	2.2	0.09	1.4	0.06	163	0.5	0.04	0.3	0.03
Lung & bronchus	18,220	68.0	0.51	40.1	0.31	14,701	43.5	0.37	26.5	0.24
Skin	1,655	6.4	0.16	3.7	0.10	862	2.6	0.09	1.6	0.06
Melanomas of the skin	1,274	4.9	0.14	2.9	0.09	690	2.1	0.08	1.4	0.06
Breast	90	0.3	0.04	0.2	0.02	7,665	22.7	0.27	14.5	0.19
Female Genital System	-	-	-	-	-	5,467	16.3	0.23	10.6	0.16
Cervix uteri	-	-	-	-	-	706	2.4	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,582	4.6	0.12	2.9	0.08
Ovary	-	-	-	-	-	2,764	8.1	0.16	5.2	0.11
Male Genital System	4,809	19.7	0.29	8.7	0.13	-	-	-	-	-
Prostate	4,682	19.2	0.28	8.3	0.13	-	-	-	-	-
Testis	67	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,034	15.5	0.25	8.3	0.14	1,998	5.6	0.13	3.0	0.08
Bladder	2,318	9.2	0.19	4.4	0.10	925	2.5	0.08	1.2	0.05
Kidney & renal pelvis	1,621	6.0	0.15	3.7	0.10	1,005	2.9	0.09	1.7	0.06
Brain & Other Nervous System	1,555	5.8	0.15	4.2	0.11	1,210	3.8	0.11	2.7	0.09
Endocrine System	206	0.8	0.06	0.5	0.04	249	0.8	0.05	0.5	0.04
Thyroid gland	138	0.5	0.05	0.3	0.03	175	0.5	0.04	0.3	0.02
Lymphomas	2,388	9.3	0.19	5.1	0.11	1,974	5.6	0.13	3.0	0.08
Hodgkin Lymphoma	122	0.5	0.04	0.3	0.03	89	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,266	8.8	0.19	4.8	0.11	1,885	5.3	0.13	2.9	0.08
Multiple Myeloma	1,071	4.1	0.13	2.2	0.07	975	2.8	0.09	1.5	0.06
Leukemias	2,556	10.1	0.20	5.5	0.12	1,875	5.4	0.13	3.1	0.09
Other, Ill-defined & Unknown	4,981	19.1	0.28	10.9	0.16	4,247	12.2	0.19	7.1	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	6,848	266.6	3.38	156.7	1.94	6,638	177.5	2.21	109.7	1.43
Oral Cavity & Pharynx	125	4.4	0.41	2.9	0.27	44	1.2	0.18	0.7	0.12
Digestive System	2,003	74.2	1.74	46.3	1.06	1,585	42.8	1.09	25.3	0.68
Esophagus	191	7.2	0.55	4.4	0.33	85	2.3	0.25	1.5	0.17
Stomach	188	7.5	0.57	4.3	0.32	144	4.0	0.34	2.1	0.19
Colon & Rectum	690	27.0	1.08	15.7	0.61	585	15.8	0.66	9.3	0.41
Liver	380	11.4	0.61	9.0	0.47	130	3.4	0.30	2.2	0.21
Pancreas	426	16.1	0.82	9.9	0.49	483	13.2	0.61	7.5	0.36
Respiratory System	2,234	84.9	1.88	51.8	1.12	1,814	48.5	1.15	29.8	0.74
Larynx	88	3.0	0.34	2.1	0.23	37	1.0	0.17	0.7	0.11
Lung & bronchus	2,141	81.6	1.85	49.6	1.10	1,772	47.4	1.14	29.1	0.73
Skin	27	0.9	0.19	0.6	0.12	-	-	-	-	-
Melanomas of the skin	10	0.3	0.11	0.2	0.07	16	0.4	0.11	0.3	0.07
Breast	11	0.4	0.13	0.2	0.07	1,147	30.3	0.91	20.2	0.63
Female Genital System	-	-	-	-	-	655	17.4	0.69	11.5	0.47
Cervix uteri	-	-	-	-	-	124	3.4	0.31	2.5	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	273	7.2	0.44	4.7	0.30
Ovary	-	-	-	-	-	225	6.0	0.41	3.7	0.26
Male Genital System	934	43.1	1.46	19.8	0.67	-	-	-	-	-
Prostate	924	42.7	1.45	19.6	0.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	308	12.0	0.72	7.2	0.42	217	5.8	0.40	3.2	0.24
Bladder	161	6.8	0.56	3.6	0.29	107	2.9	0.28	1.5	0.16
Kidney & renal pelvis	143	5.1	0.44	3.5	0.30	107	2.9	0.28	1.7	0.18
Brain & Other Nervous System	80	2.8	0.33	1.9	0.22	82	2.2	0.25	1.6	0.19
Endocrine System	33	1.2	0.22	0.8	0.14	35	0.9	0.15	0.6	0.12
Thyroid gland	20	0.8	0.18	0.4	0.10	20	0.5	0.12	0.3	0.07
Lymphomas	158	5.9	0.49	3.8	0.31	135	3.6	0.31	2.1	0.19
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	210	8.7	0.63	4.7	0.33	189	5.1	0.37	2.9	0.23
Leukemias	188	7.7	0.59	4.2	0.32	199	5.4	0.38	3.3	0.26
Other, Ill-defined & Unknown	537	20.2	0.92	12.4	0.55	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	319	109.9	7.01	60.3	3.42	328	87.4	5.14	48.9	2.75
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	105	33.5	3.76	19.6	1.93	92	25.0	2.75	13.7	1.44
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	3.4	1.07	2.1	0.60	13	3.7	1.08	1.8	0.51
Colon & Rectum	27	8.7	1.89	5.2	1.01	32	8.4	1.58	4.8	0.85
Liver	30	9.9	2.15	5.8	1.07	-	-	-	-	-
Pancreas	16	5.0	1.35	2.8	0.71	25	6.9	1.45	3.8	0.78
Respiratory System	95	35.6	4.09	17.9	1.86	74	20.5	2.51	10.8	1.27
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	91	34.3	4.03	17.3	1.83	72	20.0	2.48	10.5	1.26
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	46	11.7	1.86	6.8	1.02
Female Genital System	-	-	-	-	-	42	10.0	1.65	6.4	0.99
Cervix uteri	-	-	-	-	-	12	2.6	0.77	1.7	0.50
Corpus & uterus, NOS ¹	-	-	-	-	-	12	3.3	1.02	1.8	0.52
Ovary	-	-	-	-	-	16	3.7	0.99	2.5	0.64
Male Genital System	20	8.2	2.06	4.1	0.92	-	-	-	-	-
Prostate	20	8.2	2.06	4.1	0.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	12	4.8	1.54	2.2	0.65	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	15	4.4	1.28	2.8	0.73	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	13	4.2	1.22	1.8	0.51
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	13	4.2	1.22	1.8	0.51
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	19	6.0	1.57	3.8	0.89	-	-	-	-	-
Other, Ill-defined & Unknown	35	12.2	2.35	6.4	1.09	27	7.9	1.60	3.9	0.76

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	21,261	230.5	1.62	135.0	0.96	18,285	158.7	1.19	97.6	0.79
Oral Cavity & Pharynx	403	4.1	0.21	2.8	0.14	166	1.4	0.11	0.8	0.07
Digestive System	5,295	56.1	0.79	34.6	0.49	3,866	33.1	0.54	19.6	0.35
Esophagus	767	7.9	0.29	5.2	0.19	167	1.4	0.11	0.9	0.07
Stomach	371	4.0	0.21	2.4	0.13	211	1.8	0.13	1.1	0.08
Colon & Rectum	1,928	21.0	0.49	12.4	0.29	1,668	14.3	0.36	8.4	0.23
Liver	779	7.7	0.28	5.3	0.20	322	2.7	0.15	1.7	0.10
Pancreas	1,175	12.6	0.37	7.6	0.23	1,141	9.7	0.29	5.7	0.18
Respiratory System	7,145	76.1	0.92	45.1	0.55	5,337	46.1	0.64	28.5	0.42
Larynx	171	1.8	0.14	1.1	0.09	40	0.3	0.05	0.2	0.04
Lung & bronchus	6,938	73.9	0.91	43.8	0.54	5,279	45.6	0.63	28.2	0.42
Skin	603	6.6	0.27	3.9	0.16	272	2.4	0.15	1.4	0.10
Melanomas of the skin	419	4.6	0.23	2.8	0.14	212	1.9	0.13	1.2	0.09
Breast	23	0.3	0.05	0.1	0.03	2,640	23.2	0.46	15.2	0.32
Female Genital System	-	-	-	-	-	1,806	16.1	0.38	10.5	0.27
Cervix uteri	-	-	-	-	-	291	2.9	0.18	2.2	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	446	3.8	0.18	2.5	0.13
Ovary	-	-	-	-	-	956	8.3	0.27	5.2	0.18
Male Genital System	1,853	22.2	0.53	10.1	0.25	-	-	-	-	-
Prostate	1,798	21.6	0.52	9.7	0.24	-	-	-	-	-
Testis	35	0.4	0.07	0.3	0.06	-	-	-	-	-
Urinary System	1,448	16.0	0.43	9.0	0.25	679	5.8	0.22	3.3	0.14
Bladder	662	7.7	0.31	3.8	0.15	265	2.3	0.14	1.2	0.08
Kidney & renal pelvis	761	7.9	0.29	5.1	0.19	389	3.3	0.17	2.1	0.12
Brain & Other Nervous System	528	5.5	0.24	4.0	0.18	414	3.7	0.18	2.5	0.13
Endocrine System	86	0.9	0.10	0.6	0.08	72	0.7	0.08	0.4	0.06
Thyroid gland	52	0.6	0.08	0.3	0.05	45	0.4	0.06	0.2	0.04
Lymphomas	819	9.1	0.32	5.1	0.19	636	5.5	0.22	3.1	0.14
Hodgkin Lymphoma	44	0.5	0.07	0.3	0.05	39	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	775	8.6	0.32	4.8	0.18	597	5.2	0.21	2.8	0.13
Multiple Myeloma	407	4.5	0.23	2.5	0.13	302	2.6	0.15	1.3	0.08
Leukemias	930	10.5	0.35	5.9	0.21	663	5.8	0.23	3.4	0.15
Other, Ill-defined & Unknown	1,721	18.6	0.46	11.2	0.28	1,432	12.5	0.34	7.5	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,517	229.1	1.71	134.1	1.04	15,713	156.9	1.27	96.3	0.86
Oral Cavity & Pharynx	352	4.1	0.22	2.8	0.15	149	1.4	0.12	0.9	0.08
Digestive System	4,496	54.7	0.83	33.7	0.52	3,224	31.6	0.57	18.6	0.37
Esophagus	690	8.1	0.32	5.4	0.21	147	1.4	0.12	0.9	0.08
Stomach	296	3.7	0.22	2.2	0.13	168	1.7	0.13	1.0	0.08
Colon & Rectum	1,630	20.3	0.51	12.0	0.31	1,370	13.4	0.37	7.8	0.24
Liver	624	7.2	0.29	4.9	0.20	259	2.5	0.16	1.6	0.11
Pancreas	1,027	12.6	0.40	7.5	0.24	968	9.5	0.31	5.4	0.19
Respiratory System	6,275	76.2	0.98	45.1	0.59	4,692	46.6	0.69	28.9	0.46
Larynx	148	1.7	0.15	1.1	0.10	34	0.3	0.06	0.2	0.04
Lung & bronchus	6,094	74.0	0.96	43.7	0.58	4,642	46.1	0.68	28.6	0.45
Skin	568	7.1	0.30	4.2	0.19	253	2.6	0.17	1.6	0.11
Melanomas of the skin	400	5.0	0.26	3.1	0.16	201	2.1	0.15	1.3	0.11
Breast	21	0.3	0.06	0.1	0.03	2,244	22.8	0.49	14.9	0.35
Female Genital System	-	-	-	-	-	1,531	15.8	0.41	10.3	0.29
Cervix uteri	-	-	-	-	-	224	2.7	0.19	2.0	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	361	3.6	0.19	2.4	0.14
Ovary	-	-	-	-	-	844	8.5	0.30	5.3	0.20
Male Genital System	1,550	20.8	0.54	9.4	0.25	-	-	-	-	-
Prostate	1,504	20.2	0.53	8.9	0.24	-	-	-	-	-
Testis	29	0.4	0.07	0.3	0.06	-	-	-	-	-
Urinary System	1,286	16.1	0.46	9.0	0.26	581	5.7	0.24	3.3	0.15
Bladder	615	8.1	0.33	3.9	0.17	236	2.3	0.15	1.2	0.09
Kidney & renal pelvis	648	7.7	0.31	4.9	0.20	321	3.1	0.18	2.0	0.12
Brain & Other Nervous System	480	5.8	0.27	4.2	0.21	362	3.7	0.20	2.5	0.15
Endocrine System	77	1.0	0.11	0.7	0.09	59	0.6	0.08	0.4	0.07
Thyroid gland	45	0.6	0.09	0.3	0.05	38	0.4	0.06	0.2	0.04
Lymphomas	740	9.4	0.35	5.2	0.20	571	5.7	0.24	3.1	0.15
Hodgkin Lymphoma	37	0.5	0.08	0.3	0.05	36	0.4	0.07	0.3	0.06
Non-Hodgkin Lymphoma	703	8.9	0.34	5.0	0.20	535	5.3	0.23	2.8	0.14
Multiple Myeloma	351	4.4	0.24	2.4	0.13	247	2.4	0.15	1.2	0.08
Leukemias	837	10.8	0.38	6.0	0.23	579	5.8	0.25	3.3	0.17
Other, Ill-defined & Unknown	1,484	18.5	0.49	11.1	0.31	1,221	12.3	0.36	7.4	0.24

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,304	285.4	8.67	165.4	4.65	1,170	186.4	5.59	114.8	3.48
Oral Cavity & Pharynx	23	4.6	1.05	3.0	0.64	-	-	-	-	-
Digestive System	362	74.4	4.30	45.6	2.43	270	42.8	2.68	25.7	1.63
Esophagus	34	6.7	1.25	4.5	0.78	-	-	-	-	-
Stomach	39	9.8	1.67	5.1	0.82	18	3.1	0.75	1.5	0.37
Colon & Rectum	143	30.1	2.76	17.9	1.52	131	20.5	1.84	12.7	1.15
Liver	53	9.1	1.41	6.5	0.90	16	2.4	0.62	1.5	0.40
Pancreas	74	14.0	1.79	9.3	1.10	84	13.1	1.48	8.1	0.92
Respiratory System	423	87.1	4.62	54.2	2.68	264	43.1	2.72	25.6	1.64
Larynx	13	3.2	0.93	1.6	0.46	-	-	-	-	-
Lung & bronchus	409	83.7	4.51	52.5	2.63	260	42.4	2.70	25.3	1.63
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	222	33.6	2.31	22.9	1.58
Female Genital System	-	-	-	-	-	128	20.8	1.88	12.6	1.16
Cervix uteri	-	-	-	-	-	29	4.6	0.88	3.0	0.57
Corpus & uterus, NOS ¹	-	-	-	-	-	52	8.4	1.19	5.2	0.75
Ovary	-	-	-	-	-	42	7.0	1.09	4.1	0.65
Male Genital System	193	55.3	4.21	24.9	1.81	-	-	-	-	-
Prostate	188	54.3	4.17	24.2	1.79	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	49	12.3	1.89	6.2	0.90	38	6.4	1.06	3.2	0.55
Bladder	17	5.2	1.33	2.1	0.51	14	2.6	0.71	1.0	0.27
Kidney & renal pelvis	31	6.7	1.30	4.0	0.73	23	3.6	0.78	2.2	0.47
Brain & Other Nervous System	20	3.4	0.86	2.5	0.56	22	3.5	0.76	2.4	0.53
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	23	4.8	1.09	2.9	0.61	23	3.7	0.80	2.3	0.50
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	40	9.1	1.57	4.9	0.79	36	5.8	1.00	3.4	0.59
Leukemias	45	9.3	1.56	5.7	0.86	47	7.5	1.13	4.8	0.72
Other, Ill-defined & Unknown	112	22.2	2.33	13.8	1.32	98	15.6	1.61	9.8	1.03

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	101	100.1	11.45	60.6	6.13	196	137.9	10.70	80.2	5.80
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	37	38.7	7.20	22.0	3.68	58	42.4	6.09	23.4	3.11
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	10	6.8	2.43	3.7	1.18
Colon & Rectum	-	-	-	-	-	16	11.4	3.04	5.9	1.50
Liver	-	-	-	-	-	10	6.1	2.13	4.4	1.40
Pancreas	-	-	-	-	-	12	10.3	3.23	5.4	1.57
Respiratory System	31	28.0	5.66	18.1	3.30	50	38.4	5.75	20.8	2.99
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	30	25.4	5.04	17.3	3.20	50	38.4	5.75	20.8	2.99
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	27	14.9	3.11	10.7	2.08
Female Genital System	-	-	-	-	-	19	11.7	2.91	7.7	1.77
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	10	6.7	2.33	4.2	1.35
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	13	10.3	3.09	5.5	1.54

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	20,217	200.3	1.44	112.1	0.83	18,341	147.4	1.12	86.7	0.71
Oral Cavity & Pharynx	364	3.4	0.18	2.2	0.12	182	1.4	0.11	0.8	0.07
Digestive System	5,391	51.7	0.72	31.1	0.44	3,995	31.6	0.51	18.1	0.32
Esophagus	806	7.8	0.28	4.7	0.17	203	1.6	0.11	0.9	0.07
Stomach	337	3.3	0.19	2.0	0.11	223	1.8	0.13	1.1	0.08
Colon & Rectum	1,703	16.9	0.42	9.5	0.24	1,602	12.6	0.32	6.9	0.19
Liver	854	7.4	0.26	5.4	0.19	265	2.0	0.13	1.3	0.09
Pancreas	1,257	12.1	0.35	7.1	0.21	1,170	9.3	0.28	5.3	0.17
Respiratory System	5,542	54.6	0.75	30.7	0.43	5,012	40.8	0.59	23.4	0.36
Larynx	138	1.3	0.12	0.8	0.07	33	0.3	0.05	0.2	0.03
Lung & bronchus	5,360	52.8	0.74	29.7	0.42	4,950	40.3	0.59	23.1	0.36
Skin	624	6.2	0.25	3.6	0.15	334	2.8	0.16	1.7	0.11
Melanomas of the skin	476	4.6	0.22	2.9	0.14	273	2.3	0.14	1.5	0.10
Breast	18	0.2	0.04	0.1	0.02	2,538	20.5	0.42	13.2	0.29
Female Genital System	-	-	-	-	-	1,991	16.2	0.37	10.2	0.25
Cervix uteri	-	-	-	-	-	197	1.8	0.13	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	537	4.3	0.19	2.6	0.12
Ovary	-	-	-	-	-	1,106	8.9	0.27	5.6	0.18
Male Genital System	2,105	22.4	0.49	9.7	0.22	-	-	-	-	-
Prostate	2,074	22.0	0.49	9.5	0.22	-	-	-	-	-
Testis	12	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,422	14.4	0.39	7.4	0.21	620	4.7	0.20	2.6	0.12
Bladder	801	8.3	0.30	3.9	0.14	288	2.1	0.13	1.0	0.07
Kidney & renal pelvis	586	5.7	0.24	3.3	0.14	315	2.5	0.14	1.5	0.10
Brain & Other Nervous System	664	6.3	0.25	4.6	0.19	466	4.1	0.19	2.8	0.14
Endocrine System	86	0.9	0.10	0.6	0.07	85	0.7	0.08	0.5	0.06
Thyroid gland	59	0.6	0.08	0.3	0.04	55	0.5	0.06	0.3	0.04
Lymphomas	873	8.8	0.31	4.7	0.17	648	5.0	0.20	2.6	0.12
Hodgkin Lymphoma	49	0.5	0.07	0.3	0.05	31	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	824	8.3	0.30	4.4	0.16	617	4.7	0.20	2.4	0.11
Multiple Myeloma	444	4.5	0.22	2.4	0.12	334	2.6	0.15	1.3	0.08
Leukemias	922	9.4	0.32	5.2	0.19	632	5.1	0.21	2.8	0.13
Other, Ill-defined & Unknown	1,762	17.6	0.43	9.8	0.25	1,504	11.9	0.32	6.6	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,340	201.6	1.48	112.8	0.86	17,576	149.0	1.16	87.8	0.74
Oral Cavity & Pharynx	349	3.4	0.19	2.2	0.12	173	1.4	0.11	0.8	0.07
Digestive System	5,072	51.4	0.74	30.9	0.45	3,758	31.3	0.53	18.0	0.33
Esophagus	785	8.0	0.29	4.8	0.18	192	1.6	0.12	0.9	0.07
Stomach	298	3.1	0.18	1.9	0.11	197	1.7	0.13	1.0	0.08
Colon & Rectum	1,616	16.9	0.43	9.5	0.25	1,520	12.7	0.34	6.9	0.20
Liver	750	6.9	0.26	5.0	0.19	227	1.8	0.13	1.2	0.09
Pancreas	1,213	12.3	0.36	7.3	0.22	1,116	9.3	0.29	5.4	0.18
Respiratory System	5,314	55.0	0.77	30.9	0.44	4,828	41.4	0.61	23.8	0.37
Larynx	134	1.4	0.12	0.8	0.07	33	0.3	0.05	0.2	0.03
Lung & bronchus	5,137	53.2	0.76	29.9	0.43	4,766	40.9	0.61	23.5	0.37
Skin	621	6.5	0.27	3.8	0.16	329	2.9	0.16	1.8	0.11
Melanomas of the skin	475	4.9	0.23	3.1	0.15	270	2.4	0.15	1.6	0.11
Breast	18	0.2	0.04	0.1	0.02	2,440	20.9	0.44	13.5	0.30
Female Genital System	-	-	-	-	-	1,915	16.5	0.39	10.4	0.26
Cervix uteri	-	-	-	-	-	184	1.8	0.14	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	513	4.4	0.20	2.7	0.13
Ovary	-	-	-	-	-	1,069	9.1	0.28	5.7	0.19
Male Genital System	2,021	22.4	0.50	9.7	0.23	-	-	-	-	-
Prostate	1,992	22.1	0.50	9.5	0.22	-	-	-	-	-
Testis	11	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,374	14.6	0.40	7.5	0.21	602	4.8	0.20	2.6	0.12
Bladder	783	8.5	0.31	4.0	0.15	283	2.2	0.13	1.1	0.07
Kidney & renal pelvis	559	5.7	0.25	3.4	0.15	302	2.5	0.15	1.5	0.10
Brain & Other Nervous System	644	6.5	0.26	4.7	0.20	451	4.2	0.20	2.9	0.15
Endocrine System	79	0.8	0.10	0.6	0.08	79	0.7	0.08	0.5	0.06
Thyroid gland	54	0.6	0.08	0.3	0.04	52	0.5	0.07	0.3	0.04
Lymphomas	843	9.0	0.32	4.8	0.18	627	5.1	0.21	2.6	0.12
Hodgkin Lymphoma	46	0.5	0.07	0.3	0.05	30	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	797	8.5	0.31	4.5	0.17	597	4.8	0.20	2.5	0.12
Multiple Myeloma	423	4.5	0.22	2.4	0.12	325	2.7	0.15	1.4	0.08
Leukemias	890	9.6	0.33	5.3	0.20	604	5.1	0.21	2.8	0.14
Other, Ill-defined & Unknown	1,692	17.8	0.44	10.0	0.26	1,445	12.1	0.33	6.7	0.20

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	336	260.5	16.06	154.0	8.55	226	159.3	10.95	94.9	6.54
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	114	77.7	8.25	52.2	4.98	58	42.6	5.74	23.1	3.19
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	14	9.2	2.81	6.3	1.72	-	-	-	-	-
Colon & Rectum	33	24.5	4.83	15.0	2.67	26	19.4	3.90	9.6	2.00
Liver	39	24.6	4.50	17.7	2.87	-	-	-	-	-
Pancreas	16	10.8	2.98	7.5	1.91	15	11.1	2.94	6.6	1.78
Respiratory System	86	65.1	7.88	40.1	4.39	59	44.1	5.92	26.0	3.50
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	83	63.1	7.79	38.5	4.29	59	44.1	5.92	26.0	3.50
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	38	25.8	4.33	15.2	2.54
Female Genital System	-	-	-	-	-	18	12.3	2.98	8.2	1.98
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	10	7.2	2.32	4.7	1.54
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	53	53.4	8.02	24.5	3.41	-	-	-	-	-
Prostate	53	53.4	8.02	24.5	3.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	20	16.2	4.09	8.8	2.02	-	-	-	-	-
Bladder	10	8.0	2.89	4.2	1.35	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	14	12.2	3.53	6.5	1.79	-	-	-	-	-
Leukemias	-	-	-	-	-	10	6.2	2.02	3.9	1.29
Other, Ill-defined & Unknown	25	21.6	4.85	11.5	2.34	19	13.5	3.21	8.0	1.92

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	372	141.4	7.80	77.8	4.11	383	99.7	5.28	58.5	3.09
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	158	57.5	4.88	33.1	2.68	137	35.1	3.11	21.0	1.85
Esophagus	10	3.7	1.26	2.0	0.64	-	-	-	-	-
Stomach	20	7.3	1.74	4.2	0.95	19	4.4	1.05	3.1	0.73
Colon & Rectum	42	16.4	2.71	8.4	1.32	37	9.7	1.65	5.3	0.91
Liver	54	17.6	2.53	11.6	1.61	28	7.2	1.41	4.5	0.88
Pancreas	17	7.2	1.84	3.6	0.88	34	9.3	1.65	5.0	0.89
Respiratory System	95	39.9	4.28	20.0	2.09	86	24.4	2.71	12.8	1.43
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	93	39.2	4.25	19.5	2.07	86	24.4	2.71	12.8	1.43
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	39	9.5	1.57	6.3	1.02
Female Genital System	-	-	-	-	-	44	10.0	1.55	7.0	1.07
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	11	2.4	0.73	1.9	0.58
Ovary	-	-	-	-	-	24	5.8	1.22	3.6	0.74
Male Genital System	18	8.7	2.10	3.5	0.85	-	-	-	-	-
Prostate	18	8.7	2.10	3.5	0.85	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	15	5.3	1.45	3.3	0.86	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	10	3.2	1.07	2.2	0.71	-	-	-	-	-
Brain & Other Nervous System	11	3.1	0.98	2.7	0.84	10	2.7	0.87	1.7	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	14	5.5	1.56	2.9	0.79	12	3.6	1.05	1.9	0.56
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	17	6.4	1.67	3.7	0.91	11	3.1	0.97	1.6	0.52
Other, Ill-defined & Unknown	26	9.5	2.01	5.1	1.01	29	7.7	1.48	4.1	0.79

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74,071	214.0	0.80	121.4	0.48	70,177	151.5	0.59	90.7	0.40
Oral Cavity & Pharynx	1,186	3.3	0.10	2.1	0.06	555	1.2	0.05	0.7	0.03
Digestive System	19,831	56.4	0.41	33.6	0.25	15,939	33.3	0.27	18.7	0.17
Esophagus	3,124	8.7	0.16	5.5	0.10	805	1.7	0.06	1.0	0.04
Stomach	1,443	4.2	0.11	2.4	0.07	966	2.0	0.07	1.1	0.04
Colon & Rectum	6,732	19.6	0.24	11.0	0.14	6,713	13.8	0.17	7.5	0.11
Liver	2,481	6.6	0.14	4.5	0.09	919	2.0	0.07	1.2	0.05
Pancreas	4,665	13.3	0.20	7.9	0.12	4,773	10.0	0.15	5.7	0.10
Respiratory System	22,022	63.0	0.43	36.6	0.26	17,588	38.6	0.30	23.4	0.20
Larynx	708	2.0	0.08	1.2	0.05	214	0.5	0.03	0.3	0.02
Lung & bronchus	21,198	60.7	0.42	35.2	0.25	17,293	37.9	0.29	23.0	0.20
Skin	1,941	5.6	0.13	3.3	0.08	1,062	2.3	0.07	1.4	0.05
Melanomas of the skin	1,472	4.3	0.11	2.5	0.07	836	1.9	0.07	1.2	0.05
Breast	92	0.3	0.03	0.2	0.02	10,300	22.8	0.23	14.6	0.16
Female Genital System	-	-	-	-	-	7,463	16.6	0.20	10.5	0.14
Cervix uteri	-	-	-	-	-	833	2.1	0.08	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,401	5.2	0.11	3.2	0.07
Ovary	-	-	-	-	-	3,655	8.1	0.14	5.1	0.09
Male Genital System	6,908	20.9	0.25	9.2	0.12	-	-	-	-	-
Prostate	6,744	20.4	0.25	8.9	0.12	-	-	-	-	-
Testis	82	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,981	14.6	0.21	7.7	0.12	2,530	5.2	0.11	2.7	0.06
Bladder	2,899	8.6	0.16	4.1	0.08	1,179	2.3	0.07	1.1	0.04
Kidney & renal pelvis	1,955	5.6	0.13	3.4	0.08	1,261	2.7	0.08	1.5	0.05
Brain & Other Nervous System	1,799	5.1	0.12	3.7	0.09	1,492	3.5	0.09	2.5	0.08
Endocrine System	260	0.8	0.05	0.5	0.04	362	0.8	0.05	0.6	0.04
Thyroid gland	174	0.5	0.04	0.3	0.02	250	0.5	0.03	0.3	0.02
Lymphomas	3,021	8.9	0.16	4.9	0.10	2,582	5.4	0.11	2.9	0.07
Hodgkin Lymphoma	139	0.4	0.04	0.3	0.03	138	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,882	8.4	0.16	4.6	0.09	2,444	5.0	0.11	2.6	0.06
Multiple Myeloma	1,396	4.1	0.11	2.2	0.06	1,296	2.7	0.08	1.5	0.05
Leukemias	3,261	9.6	0.17	5.4	0.10	2,567	5.5	0.11	3.2	0.08
Other, Ill-defined & Unknown	7,373	21.4	0.25	12.2	0.15	6,441	13.6	0.18	7.9	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	66,722	211.2	0.83	119.5	0.50	62,454	149.0	0.62	88.8	0.42
Oral Cavity & Pharynx	1,051	3.2	0.10	2.1	0.07	507	1.2	0.05	0.7	0.04
Digestive System	17,553	54.9	0.42	32.4	0.26	14,023	32.2	0.28	18.0	0.18
Esophagus	2,956	9.1	0.17	5.7	0.11	706	1.6	0.06	1.0	0.04
Stomach	1,176	3.8	0.11	2.1	0.07	795	1.8	0.07	1.0	0.04
Colon & Rectum	5,989	19.1	0.25	10.7	0.15	6,002	13.6	0.18	7.4	0.11
Liver	1,961	5.8	0.13	3.8	0.09	744	1.8	0.07	1.0	0.04
Pancreas	4,238	13.3	0.21	7.8	0.13	4,200	9.7	0.15	5.5	0.10
Respiratory System	19,830	62.1	0.45	36.0	0.27	15,669	38.1	0.31	23.0	0.21
Larynx	614	1.9	0.08	1.2	0.05	183	0.4	0.03	0.3	0.02
Lung & bronchus	19,108	59.9	0.44	34.6	0.27	15,412	37.4	0.31	22.6	0.21
Skin	1,910	6.1	0.14	3.6	0.09	1,044	2.5	0.08	1.6	0.06
Melanomas of the skin	1,457	4.6	0.12	2.8	0.08	823	2.1	0.08	1.3	0.05
Breast	72	0.2	0.03	0.1	0.02	8,990	22.0	0.24	14.0	0.17
Female Genital System	-	-	-	-	-	6,582	16.3	0.21	10.3	0.15
Cervix uteri	-	-	-	-	-	662	1.9	0.08	1.5	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,038	4.9	0.11	3.0	0.08
Ovary	-	-	-	-	-	3,337	8.2	0.15	5.2	0.10
Male Genital System	5,873	19.2	0.25	8.4	0.12	-	-	-	-	-
Prostate	5,721	18.7	0.25	8.0	0.11	-	-	-	-	-
Testis	78	0.3	0.03	0.3	0.03	-	-	-	-	-
Urinary System	4,666	14.9	0.22	7.8	0.12	2,288	5.1	0.11	2.7	0.07
Bladder	2,747	8.9	0.17	4.2	0.09	1,047	2.2	0.07	1.1	0.04
Kidney & renal pelvis	1,796	5.6	0.13	3.4	0.08	1,156	2.7	0.08	1.5	0.05
Brain & Other Nervous System	1,691	5.4	0.13	3.9	0.10	1,418	3.8	0.10	2.7	0.09
Endocrine System	246	0.8	0.05	0.6	0.04	314	0.8	0.05	0.5	0.04
Thyroid gland	165	0.5	0.04	0.3	0.02	223	0.5	0.04	0.3	0.02
Lymphomas	2,821	9.1	0.17	4.9	0.10	2,401	5.5	0.12	2.9	0.07
Hodgkin Lymphoma	132	0.4	0.04	0.3	0.03	125	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	2,689	8.6	0.17	4.6	0.10	2,276	5.1	0.11	2.6	0.07
Multiple Myeloma	1,216	3.9	0.11	2.1	0.06	1,080	2.5	0.08	1.3	0.05
Leukemias	3,058	9.9	0.18	5.5	0.11	2,355	5.6	0.12	3.2	0.09
Other, Ill-defined & Unknown	6,735	21.5	0.27	12.2	0.16	5,783	13.5	0.18	7.8	0.12

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,697	278.1	3.58	162.6	2.03	7,110	191.1	2.29	119.5	1.51
Oral Cavity & Pharynx	116	4.5	0.44	2.8	0.27	41	1.1	0.17	0.7	0.12
Digestive System	2,038	79.2	1.85	50.0	1.13	1,730	46.7	1.14	27.7	0.71
Esophagus	157	6.1	0.51	3.9	0.32	96	2.5	0.26	1.6	0.18
Stomach	223	9.1	0.64	5.5	0.37	147	4.0	0.33	2.2	0.20
Colon & Rectum	686	28.8	1.16	16.3	0.64	655	17.7	0.70	10.2	0.43
Liver	451	14.7	0.73	11.5	0.55	148	3.9	0.32	2.6	0.23
Pancreas	388	15.2	0.81	9.6	0.50	520	14.2	0.63	8.3	0.39
Respiratory System	1,997	82.1	1.93	49.2	1.12	1,808	48.7	1.16	30.7	0.76
Larynx	91	3.9	0.42	2.2	0.24	30	0.8	0.14	0.5	0.10
Lung & bronchus	1,899	77.9	1.88	46.8	1.10	1,771	47.8	1.15	30.1	0.75
Skin	25	0.9	0.19	0.6	0.13	13	0.4	0.10	0.2	0.07
Melanomas of the skin	12	0.5	0.15	0.3	0.09	-	-	-	-	-
Breast	20	0.8	0.19	0.5	0.11	1,220	32.3	0.94	21.4	0.65
Female Genital System	-	-	-	-	-	808	21.8	0.78	14.0	0.52
Cervix uteri	-	-	-	-	-	153	4.1	0.34	2.9	0.24
Corpus & uterus, NOS ¹	-	-	-	-	-	341	9.2	0.50	5.9	0.33
Ovary	-	-	-	-	-	288	7.8	0.47	4.9	0.30
Male Genital System	1,012	50.5	1.64	23.2	0.75	-	-	-	-	-
Prostate	1,002	50.1	1.63	22.9	0.74	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	293	12.3	0.76	7.0	0.42	228	6.2	0.41	3.4	0.24
Bladder	145	6.6	0.57	3.4	0.29	126	3.4	0.31	1.7	0.17
Kidney & renal pelvis	145	5.6	0.49	3.6	0.30	98	2.7	0.27	1.6	0.17
Brain & Other Nervous System	92	3.1	0.34	2.3	0.25	66	1.7	0.22	1.3	0.17
Endocrine System	13	0.5	0.16	0.3	0.09	42	1.1	0.17	0.9	0.14
Thyroid gland	-	-	-	-	-	22	0.6	0.13	0.4	0.09
Lymphomas	176	6.5	0.52	4.4	0.34	160	4.4	0.35	2.7	0.23
Hodgkin Lymphoma	-	-	-	-	-	13	0.3	0.10	0.2	0.07
Non-Hodgkin Lymphoma	-	-	-	-	-	147	4.0	0.34	2.5	0.22
Multiple Myeloma	164	7.1	0.58	3.9	0.31	208	5.6	0.40	3.4	0.25
Leukemias	179	7.1	0.56	4.4	0.33	191	5.2	0.38	3.3	0.26
Other, Ill-defined & Unknown	572	23.4	1.03	13.9	0.60	595	15.9	0.66	9.7	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	607	113.4	5.16	60.3	2.48	577	87.9	3.92	47.9	2.02
Oral Cavity & Pharynx	18	3.0	0.80	1.7	0.41	-	-	-	-	-
Digestive System	227	39.9	2.98	22.5	1.51	176	28.3	2.27	14.2	1.09
Esophagus	10	2.1	0.76	1.0	0.33	-	-	-	-	-
Stomach	42	7.8	1.31	4.2	0.65	24	3.3	0.73	1.9	0.40
Colon & Rectum	54	10.5	1.64	5.3	0.73	53	9.3	1.35	4.3	0.60
Liver	66	10.0	1.35	6.4	0.80	26	4.3	0.88	2.1	0.41
Pancreas	35	5.7	1.10	3.6	0.61	49	7.9	1.19	3.9	0.57
Respiratory System	176	35.9	2.97	17.4	1.33	100	16.7	1.77	8.3	0.84
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	172	35.3	2.95	17.1	1.32	99	16.6	1.76	8.2	0.83
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	85	10.9	1.27	7.2	0.79
Female Genital System	-	-	-	-	-	69	8.7	1.12	6.0	0.73
Cervix uteri	-	-	-	-	-	17	2.2	0.57	1.5	0.37
Corpus & uterus, NOS ¹	-	-	-	-	-	19	2.2	0.52	1.7	0.39
Ovary	-	-	-	-	-	30	3.9	0.76	2.6	0.47
Male Genital System	20	4.7	1.14	2.1	0.48	-	-	-	-	-
Prostate	18	4.4	1.12	1.9	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	21	4.4	1.07	2.1	0.47	14	2.5	0.71	1.1	0.29
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	13	2.3	0.68	1.3	0.35	-	-	-	-	-
Brain & Other Nervous System	16	1.9	0.49	1.6	0.42	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	24	4.6	1.04	2.4	0.49	20	3.1	0.75	1.7	0.38
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	24	4.6	1.04	2.4	0.49	20	3.1	0.75	1.7	0.38
Multiple Myeloma	14	3.4	1.01	1.4	0.39	-	-	-	-	-
Leukemias	23	3.6	0.86	2.3	0.48	20	3.2	0.77	1.5	0.35
Other, Ill-defined & Unknown	62	11.0	1.59	6.0	0.77	60	9.5	1.32	5.0	0.66

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,729	212.7	2.86	117.8	1.66	5,401	144.2	2.04	84.8	1.34
Oral Cavity & Pharynx	90	3.2	0.35	2.0	0.22	43	1.2	0.19	0.7	0.13
Digestive System	1,530	55.9	1.46	32.6	0.88	1,268	32.7	0.96	18.0	0.59
Esophagus	235	8.6	0.57	5.2	0.36	64	1.6	0.21	0.9	0.13
Stomach	142	5.2	0.44	2.9	0.26	103	2.6	0.27	1.4	0.16
Colon & Rectum	443	16.7	0.80	8.9	0.45	534	13.3	0.60	7.1	0.37
Liver	220	7.5	0.51	5.1	0.36	70	2.0	0.25	1.1	0.15
Pancreas	352	12.9	0.70	7.5	0.42	334	8.8	0.50	4.9	0.31
Respiratory System	1,685	62.6	1.55	35.3	0.91	1,519	42.2	1.11	25.2	0.73
Larynx	51	1.9	0.27	1.0	0.15	22	0.6	0.14	0.4	0.10
Lung & bronchus	1,626	60.5	1.53	34.1	0.89	1,491	41.3	1.10	24.7	0.72
Skin	154	5.6	0.46	3.2	0.27	87	2.2	0.24	1.3	0.16
Melanomas of the skin	104	3.7	0.37	2.2	0.23	64	1.7	0.22	1.1	0.15
Breast	13	0.5	0.13	0.3	0.08	704	19.4	0.76	12.3	0.53
Female Genital System	-	-	-	-	-	496	13.4	0.62	8.5	0.43
Cervix uteri	-	-	-	-	-	42	1.3	0.21	1.0	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	173	4.5	0.36	2.8	0.24
Ovary	-	-	-	-	-	237	6.4	0.43	4.1	0.29
Male Genital System	548	20.9	0.90	9.0	0.42	-	-	-	-	-
Prostate	538	20.5	0.90	8.7	0.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	397	14.9	0.76	7.5	0.41	199	5.0	0.37	2.7	0.23
Bladder	224	8.5	0.58	4.0	0.29	111	2.7	0.27	1.4	0.16
Kidney & renal pelvis	166	6.1	0.48	3.4	0.28	83	2.2	0.25	1.2	0.17
Brain & Other Nervous System	139	5.0	0.44	3.7	0.33	110	3.1	0.31	2.2	0.24
Endocrine System	32	1.3	0.23	0.8	0.16	28	0.7	0.15	0.4	0.10
Thyroid gland	24	0.9	0.19	0.5	0.11	15	0.4	0.11	0.2	0.06
Lymphomas	187	7.0	0.52	3.9	0.31	201	5.0	0.37	2.5	0.21
Hodgkin Lymphoma	16	0.6	0.15	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	171	6.4	0.50	3.5	0.29	-	-	-	-	-
Multiple Myeloma	95	3.6	0.38	1.8	0.20	90	2.3	0.25	1.2	0.15
Leukemias	242	9.2	0.60	5.1	0.36	188	4.9	0.37	2.7	0.25
Other, Ill-defined & Unknown	617	23.0	0.94	12.8	0.55	468	12.1	0.59	7.0	0.38

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,487	216.7	2.98	120.3	1.75	5,182	147.3	2.14	86.7	1.41
Oral Cavity & Pharynx	86	3.3	0.36	2.0	0.23	41	1.2	0.19	0.7	0.13
Digestive System	1,434	56.0	1.51	32.5	0.91	1,205	32.9	1.00	18.0	0.62
Esophagus	230	9.0	0.61	5.5	0.38	62	1.7	0.22	0.9	0.13
Stomach	129	5.0	0.45	2.8	0.26	96	2.6	0.28	1.4	0.17
Colon & Rectum	420	16.7	0.83	9.0	0.48	514	13.6	0.63	7.2	0.39
Liver	191	7.1	0.52	4.7	0.36	62	1.9	0.25	1.0	0.15
Pancreas	337	13.2	0.73	7.7	0.44	325	9.2	0.53	5.1	0.33
Respiratory System	1,625	64.2	1.62	36.3	0.95	1,468	43.4	1.17	26.0	0.77
Larynx	47	1.8	0.27	1.0	0.16	22	0.7	0.15	0.5	0.11
Lung & bronchus	1,570	62.1	1.59	35.1	0.94	1,440	42.6	1.16	25.4	0.76
Skin	153	5.9	0.49	3.4	0.29	85	2.3	0.26	1.4	0.17
Melanomas of the skin	104	4.0	0.40	2.3	0.24	62	1.8	0.23	1.1	0.16
Breast	13	0.5	0.14	0.3	0.09	665	19.5	0.79	12.4	0.55
Female Genital System	-	-	-	-	-	473	13.7	0.66	8.8	0.46
Cervix uteri	-	-	-	-	-	39	1.3	0.23	1.1	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	166	4.6	0.37	2.8	0.25
Ovary	-	-	-	-	-	227	6.6	0.45	4.2	0.31
Male Genital System	523	21.0	0.93	9.0	0.43	-	-	-	-	-
Prostate	514	20.6	0.92	8.7	0.42	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	389	15.4	0.79	7.9	0.43	188	5.0	0.38	2.6	0.24
Bladder	221	8.8	0.60	4.2	0.31	106	2.7	0.28	1.4	0.16
Kidney & renal pelvis	161	6.3	0.51	3.6	0.30	78	2.2	0.26	1.2	0.18
Brain & Other Nervous System	139	5.5	0.48	4.0	0.37	109	3.4	0.34	2.4	0.27
Endocrine System	31	1.3	0.24	0.9	0.18	25	0.7	0.15	0.4	0.11
Thyroid gland	23	0.9	0.20	0.5	0.12	15	0.4	0.11	0.2	0.06
Lymphomas	180	7.2	0.55	4.0	0.33	197	5.2	0.39	2.6	0.23
Hodgkin Lymphoma	15	0.6	0.16	0.4	0.12	-	-	-	-	-
Non-Hodgkin Lymphoma	165	6.6	0.53	3.6	0.30	-	-	-	-	-
Multiple Myeloma	87	3.5	0.38	1.7	0.20	87	2.3	0.26	1.3	0.16
Leukemias	235	9.5	0.63	5.3	0.39	184	5.1	0.40	2.8	0.28
Other, Ill-defined & Unknown	592	23.4	0.98	13.0	0.58	455	12.5	0.62	7.2	0.41

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	155	151.9	13.33	83.9	6.91	155	101.0	8.31	65.7	5.52
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	60	49.3	7.00	31.9	4.22	39	25.0	4.10	16.4	2.76
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	12	12.5	3.90	6.2	1.85	-	-	-	-	-
Colon & Rectum	11	10.0	3.29	6.3	1.91	11	6.8	2.09	4.6	1.46
Liver	22	15.8	3.70	11.5	2.53	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	41	39.9	6.84	21.8	3.49	36	23.2	3.98	15.3	2.66
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	37	35.8	6.43	19.7	3.33	36	23.2	3.98	15.3	2.66
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	35	22.5	3.89	16.0	2.80
Female Genital System	-	-	-	-	-	17	11.4	2.83	7.0	1.78
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	20	27.0	6.22	11.2	2.56	-	-	-	-	-
Prostate	20	27.0	6.22	11.2	2.56	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	14	14.4	4.11	8.2	2.25	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	63	142.8	20.00	79.7	10.13	46	86.5	13.74	46.9	7.01
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	26	60.1	13.22	31.9	6.29	17	30.0	7.77	17.6	4.34
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	13	28.3	8.55	16.9	4.74	10	19.4	6.62	9.5	3.04
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	13	28.3	8.55	16.9	4.74	10	19.4	6.62	9.5	3.04
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,906	227.9	1.47	132.1	0.84	21,589	146.5	1.01	89.1	0.66
Oral Cavity & Pharynx	595	4.8	0.20	3.2	0.14	213	1.5	0.10	0.9	0.07
Digestive System	6,651	56.4	0.72	34.9	0.44	4,856	32.6	0.47	19.0	0.29
Esophagus	899	7.2	0.25	4.8	0.16	241	1.6	0.10	1.0	0.07
Stomach	661	5.6	0.23	3.5	0.14	358	2.5	0.13	1.4	0.08
Colon & Rectum	2,216	19.3	0.43	11.6	0.25	1,928	12.9	0.30	7.5	0.19
Liver	919	7.3	0.25	5.0	0.17	296	2.0	0.12	1.2	0.08
Pancreas	1,509	13.1	0.35	7.7	0.20	1,481	9.9	0.26	5.6	0.16
Respiratory System	8,566	72.6	0.81	43.4	0.48	5,845	39.3	0.52	24.0	0.33
Larynx	308	2.5	0.15	1.6	0.09	52	0.3	0.05	0.2	0.03
Lung & bronchus	8,216	69.8	0.80	41.5	0.47	5,766	38.7	0.52	23.6	0.33
Skin	674	6.1	0.25	3.5	0.14	312	2.2	0.12	1.3	0.08
Melanomas of the skin	466	4.2	0.20	2.5	0.12	240	1.7	0.11	1.1	0.07
Breast	39	0.3	0.05	0.2	0.03	3,286	22.5	0.40	14.8	0.28
Female Genital System	-	-	-	-	-	2,309	15.9	0.34	10.1	0.23
Cervix uteri	-	-	-	-	-	358	2.7	0.15	1.9	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	691	4.6	0.18	2.9	0.12
Ovary	-	-	-	-	-	1,103	7.5	0.23	4.6	0.15
Male Genital System	2,399	24.6	0.52	10.9	0.23	-	-	-	-	-
Prostate	2,356	24.3	0.52	10.6	0.22	-	-	-	-	-
Testis	23	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,486	13.8	0.37	7.3	0.19	703	4.7	0.18	2.6	0.11
Bladder	742	7.3	0.28	3.5	0.13	333	2.3	0.13	1.1	0.07
Kidney & renal pelvis	715	6.3	0.24	3.7	0.14	340	2.3	0.13	1.4	0.08
Brain & Other Nervous System	663	5.6	0.22	3.8	0.16	471	3.2	0.15	2.3	0.12
Endocrine System	94	0.8	0.08	0.6	0.06	100	0.7	0.07	0.5	0.06
Thyroid gland	56	0.5	0.07	0.3	0.04	60	0.4	0.05	0.2	0.03
Lymphomas	872	8.0	0.28	4.4	0.16	654	4.5	0.18	2.4	0.11
Hodgkin Lymphoma	54	0.5	0.06	0.3	0.05	28	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	818	7.6	0.27	4.1	0.15	626	4.3	0.17	2.3	0.10
Multiple Myeloma	530	4.8	0.22	2.6	0.12	476	3.2	0.15	1.7	0.09
Leukemias	993	9.3	0.31	5.2	0.17	706	4.9	0.19	2.8	0.13
Other, Ill-defined & Unknown	2,344	20.8	0.45	12.1	0.26	1,658	11.3	0.28	6.6	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	19,151	215.7	1.61	123.5	0.93	15,759	141.6	1.15	85.3	0.75
Oral Cavity & Pharynx	398	4.2	0.22	2.8	0.14	160	1.4	0.12	0.8	0.07
Digestive System	4,639	50.9	0.77	31.0	0.47	3,269	29.0	0.51	16.6	0.32
Esophagus	619	6.5	0.27	4.2	0.17	160	1.4	0.11	0.8	0.07
Stomach	363	4.0	0.22	2.5	0.13	179	1.6	0.12	1.0	0.08
Colon & Rectum	1,562	17.5	0.46	10.5	0.28	1,323	11.8	0.33	6.6	0.20
Liver	668	7.0	0.28	4.7	0.19	207	1.8	0.13	1.1	0.08
Pancreas	1,088	12.1	0.38	7.0	0.22	1,033	9.1	0.29	5.2	0.17
Respiratory System	6,527	70.8	0.90	41.7	0.53	4,696	41.7	0.62	25.4	0.40
Larynx	183	1.9	0.14	1.3	0.10	35	0.3	0.05	0.2	0.04
Lung & bronchus	6,314	68.6	0.89	40.3	0.52	4,645	41.3	0.61	25.1	0.40
Skin	628	7.2	0.30	4.1	0.17	282	2.6	0.16	1.6	0.11
Melanomas of the skin	453	5.2	0.25	3.1	0.15	226	2.1	0.15	1.4	0.10
Breast	23	0.2	0.05	0.1	0.03	2,234	20.3	0.44	13.2	0.30
Female Genital System	-	-	-	-	-	1,551	14.3	0.37	9.2	0.25
Cervix uteri	-	-	-	-	-	211	2.2	0.16	1.6	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	380	3.4	0.18	2.1	0.12
Ovary	-	-	-	-	-	849	7.7	0.27	4.8	0.18
Male Genital System	1,473	19.0	0.51	8.2	0.22	-	-	-	-	-
Prostate	1,436	18.6	0.51	7.9	0.21	-	-	-	-	-
Testis	22	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,224	14.4	0.43	7.5	0.22	528	4.7	0.21	2.6	0.13
Bladder	638	7.9	0.32	3.8	0.15	246	2.2	0.14	1.1	0.08
Kidney & renal pelvis	566	6.3	0.27	3.7	0.16	257	2.3	0.15	1.4	0.09
Brain & Other Nervous System	572	6.3	0.27	4.3	0.19	400	3.7	0.19	2.6	0.15
Endocrine System	64	0.7	0.09	0.5	0.07	69	0.6	0.08	0.4	0.06
Thyroid gland	44	0.5	0.08	0.3	0.05	46	0.4	0.06	0.2	0.04
Lymphomas	727	8.5	0.33	4.6	0.18	521	4.7	0.21	2.4	0.12
Hodgkin Lymphoma	40	0.5	0.07	0.3	0.06	20	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	687	8.1	0.32	4.3	0.17	501	4.5	0.20	2.3	0.11
Multiple Myeloma	353	4.1	0.23	2.1	0.12	274	2.4	0.15	1.3	0.08
Leukemias	809	9.6	0.35	5.3	0.20	553	5.0	0.22	2.9	0.15
Other, Ill-defined & Unknown	1,714	19.6	0.49	11.1	0.28	1,222	11.0	0.32	6.4	0.21

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,613	282.0	3.76	167.7	2.08	5,662	163.4	2.22	101.4	1.41
Oral Cavity & Pharynx	193	7.0	0.54	4.9	0.36	50	1.4	0.21	1.0	0.14
Digestive System	1,964	78.5	1.92	49.8	1.13	1,539	44.7	1.16	26.5	0.71
Esophagus	280	10.3	0.66	7.1	0.43	80	2.2	0.26	1.5	0.17
Stomach	292	12.0	0.76	7.5	0.44	170	5.1	0.40	2.9	0.24
Colon & Rectum	641	27.1	1.16	16.1	0.64	596	16.8	0.70	10.3	0.44
Liver	236	7.8	0.54	5.9	0.39	77	2.2	0.26	1.4	0.17
Pancreas	412	17.1	0.91	10.5	0.52	439	13.2	0.64	7.2	0.36
Respiratory System	1,991	80.5	1.95	50.4	1.14	1,102	31.4	0.97	19.8	0.62
Larynx	123	4.9	0.48	3.0	0.28	16	0.4	0.11	0.3	0.08
Lung & bronchus	1,857	75.2	1.89	47.1	1.10	1,075	30.7	0.96	19.2	0.61
Skin	44	1.9	0.32	1.1	0.17	30	0.9	0.17	0.5	0.10
Melanomas of the skin	11	0.5	0.15	0.3	0.09	14	0.4	0.12	0.2	0.07
Breast	16	0.6	0.16	0.4	0.11	1,034	29.1	0.92	19.6	0.63
Female Genital System	-	-	-	-	-	739	21.6	0.81	13.6	0.52
Cervix uteri	-	-	-	-	-	142	4.1	0.35	2.8	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	304	8.9	0.52	5.5	0.33
Ovary	-	-	-	-	-	248	7.3	0.47	4.4	0.29
Male Genital System	919	50.8	1.77	22.8	0.76	-	-	-	-	-
Prostate	913	50.5	1.77	22.7	0.76	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	257	11.5	0.78	6.5	0.41	173	5.1	0.39	2.8	0.23
Bladder	102	5.0	0.53	2.5	0.25	86	2.6	0.28	1.3	0.15
Kidney & renal pelvis	147	6.1	0.55	3.8	0.31	83	2.4	0.26	1.4	0.17
Brain & Other Nervous System	88	3.3	0.38	2.4	0.26	66	1.9	0.24	1.4	0.18
Endocrine System	27	1.0	0.20	0.7	0.14	31	0.9	0.16	0.6	0.12
Thyroid gland	-	-	-	-	-	14	0.4	0.11	0.2	0.06
Lymphomas	143	6.0	0.54	3.7	0.32	125	3.7	0.34	2.3	0.22
Hodgkin Lymphoma	14	0.5	0.14	0.4	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	129	5.5	0.52	3.3	0.30	-	-	-	-	-
Multiple Myeloma	175	8.0	0.65	4.5	0.34	201	5.9	0.43	3.3	0.25
Leukemias	179	8.0	0.64	4.7	0.36	148	4.5	0.38	2.6	0.23
Other, Ill-defined & Unknown	617	25.0	1.09	15.7	0.64	424	12.3	0.61	7.4	0.38

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	86	87.5	11.41	50.7	5.58	131	94.6	9.17	54.9	4.84
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	32	29.3	6.27	17.9	3.24	43	31.3	5.28	18.2	2.80
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	10	11.3	4.53	5.6	1.86	12	9.0	2.85	5.2	1.51
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	27	28.6	6.76	17.2	3.36	28	22.4	4.60	11.7	2.23
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	25	27.4	6.71	15.9	3.24	28	22.4	4.60	11.7	2.23
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	15	10.5	2.94	5.8	1.51
Female Genital System	-	-	-	-	-	14	8.8	2.71	6.1	1.63
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	10	7.7	2.73	5.5	1.76	11	7.1	2.53	4.6	1.39

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2009-2013, All Races

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	4,205	193.5	3.03	108.1	1.79	3,825	139.9	2.34	81.3	1.53
Oral Cavity & Pharynx	74	3.4	0.40	2.1	0.26	29	1.0	0.20	0.6	0.14
Digestive System	1,096	49.7	1.52	29.3	0.94	912	32.2	1.10	17.6	0.69
Esophagus	196	8.9	0.64	5.3	0.40	43	1.5	0.24	0.9	0.15
Stomach	63	2.9	0.37	1.8	0.24	59	2.1	0.28	1.1	0.17
Colon & Rectum	406	18.7	0.94	10.6	0.56	383	13.0	0.69	6.9	0.42
Liver	102	4.4	0.45	2.9	0.30	47	1.7	0.26	1.0	0.17
Pancreas	244	10.9	0.71	6.7	0.45	272	9.8	0.61	5.5	0.39
Respiratory System	1,235	56.6	1.63	31.6	0.95	929	35.1	1.18	20.5	0.76
Larynx	25	1.2	0.24	0.6	0.14	-	-	-	-	-
Lung & bronchus	1,206	55.2	1.61	30.9	0.94	920	34.8	1.17	20.4	0.76
Skin	100	4.6	0.47	2.6	0.28	59	2.2	0.30	1.4	0.21
Melanomas of the skin	61	2.8	0.36	1.7	0.23	45	1.8	0.28	1.1	0.20
Breast	-	-	-	-	-	541	20.1	0.90	12.7	0.63
Female Genital System	-	-	-	-	-	382	14.4	0.76	8.7	0.51
Cervix uteri	-	-	-	-	-	39	1.7	0.28	1.3	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	121	4.5	0.43	2.7	0.29
Ovary	-	-	-	-	-	190	7.0	0.52	4.1	0.34
Male Genital System	429	20.5	0.99	8.9	0.46	-	-	-	-	-
Prostate	425	20.3	0.99	8.9	0.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	277	12.7	0.77	6.7	0.43	154	5.4	0.45	2.9	0.27
Bladder	139	6.5	0.56	2.9	0.27	53	1.8	0.25	0.9	0.15
Kidney & renal pelvis	132	5.9	0.53	3.6	0.33	92	3.3	0.36	1.9	0.23
Brain & Other Nervous System	153	6.7	0.55	4.9	0.43	112	4.6	0.45	3.1	0.34
Endocrine System	19	0.8	0.19	0.5	0.13	20	0.8	0.19	0.5	0.15
Thyroid gland	11	0.5	0.15	0.3	0.08	11	0.5	0.14	0.2	0.09
Lymphomas	162	7.4	0.59	4.0	0.34	143	4.8	0.42	2.5	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	91	4.2	0.45	2.2	0.25	91	3.1	0.33	1.6	0.20
Leukemias	220	10.6	0.73	6.0	0.46	157	5.7	0.47	3.1	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	296	10.6	0.65	5.9	0.42

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,958	190.6	3.07	106.0	1.83	3,582	137.4	2.39	79.6	1.57
Oral Cavity & Pharynx	67	3.3	0.41	2.1	0.27	26	1.0	0.20	0.6	0.13
Digestive System	1,020	48.5	1.54	28.3	0.95	835	30.6	1.10	16.6	0.69
Esophagus	187	8.9	0.66	5.3	0.41	37	1.4	0.23	0.7	0.14
Stomach	56	2.7	0.37	1.6	0.24	53	1.9	0.27	1.0	0.17
Colon & Rectum	380	18.4	0.96	10.2	0.56	355	12.6	0.70	6.7	0.44
Liver	80	3.7	0.42	2.3	0.28	38	1.4	0.23	0.8	0.15
Pancreas	235	11.0	0.73	6.7	0.46	253	9.4	0.61	5.2	0.39
Respiratory System	1,152	55.2	1.65	30.6	0.96	869	34.6	1.20	20.3	0.78
Larynx	22	1.1	0.24	0.6	0.13	-	-	-	-	-
Lung & bronchus	1,126	53.9	1.63	29.9	0.95	860	34.3	1.20	20.1	0.78
Skin	96	4.6	0.48	2.6	0.29	58	2.2	0.31	1.4	0.22
Melanomas of the skin	61	2.9	0.38	1.8	0.25	44	1.8	0.29	1.2	0.21
Breast	-	-	-	-	-	517	20.3	0.94	12.9	0.66
Female Genital System	-	-	-	-	-	350	13.8	0.76	8.2	0.51
Cervix uteri	-	-	-	-	-	25	1.1	0.23	0.9	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	117	4.6	0.45	2.8	0.30
Ovary	-	-	-	-	-	177	6.8	0.52	3.9	0.34
Male Genital System	411	20.3	1.01	8.8	0.47	-	-	-	-	-
Prostate	407	20.1	1.00	8.7	0.47	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	265	12.6	0.78	6.7	0.44	147	5.4	0.46	2.9	0.28
Bladder	135	6.5	0.57	3.0	0.27	52	1.8	0.26	0.9	0.15
Kidney & renal pelvis	124	5.8	0.53	3.5	0.34	86	3.3	0.36	1.9	0.23
Brain & Other Nervous System	151	7.1	0.59	5.2	0.46	108	4.7	0.48	3.2	0.36
Endocrine System	17	0.8	0.19	0.5	0.13	19	0.9	0.21	0.6	0.17
Thyroid gland	10	0.5	0.15	0.3	0.09	10	0.4	0.15	0.2	0.09
Lymphomas	158	7.6	0.61	4.1	0.37	140	4.9	0.43	2.6	0.27
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	88	4.2	0.46	2.2	0.25	89	3.1	0.34	1.6	0.21
Leukemias	211	10.7	0.75	6.1	0.49	149	5.7	0.49	3.0	0.31
Other, Ill-defined & Unknown	-	-	-	-	-	275	10.4	0.66	5.8	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate</i>		<i>S.E.</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>		<i>S.E.</i>	<i>S.E.</i>
		<i>2000 U.S.</i>	<i>World</i>				<i>2000 U.S.</i>	<i>World</i>		
All Sites	16	70.2	19.27	59.3	15.73	-	-	-	-	-
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	13	174.4	60.31	96.9	29.05	15	117.4	34.54	64.9	17.44
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,217	241.2	1.30	141.0	0.75	31,138	155.3	0.89	95.5	0.59
Oral Cavity & Pharynx	809	4.9	0.18	3.2	0.12	312	1.5	0.09	0.9	0.06
Digestive System	9,170	57.8	0.63	35.3	0.38	6,745	33.5	0.41	19.6	0.26
Esophagus	1,259	7.6	0.22	4.9	0.14	279	1.4	0.08	0.8	0.05
Stomach	702	4.6	0.18	2.7	0.11	438	2.2	0.11	1.3	0.07
Colon & Rectum	3,204	20.9	0.38	12.2	0.22	2,869	14.2	0.27	8.3	0.17
Liver	1,369	8.0	0.22	5.5	0.15	496	2.5	0.11	1.5	0.07
Pancreas	2,003	12.7	0.29	7.6	0.17	1,967	9.7	0.22	5.7	0.14
Respiratory System	13,290	83.5	0.75	50.3	0.45	9,132	45.2	0.48	28.4	0.32
Larynx	400	2.4	0.13	1.6	0.08	108	0.5	0.05	0.4	0.04
Lung & bronchus	12,822	80.7	0.74	48.5	0.44	8,978	44.5	0.47	27.9	0.31
Skin	1,131	7.5	0.23	4.3	0.13	474	2.4	0.11	1.5	0.07
Melanomas of the skin	768	5.0	0.19	3.0	0.11	339	1.7	0.10	1.1	0.07
Breast	43	0.3	0.04	0.2	0.03	4,484	22.5	0.34	14.6	0.24
Female Genital System	-	-	-	-	-	3,009	15.2	0.28	9.8	0.19
Cervix uteri	-	-	-	-	-	495	2.7	0.12	2.0	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	766	3.8	0.14	2.4	0.09
Ovary	-	-	-	-	-	1,524	7.6	0.20	4.8	0.13
Male Genital System	2,936	22.0	0.42	9.9	0.19	-	-	-	-	-
Prostate	2,858	21.5	0.41	9.6	0.18	-	-	-	-	-
Testis	35	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,150	14.5	0.32	7.8	0.17	949	4.7	0.15	2.6	0.09
Bladder	1,070	7.6	0.24	3.7	0.12	403	2.0	0.10	1.0	0.06
Kidney & renal pelvis	1,034	6.6	0.21	4.0	0.13	517	2.6	0.12	1.5	0.07
Brain & Other Nervous System	929	5.7	0.19	4.1	0.14	801	4.1	0.15	2.9	0.12
Endocrine System	134	0.9	0.08	0.6	0.06	132	0.7	0.06	0.5	0.05
Thyroid gland	77	0.5	0.06	0.3	0.04	81	0.4	0.05	0.2	0.03
Lymphomas	1,366	9.1	0.26	5.2	0.15	1,035	5.2	0.16	2.7	0.09
Hodgkin Lymphoma	92	0.6	0.06	0.4	0.05	49	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,274	8.5	0.25	4.8	0.14	986	4.9	0.16	2.5	0.09
Multiple Myeloma	712	4.8	0.18	2.6	0.10	595	2.9	0.12	1.6	0.07
Leukemias	1,492	10.2	0.27	5.7	0.16	1,068	5.4	0.17	3.1	0.11
Other, Ill-defined & Unknown	3,055	20.0	0.38	11.7	0.22	2,402	12.0	0.25	7.3	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,965	235.3	1.36	137.2	0.80	26,340	152.2	0.95	93.4	0.63
Oral Cavity & Pharynx	679	4.7	0.19	3.1	0.12	281	1.6	0.10	1.0	0.06
Digestive System	7,617	54.9	0.65	33.3	0.39	5,507	31.6	0.43	18.4	0.27
Esophagus	1,100	7.6	0.24	4.9	0.15	233	1.3	0.09	0.8	0.06
Stomach	521	3.9	0.17	2.3	0.10	326	1.9	0.11	1.1	0.07
Colon & Rectum	2,654	19.8	0.40	11.4	0.23	2,339	13.4	0.28	7.7	0.18
Liver	1,070	7.3	0.23	4.9	0.15	377	2.2	0.11	1.3	0.07
Pancreas	1,729	12.4	0.31	7.5	0.19	1,649	9.4	0.23	5.5	0.15
Respiratory System	11,586	82.7	0.79	49.6	0.47	8,047	46.1	0.52	29.1	0.35
Larynx	326	2.3	0.13	1.5	0.08	84	0.5	0.05	0.3	0.04
Lung & bronchus	11,201	80.0	0.78	47.9	0.46	7,922	45.4	0.52	28.6	0.34
Skin	1,097	8.3	0.26	4.8	0.15	450	2.7	0.13	1.6	0.09
Melanomas of the skin	757	5.6	0.21	3.4	0.13	326	2.0	0.11	1.3	0.08
Breast	36	0.3	0.04	0.2	0.03	3,587	20.9	0.36	13.4	0.24
Female Genital System	-	-	-	-	-	2,487	14.7	0.30	9.4	0.21
Cervix uteri	-	-	-	-	-	360	2.4	0.13	1.7	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	586	3.4	0.14	2.1	0.10
Ovary	-	-	-	-	-	1,343	7.8	0.22	4.9	0.15
Male Genital System	2,285	19.2	0.41	8.6	0.19	-	-	-	-	-
Prostate	2,214	18.7	0.41	8.2	0.18	-	-	-	-	-
Testis	34	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,965	15.0	0.35	8.1	0.19	799	4.6	0.16	2.6	0.10
Bladder	982	7.9	0.26	3.8	0.13	339	1.9	0.11	1.0	0.06
Kidney & renal pelvis	940	6.8	0.23	4.1	0.14	436	2.5	0.12	1.5	0.08
Brain & Other Nervous System	852	6.1	0.21	4.4	0.16	740	4.5	0.17	3.2	0.13
Endocrine System	111	0.8	0.08	0.6	0.06	100	0.6	0.06	0.4	0.05
Thyroid gland	70	0.5	0.06	0.3	0.04	60	0.3	0.05	0.2	0.03
Lymphomas	1,232	9.3	0.27	5.3	0.16	943	5.4	0.18	2.8	0.10
Hodgkin Lymphoma	73	0.5	0.06	0.4	0.05	39	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,159	8.8	0.27	4.9	0.15	904	5.1	0.17	2.6	0.10
Multiple Myeloma	575	4.3	0.19	2.3	0.10	451	2.6	0.12	1.4	0.07
Leukemias	1,330	10.3	0.29	5.7	0.17	937	5.4	0.18	3.1	0.12
Other, Ill-defined & Unknown	2,600	19.5	0.39	11.3	0.23	2,011	11.6	0.26	7.1	0.18

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,085	308.4	4.77	181.3	2.58	4,607	183.5	2.78	113.7	1.74
Oral Cavity & Pharynx	123	6.1	0.60	4.2	0.39	30	1.2	0.22	0.7	0.13
Digestive System	1,498	86.0	2.46	52.7	1.38	1,173	47.2	1.42	28.2	0.86
Esophagus	154	7.6	0.67	5.4	0.45	45	1.8	0.28	1.1	0.17
Stomach	173	10.5	0.88	6.1	0.47	102	4.3	0.43	2.5	0.26
Colon & Rectum	539	33.1	1.57	19.3	0.84	508	20.7	0.94	12.1	0.56
Liver	280	13.3	0.88	9.4	0.57	108	4.1	0.41	2.5	0.25
Pancreas	268	16.5	1.10	9.5	0.59	303	12.4	0.73	7.3	0.44
Respiratory System	1,655	96.5	2.61	59.4	1.49	1,032	41.8	1.34	25.7	0.83
Larynx	74	3.8	0.49	2.6	0.30	23	0.8	0.18	0.6	0.13
Lung & bronchus	1,572	92.1	2.55	56.6	1.45	1,004	40.8	1.32	25.0	0.82
Skin	32	1.6	0.31	1.1	0.20	23	0.9	0.19	0.6	0.12
Melanomas of the skin	-	-	-	-	-	12	0.5	0.14	0.3	0.09
Breast	-	-	-	-	-	880	33.0	1.14	22.4	0.78
Female Genital System	-	-	-	-	-	508	20.1	0.92	12.9	0.59
Cervix uteri	-	-	-	-	-	129	4.9	0.44	3.4	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	180	7.3	0.56	4.6	0.36
Ovary	-	-	-	-	-	175	7.0	0.54	4.4	0.34
Male Genital System	643	51.0	2.15	23.3	0.93	-	-	-	-	-
Prostate	636	50.4	2.13	23.0	0.92	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	178	11.6	0.95	6.4	0.49	147	6.3	0.53	3.3	0.28
Bladder	85	5.8	0.69	3.0	0.33	63	2.8	0.36	1.3	0.18
Kidney & renal pelvis	90	5.5	0.64	3.3	0.35	79	3.3	0.38	1.8	0.21
Brain & Other Nervous System	73	3.6	0.47	2.5	0.30	56	2.1	0.29	1.6	0.23
Endocrine System	21	1.0	0.25	0.8	0.18	32	1.2	0.22	0.8	0.16
Thyroid gland	-	-	-	-	-	21	0.8	0.18	0.5	0.12
Lymphomas	129	7.3	0.71	4.5	0.40	88	3.4	0.37	2.2	0.25
Hodgkin Lymphoma	19	1.0	0.25	0.7	0.16	-	-	-	-	-
Non-Hodgkin Lymphoma	110	6.3	0.67	3.9	0.37	-	-	-	-	-
Multiple Myeloma	134	8.8	0.82	4.9	0.43	141	5.9	0.51	3.3	0.29
Leukemias	155	9.4	0.83	5.6	0.46	124	5.1	0.47	2.9	0.28
Other, Ill-defined & Unknown	-	-	-	-	-	373	15.1	0.80	9.0	0.48

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	139	103.9	10.85	60.3	5.27	165	87.1	7.66	52.6	4.17
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	51	33.1	5.78	21.9	3.15	59	29.4	4.39	18.2	2.42
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	10	4.5	1.69	3.0	0.97
Colon & Rectum	10	6.9	2.81	4.5	1.48	19	10.0	2.67	5.8	1.35
Liver	17	9.3	2.49	7.1	1.73	11	6.8	2.30	3.4	1.05
Pancreas	-	-	-	-	-	12	5.4	1.71	3.7	1.10
Respiratory System	39	27.2	5.05	16.6	2.70	41	24.4	4.25	13.6	2.15
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	39	27.2	5.05	16.6	2.70	41	24.4	4.25	13.6	2.15
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	14	6.6	1.93	4.3	1.16
Female Genital System	-	-	-	-	-	12	4.9	1.51	3.6	1.05
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	13	12.0	3.95	5.7	1.63	16	10.0	2.80	5.2	1.35

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	99,858	198.4	0.65	113.8	0.37	86,355	135.1	0.47	81.3	0.30
Oral Cavity & Pharynx	2,241	4.1	0.09	2.7	0.06	871	1.3	0.05	0.8	0.03
Digestive System	29,018	54.9	0.34	33.7	0.20	20,389	31.9	0.23	18.4	0.14
Esophagus	3,217	6.0	0.11	3.8	0.07	751	1.2	0.04	0.7	0.03
Stomach	2,531	4.9	0.10	2.9	0.06	1,742	2.7	0.07	1.7	0.04
Colon & Rectum	9,578	18.7	0.20	11.0	0.11	7,858	12.2	0.14	7.0	0.09
Liver	5,731	10.0	0.14	6.8	0.09	2,110	3.3	0.07	1.9	0.04
Pancreas	6,025	11.7	0.16	6.9	0.09	5,683	9.0	0.12	5.0	0.07
Respiratory System	28,597	56.7	0.35	32.6	0.20	20,963	33.2	0.23	19.4	0.14
Larynx	1,108	2.1	0.06	1.3	0.04	231	0.4	0.02	0.2	0.02
Lung & bronchus	27,288	54.3	0.34	31.1	0.19	20,615	32.6	0.23	19.1	0.14
Skin	2,737	5.5	0.11	3.1	0.06	1,176	1.8	0.05	1.1	0.03
Melanomas of the skin	1,838	3.6	0.09	2.1	0.05	901	1.4	0.05	0.9	0.03
Breast	112	0.2	0.02	0.1	0.01	13,423	20.7	0.18	13.5	0.12
Female Genital System	-	-	-	-	-	9,257	14.4	0.15	9.4	0.10
Cervix uteri	-	-	-	-	-	1,752	2.7	0.07	2.0	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,440	3.8	0.08	2.4	0.05
Ovary	-	-	-	-	-	4,479	7.0	0.11	4.4	0.07
Male Genital System	8,575	19.7	0.22	8.9	0.10	-	-	-	-	-
Prostate	8,269	19.2	0.22	8.5	0.10	-	-	-	-	-
Testis	171	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	6,387	13.1	0.17	7.1	0.09	3,117	4.9	0.09	2.6	0.05
Bladder	2,902	6.4	0.12	3.1	0.06	1,138	1.8	0.05	0.9	0.03
Kidney & renal pelvis	3,359	6.4	0.12	3.9	0.07	1,894	3.0	0.07	1.7	0.04
Brain & Other Nervous System	2,760	4.9	0.10	3.5	0.07	2,171	3.4	0.07	2.4	0.06
Endocrine System	477	0.9	0.04	0.6	0.03	503	0.8	0.04	0.5	0.02
Thyroid gland	298	0.6	0.04	0.3	0.02	335	0.5	0.03	0.3	0.02
Lymphomas	3,937	8.1	0.13	4.4	0.07	3,028	4.8	0.09	2.6	0.05
Hodgkin Lymphoma	276	0.5	0.03	0.3	0.02	171	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,661	7.6	0.13	4.1	0.07	2,857	4.5	0.09	2.4	0.05
Multiple Myeloma	1,985	4.1	0.09	2.2	0.05	1,599	2.5	0.06	1.4	0.04
Leukemias	4,389	9.1	0.14	5.1	0.08	3,246	5.1	0.09	3.1	0.06
Other, Ill-defined & Unknown	8,643	17.1	0.19	9.9	0.11	6,612	10.3	0.13	6.1	0.08

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	85,964	196.4	0.69	112.2	0.39	73,464	133.9	0.50	80.4	0.32
Oral Cavity & Pharynx	1,922	4.1	0.10	2.6	0.06	754	1.4	0.05	0.8	0.03
Digestive System	24,298	53.3	0.35	32.5	0.21	17,018	30.9	0.24	17.8	0.15
Esophagus	2,869	6.2	0.12	3.9	0.07	651	1.2	0.05	0.7	0.03
Stomach	2,008	4.5	0.10	2.7	0.06	1,390	2.6	0.07	1.6	0.04
Colon & Rectum	7,989	18.0	0.21	10.5	0.12	6,466	11.7	0.15	6.7	0.09
Liver	4,575	9.4	0.14	6.3	0.09	1,747	3.2	0.08	1.8	0.05
Pancreas	5,198	11.6	0.17	6.8	0.10	4,796	8.7	0.13	4.9	0.08
Respiratory System	24,486	55.7	0.37	31.9	0.21	18,163	33.3	0.25	19.5	0.15
Larynx	893	1.9	0.07	1.2	0.04	192	0.3	0.03	0.2	0.02
Lung & bronchus	23,416	53.4	0.36	30.4	0.20	17,881	32.8	0.25	19.2	0.15
Skin	2,647	6.1	0.12	3.5	0.07	1,123	2.0	0.06	1.2	0.04
Melanomas of the skin	1,807	4.1	0.10	2.4	0.06	865	1.6	0.05	1.0	0.04
Breast	92	0.2	0.02	0.1	0.01	10,895	19.7	0.19	12.8	0.13
Female Genital System	-	-	-	-	-	7,815	14.3	0.16	9.3	0.11
Cervix uteri	-	-	-	-	-	1,398	2.6	0.07	2.0	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	1,926	3.5	0.08	2.2	0.05
Ovary	-	-	-	-	-	3,977	7.2	0.12	4.5	0.08
Male Genital System	7,116	18.5	0.22	8.2	0.10	-	-	-	-	-
Prostate	6,839	17.9	0.22	7.8	0.10	-	-	-	-	-
Testis	165	0.3	0.03	0.3	0.02	-	-	-	-	-
Urinary System	5,795	13.6	0.18	7.4	0.10	2,731	5.0	0.10	2.7	0.06
Bladder	2,667	6.7	0.13	3.2	0.06	989	1.8	0.06	0.8	0.03
Kidney & renal pelvis	3,012	6.6	0.12	4.0	0.08	1,667	3.0	0.07	1.7	0.05
Brain & Other Nervous System	2,519	5.3	0.11	3.7	0.08	1,983	3.6	0.08	2.6	0.06
Endocrine System	415	0.9	0.05	0.6	0.03	420	0.8	0.04	0.5	0.03
Thyroid gland	271	0.6	0.04	0.4	0.02	279	0.5	0.03	0.3	0.02
Lymphomas	3,566	8.4	0.14	4.6	0.08	2,727	5.0	0.10	2.7	0.06
Hodgkin Lymphoma	250	0.6	0.04	0.4	0.02	146	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,316	7.8	0.14	4.2	0.08	2,581	4.7	0.09	2.5	0.05
Multiple Myeloma	1,616	3.8	0.10	2.0	0.05	1,233	2.3	0.06	1.2	0.04
Leukemias	3,936	9.4	0.15	5.2	0.09	2,894	5.3	0.10	3.2	0.07
Other, Ill-defined & Unknown	7,556	17.2	0.20	10.0	0.12	5,708	10.4	0.14	6.1	0.09

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2009-2013, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,084	262.0	2.64	154.7	1.43	11,167	167.9	1.64	104.2	1.02
Oral Cavity & Pharynx	272	5.1	0.35	3.4	0.21	96	1.3	0.14	0.9	0.09
Digestive System	3,957	78.4	1.39	49.8	0.81	2,846	43.7	0.84	25.6	0.50
Esophagus	297	6.0	0.39	3.8	0.22	88	1.3	0.14	0.8	0.09
Stomach	411	8.8	0.49	5.2	0.26	264	4.1	0.26	2.3	0.15
Colon & Rectum	1,416	29.2	0.87	17.9	0.49	1,217	18.4	0.54	11.0	0.33
Liver	912	15.0	0.55	11.1	0.38	267	3.9	0.24	2.4	0.15
Pancreas	716	14.8	0.61	9.2	0.35	785	12.6	0.46	6.9	0.26
Respiratory System	3,691	80.1	1.45	48.0	0.80	2,438	37.6	0.79	23.0	0.48
Larynx	206	4.0	0.31	2.7	0.19	39	0.6	0.10	0.4	0.06
Lung & bronchus	3,464	75.6	1.41	45.0	0.78	2,376	36.6	0.78	22.4	0.48
Skin	74	1.4	0.18	0.9	0.11	44	0.7	0.10	0.4	0.06
Melanomas of the skin	25	0.5	0.11	0.3	0.06	30	0.5	0.09	0.2	0.05
Breast	18	0.4	0.11	0.2	0.05	2,271	32.0	0.69	21.6	0.46
Female Genital System	-	-	-	-	-	1,257	18.6	0.54	12.2	0.35
Cervix uteri	-	-	-	-	-	318	4.3	0.25	3.1	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	461	7.0	0.34	4.6	0.22
Ovary	-	-	-	-	-	411	6.2	0.32	3.9	0.20
Male Genital System	1,383	39.2	1.13	18.3	0.50	-	-	-	-	-
Prostate	1,357	38.7	1.13	18.0	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	512	11.9	0.58	6.4	0.29	349	5.5	0.30	3.1	0.17
Bladder	198	5.2	0.40	2.5	0.18	137	2.3	0.20	1.1	0.10
Kidney & renal pelvis	307	6.4	0.41	3.8	0.22	202	3.1	0.23	1.8	0.13
Brain & Other Nervous System	185	3.1	0.25	2.3	0.17	154	2.1	0.18	1.6	0.13
Endocrine System	50	0.9	0.14	0.6	0.09	69	1.0	0.13	0.7	0.09
Thyroid gland	22	0.5	0.12	0.3	0.06	49	0.8	0.11	0.5	0.07
Lymphomas	285	5.8	0.38	3.5	0.21	240	3.6	0.24	2.3	0.15
Hodgkin Lymphoma	20	0.4	0.10	0.2	0.06	24	0.3	0.07	0.2	0.05
Non-Hodgkin Lymphoma	265	5.4	0.37	3.3	0.21	216	3.3	0.23	2.0	0.14
Multiple Myeloma	332	7.9	0.48	4.3	0.24	338	5.5	0.31	3.0	0.17
Leukemias	383	8.2	0.46	5.0	0.26	281	4.3	0.27	2.6	0.16
Other, Ill-defined & Unknown	942	19.5	0.71	11.9	0.39	784	12.0	0.44	7.3	0.27

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	1,683	106.3	3.00	59.9	1.48	1,604	82.0	2.23	46.5	1.18
Oral Cavity & Pharynx	44	2.5	0.44	1.5	0.23	19	1.0	0.25	0.5	0.11
Digestive System	722	43.2	1.85	25.3	0.95	497	27.5	1.33	14.4	0.65
Esophagus	46	2.8	0.48	1.6	0.25	11	0.7	0.23	0.3	0.09
Stomach	108	6.5	0.73	3.7	0.36	85	4.3	0.51	2.4	0.26
Colon & Rectum	157	10.3	0.95	5.6	0.46	166	8.8	0.74	4.9	0.38
Liver	237	12.8	0.95	8.1	0.53	93	5.5	0.61	2.7	0.29
Pancreas	105	6.7	0.74	3.7	0.37	95	5.5	0.61	2.8	0.29
Respiratory System	384	26.0	1.53	13.9	0.72	331	18.0	1.06	9.6	0.54
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	372	25.3	1.51	13.5	0.71	327	17.7	1.06	9.5	0.53
Skin	12	0.8	0.27	0.4	0.12	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	232	9.8	0.70	6.6	0.44
Female Genital System	-	-	-	-	-	173	7.7	0.64	5.0	0.39
Cervix uteri	-	-	-	-	-	33	1.4	0.27	0.9	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	52	2.2	0.33	1.5	0.21
Ovary	-	-	-	-	-	84	3.8	0.45	2.5	0.27
Male Genital System	68	6.8	0.91	2.8	0.34	-	-	-	-	-
Prostate	65	6.7	0.91	2.6	0.33	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	71	4.6	0.62	2.6	0.31	33	1.9	0.36	1.0	0.17
Bladder	31	2.5	0.50	1.1	0.21	11	0.7	0.22	0.3	0.10
Kidney & renal pelvis	37	1.9	0.36	1.3	0.22	22	1.2	0.28	0.6	0.14
Brain & Other Nervous System	53	2.3	0.35	1.9	0.27	31	1.2	0.22	0.9	0.17
Endocrine System	12	0.6	0.19	0.4	0.13	14	0.7	0.21	0.4	0.12
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	81	5.3	0.69	2.8	0.32	60	3.3	0.47	1.7	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	34	2.4	0.46	1.2	0.21	27	1.5	0.31	0.8	0.15
Leukemias	69	3.9	0.53	2.4	0.30	65	3.1	0.43	2.0	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,481	152.1	1.80	84.1	1.01	6,477	109.8	1.38	64.7	0.86
Oral Cavity & Pharynx	105	2.0	0.20	1.3	0.13	70	1.2	0.15	0.7	0.09
Digestive System	2,063	40.2	0.91	24.4	0.55	1,539	26.2	0.68	14.7	0.40
Esophagus	286	5.5	0.33	3.4	0.21	62	1.1	0.13	0.7	0.09
Stomach	140	2.9	0.25	1.6	0.14	85	1.4	0.16	0.8	0.10
Colon & Rectum	662	13.0	0.52	7.8	0.31	587	10.1	0.42	5.6	0.25
Liver	257	4.6	0.30	3.2	0.20	120	2.1	0.19	1.1	0.11
Pancreas	570	11.3	0.48	6.7	0.29	508	8.6	0.39	4.9	0.24
Respiratory System	1,329	26.5	0.75	15.4	0.44	936	16.1	0.53	9.5	0.33
Larynx	30	0.6	0.11	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,290	25.8	0.74	15.0	0.43	923	15.8	0.53	9.4	0.33
Skin	382	7.6	0.40	4.4	0.23	132	2.2	0.19	1.4	0.13
Melanomas of the skin	303	5.9	0.35	3.5	0.21	116	1.9	0.18	1.3	0.13
Breast	13	0.2	0.07	0.2	0.04	1,232	20.7	0.60	13.0	0.39
Female Genital System	-	-	-	-	-	781	13.2	0.48	8.4	0.32
Cervix uteri	-	-	-	-	-	86	1.4	0.16	1.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	242	4.1	0.27	2.6	0.17
Ovary	-	-	-	-	-	424	7.2	0.35	4.4	0.23
Male Genital System	992	22.6	0.73	9.6	0.32	-	-	-	-	-
Prostate	975	22.3	0.72	9.4	0.31	-	-	-	-	-
Testis	13	0.2	0.05	0.2	0.05	-	-	-	-	-
Urinary System	567	12.1	0.52	6.1	0.26	248	4.3	0.27	2.1	0.15
Bladder	304	6.8	0.40	3.0	0.18	102	1.8	0.18	0.8	0.08
Kidney & renal pelvis	252	5.0	0.32	2.9	0.19	138	2.3	0.20	1.3	0.12
Brain & Other Nervous System	299	5.3	0.31	3.8	0.23	218	3.5	0.24	2.6	0.18
Endocrine System	45	0.9	0.14	0.5	0.08	37	0.6	0.11	0.4	0.07
Thyroid gland	29	0.6	0.11	0.3	0.06	24	0.4	0.08	0.2	0.05
Lymphomas	347	7.3	0.40	3.7	0.21	280	4.8	0.29	2.4	0.15
Hodgkin Lymphoma	18	0.3	0.08	0.2	0.05	11	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	329	7.0	0.39	3.5	0.20	269	4.6	0.28	2.3	0.15
Multiple Myeloma	206	4.3	0.31	2.2	0.16	158	2.8	0.22	1.4	0.12
Leukemias	371	7.6	0.41	4.0	0.22	263	4.5	0.28	2.5	0.17
Other, Ill-defined & Unknown	762	15.4	0.57	8.6	0.32	583	9.7	0.41	5.6	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,242	153.0	1.84	84.6	1.03	6,236	110.2	1.41	64.9	0.88
Oral Cavity & Pharynx	99	2.0	0.21	1.2	0.13	67	1.2	0.15	0.7	0.09
Digestive System	1,961	39.8	0.92	24.1	0.56	1,456	25.8	0.68	14.5	0.41
Esophagus	282	5.6	0.34	3.5	0.22	59	1.0	0.14	0.7	0.09
Stomach	132	2.8	0.25	1.6	0.14	75	1.3	0.15	0.8	0.10
Colon & Rectum	627	12.9	0.53	7.6	0.32	560	10.0	0.43	5.6	0.26
Liver	225	4.2	0.29	2.9	0.20	110	2.0	0.19	1.1	0.11
Pancreas	552	11.4	0.49	6.8	0.30	487	8.6	0.39	4.9	0.24
Respiratory System	1,288	26.7	0.76	15.6	0.45	905	16.2	0.54	9.6	0.34
Larynx	29	0.6	0.11	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,250	25.9	0.75	15.1	0.44	893	15.9	0.54	9.5	0.34
Skin	380	7.8	0.41	4.6	0.24	131	2.3	0.20	1.5	0.14
Melanomas of the skin	303	6.1	0.36	3.7	0.22	116	2.0	0.19	1.4	0.13
Breast	13	0.3	0.07	0.2	0.05	1,200	21.1	0.62	13.3	0.41
Female Genital System	-	-	-	-	-	746	13.1	0.49	8.3	0.32
Cervix uteri	-	-	-	-	-	77	1.3	0.16	1.0	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	225	3.9	0.27	2.5	0.17
Ovary	-	-	-	-	-	417	7.4	0.37	4.6	0.24
Male Genital System	970	22.8	0.74	9.7	0.33	-	-	-	-	-
Prostate	953	22.5	0.74	9.5	0.32	-	-	-	-	-
Testis	13	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	556	12.3	0.53	6.2	0.27	241	4.3	0.28	2.2	0.15
Bladder	300	7.0	0.41	3.1	0.19	100	1.8	0.18	0.8	0.09
Kidney & renal pelvis	245	5.1	0.33	3.0	0.20	134	2.4	0.21	1.3	0.12
Brain & Other Nervous System	292	5.4	0.33	3.9	0.24	213	3.6	0.25	2.7	0.19
Endocrine System	44	0.9	0.14	0.5	0.08	36	0.6	0.11	0.4	0.07
Thyroid gland	29	0.6	0.12	0.3	0.07	24	0.4	0.09	0.2	0.05
Lymphomas	344	7.5	0.41	3.8	0.21	276	4.9	0.30	2.4	0.16
Hodgkin Lymphoma	18	0.3	0.08	0.2	0.05	11	0.2	0.06	0.1	0.03
Non-Hodgkin Lymphoma	326	7.2	0.41	3.6	0.21	265	4.7	0.29	2.3	0.16
Multiple Myeloma	199	4.4	0.31	2.2	0.16	148	2.7	0.22	1.3	0.12
Leukemias	361	7.7	0.42	4.1	0.22	258	4.6	0.29	2.6	0.18
Other, Ill-defined & Unknown	735	15.4	0.58	8.6	0.33	559	9.7	0.41	5.5	0.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	61	148.3	22.55	99.1	13.69	39	112.4	19.33	70.0	11.85
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	29	59.8	13.92	38.9	7.85	15	45.0	12.56	25.2	6.82
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	12	24.0	8.75	15.7	5.03	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	12	33.1	10.64	23.7	7.08	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	11	29.1	9.85	21.2	6.61	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	133	116.5	11.11	65.9	5.86	141	92.4	8.16	57.9	5.02
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	54	44.1	6.61	27.1	3.77	44	31.6	4.96	17.7	2.76
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	15	13.4	3.75	7.8	2.07	11	8.9	2.75	4.5	1.40
Liver	20	14.8	3.64	10.1	2.32	-	-	-	-	-
Pancreas	11	10.0	3.31	5.6	1.72	12	7.7	2.32	5.4	1.58
Respiratory System	19	19.1	4.66	9.7	2.29	20	15.2	3.53	8.1	1.87
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	19	19.1	4.66	9.7	2.29	19	14.2	3.37	7.7	1.83
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	22	13.4	3.00	8.8	1.93
Female Genital System	-	-	-	-	-	21	12.2	2.80	8.6	1.91
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	12	7.3	2.21	5.0	1.47
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	15	18.7	4.93	7.4	1.97	-	-	-	-	-
Prostate	15	18.7	4.93	7.4	1.97	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	14	10.2	3.08	6.8	1.86	16	10.0	2.58	6.7	1.73

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,450	202.9	3.56	113.7	2.04	3,186	147.8	2.69	85.9	1.69
Oral Cavity & Pharynx	68	3.7	0.46	2.5	0.33	38	1.6	0.27	1.0	0.18
Digestive System	906	52.2	1.79	30.1	1.04	711	32.7	1.26	17.7	0.75
Esophagus	143	8.0	0.69	4.7	0.41	43	2.0	0.32	1.0	0.18
Stomach	65	3.9	0.49	2.0	0.26	34	1.6	0.28	0.9	0.16
Colon & Rectum	270	16.2	1.02	8.9	0.57	283	12.7	0.78	6.6	0.45
Liver	112	6.0	0.59	3.7	0.36	27	1.3	0.26	0.8	0.17
Pancreas	233	13.4	0.90	7.9	0.54	221	10.2	0.70	5.7	0.43
Respiratory System	1,014	58.0	1.87	33.5	1.09	894	42.2	1.44	25.0	0.91
Larynx	37	2.0	0.34	1.3	0.21	-	-	-	-	-
Lung & bronchus	970	55.6	1.84	32.0	1.06	881	41.5	1.43	24.6	0.90
Skin	92	5.4	0.58	3.2	0.35	-	-	-	-	-
Melanomas of the skin	62	3.7	0.49	2.2	0.30	42	1.9	0.29	1.2	0.20
Breast	-	-	-	-	-	405	19.1	0.98	12.0	0.66
Female Genital System	-	-	-	-	-	336	15.6	0.87	9.8	0.59
Cervix uteri	-	-	-	-	-	24	1.2	0.25	0.8	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	120	5.4	0.51	3.6	0.35
Ovary	-	-	-	-	-	159	7.6	0.62	4.6	0.41
Male Genital System	340	22.0	1.21	9.5	0.54	-	-	-	-	-
Prostate	329	21.3	1.19	9.0	0.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	236	14.3	0.96	7.3	0.50	114	5.2	0.50	2.5	0.27
Bladder	149	9.4	0.79	4.4	0.37	64	2.9	0.38	1.3	0.19
Kidney & renal pelvis	83	4.7	0.53	2.8	0.32	46	2.1	0.31	1.1	0.18
Brain & Other Nervous System	122	6.7	0.63	4.9	0.48	85	4.2	0.47	3.0	0.36
Endocrine System	11	0.7	0.20	0.5	0.16	19	0.8	0.18	0.5	0.15
Thyroid gland	-	-	-	-	-	13	0.5	0.15	0.4	0.11
Lymphomas	151	9.2	0.77	4.9	0.43	113	5.2	0.50	2.8	0.30
Hodgkin Lymphoma	15	1.0	0.26	0.6	0.17	-	-	-	-	-
Non-Hodgkin Lymphoma	136	8.2	0.73	4.3	0.39	-	-	-	-	-
Multiple Myeloma	70	4.0	0.49	2.3	0.28	52	2.2	0.32	1.3	0.20
Leukemias	147	9.4	0.79	5.0	0.45	98	4.5	0.47	2.3	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,419	203.9	3.59	114.3	2.06	3,152	148.0	2.71	86.1	1.71
Oral Cavity & Pharynx	67	3.7	0.46	2.6	0.33	38	1.7	0.28	1.0	0.18
Digestive System	891	52.2	1.80	30.0	1.04	700	32.5	1.26	17.6	0.75
Esophagus	142	8.1	0.70	4.8	0.42	42	2.0	0.32	1.0	0.18
Stomach	62	3.7	0.49	2.0	0.26	33	1.6	0.28	0.8	0.16
Colon & Rectum	265	16.2	1.02	8.9	0.57	282	12.8	0.78	6.7	0.46
Liver	108	5.9	0.59	3.6	0.36	25	1.2	0.26	0.7	0.17
Pancreas	231	13.5	0.91	7.9	0.54	216	10.0	0.70	5.6	0.42
Respiratory System	1,009	58.5	1.89	33.8	1.10	883	42.2	1.45	25.0	0.92
Larynx	37	2.0	0.34	1.3	0.22	-	-	-	-	-
Lung & bronchus	965	56.1	1.86	32.2	1.07	870	41.5	1.44	24.6	0.91
Skin	92	5.5	0.59	3.2	0.36	-	-	-	-	-
Melanomas of the skin	62	3.8	0.49	2.2	0.30	42	1.9	0.30	1.2	0.21
Breast	-	-	-	-	-	402	19.2	0.99	12.1	0.67
Female Genital System	-	-	-	-	-	332	15.6	0.88	9.9	0.59
Cervix uteri	-	-	-	-	-	24	1.2	0.26	0.9	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	119	5.5	0.51	3.7	0.36
Ovary	-	-	-	-	-	156	7.5	0.62	4.6	0.41
Male Genital System	337	22.0	1.22	9.5	0.54	-	-	-	-	-
Prostate	326	21.3	1.20	9.1	0.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	236	14.5	0.97	7.4	0.50	114	5.2	0.50	2.5	0.27
Bladder	149	9.5	0.80	4.5	0.38	64	3.0	0.38	1.3	0.19
Kidney & renal pelvis	83	4.8	0.54	2.8	0.32	46	2.1	0.32	1.1	0.18
Brain & Other Nervous System	122	6.8	0.64	5.0	0.50	84	4.3	0.48	3.0	0.36
Endocrine System	11	0.7	0.21	0.5	0.17	19	0.8	0.19	0.6	0.15
Thyroid gland	-	-	-	-	-	13	0.5	0.15	0.4	0.11
Lymphomas	149	9.2	0.78	4.9	0.43	113	5.2	0.51	2.9	0.30
Hodgkin Lymphoma	15	1.0	0.27	0.6	0.18	-	-	-	-	-
Non-Hodgkin Lymphoma	134	8.2	0.73	4.3	0.39	-	-	-	-	-
Multiple Myeloma	68	3.9	0.49	2.2	0.28	51	2.2	0.32	1.3	0.20
Leukemias	144	9.3	0.79	4.9	0.45	95	4.4	0.46	2.2	0.26
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	12	152.2	48.10	87.4	26.18	10	123.0	41.64	73.3	23.96
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	14	125.9	35.77	93.6	25.58	21	150.5	36.85	82.6	18.45
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,317	206.2	1.10	116.2	0.62	33,965	143.4	0.79	85.4	0.50
Oral Cavity & Pharynx	714	3.7	0.14	2.3	0.09	305	1.3	0.07	0.7	0.05
Digestive System	9,787	52.0	0.54	31.1	0.32	7,398	31.1	0.37	17.7	0.22
Esophagus	1,421	7.4	0.20	4.6	0.12	349	1.5	0.08	0.8	0.05
Stomach	759	4.1	0.15	2.4	0.09	521	2.2	0.10	1.3	0.06
Colon & Rectum	3,157	17.3	0.32	9.9	0.18	2,937	12.3	0.23	6.9	0.14
Liver	1,408	6.9	0.19	4.6	0.13	467	1.9	0.09	1.2	0.06
Pancreas	2,361	12.7	0.27	7.4	0.16	2,242	9.4	0.20	5.3	0.12
Respiratory System	11,457	61.8	0.60	35.8	0.34	8,964	38.0	0.41	22.5	0.25
Larynx	354	1.9	0.10	1.1	0.06	84	0.4	0.04	0.2	0.03
Lung & bronchus	11,034	59.6	0.59	34.5	0.34	8,834	37.5	0.40	22.2	0.25
Skin	1,025	5.7	0.18	3.2	0.10	502	2.1	0.10	1.3	0.06
Melanomas of the skin	788	4.3	0.16	2.5	0.09	408	1.7	0.09	1.1	0.06
Breast	67	0.4	0.05	0.2	0.03	5,294	22.2	0.31	14.4	0.21
Female Genital System	-	-	-	-	-	3,543	15.0	0.26	9.4	0.17
Cervix uteri	-	-	-	-	-	405	1.8	0.09	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,091	4.6	0.14	2.9	0.09
Ovary	-	-	-	-	-	1,825	7.7	0.18	4.7	0.12
Male Genital System	3,538	22.5	0.39	9.7	0.17	-	-	-	-	-
Prostate	3,471	22.2	0.38	9.5	0.17	-	-	-	-	-
Testis	31	0.1	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,293	13.2	0.28	6.9	0.15	1,106	4.6	0.14	2.4	0.08
Bladder	1,200	7.3	0.22	3.4	0.10	525	2.2	0.10	1.1	0.05
Kidney & renal pelvis	1,030	5.5	0.18	3.3	0.10	544	2.3	0.10	1.3	0.06
Brain & Other Nervous System	944	4.7	0.16	3.4	0.11	782	3.4	0.12	2.4	0.10
Endocrine System	177	1.0	0.07	0.7	0.05	162	0.7	0.06	0.5	0.05
Thyroid gland	103	0.6	0.06	0.3	0.03	107	0.4	0.04	0.3	0.03
Lymphomas	1,444	8.2	0.22	4.5	0.12	1,150	4.8	0.15	2.6	0.09
Hodgkin Lymphoma	93	0.5	0.05	0.3	0.04	57	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,351	7.7	0.22	4.1	0.12	1,093	4.6	0.14	2.5	0.08
Multiple Myeloma	824	4.7	0.17	2.5	0.09	708	3.0	0.11	1.6	0.07
Leukemias	1,546	8.9	0.23	5.0	0.13	1,114	4.8	0.15	2.7	0.09
Other, Ill-defined & Unknown	3,501	19.6	0.34	10.9	0.19	2,937	12.4	0.23	7.0	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,089	200.0	1.20	112.1	0.68	26,392	142.1	0.89	84.1	0.57
Oral Cavity & Pharynx	539	3.5	0.15	2.2	0.10	237	1.3	0.08	0.7	0.05
Digestive System	7,237	48.2	0.58	28.6	0.35	5,462	29.1	0.40	16.4	0.25
Esophagus	1,164	7.6	0.23	4.7	0.14	262	1.4	0.09	0.8	0.05
Stomach	480	3.3	0.15	1.9	0.09	340	1.8	0.10	1.1	0.06
Colon & Rectum	2,336	16.0	0.34	9.1	0.19	2,200	11.7	0.25	6.5	0.15
Liver	924	5.8	0.20	3.8	0.13	308	1.6	0.09	1.0	0.06
Pancreas	1,814	12.1	0.29	7.1	0.17	1,675	8.9	0.22	5.0	0.13
Respiratory System	9,050	60.7	0.66	35.0	0.38	7,321	39.5	0.47	23.4	0.29
Larynx	251	1.7	0.11	1.0	0.06	60	0.3	0.04	0.2	0.03
Lung & bronchus	8,743	58.7	0.64	33.8	0.37	7,228	39.0	0.47	23.1	0.29
Skin	983	6.8	0.22	3.9	0.13	473	2.6	0.12	1.5	0.08
Melanomas of the skin	769	5.2	0.19	3.1	0.12	388	2.1	0.11	1.3	0.08
Breast	46	0.3	0.05	0.2	0.03	3,868	20.9	0.34	13.4	0.23
Female Genital System	-	-	-	-	-	2,712	14.7	0.29	9.2	0.19
Cervix uteri	-	-	-	-	-	274	1.6	0.10	1.2	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	749	4.0	0.15	2.5	0.10
Ovary	-	-	-	-	-	1,505	8.1	0.21	4.9	0.14
Male Genital System	2,456	19.1	0.39	8.1	0.17	-	-	-	-	-
Prostate	2,401	18.8	0.39	7.8	0.17	-	-	-	-	-
Testis	25	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	1,933	13.7	0.32	7.1	0.17	876	4.6	0.16	2.4	0.09
Bladder	1,037	7.7	0.24	3.6	0.12	426	2.2	0.11	1.1	0.06
Kidney & renal pelvis	837	5.6	0.20	3.3	0.12	418	2.2	0.11	1.2	0.07
Brain & Other Nervous System	826	5.3	0.19	3.8	0.14	670	3.7	0.15	2.7	0.12
Endocrine System	135	0.9	0.08	0.6	0.06	118	0.7	0.06	0.5	0.05
Thyroid gland	87	0.6	0.07	0.3	0.04	76	0.4	0.05	0.2	0.03
Lymphomas	1,207	8.5	0.25	4.6	0.14	963	5.1	0.17	2.8	0.10
Hodgkin Lymphoma	73	0.5	0.06	0.3	0.04	48	0.3	0.04	0.2	0.04
Non-Hodgkin Lymphoma	1,134	8.0	0.24	4.3	0.13	915	4.8	0.16	2.6	0.10
Multiple Myeloma	584	4.1	0.18	2.1	0.09	460	2.4	0.11	1.3	0.07
Leukemias	1,294	9.3	0.26	5.1	0.15	904	5.0	0.17	2.8	0.11
Other, Ill-defined & Unknown	2,799	19.5	0.38	10.8	0.21	2,328	12.5	0.26	7.0	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,366	265.3	3.32	152.7	1.81	6,724	164.3	2.04	100.9	1.29
Oral Cavity & Pharynx	161	5.0	0.42	3.4	0.27	63	1.5	0.19	1.0	0.13
Digestive System	2,206	73.9	1.69	45.6	0.99	1,670	41.1	1.02	24.0	0.62
Esophagus	234	7.5	0.53	4.9	0.33	80	2.0	0.23	1.2	0.14
Stomach	228	8.3	0.59	4.7	0.31	140	3.5	0.30	2.0	0.18
Colon & Rectum	739	25.9	1.03	15.1	0.56	660	16.3	0.65	9.3	0.39
Liver	377	10.4	0.57	7.8	0.41	119	2.8	0.26	1.8	0.17
Pancreas	494	17.2	0.83	10.3	0.47	508	12.5	0.56	7.3	0.34
Respiratory System	2,197	77.1	1.76	45.8	0.99	1,472	36.5	0.97	22.1	0.60
Larynx	103	3.5	0.38	2.1	0.21	24	0.6	0.12	0.4	0.08
Lung & bronchus	2,082	73.2	1.72	43.4	0.97	1,436	35.6	0.96	21.5	0.60
Skin	39	1.1	0.19	0.8	0.13	-	-	-	-	-
Melanomas of the skin	18	0.6	0.15	0.4	0.09	19	0.5	0.11	0.3	0.06
Breast	21	0.8	0.18	0.4	0.09	1,320	31.0	0.87	20.8	0.59
Female Genital System	-	-	-	-	-	736	18.0	0.68	11.5	0.44
Cervix uteri	-	-	-	-	-	111	2.7	0.26	1.9	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	318	7.9	0.45	5.0	0.29
Ovary	-	-	-	-	-	269	6.6	0.41	4.1	0.26
Male Genital System	1,030	46.1	1.50	20.7	0.66	-	-	-	-	-
Prostate	1,019	45.8	1.50	20.5	0.65	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	319	12.0	0.72	6.6	0.37	211	5.3	0.37	2.9	0.21
Bladder	145	5.9	0.52	3.0	0.25	93	2.3	0.25	1.2	0.13
Kidney & renal pelvis	172	6.0	0.49	3.6	0.28	114	2.8	0.27	1.6	0.16
Brain & Other Nervous System	94	2.7	0.30	2.0	0.21	85	2.0	0.22	1.5	0.17
Endocrine System	35	1.2	0.21	0.8	0.14	36	0.8	0.14	0.6	0.11
Thyroid gland	11	0.5	0.14	0.2	0.07	25	0.6	0.12	0.4	0.07
Lymphomas	197	6.8	0.52	4.2	0.30	150	3.8	0.31	2.2	0.19
Hodgkin Lymphoma	18	0.6	0.15	0.4	0.10	-	-	-	-	-
Non-Hodgkin Lymphoma	179	6.2	0.50	3.8	0.28	-	-	-	-	-
Multiple Myeloma	221	8.4	0.60	4.5	0.31	229	5.8	0.39	3.2	0.23
Leukemias	216	7.7	0.56	4.7	0.33	177	4.4	0.34	2.7	0.22
Other, Ill-defined & Unknown	630	22.5	0.96	13.3	0.54	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	807	118.4	4.77	63.7	2.28	809	82.3	3.12	48.4	1.73
Oral Cavity & Pharynx	13	1.1	0.31	0.9	0.27	-	-	-	-	-
Digestive System	333	47.5	2.98	26.0	1.45	257	26.8	1.80	15.5	0.98
Esophagus	20	2.6	0.66	1.6	0.36	-	-	-	-	-
Stomach	49	6.7	1.08	3.6	0.53	39	3.7	0.65	2.3	0.37
Colon & Rectum	79	11.8	1.55	6.2	0.71	75	7.9	0.99	4.5	0.53
Liver	105	13.6	1.49	8.1	0.80	40	4.4	0.76	2.4	0.39
Pancreas	53	8.8	1.38	4.4	0.61	57	6.1	0.86	3.4	0.45
Respiratory System	198	28.9	2.33	15.6	1.13	161	17.3	1.47	9.5	0.76
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	197	28.8	2.33	15.5	1.12	160	17.3	1.47	9.4	0.76
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	102	9.1	0.98	6.1	0.61
Female Genital System	-	-	-	-	-	90	8.0	0.90	5.4	0.58
Cervix uteri	-	-	-	-	-	19	1.5	0.37	1.1	0.25
Corpus & uterus, NOS ¹	-	-	-	-	-	24	1.9	0.42	1.4	0.29
Ovary	-	-	-	-	-	47	4.6	0.71	2.9	0.43
Male Genital System	46	10.6	1.69	4.0	0.60	-	-	-	-	-
Prostate	45	10.5	1.68	3.9	0.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	35	4.9	0.93	2.7	0.46	17	2.0	0.52	1.0	0.24
Bladder	14	2.3	0.71	1.1	0.31	-	-	-	-	-
Kidney & renal pelvis	19	2.3	0.58	1.4	0.31	11	1.2	0.37	0.7	0.20
Brain & Other Nervous System	22	2.8	0.70	1.9	0.40	25	2.1	0.44	1.5	0.29
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	36	5.4	1.01	2.9	0.49	36	3.9	0.71	2.1	0.36
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	18	2.8	0.75	1.4	0.34	17	2.2	0.56	1.0	0.24
Leukemias	33	4.2	0.80	2.6	0.45	33	3.4	0.64	2.0	0.37
Other, Ill-defined & Unknown	65	9.3	1.31	5.2	0.65	59	6.0	0.84	3.6	0.48

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,299	196.3	1.14	108.5	0.64	28,378	143.4	0.87	83.7	0.54
Oral Cavity & Pharynx	683	4.0	0.16	2.5	0.10	375	1.9	0.10	1.1	0.06
Digestive System	8,652	52.1	0.58	30.9	0.34	6,401	32.1	0.41	17.8	0.24
Esophagus	1,306	7.8	0.22	4.7	0.13	346	1.8	0.10	1.0	0.06
Stomach	655	4.0	0.16	2.4	0.10	401	2.0	0.10	1.2	0.07
Colon & Rectum	2,522	15.6	0.32	8.9	0.18	2,382	11.8	0.25	6.4	0.15
Liver	1,346	7.3	0.21	5.1	0.14	455	2.3	0.11	1.4	0.07
Pancreas	2,069	12.6	0.29	7.2	0.16	1,934	9.8	0.23	5.4	0.13
Respiratory System	8,683	54.1	0.60	30.2	0.33	7,518	38.6	0.46	22.2	0.27
Larynx	254	1.5	0.10	0.9	0.06	74	0.4	0.04	0.2	0.03
Lung & bronchus	8,317	51.9	0.59	28.9	0.33	7,393	38.0	0.45	21.8	0.27
Skin	963	5.9	0.20	3.4	0.11	435	2.2	0.11	1.4	0.07
Melanomas of the skin	690	4.2	0.16	2.5	0.10	359	1.8	0.10	1.2	0.07
Breast	44	0.3	0.04	0.2	0.02	4,020	20.2	0.33	12.6	0.21
Female Genital System	-	-	-	-	-	3,070	15.4	0.28	9.7	0.19
Cervix uteri	-	-	-	-	-	338	1.8	0.10	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	861	4.3	0.15	2.7	0.10
Ovary	-	-	-	-	-	1,676	8.4	0.21	5.2	0.14
Male Genital System	3,133	21.7	0.39	9.4	0.17	-	-	-	-	-
Prostate	3,074	21.3	0.39	9.1	0.17	-	-	-	-	-
Testis	37	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,234	14.5	0.31	7.4	0.16	986	4.9	0.16	2.5	0.09
Bladder	1,238	8.4	0.24	3.8	0.11	483	2.4	0.11	1.2	0.06
Kidney & renal pelvis	925	5.6	0.19	3.3	0.11	457	2.3	0.11	1.3	0.07
Brain & Other Nervous System	1,068	6.1	0.19	4.4	0.14	798	4.1	0.15	3.0	0.11
Endocrine System	140	0.9	0.07	0.6	0.05	154	0.8	0.06	0.5	0.05
Thyroid gland	80	0.5	0.06	0.3	0.03	102	0.5	0.05	0.3	0.03
Lymphomas	1,309	8.4	0.24	4.6	0.13	1,037	5.3	0.17	2.8	0.10
Hodgkin Lymphoma	59	0.4	0.05	0.2	0.03	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,250	8.1	0.23	4.3	0.13	984	5.0	0.16	2.6	0.09
Multiple Myeloma	653	4.2	0.17	2.2	0.09	532	2.7	0.12	1.4	0.07
Leukemias	1,406	9.1	0.25	4.9	0.14	1,019	5.2	0.17	3.0	0.11
Other, Ill-defined & Unknown	2,331	14.9	0.32	8.0	0.17	2,033	10.1	0.23	5.7	0.14

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,679	198.4	1.20	109.6	0.68	25,983	146.5	0.93	85.6	0.59
Oral Cavity & Pharynx	625	4.0	0.17	2.5	0.10	337	1.9	0.10	1.1	0.06
Digestive System	7,646	50.9	0.60	30.1	0.36	5,707	31.8	0.43	17.7	0.26
Esophagus	1,253	8.2	0.24	5.0	0.15	326	1.8	0.10	1.0	0.06
Stomach	523	3.6	0.16	2.1	0.10	308	1.7	0.10	1.0	0.06
Colon & Rectum	2,276	15.6	0.34	8.8	0.19	2,176	11.9	0.26	6.5	0.16
Liver	1,047	6.3	0.20	4.4	0.14	347	1.9	0.11	1.2	0.07
Pancreas	1,901	12.8	0.30	7.3	0.17	1,757	9.9	0.24	5.5	0.14
Respiratory System	8,009	55.0	0.63	30.7	0.35	6,985	40.0	0.49	23.1	0.30
Larynx	234	1.6	0.11	0.9	0.06	69	0.4	0.05	0.2	0.03
Lung & bronchus	7,670	52.7	0.62	29.4	0.35	6,868	39.4	0.49	22.7	0.29
Skin	937	6.4	0.21	3.7	0.13	425	2.4	0.12	1.5	0.08
Melanomas of the skin	675	4.6	0.18	2.8	0.11	353	2.0	0.11	1.3	0.08
Breast	39	0.3	0.04	0.2	0.02	3,693	20.8	0.35	13.0	0.23
Female Genital System	-	-	-	-	-	2,803	15.7	0.30	9.9	0.20
Cervix uteri	-	-	-	-	-	281	1.7	0.11	1.3	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	775	4.3	0.16	2.7	0.10
Ovary	-	-	-	-	-	1,561	8.7	0.23	5.4	0.15
Male Genital System	2,895	21.8	0.41	9.4	0.18	-	-	-	-	-
Prostate	2,841	21.4	0.41	9.1	0.18	-	-	-	-	-
Testis	35	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	2,107	15.0	0.33	7.6	0.17	918	5.1	0.17	2.6	0.10
Bladder	1,181	8.7	0.26	4.0	0.12	451	2.5	0.12	1.2	0.06
Kidney & renal pelvis	858	5.7	0.20	3.4	0.12	424	2.4	0.12	1.3	0.07
Brain & Other Nervous System	1,009	6.5	0.21	4.6	0.15	750	4.4	0.16	3.2	0.13
Endocrine System	129	0.9	0.08	0.6	0.06	133	0.8	0.07	0.5	0.05
Thyroid gland	78	0.5	0.06	0.3	0.04	87	0.5	0.05	0.3	0.03
Lymphomas	1,232	8.8	0.26	4.7	0.14	945	5.3	0.18	2.8	0.10
Hodgkin Lymphoma	58	0.4	0.05	0.3	0.04	50	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,174	8.4	0.25	4.5	0.14	895	5.0	0.17	2.6	0.10
Multiple Myeloma	601	4.3	0.18	2.2	0.09	482	2.7	0.13	1.4	0.07
Leukemias	1,312	9.4	0.27	5.0	0.15	947	5.4	0.18	3.1	0.12
Other, Ill-defined & Unknown	2,138	15.1	0.33	8.1	0.19	1,858	10.3	0.25	5.8	0.15

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	930	232.1	8.68	132.7	4.47	659	147.1	6.04	88.1	3.56
Oral Cavity & Pharynx	17	3.3	0.96	2.1	0.51	-	-	-	-	-
Digestive System	293	67.8	4.54	40.9	2.46	180	40.8	3.20	23.2	1.80
Esophagus	17	3.2	0.92	2.1	0.53	-	-	-	-	-
Stomach	32	9.0	1.80	4.7	0.85	19	4.1	1.00	2.2	0.53
Colon & Rectum	75	19.6	2.57	11.0	1.30	51	10.7	1.58	6.7	0.96
Liver	75	15.1	1.98	10.4	1.24	29	6.6	1.30	3.9	0.76
Pancreas	65	14.4	2.03	8.9	1.13	54	12.8	1.82	6.8	0.97
Respiratory System	246	60.3	4.36	35.7	2.34	139	31.9	2.84	19.8	1.74
Larynx	13	2.8	0.90	1.8	0.51	-	-	-	-	-
Lung & bronchus	232	57.2	4.26	33.7	2.27	137	31.3	2.81	19.5	1.72
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	112	23.9	2.38	15.5	1.50
Female Genital System	-	-	-	-	-	63	13.6	1.83	8.4	1.08
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	27	6.1	1.26	3.6	0.71
Ovary	-	-	-	-	-	27	5.7	1.16	3.5	0.68
Male Genital System	131	41.0	3.93	20.0	1.78	-	-	-	-	-
Prostate	130	40.9	3.93	19.9	1.77	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	54	14.4	2.24	7.6	1.06	26	6.0	1.23	3.3	0.68
Bladder	24	7.8	1.73	3.7	0.78	10	2.3	0.75	1.2	0.40
Kidney & renal pelvis	29	6.4	1.42	3.7	0.70	15	3.6	0.97	2.0	0.54
Brain & Other Nervous System	19	2.8	0.72	2.4	0.56	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	20	4.3	1.08	2.8	0.64	24	5.2	1.12	2.9	0.62
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	31	9.1	1.78	4.7	0.86	29	7.0	1.36	3.8	0.74
Leukemias	31	8.3	1.71	4.4	0.80	23	6.0	1.28	2.8	0.64
Other, Ill-defined & Unknown	74	18.2	2.43	10.3	1.24	41	8.8	1.44	5.4	0.88

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,314	144.8	4.27	80.5	2.25	1,410	103.9	2.83	58.7	1.63
Oral Cavity & Pharynx	30	3.0	0.57	1.8	0.33	29	2.1	0.40	1.2	0.23
Digestive System	574	59.7	2.66	35.3	1.49	427	32.0	1.58	17.4	0.87
Esophagus	23	2.4	0.53	1.4	0.30	11	0.8	0.25	0.5	0.14
Stomach	92	10.2	1.12	5.7	0.60	68	4.8	0.60	2.8	0.35
Colon & Rectum	130	13.1	1.24	7.9	0.70	122	8.8	0.81	4.9	0.46
Liver	177	17.1	1.37	11.0	0.84	67	5.4	0.67	2.6	0.34
Pancreas	90	9.9	1.11	5.6	0.60	99	7.8	0.80	4.0	0.42
Respiratory System	329	38.1	2.23	20.2	1.13	307	23.4	1.36	12.4	0.74
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	319	36.9	2.19	19.6	1.11	303	23.1	1.36	12.2	0.73
Skin	11	1.0	0.31	0.7	0.21	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	174	11.8	0.92	7.7	0.60
Female Genital System	-	-	-	-	-	167	11.5	0.91	7.3	0.58
Cervix uteri	-	-	-	-	-	37	2.4	0.41	1.6	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	49	3.4	0.50	2.1	0.31
Ovary	-	-	-	-	-	77	5.4	0.63	3.3	0.39
Male Genital System	87	12.4	1.37	5.0	0.54	-	-	-	-	-
Prostate	83	12.1	1.37	4.8	0.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	53	6.5	0.94	3.2	0.44	30	2.3	0.43	1.1	0.21
Bladder	29	3.9	0.75	1.7	0.32	21	1.7	0.38	0.7	0.16
Kidney & renal pelvis	22	2.4	0.54	1.4	0.30	-	-	-	-	-
Brain & Other Nervous System	29	2.8	0.56	1.8	0.35	34	2.4	0.42	1.7	0.31
Endocrine System	-	-	-	-	-	15	1.1	0.29	0.6	0.15
Thyroid gland	-	-	-	-	-	12	0.9	0.26	0.5	0.14
Lymphomas	46	5.0	0.80	2.9	0.43	61	4.9	0.64	2.3	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	46	5.0	0.80	2.9	0.43	-	-	-	-	-
Multiple Myeloma	18	2.1	0.53	1.1	0.26	14	1.1	0.31	0.5	0.15
Leukemias	52	5.1	0.76	3.3	0.48	42	3.0	0.48	1.9	0.33
Other, Ill-defined & Unknown	78	8.3	1.02	4.8	0.56	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,510	192.8	1.39	106.1	0.77	18,953	141.5	1.05	82.0	0.65
Oral Cavity & Pharynx	443	3.8	0.19	2.4	0.12	246	1.8	0.12	1.0	0.07
Digestive System	5,736	51.5	0.70	30.5	0.41	4,253	31.6	0.50	17.5	0.29
Esophagus	828	7.3	0.26	4.4	0.16	212	1.6	0.11	0.9	0.06
Stomach	446	4.1	0.20	2.4	0.12	276	2.1	0.13	1.2	0.08
Colon & Rectum	1,639	15.1	0.38	8.6	0.22	1,544	11.3	0.29	6.1	0.17
Liver	934	7.6	0.26	5.2	0.17	320	2.4	0.14	1.4	0.08
Pancreas	1,366	12.5	0.35	7.1	0.20	1,284	9.7	0.28	5.3	0.16
Respiratory System	5,644	52.9	0.73	29.3	0.40	4,957	37.8	0.55	21.4	0.33
Larynx	177	1.6	0.13	0.9	0.07	53	0.4	0.05	0.2	0.03
Lung & bronchus	5,388	50.6	0.71	28.0	0.39	4,869	37.1	0.54	21.0	0.32
Skin	618	5.7	0.24	3.3	0.14	299	2.2	0.13	1.4	0.08
Melanomas of the skin	452	4.1	0.20	2.5	0.12	253	1.9	0.12	1.2	0.08
Breast	34	0.3	0.06	0.2	0.03	2,759	20.4	0.40	12.7	0.26
Female Genital System	-	-	-	-	-	2,107	15.6	0.35	9.7	0.23
Cervix uteri	-	-	-	-	-	235	1.8	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	585	4.3	0.18	2.7	0.12
Ovary	-	-	-	-	-	1,167	8.6	0.26	5.3	0.17
Male Genital System	2,063	21.5	0.48	9.3	0.21	-	-	-	-	-
Prostate	2,028	21.2	0.48	9.1	0.21	-	-	-	-	-
Testis	22	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,457	14.2	0.38	7.2	0.20	655	4.8	0.19	2.4	0.11
Bladder	822	8.4	0.30	3.8	0.14	335	2.4	0.14	1.2	0.07
Kidney & renal pelvis	587	5.4	0.23	3.2	0.13	290	2.2	0.13	1.2	0.08
Brain & Other Nervous System	691	5.9	0.23	4.1	0.16	523	3.9	0.18	2.9	0.14
Endocrine System	92	0.8	0.09	0.6	0.06	103	0.8	0.08	0.5	0.05
Thyroid gland	48	0.4	0.06	0.3	0.04	70	0.5	0.06	0.3	0.04
Lymphomas	870	8.4	0.29	4.5	0.16	713	5.3	0.20	2.7	0.11
Hodgkin Lymphoma	33	0.3	0.05	0.2	0.03	30	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	837	8.1	0.29	4.3	0.16	683	5.1	0.20	2.6	0.11
Multiple Myeloma	431	4.2	0.21	2.2	0.11	357	2.7	0.15	1.4	0.08
Leukemias	917	8.9	0.30	4.8	0.17	658	5.0	0.20	2.9	0.13
Other, Ill-defined & Unknown	1,514	14.5	0.38	7.8	0.21	1,323	9.7	0.27	5.5	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,271	195.1	1.48	107.1	0.83	16,904	145.3	1.15	84.5	0.72
Oral Cavity & Pharynx	394	3.9	0.20	2.5	0.13	211	1.8	0.12	1.0	0.08
Digestive System	4,876	49.9	0.74	29.4	0.44	3,650	31.1	0.53	17.2	0.32
Esophagus	787	7.9	0.29	4.8	0.18	196	1.7	0.13	0.9	0.07
Stomach	332	3.5	0.20	2.0	0.12	193	1.7	0.12	1.0	0.08
Colon & Rectum	1,429	15.0	0.41	8.5	0.23	1,367	11.5	0.32	6.2	0.19
Liver	673	6.3	0.25	4.3	0.17	226	1.9	0.13	1.2	0.08
Pancreas	1,227	12.8	0.38	7.3	0.21	1,129	9.7	0.30	5.4	0.17
Respiratory System	5,066	53.9	0.78	29.8	0.43	4,507	39.5	0.60	22.5	0.36
Larynx	159	1.7	0.13	0.9	0.08	50	0.4	0.06	0.3	0.04
Lung & bronchus	4,834	51.4	0.76	28.5	0.42	4,425	38.8	0.60	22.1	0.36
Skin	599	6.3	0.26	3.6	0.15	290	2.5	0.15	1.5	0.10
Melanomas of the skin	440	4.6	0.22	2.8	0.14	247	2.2	0.14	1.4	0.10
Breast	29	0.3	0.06	0.2	0.03	2,477	21.2	0.44	13.2	0.29
Female Genital System	-	-	-	-	-	1,878	16.0	0.38	10.0	0.25
Cervix uteri	-	-	-	-	-	187	1.7	0.13	1.2	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	510	4.3	0.20	2.7	0.13
Ovary	-	-	-	-	-	1,068	9.1	0.29	5.6	0.18
Male Genital System	1,856	21.6	0.51	9.4	0.23	-	-	-	-	-
Prostate	1,825	21.3	0.51	9.1	0.22	-	-	-	-	-
Testis	20	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,353	14.9	0.41	7.5	0.21	604	5.1	0.21	2.6	0.12
Bladder	774	8.8	0.32	4.0	0.15	307	2.5	0.15	1.2	0.08
Kidney & renal pelvis	533	5.6	0.25	3.3	0.15	269	2.3	0.14	1.2	0.08
Brain & Other Nervous System	637	6.3	0.26	4.4	0.19	485	4.3	0.20	3.2	0.16
Endocrine System	82	0.9	0.10	0.6	0.07	85	0.7	0.08	0.5	0.06
Thyroid gland	46	0.5	0.07	0.3	0.04	55	0.5	0.06	0.2	0.04
Lymphomas	803	8.8	0.32	4.7	0.18	633	5.4	0.22	2.8	0.13
Hodgkin Lymphoma	32	0.3	0.06	0.2	0.04	27	0.2	0.05	0.2	0.03
Non-Hodgkin Lymphoma	771	8.5	0.31	4.5	0.17	606	5.1	0.21	2.6	0.12
Multiple Myeloma	384	4.2	0.22	2.2	0.12	310	2.7	0.16	1.4	0.09
Leukemias	833	9.2	0.33	4.8	0.18	600	5.2	0.22	3.0	0.15
Other, Ill-defined & Unknown	1,359	14.8	0.41	7.9	0.23	1,174	9.9	0.30	5.6	0.19

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	819	234.3	9.32	134.5	4.83	606	152.9	6.54	90.8	3.83
Oral Cavity & Pharynx	14	3.4	1.07	2.0	0.56	-	-	-	-	-
Digestive System	254	66.6	4.77	41.0	2.65	166	42.5	3.47	24.0	1.94
Esophagus	14	2.8	0.85	1.9	0.54	-	-	-	-	-
Stomach	25	7.8	1.77	4.2	0.86	19	4.6	1.12	2.5	0.60
Colon & Rectum	66	19.7	2.74	11.1	1.41	49	11.6	1.75	7.1	1.04
Liver	72	16.6	2.21	11.5	1.40	27	6.9	1.40	4.1	0.81
Pancreas	50	12.7	2.03	8.0	1.16	46	12.4	1.90	6.5	1.01
Respiratory System	220	61.7	4.71	36.8	2.55	127	33.4	3.10	20.0	1.84
Larynx	12	3.1	1.02	1.9	0.58	-	-	-	-	-
Lung & bronchus	207	58.4	4.59	34.7	2.47	125	32.6	3.06	19.7	1.83
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	102	24.1	2.51	15.9	1.62
Female Genital System	-	-	-	-	-	59	14.3	1.99	8.8	1.17
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	24	6.1	1.33	3.6	0.74
Ovary	-	-	-	-	-	27	6.4	1.31	3.9	0.76
Male Genital System	117	43.0	4.33	20.4	1.92	-	-	-	-	-
Prostate	116	42.9	4.33	20.3	1.91	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	48	14.4	2.38	7.7	1.14	23	5.9	1.29	3.3	0.72
Bladder	22	8.0	1.86	3.9	0.84	-	-	-	-	-
Kidney & renal pelvis	25	6.2	1.47	3.7	0.75	13	3.6	1.04	2.0	0.57
Brain & Other Nervous System	18	3.1	0.83	2.6	0.63	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	19	4.7	1.21	3.0	0.71	21	5.2	1.20	2.9	0.66
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	29	9.5	1.92	5.0	0.96	28	7.7	1.52	4.1	0.81
Leukemias	29	9.2	1.95	4.8	0.91	22	6.5	1.41	3.1	0.71
Other, Ill-defined & Unknown	60	16.4	2.44	9.3	1.24	39	9.3	1.58	5.7	0.95

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,196	146.2	4.51	81.4	2.39	1,261	103.7	2.99	57.7	1.69
Oral Cavity & Pharynx	28	3.1	0.62	1.9	0.36	28	2.2	0.44	1.3	0.24
Digestive System	523	60.3	2.81	35.7	1.58	383	32.2	1.68	17.1	0.91
Esophagus	22	2.6	0.58	1.5	0.32	-	-	-	-	-
Stomach	84	10.4	1.20	5.8	0.64	63	5.0	0.65	2.8	0.37
Colon & Rectum	119	13.0	1.29	8.0	0.74	108	8.7	0.86	4.8	0.48
Liver	158	17.0	1.45	10.8	0.87	58	5.2	0.69	2.5	0.35
Pancreas	82	9.9	1.17	5.7	0.64	90	7.9	0.84	4.0	0.44
Respiratory System	298	38.2	2.34	20.2	1.19	280	23.7	1.44	12.5	0.78
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	288	36.9	2.30	19.6	1.17	277	23.4	1.44	12.3	0.77
Skin	10	1.0	0.33	0.7	0.22	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	153	11.6	0.96	7.4	0.62
Female Genital System	-	-	-	-	-	146	11.2	0.95	7.1	0.60
Cervix uteri	-	-	-	-	-	35	2.6	0.45	1.7	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	43	3.3	0.52	2.1	0.32
Ovary	-	-	-	-	-	64	5.0	0.64	3.1	0.39
Male Genital System	81	12.7	1.46	5.2	0.58	-	-	-	-	-
Prostate	78	12.5	1.46	5.0	0.57	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	46	6.1	0.95	3.1	0.46	26	2.2	0.44	1.0	0.21
Bladder	25	3.6	0.76	1.6	0.33	19	1.7	0.40	0.7	0.16
Kidney & renal pelvis	20	2.4	0.56	1.4	0.32	-	-	-	-	-
Brain & Other Nervous System	27	2.9	0.60	1.9	0.37	29	2.3	0.43	1.6	0.31
Endocrine System	-	-	-	-	-	14	1.2	0.32	0.6	0.16
Thyroid gland	-	-	-	-	-	12	1.0	0.29	0.5	0.16
Lymphomas	42	5.0	0.83	2.9	0.46	55	4.9	0.67	2.4	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	42	5.0	0.83	2.9	0.46	-	-	-	-	-
Multiple Myeloma	16	2.1	0.55	1.1	0.27	14	1.3	0.34	0.6	0.17
Leukemias	47	5.2	0.82	3.4	0.51	33	2.6	0.47	1.7	0.31
Other, Ill-defined & Unknown	71	8.7	1.11	4.9	0.59	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,763	239.8	2.18	140.0	1.30	10,892	164.3	1.61	101.1	1.09
Oral Cavity & Pharynx	260	4.7	0.30	3.2	0.21	77	1.1	0.13	0.6	0.08
Digestive System	3,141	58.2	1.07	34.8	0.65	2,221	33.0	0.72	19.3	0.47
Esophagus	512	9.1	0.41	5.9	0.27	108	1.7	0.16	1.1	0.12
Stomach	238	4.5	0.30	2.6	0.18	146	2.2	0.19	1.3	0.13
Colon & Rectum	1,209	23.1	0.68	13.1	0.39	1,035	15.4	0.49	8.6	0.31
Liver	306	5.3	0.31	3.5	0.21	113	1.7	0.16	1.1	0.11
Pancreas	652	12.0	0.48	7.3	0.30	598	8.7	0.36	5.1	0.23
Respiratory System	4,497	82.1	1.26	49.4	0.76	3,287	49.4	0.88	31.1	0.59
Larynx	145	2.6	0.22	1.7	0.14	53	0.8	0.11	0.5	0.07
Lung & bronchus	4,317	78.9	1.23	47.3	0.75	3,220	48.4	0.87	30.5	0.58
Skin	367	7.1	0.38	4.1	0.23	163	2.6	0.21	1.6	0.15
Melanomas of the skin	266	5.1	0.32	3.1	0.20	121	2.0	0.19	1.3	0.13
Breast	21	0.4	0.10	0.2	0.05	1,438	22.2	0.60	14.5	0.43
Female Genital System	-	-	-	-	-	1,103	17.0	0.53	11.1	0.37
Cervix uteri	-	-	-	-	-	186	3.4	0.26	2.6	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	298	4.3	0.26	2.7	0.17
Ovary	-	-	-	-	-	533	8.0	0.35	5.1	0.24
Male Genital System	967	20.1	0.66	9.2	0.31	-	-	-	-	-
Prostate	940	19.6	0.65	8.8	0.30	-	-	-	-	-
Testis	16	0.4	0.10	0.3	0.08	-	-	-	-	-
Urinary System	734	14.1	0.53	7.8	0.30	410	6.1	0.30	3.4	0.19
Bladder	379	7.5	0.39	3.8	0.20	177	2.6	0.20	1.4	0.12
Kidney & renal pelvis	341	6.4	0.36	3.8	0.22	218	3.2	0.22	2.0	0.15
Brain & Other Nervous System	281	5.0	0.31	3.7	0.24	223	3.5	0.25	2.5	0.19
Endocrine System	37	0.7	0.12	0.5	0.10	51	0.8	0.11	0.5	0.08
Thyroid gland	27	0.5	0.10	0.3	0.06	36	0.5	0.08	0.3	0.05
Lymphomas	454	8.7	0.42	5.0	0.25	387	5.8	0.30	3.2	0.18
Hodgkin Lymphoma	23	0.5	0.10	0.4	0.09	24	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	431	8.2	0.41	4.6	0.23	363	5.4	0.29	2.9	0.17
Multiple Myeloma	224	4.2	0.29	2.4	0.16	204	2.9	0.21	1.5	0.12
Leukemias	506	10.2	0.46	5.5	0.27	387	5.9	0.31	3.4	0.21
Other, Ill-defined & Unknown	1,274	24.2	0.70	14.1	0.42	941	14.1	0.47	8.3	0.31

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,365	240.1	2.22	140.2	1.33	10,565	164.8	1.64	101.4	1.11
Oral Cavity & Pharynx	249	4.6	0.30	3.2	0.21	74	1.1	0.13	0.6	0.08
Digestive System	3,026	58.0	1.08	34.7	0.66	2,133	32.8	0.73	19.2	0.47
Esophagus	501	9.2	0.42	6.0	0.28	102	1.6	0.16	1.1	0.12
Stomach	226	4.4	0.30	2.6	0.18	139	2.2	0.19	1.3	0.13
Colon & Rectum	1,162	23.0	0.69	13.0	0.40	1,002	15.4	0.50	8.7	0.32
Liver	286	5.1	0.31	3.4	0.21	109	1.7	0.17	1.1	0.12
Pancreas	639	12.1	0.49	7.4	0.30	572	8.6	0.37	5.1	0.24
Respiratory System	4,361	82.3	1.28	49.5	0.78	3,215	50.0	0.90	31.5	0.60
Larynx	138	2.5	0.22	1.6	0.14	52	0.8	0.11	0.5	0.07
Lung & bronchus	4,189	79.1	1.25	47.5	0.76	3,150	49.0	0.89	30.9	0.60
Skin	360	7.3	0.39	4.2	0.24	163	2.7	0.22	1.7	0.15
Melanomas of the skin	265	5.3	0.34	3.2	0.21	121	2.1	0.19	1.3	0.14
Breast	21	0.4	0.10	0.2	0.05	1,396	22.2	0.61	14.5	0.43
Female Genital System	-	-	-	-	-	1,069	17.1	0.54	11.1	0.38
Cervix uteri	-	-	-	-	-	182	3.5	0.27	2.6	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	286	4.3	0.26	2.7	0.18
Ovary	-	-	-	-	-	517	8.0	0.36	5.1	0.25
Male Genital System	917	19.7	0.66	9.0	0.31	-	-	-	-	-
Prostate	890	19.1	0.65	8.5	0.30	-	-	-	-	-
Testis	16	0.4	0.10	0.3	0.09	-	-	-	-	-
Urinary System	723	14.3	0.55	7.9	0.31	395	6.0	0.31	3.4	0.20
Bladder	372	7.5	0.40	3.9	0.21	168	2.6	0.20	1.3	0.12
Kidney & renal pelvis	337	6.5	0.36	3.9	0.23	213	3.3	0.23	2.0	0.15
Brain & Other Nervous System	274	5.1	0.32	3.7	0.25	215	3.5	0.25	2.5	0.20
Endocrine System	37	0.7	0.12	0.5	0.11	47	0.7	0.11	0.4	0.08
Thyroid gland	27	0.5	0.10	0.3	0.06	32	0.5	0.08	0.2	0.05
Lymphomas	444	8.8	0.43	5.1	0.26	374	5.7	0.30	3.1	0.18
Hodgkin Lymphoma	23	0.5	0.11	0.4	0.09	22	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	421	8.3	0.42	4.7	0.24	352	5.3	0.29	2.9	0.17
Multiple Myeloma	221	4.3	0.30	2.4	0.17	192	2.8	0.21	1.5	0.12
Leukemias	491	10.2	0.47	5.6	0.28	377	5.9	0.31	3.4	0.21
Other, Ill-defined & Unknown	1,241	24.4	0.71	14.2	0.43	915	14.2	0.48	8.3	0.32

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2009-2013, Black**

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	372	275.7	15.62	164.8	8.72	299	169.4	10.01	105.9	6.78
Oral Cavity & Pharynx	11	7.0	2.24	5.2	1.60	-	-	-	-	-
Digestive System	111	80.8	8.39	48.5	4.70	78	43.0	4.97	25.4	3.20
Esophagus	11	8.3	2.70	5.1	1.57	-	-	-	-	-
Stomach	11	6.8	2.23	4.8	1.49	-	-	-	-	-
Colon & Rectum	45	34.6	5.63	19.8	3.00	29	15.4	2.89	8.7	1.82
Liver	20	12.3	3.08	8.1	1.85	-	-	-	-	-
Pancreas	12	7.2	2.26	5.4	1.58	23	12.4	2.62	7.1	1.67
Respiratory System	128	92.9	8.95	57.3	5.18	68	38.2	4.73	23.5	3.13
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	121	88.8	8.78	54.2	5.04	66	37.2	4.68	22.9	3.09
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	40	23.6	3.83	15.9	2.76
Female Genital System	-	-	-	-	-	31	17.8	3.29	11.5	2.30
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	11	5.9	1.81	3.5	1.16
Ovary	-	-	-	-	-	14	8.1	2.25	5.3	1.57
Male Genital System	47	44.8	6.90	21.0	3.11	-	-	-	-	-
Prostate	47	44.8	6.90	21.0	3.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	15	8.3	2.19	5.8	1.64
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	12	7.0	2.07	4.1	1.32
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	12	6.6	1.93	3.6	1.21
Leukemias	15	10.3	2.93	6.5	1.71	10	6.4	2.04	4.3	1.44
Other, Ill-defined & Unknown	31	20.6	4.05	13.9	2.54	23	13.0	2.76	8.8	1.96

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	19	122.1	32.31	49.6	11.65	20	49.4	11.79	37.9	8.49
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,662	205.2	1.21	114.0	0.70	26,768	144.7	0.91	85.6	0.59
Oral Cavity & Pharynx	561	3.6	0.16	2.3	0.10	260	1.4	0.09	0.8	0.06
Digestive System	7,688	52.0	0.60	30.4	0.36	6,012	31.7	0.42	17.7	0.26
Esophagus	1,276	8.4	0.24	5.2	0.15	329	1.7	0.10	1.0	0.06
Stomach	567	3.9	0.17	2.2	0.10	369	2.0	0.11	1.1	0.07
Colon & Rectum	2,415	16.8	0.35	9.2	0.20	2,335	12.1	0.26	6.5	0.16
Liver	861	5.5	0.19	3.6	0.13	332	1.8	0.10	1.0	0.07
Pancreas	1,943	13.1	0.30	7.7	0.18	1,882	10.0	0.24	5.7	0.15
Respiratory System	8,351	56.9	0.63	32.6	0.37	6,861	38.0	0.47	22.9	0.30
Larynx	220	1.5	0.10	0.9	0.06	57	0.3	0.04	0.2	0.03
Lung & bronchus	8,060	54.9	0.62	31.5	0.37	6,775	37.5	0.46	22.7	0.30
Skin	805	5.6	0.20	3.1	0.12	360	2.0	0.11	1.2	0.07
Melanomas of the skin	599	4.1	0.17	2.4	0.10	276	1.5	0.10	1.0	0.07
Breast	50	0.3	0.05	0.2	0.03	3,833	20.9	0.35	13.2	0.24
Female Genital System	-	-	-	-	-	2,715	14.9	0.29	9.3	0.20
Cervix uteri	-	-	-	-	-	240	1.4	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	855	4.6	0.16	2.8	0.11
Ovary	-	-	-	-	-	1,406	7.7	0.21	4.9	0.14
Male Genital System	3,062	22.8	0.42	9.9	0.19	-	-	-	-	-
Prostate	3,006	22.4	0.41	9.6	0.18	-	-	-	-	-
Testis	32	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,158	15.2	0.33	7.9	0.18	964	5.0	0.17	2.7	0.10
Bladder	1,158	8.4	0.25	3.9	0.12	427	2.2	0.11	1.0	0.06
Kidney & renal pelvis	942	6.3	0.21	3.8	0.13	503	2.7	0.12	1.5	0.08
Brain & Other Nervous System	877	5.8	0.20	4.0	0.14	698	4.1	0.16	2.9	0.12
Endocrine System	122	0.8	0.08	0.6	0.06	158	0.9	0.07	0.6	0.06
Thyroid gland	76	0.5	0.06	0.3	0.04	105	0.6	0.06	0.3	0.04
Lymphomas	1,239	8.8	0.25	4.6	0.14	1,034	5.4	0.17	2.7	0.10
Hodgkin Lymphoma	69	0.5	0.06	0.3	0.04	52	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,170	8.4	0.25	4.3	0.13	982	5.1	0.17	2.5	0.10
Multiple Myeloma	670	4.7	0.19	2.4	0.10	526	2.7	0.12	1.5	0.08
Leukemias	1,519	10.9	0.28	5.9	0.16	1,076	5.8	0.18	3.2	0.12
Other, Ill-defined & Unknown	2,560	17.7	0.36	10.0	0.21	2,271	12.0	0.26	6.7	0.16

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	27,873	202.3	1.23	111.7	0.71	25,116	142.7	0.93	84.1	0.61
Oral Cavity & Pharynx	515	3.5	0.16	2.2	0.10	249	1.4	0.09	0.8	0.06
Digestive System	7,134	50.8	0.61	29.5	0.37	5,607	31.0	0.43	17.2	0.26
Esophagus	1,225	8.5	0.25	5.3	0.16	308	1.7	0.10	1.0	0.06
Stomach	501	3.7	0.17	2.0	0.10	314	1.8	0.10	1.0	0.06
Colon & Rectum	2,261	16.5	0.35	9.0	0.20	2,196	11.9	0.26	6.3	0.16
Liver	725	5.0	0.19	3.1	0.12	284	1.6	0.10	0.9	0.07
Pancreas	1,835	13.0	0.31	7.6	0.19	1,775	9.9	0.24	5.6	0.15
Respiratory System	7,761	55.5	0.64	31.6	0.38	6,383	37.2	0.47	22.3	0.31
Larynx	200	1.4	0.10	0.8	0.06	45	0.3	0.04	0.1	0.02
Lung & bronchus	7,494	53.6	0.63	30.5	0.37	6,309	36.7	0.47	22.1	0.31
Skin	796	5.8	0.21	3.3	0.12	356	2.1	0.11	1.3	0.08
Melanomas of the skin	593	4.3	0.18	2.5	0.11	273	1.6	0.10	1.1	0.07
Breast	46	0.3	0.05	0.2	0.03	3,577	20.5	0.35	12.9	0.24
Female Genital System	-	-	-	-	-	2,559	14.8	0.30	9.3	0.20
Cervix uteri	-	-	-	-	-	205	1.3	0.10	1.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	796	4.5	0.16	2.7	0.11
Ovary	-	-	-	-	-	1,350	7.9	0.22	4.9	0.15
Male Genital System	2,903	22.5	0.42	9.6	0.19	-	-	-	-	-
Prostate	2,849	22.1	0.42	9.3	0.18	-	-	-	-	-
Testis	31	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	2,081	15.3	0.34	7.9	0.18	920	5.0	0.17	2.7	0.10
Bladder	1,130	8.5	0.26	3.9	0.12	416	2.2	0.11	1.1	0.06
Kidney & renal pelvis	893	6.3	0.21	3.8	0.13	473	2.6	0.13	1.5	0.08
Brain & Other Nervous System	858	6.1	0.21	4.2	0.15	674	4.2	0.17	3.1	0.13
Endocrine System	120	0.9	0.08	0.6	0.07	142	0.8	0.07	0.6	0.06
Thyroid gland	75	0.5	0.06	0.3	0.04	95	0.5	0.06	0.3	0.04
Lymphomas	1,182	8.8	0.26	4.6	0.14	993	5.4	0.18	2.7	0.10
Hodgkin Lymphoma	62	0.4	0.06	0.3	0.04	49	0.3	0.05	0.2	0.03
Non-Hodgkin Lymphoma	1,120	8.4	0.25	4.3	0.14	944	5.1	0.17	2.5	0.10
Multiple Myeloma	621	4.6	0.19	2.3	0.10	490	2.7	0.12	1.5	0.08
Leukemias	1,451	10.9	0.29	5.9	0.17	1,025	5.8	0.19	3.2	0.13
Other, Ill-defined & Unknown	2,405	17.5	0.36	9.8	0.22	2,141	11.9	0.26	6.6	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	1,412	291.0	8.77	179.2	4.89	1,275	195.5	5.74	121.5	3.49
Oral Cavity & Pharynx	30	5.3	1.10	3.6	0.67	-	-	-	-	-
Digestive System	425	81.3	4.45	52.8	2.63	308	48.1	2.87	28.8	1.69
Esophagus	42	7.2	1.25	5.2	0.83	18	2.6	0.65	1.6	0.39
Stomach	49	10.4	1.62	6.2	0.91	38	6.4	1.09	3.3	0.55
Colon & Rectum	118	25.1	2.61	15.0	1.41	112	17.5	1.74	10.4	1.01
Liver	105	15.1	1.56	12.5	1.25	22	3.4	0.78	1.9	0.41
Pancreas	86	18.7	2.27	11.0	1.21	92	14.0	1.52	8.9	0.96
Respiratory System	485	99.8	5.05	62.5	2.91	364	55.4	3.03	35.7	1.92
Larynx	15	3.6	1.06	2.0	0.54	10	1.6	0.51	0.9	0.30
Lung & bronchus	468	95.8	4.93	60.2	2.85	354	53.8	2.99	34.8	1.89
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	219	31.7	2.24	20.6	1.41
Female Genital System	-	-	-	-	-	121	18.2	1.73	11.8	1.10
Cervix uteri	-	-	-	-	-	23	3.2	0.69	2.2	0.47
Corpus & uterus, NOS ¹	-	-	-	-	-	53	8.3	1.18	5.3	0.75
Ovary	-	-	-	-	-	40	6.0	1.00	3.8	0.62
Male Genital System	134	36.3	3.49	18.1	1.60	-	-	-	-	-
Prostate	133	36.1	3.48	18.0	1.59	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	61	12.8	1.89	7.4	0.98	31	5.2	0.98	2.9	0.53
Bladder	21	5.9	1.42	2.7	0.61	-	-	-	-	-
Kidney & renal pelvis	40	6.9	1.24	4.7	0.77	19	3.2	0.76	1.7	0.40
Brain & Other Nervous System	14	2.0	0.62	1.5	0.41	15	2.0	0.56	1.4	0.37
Endocrine System	-	-	-	-	-	15	1.9	0.51	1.5	0.39
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	36	6.6	1.26	4.4	0.75	37	6.1	1.06	3.3	0.55
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	43	9.5	1.65	5.6	0.87	30	5.5	1.03	2.8	0.53
Leukemias	46	9.7	1.63	5.7	0.86	36	5.4	0.96	3.3	0.57
Other, Ill-defined & Unknown	126	24.9	2.54	16.1	1.47	94	15.3	1.64	9.0	0.96

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2009-2013, Asian/Pacific Islander (API)**

SITES	MALES (API)					FEMALES (API)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	175	146.5	12.50	72.0	5.58	176	94.4	7.51	55.7	4.31
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	75	57.3	7.57	29.9	3.54	59	33.3	4.54	18.2	2.43
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	13	12.3	3.82	5.3	1.52	13	8.2	2.36	3.8	1.07
Colon & Rectum	19	17.9	4.50	7.7	1.80	12	5.8	1.75	3.9	1.14
Liver	19	9.4	2.43	7.1	1.67	18	10.6	2.62	5.4	1.30
Pancreas	12	9.0	2.82	5.2	1.53	10	5.7	1.88	3.2	1.03
Respiratory System	34	28.0	5.41	14.3	2.52	36	19.0	3.39	11.3	1.94
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	30	26.1	5.30	12.8	2.39	36	19.0	3.39	11.3	1.94
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	12	5.5	1.65	4.1	1.21
Female Genital System	-	-	-	-	-	24	12.0	2.57	7.6	1.59
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	12	5.9	1.78	3.8	1.14
Male Genital System	12	15.0	4.48	5.3	1.53	-	-	-	-	-
Prostate	12	15.0	4.48	5.3	1.53	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	12	10.0	3.29	4.7	1.39	-	-	-	-	-
Other, Ill-defined & Unknown	14	11.9	3.49	6.0	1.63	22	13.2	2.92	7.2	1.58

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 2000 U.S.	S.E.	Adj. Rate World	S.E.
All Sites	2,560	184.2	3.77	101.1	2.07	2,229	138.6	2.99	81.4	1.87
Oral Cavity & Pharynx	51	3.3	0.48	2.1	0.30	22	1.4	0.30	0.8	0.18
Digestive System	715	49.0	1.90	29.1	1.12	474	29.3	1.37	16.5	0.83
Esophagus	132	8.9	0.81	5.6	0.50	30	1.8	0.33	1.1	0.21
Stomach	43	3.2	0.50	1.8	0.28	24	1.5	0.31	0.8	0.19
Colon & Rectum	252	17.3	1.13	10.2	0.66	186	11.6	0.87	6.5	0.52
Liver	86	5.5	0.62	3.5	0.39	42	2.6	0.41	1.5	0.26
Pancreas	159	11.1	0.91	6.4	0.52	137	8.3	0.72	4.6	0.43
Respiratory System	670	47.7	1.91	26.4	1.05	519	32.6	1.45	18.7	0.88
Larynx	19	1.2	0.29	0.7	0.17	-	-	-	-	-
Lung & bronchus	645	46.1	1.88	25.4	1.03	515	32.3	1.45	18.5	0.88
Skin	72	5.1	0.62	3.0	0.38	-	-	-	-	-
Melanomas of the skin	57	4.0	0.55	2.5	0.36	33	2.1	0.38	1.3	0.25
Breast	-	-	-	-	-	334	20.2	1.13	12.8	0.75
Female Genital System	-	-	-	-	-	233	14.7	0.98	9.6	0.67
Cervix uteri	-	-	-	-	-	40	2.6	0.42	2.0	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	47	3.0	0.44	1.8	0.28
Ovary	-	-	-	-	-	130	8.2	0.73	5.3	0.49
Male Genital System	236	19.4	1.28	8.2	0.55	-	-	-	-	-
Prostate	230	18.9	1.27	7.9	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	173	12.3	0.97	6.7	0.52	69	4.3	0.52	2.3	0.30
Bladder	101	7.6	0.78	3.8	0.39	34	2.1	0.37	1.0	0.19
Kidney & renal pelvis	69	4.5	0.56	2.8	0.34	32	1.9	0.35	1.2	0.22
Brain & Other Nervous System	78	5.2	0.61	3.7	0.44	69	4.4	0.54	3.1	0.41
Endocrine System	-	-	-	-	-	11	0.6	0.20	0.4	0.13
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	85	6.8	0.76	3.2	0.36	83	5.2	0.58	2.8	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	59	4.7	0.62	2.2	0.29	47	3.0	0.44	1.6	0.26
Leukemias	145	10.9	0.93	5.7	0.50	106	6.5	0.65	3.7	0.40
Other, Ill-defined & Unknown	267	19.2	1.22	10.5	0.67	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,494	184.7	3.83	101.4	2.11	2,177	140.0	3.06	82.3	1.92
Oral Cavity & Pharynx	51	3.4	0.50	2.2	0.31	21	1.3	0.30	0.8	0.19
Digestive System	686	48.5	1.92	28.7	1.13	458	29.2	1.39	16.5	0.84
Esophagus	129	8.9	0.82	5.7	0.51	29	1.8	0.34	1.1	0.21
Stomach	40	3.1	0.50	1.7	0.28	23	1.5	0.31	0.9	0.20
Colon & Rectum	242	17.1	1.14	10.0	0.67	177	11.5	0.88	6.4	0.53
Liver	78	5.2	0.62	3.2	0.37	40	2.5	0.41	1.5	0.26
Pancreas	154	11.1	0.93	6.3	0.53	136	8.5	0.74	4.8	0.45
Respiratory System	654	47.9	1.94	26.5	1.07	505	32.8	1.48	18.8	0.90
Larynx	17	1.1	0.28	0.7	0.17	-	-	-	-	-
Lung & bronchus	631	46.3	1.91	25.6	1.05	501	32.5	1.48	18.6	0.90
Skin	72	5.3	0.65	3.2	0.40	-	-	-	-	-
Melanomas of the skin	57	4.1	0.56	2.6	0.38	32	2.1	0.39	1.4	0.27
Breast	-	-	-	-	-	330	20.7	1.17	13.2	0.78
Female Genital System	-	-	-	-	-	226	14.8	1.01	9.6	0.69
Cervix uteri	-	-	-	-	-	39	2.6	0.44	2.0	0.33
Corpus & uterus, NOS ¹	-	-	-	-	-	45	2.9	0.45	1.8	0.29
Ovary	-	-	-	-	-	126	8.2	0.75	5.3	0.50
Male Genital System	232	19.5	1.30	8.3	0.57	-	-	-	-	-
Prostate	226	19.1	1.29	8.0	0.55	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	172	12.6	1.00	6.8	0.54	69	4.4	0.54	2.4	0.31
Bladder	100	7.7	0.80	3.9	0.40	34	2.2	0.38	1.0	0.19
Kidney & renal pelvis	69	4.6	0.58	2.9	0.35	32	2.0	0.36	1.2	0.23
Brain & Other Nervous System	77	5.3	0.63	3.8	0.46	68	4.5	0.56	3.2	0.42
Endocrine System	-	-	-	-	-	11	0.7	0.20	0.4	0.13
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	83	6.8	0.77	3.2	0.37	81	5.2	0.59	2.8	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	57	4.6	0.63	2.2	0.30	45	2.9	0.45	1.6	0.26
Leukemias	142	11.0	0.95	5.7	0.51	105	6.7	0.67	3.8	0.41
Other, Ill-defined & Unknown	259	19.1	1.23	10.5	0.68	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2009-2013, Black**

SITES	MALES (BLACK)					FEMALES (BLACK)				
	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.	Deaths	Adj. Rate	S.E.	Adj. Rate	S.E.
		2000 U.S.		World			2000 U.S.		World	
All Sites	14	86.1	24.20	57.3	15.74	11	64.9	19.79	42.9	15.03
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate</i>	<i>S.E.</i>	<i>Adj. Rate</i>	<i>S.E.</i>
		<i>2000 U.S.</i>		<i>World</i>			<i>2000 U.S.</i>		<i>World</i>	
All Sites	-	-	-	-	-	11	105.8	33.06	46.1	14.40
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	-	-	-	-	-	-	-	-	-	-
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	-	-	-	-	-	-	-	-	-	-
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	-	-	-	-	-	-	-	-	-	-
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Puerto Rico, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,641	158.5	1.33	88.1	0.77	11,494	96.1	0.91	58.0	0.60
Oral Cavity & Pharynx	485	5.0	0.23	3.3	0.16	124	1.0	0.09	0.5	0.05
Digestive System	4,855	51.4	0.75	30.3	0.46	3,461	28.4	0.49	15.7	0.29
Esophagus	462	4.8	0.23	3.0	0.15	120	1.0	0.09	0.5	0.05
Stomach	628	6.8	0.28	3.7	0.16	437	3.6	0.17	2.0	0.10
Colon & Rectum	1,912	20.5	0.48	11.8	0.28	1,564	12.8	0.33	7.2	0.20
Liver	907	9.3	0.31	6.0	0.21	423	3.5	0.17	1.9	0.10
Pancreas	704	7.4	0.28	4.3	0.17	691	5.7	0.22	3.1	0.13
Respiratory System	2,192	23.2	0.50	13.2	0.30	1,122	9.2	0.28	5.2	0.17
Larynx	180	1.8	0.14	1.2	0.09	29	0.2	0.05	0.1	0.03
Lung & bronchus	1,988	21.1	0.48	11.9	0.28	1,083	8.9	0.27	5.0	0.17
Skin	197	2.2	0.16	1.1	0.08	111	0.9	0.09	0.4	0.05
Melanomas of the skin	55	0.6	0.08	0.4	0.05	35	0.3	0.05	0.2	0.04
Breast	37	0.4	0.07	0.2	0.04	2,129	18.1	0.40	12.2	0.29
Female Genital System	-	-	-	-	-	1,359	11.7	0.33	7.7	0.23
Cervix uteri	-	-	-	-	-	280	2.6	0.16	1.9	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	483	4.1	0.19	2.7	0.14
Ovary	-	-	-	-	-	484	4.1	0.19	2.6	0.13
Male Genital System	2,595	29.9	0.59	12.9	0.27	-	-	-	-	-
Prostate	2,522	29.1	0.59	12.3	0.26	-	-	-	-	-
Testis	26	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	649	7.1	0.28	3.6	0.15	350	2.8	0.15	1.5	0.09
Bladder	407	4.5	0.23	2.1	0.11	201	1.6	0.12	0.8	0.06
Kidney & renal pelvis	230	2.5	0.16	1.4	0.10	136	1.1	0.10	0.6	0.06
Brain & Other Nervous System	272	2.9	0.18	2.1	0.13	223	1.9	0.13	1.4	0.10
Endocrine System	42	0.5	0.07	0.3	0.06	66	0.6	0.07	0.4	0.06
Thyroid gland	27	0.3	0.06	0.2	0.03	47	0.4	0.06	0.2	0.03
Lymphomas	498	5.4	0.25	3.4	0.16	371	3.2	0.17	1.9	0.11
Hodgkin Lymphoma	69	0.8	0.10	0.6	0.07	30	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	429	4.6	0.23	2.8	0.15	341	2.9	0.16	1.7	0.10
Multiple Myeloma	360	3.9	0.21	2.2	0.12	277	2.3	0.14	1.3	0.09
Leukemias	480	5.4	0.25	3.0	0.15	381	3.3	0.17	2.0	0.12
Other, Ill-defined & Unknown	1,979	21.2	0.48	12.4	0.30	1,519	12.7	0.33	7.8	0.22

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alberta, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,260	204.2	1.71	110.5	0.93	13,455	144.8	1.26	85.4	0.80
Oral Cavity & Pharynx	319	3.7	0.22	2.4	0.14	134	1.4	0.13	0.8	0.08
Digestive System	4,497	58.5	0.91	32.8	0.51	3,358	36.0	0.63	20.0	0.38
Esophagus	640	7.9	0.32	4.9	0.20	168	1.8	0.14	1.0	0.09
Stomach	430	5.7	0.28	3.1	0.16	284	3.0	0.18	1.7	0.11
Colon & Rectum	1,861	24.9	0.60	13.5	0.32	1,442	15.4	0.41	8.1	0.23
Liver	414	4.9	0.25	3.1	0.16	165	1.8	0.14	1.1	0.09
Pancreas	814	10.6	0.39	5.8	0.21	832	9.0	0.32	5.2	0.19
Respiratory System	3,858	50.8	0.84	28.4	0.47	3,403	37.4	0.65	22.7	0.42
Larynx	103	1.3	0.14	0.8	0.08	19	0.2	0.05	0.1	0.03
Lung & bronchus	3,714	49.0	0.83	27.3	0.46	3,365	36.9	0.64	22.4	0.41
Skin	324	4.1	0.24	2.4	0.14	186	1.9	0.14	1.2	0.09
Melanomas of the skin	257	3.1	0.20	1.9	0.12	146	1.5	0.13	1.0	0.09
Breast	21	0.3	0.07	0.1	0.03	2,004	21.2	0.48	13.2	0.32
Female Genital System	-	-	-	-	-	1,270	13.5	0.38	8.6	0.26
Cervix uteri	-	-	-	-	-	177	1.9	0.14	1.4	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	334	3.5	0.19	2.2	0.13
Ovary	-	-	-	-	-	674	7.2	0.28	4.5	0.18
Male Genital System	1,823	28.0	0.67	11.8	0.29	-	-	-	-	-
Prostate	1,791	27.7	0.67	11.6	0.28	-	-	-	-	-
Testis	19	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	986	13.5	0.45	7.0	0.23	421	4.6	0.23	2.4	0.13
Bladder	538	7.9	0.35	3.7	0.16	184	2.0	0.15	1.0	0.08
Kidney & renal pelvis	430	5.4	0.27	3.2	0.16	227	2.5	0.17	1.3	0.10
Brain & Other Nervous System	491	5.6	0.26	4.0	0.19	303	3.2	0.19	2.4	0.15
Endocrine System	56	0.7	0.09	0.5	0.07	67	0.7	0.09	0.4	0.06
Thyroid gland	29	0.4	0.07	0.2	0.04	40	0.4	0.07	0.2	0.03
Lymphomas	585	7.7	0.33	4.3	0.18	464	5.0	0.24	2.7	0.14
Hodgkin Lymphoma	27	0.3	0.06	0.2	0.04	19	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	558	7.4	0.32	4.1	0.18	445	4.8	0.23	2.5	0.13
Multiple Myeloma	296	4.0	0.24	2.1	0.13	224	2.5	0.17	1.4	0.10
Leukemias	595	8.3	0.35	4.3	0.19	442	4.8	0.23	2.6	0.14
Other, Ill-defined & Unknown	1,409	18.9	0.52	10.3	0.29	1,179	12.6	0.37	7.1	0.23

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
British Columbia, 2008-2012, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,058	197.1	1.29	107.2	0.73	21,452	145.9	1.01	85.3	0.65
Oral Cavity & Pharynx	548	4.2	0.18	2.8	0.12	239	1.6	0.11	1.0	0.07
Digestive System	7,347	59.1	0.70	33.6	0.41	5,623	37.6	0.51	20.7	0.31
Esophagus	995	7.8	0.25	4.7	0.15	325	2.2	0.12	1.2	0.07
Stomach	628	5.1	0.21	2.9	0.12	443	3.0	0.15	1.7	0.09
Colon & Rectum	2,910	23.9	0.45	12.9	0.25	2,596	17.2	0.34	9.2	0.21
Liver	781	6.0	0.22	3.9	0.14	267	1.8	0.12	1.1	0.08
Pancreas	1,421	11.4	0.31	6.5	0.18	1,269	8.5	0.24	4.7	0.15
Respiratory System	6,271	50.2	0.64	28.2	0.37	5,492	37.7	0.52	22.3	0.33
Larynx	167	1.3	0.10	0.8	0.06	34	0.2	0.04	0.1	0.03
Lung & bronchus	6,038	48.5	0.63	27.1	0.37	5,427	37.3	0.51	22.0	0.32
Skin	557	4.6	0.20	2.6	0.12	295	2.0	0.12	1.2	0.08
Melanomas of the skin	403	3.2	0.16	2.0	0.10	221	1.5	0.11	1.0	0.08
Breast	27	0.2	0.04	0.1	0.02	3,008	20.7	0.38	13.1	0.26
Female Genital System	-	-	-	-	-	2,048	14.1	0.32	8.7	0.21
Cervix uteri	-	-	-	-	-	219	1.6	0.11	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	515	3.5	0.15	2.2	0.10
Ovary	-	-	-	-	-	1,166	8.0	0.24	4.9	0.16
Male Genital System	2,685	23.9	0.47	10.0	0.20	-	-	-	-	-
Prostate	2,632	23.4	0.46	9.6	0.20	-	-	-	-	-
Testis	28	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,713	14.4	0.35	7.2	0.18	770	5.1	0.19	2.6	0.11
Bladder	993	8.6	0.28	3.9	0.13	407	2.6	0.13	1.3	0.07
Kidney & renal pelvis	668	5.3	0.21	3.1	0.13	328	2.2	0.13	1.2	0.08
Brain & Other Nervous System	699	5.5	0.21	4.0	0.17	541	3.9	0.17	2.9	0.15
Endocrine System	100	0.8	0.08	0.6	0.07	108	0.8	0.08	0.5	0.06
Thyroid gland	59	0.5	0.06	0.3	0.04	76	0.5	0.06	0.3	0.04
Lymphomas	989	8.2	0.26	4.4	0.15	773	5.2	0.19	2.7	0.11
Hodgkin Lymphoma	35	0.3	0.05	0.2	0.04	20	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	954	7.9	0.26	4.2	0.14	753	5.0	0.19	2.6	0.11
Multiple Myeloma	428	3.5	0.17	1.8	0.09	360	2.4	0.13	1.3	0.08
Leukemias	897	7.5	0.25	4.1	0.15	691	4.7	0.18	2.7	0.12
Other, Ill-defined & Unknown	1,797	15.0	0.36	7.9	0.20	1,504	10.1	0.26	5.5	0.17

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Manitoba, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,861	228.0	2.79	123.8	1.59	6,511	164.6	2.09	97.4	1.39
Oral Cavity & Pharynx	103	3.1	0.31	2.1	0.22	70	1.8	0.22	1.0	0.14
Digestive System	1,977	64.4	1.47	36.8	0.87	1,634	40.0	1.02	22.1	0.64
Esophagus	273	8.5	0.52	5.5	0.34	69	1.7	0.21	1.0	0.13
Stomach	219	7.1	0.48	4.0	0.29	118	2.9	0.28	1.6	0.17
Colon & Rectum	865	28.8	0.99	15.7	0.56	795	19.2	0.70	10.6	0.44
Liver	131	4.2	0.38	2.5	0.22	66	1.7	0.21	0.9	0.13
Pancreas	335	10.8	0.60	6.3	0.36	387	9.6	0.50	5.2	0.31
Respiratory System	1,741	57.1	1.39	32.1	0.81	1,614	41.7	1.06	25.1	0.70
Larynx	33	1.1	0.19	0.6	0.11	-	-	-	-	-
Lung & bronchus	1,690	55.5	1.37	31.2	0.80	1,601	41.4	1.05	24.9	0.70
Skin	134	4.4	0.38	2.5	0.23	67	1.6	0.20	1.0	0.14
Melanomas of the skin	103	3.2	0.33	2.1	0.21	51	1.3	0.19	0.8	0.14
Breast	-	-	-	-	-	955	24.6	0.82	15.6	0.57
Female Genital System	-	-	-	-	-	600	15.7	0.66	10.0	0.45
Cervix uteri	-	-	-	-	-	82	2.4	0.27	1.6	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	162	4.0	0.32	2.4	0.21
Ovary	-	-	-	-	-	307	8.1	0.47	5.2	0.33
Male Genital System	847	30.2	1.04	12.4	0.45	-	-	-	-	-
Prostate	838	29.9	1.04	12.2	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	481	16.1	0.74	8.4	0.41	230	5.6	0.38	3.0	0.23
Bladder	232	8.0	0.53	3.8	0.26	111	2.6	0.25	1.2	0.13
Kidney & renal pelvis	239	7.8	0.51	4.4	0.30	112	2.9	0.28	1.8	0.19
Brain & Other Nervous System	147	4.7	0.40	3.2	0.27	104	2.9	0.29	2.1	0.23
Endocrine System	19	0.6	0.14	0.5	0.13	31	0.8	0.15	0.5	0.12
Thyroid gland	12	0.4	0.11	0.2	0.07	20	0.5	0.12	0.3	0.07
Lymphomas	253	8.4	0.54	4.8	0.32	245	5.9	0.39	3.1	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	142	4.7	0.40	2.4	0.22	109	2.6	0.26	1.3	0.15
Leukemias	278	9.4	0.57	4.9	0.32	195	4.8	0.36	2.7	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	657	16.5	0.66	9.9	0.45

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Brunswick, 2008-2012, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,967	239.4	3.49	130.5	1.94	4,289	159.6	2.49	92.9	1.61
Oral Cavity & Pharynx	84	3.8	0.43	2.4	0.28	47	1.8	0.27	1.0	0.19
Digestive System	1,308	62.1	1.76	34.4	0.99	1,065	38.6	1.21	21.1	0.74
Esophagus	178	8.0	0.62	4.9	0.38	49	1.9	0.27	1.0	0.16
Stomach	142	6.8	0.59	3.7	0.33	95	3.5	0.37	1.9	0.23
Colon & Rectum	563	27.6	1.19	14.4	0.63	477	17.1	0.80	9.1	0.47
Liver	76	3.4	0.40	2.1	0.24	38	1.4	0.23	0.8	0.18
Pancreas	254	11.8	0.76	6.8	0.44	277	10.1	0.61	5.5	0.37
Respiratory System	1,674	78.4	1.97	44.1	1.12	1,104	41.6	1.27	24.7	0.81
Larynx	47	2.0	0.30	1.3	0.20	-	-	-	-	-
Lung & bronchus	1,616	75.9	1.94	42.4	1.09	1,091	41.1	1.26	24.4	0.80
Skin	97	4.6	0.48	2.6	0.27	57	2.2	0.29	1.4	0.21
Melanomas of the skin	77	3.5	0.41	2.1	0.25	44	1.7	0.27	1.2	0.20
Breast	-	-	-	-	-	608	22.5	0.93	13.8	0.62
Female Genital System	-	-	-	-	-	392	15.0	0.77	9.3	0.51
Cervix uteri	-	-	-	-	-	55	2.2	0.31	1.5	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	106	4.0	0.40	2.4	0.25
Ovary	-	-	-	-	-	195	7.4	0.54	4.7	0.37
Male Genital System	482	26.0	1.20	10.9	0.52	-	-	-	-	-
Prostate	467	25.2	1.18	10.4	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	322	15.9	0.91	8.2	0.48	167	5.9	0.47	2.8	0.25
Bladder	168	8.7	0.69	4.0	0.32	65	2.2	0.28	0.9	0.13
Kidney & renal pelvis	143	6.6	0.57	3.9	0.35	93	3.4	0.36	1.8	0.21
Brain & Other Nervous System	124	5.4	0.50	3.9	0.38	99	4.0	0.41	2.8	0.32
Endocrine System	21	1.0	0.22	0.6	0.16	19	0.8	0.19	0.5	0.15
Thyroid gland	14	0.6	0.18	0.4	0.10	13	0.5	0.14	0.3	0.08
Lymphomas	190	9.2	0.69	5.3	0.41	155	5.7	0.47	3.3	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	72	3.5	0.43	1.9	0.23	79	2.9	0.33	1.5	0.18
Leukemias	160	8.0	0.64	4.6	0.40	139	5.4	0.48	3.3	0.36
Other, Ill-defined & Unknown	-	-	-	-	-	358	13.2	0.71	7.5	0.47

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Newfoundland and Labrador, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,648	261.6	4.54	140.3	2.40	2,993	173.5	3.22	101.0	2.01
Oral Cavity & Pharynx	60	4.0	0.53	2.4	0.31	14	0.8	0.22	0.5	0.16
Digestive System	1,193	84.0	2.55	46.4	1.38	827	48.4	1.70	26.1	0.98
Esophagus	109	7.4	0.75	4.4	0.43	37	2.0	0.34	1.1	0.20
Stomach	176	12.8	1.01	6.7	0.52	96	5.6	0.58	3.0	0.34
Colon & Rectum	586	41.9	1.81	22.6	0.96	433	25.5	1.24	13.5	0.70
Liver	73	4.9	0.61	2.9	0.35	29	1.6	0.30	0.9	0.17
Pancreas	168	11.5	0.94	6.6	0.52	139	8.1	0.69	4.4	0.41
Respiratory System	1,104	75.4	2.37	42.2	1.30	642	36.5	1.46	22.4	0.93
Larynx	45	3.1	0.49	1.8	0.27	-	-	-	-	-
Lung & bronchus	1,054	72.0	2.32	40.2	1.26	636	36.2	1.45	22.2	0.92
Skin	55	4.1	0.59	2.2	0.31	-	-	-	-	-
Melanomas of the skin	41	3.0	0.48	1.7	0.28	27	1.6	0.32	1.0	0.21
Breast	-	-	-	-	-	470	26.7	1.25	16.2	0.80
Female Genital System	-	-	-	-	-	266	15.7	0.98	9.9	0.65
Cervix uteri	-	-	-	-	-	40	2.6	0.42	1.8	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	75	4.4	0.52	2.9	0.36
Ovary	-	-	-	-	-	129	7.4	0.66	4.5	0.42
Male Genital System	341	29.5	1.65	11.8	0.65	-	-	-	-	-
Prostate	328	28.5	1.63	11.3	0.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	216	16.2	1.16	8.2	0.59	136	7.9	0.69	4.5	0.44
Bladder	100	8.2	0.85	3.7	0.37	44	2.5	0.39	1.2	0.20
Kidney & renal pelvis	110	7.6	0.76	4.3	0.45	87	5.0	0.55	3.1	0.39
Brain & Other Nervous System	89	5.5	0.61	3.9	0.43	73	4.4	0.53	3.4	0.46
Endocrine System	12	0.8	0.25	0.5	0.14	22	1.2	0.26	0.7	0.16
Thyroid gland	-	-	-	-	-	20	1.1	0.25	0.6	0.15
Lymphomas	112	8.0	0.79	4.4	0.42	82	5.0	0.56	2.5	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	48	3.2	0.48	1.8	0.26	55	3.3	0.45	1.4	0.21
Leukemias	99	7.2	0.76	4.1	0.44	74	4.4	0.52	2.6	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Northwest Territories, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	152	270.6	25.52	150.7	12.69	120	214.2	21.28	117.6	11.14
Oral Cavity & Pharynx	10	13.5	4.88	9.6	3.19	-	-	-	-	-
Digestive System	54	73.2	11.67	50.4	7.19	43	79.8	13.12	42.5	6.72
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	29	44.6	9.65	29.1	5.66	16	30.1	8.10	16.3	4.22
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	10	12.4	4.69	8.4	2.79	12	23.5	7.13	13.0	3.87
Respiratory System	41	83.8	14.67	42.0	6.73	32	59.0	11.15	34.2	6.26
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	39	79.8	14.35	39.8	6.55	31	56.9	10.94	32.9	6.11
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	15	23.3	6.80	12.6	3.35
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	32.2	9.61	14.5	4.11	-	-	-	-	-
Prostate	13	32.2	9.61	14.5	4.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	15	26.2	7.74	14.7	3.91	15	25.9	7.30	14.8	3.93

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nova Scotia, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,575	255.1	3.23	138.3	1.78	6,030	177.0	2.32	103.5	1.50
Oral Cavity & Pharynx	113	4.2	0.40	2.5	0.24	56	1.6	0.22	1.0	0.14
Digestive System	1,910	72.8	1.71	40.6	0.96	1,512	43.8	1.15	23.9	0.69
Esophagus	251	9.2	0.60	5.6	0.36	93	2.7	0.29	1.5	0.17
Stomach	165	6.4	0.51	3.6	0.29	100	2.9	0.30	1.6	0.18
Colon & Rectum	899	35.1	1.20	18.7	0.65	785	22.5	0.82	12.0	0.49
Liver	139	4.9	0.43	3.0	0.26	50	1.4	0.20	0.7	0.12
Pancreas	326	12.1	0.69	7.0	0.40	331	9.7	0.54	5.5	0.33
Respiratory System	1,920	71.9	1.68	40.5	0.95	1,594	47.4	1.20	28.3	0.77
Larynx	52	2.0	0.28	1.1	0.16	12	0.3	0.10	0.2	0.06
Lung & bronchus	1,853	69.3	1.65	39.0	0.93	1,575	46.8	1.19	28.0	0.76
Skin	156	5.9	0.49	3.6	0.30	92	2.8	0.30	1.7	0.20
Melanomas of the skin	125	4.7	0.43	3.0	0.28	73	2.3	0.27	1.5	0.20
Breast	13	0.5	0.15	0.3	0.08	817	24.2	0.87	15.1	0.59
Female Genital System	-	-	-	-	-	578	16.9	0.72	10.4	0.48
Cervix uteri	-	-	-	-	-	70	2.3	0.28	1.5	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	173	5.0	0.38	3.1	0.25
Ovary	-	-	-	-	-	274	7.9	0.49	4.9	0.32
Male Genital System	640	28.1	1.13	11.4	0.47	-	-	-	-	-
Prostate	631	27.8	1.12	11.2	0.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	438	17.4	0.85	8.9	0.44	216	6.1	0.42	3.2	0.25
Bladder	229	9.5	0.64	4.4	0.30	94	2.6	0.28	1.3	0.16
Kidney & renal pelvis	201	7.6	0.55	4.4	0.32	110	3.2	0.31	1.7	0.18
Brain & Other Nervous System	197	7.5	0.55	5.0	0.38	136	4.3	0.38	3.2	0.30
Endocrine System	26	1.0	0.21	0.7	0.16	25	0.8	0.16	0.5	0.12
Thyroid gland	16	0.6	0.16	0.3	0.09	16	0.5	0.12	0.3	0.08
Lymphomas	258	9.9	0.63	5.7	0.38	222	6.5	0.44	3.6	0.27
Hodgkin Lymphoma	16	0.6	0.17	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	242	9.3	0.61	5.3	0.36	-	-	-	-	-
Multiple Myeloma	120	4.6	0.43	2.5	0.23	76	2.2	0.26	1.2	0.15
Leukemias	229	9.1	0.62	5.0	0.37	178	5.3	0.41	3.0	0.28
Other, Ill-defined & Unknown	555	22.1	0.96	11.8	0.53	528	15.3	0.68	8.5	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nunavut, 2008-2012, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	100	382.1	53.00	213.2	23.18	88	326.9	44.33	192.8	21.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	32	107.0	27.67	62.1	12.43	21	65.7	17.53	40.7	9.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	19	51.3	18.54	32.2	8.55	11	36.5	13.68	21.3	6.91
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	43	183.5	36.43	98.6	15.85	38	155.1	29.55	93.6	15.70
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	43	183.5	36.43	98.6	15.85	38	155.1	29.55	93.6	15.70
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ontario, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	69,520	215.2	0.83	116.8	0.47	63,595	151.5	0.61	88.3	0.39
Oral Cavity & Pharynx	1,528	4.4	0.12	2.8	0.07	680	1.6	0.06	0.9	0.04
Digestive System	20,668	62.9	0.45	35.2	0.26	15,811	37.1	0.30	20.0	0.18
Esophagus	2,694	7.9	0.15	4.8	0.10	858	2.0	0.07	1.1	0.04
Stomach	2,187	6.7	0.15	3.7	0.08	1,420	3.4	0.09	1.9	0.06
Colon & Rectum	8,410	26.2	0.29	13.9	0.16	7,211	16.7	0.20	8.7	0.12
Liver	2,002	5.8	0.13	3.6	0.08	707	1.7	0.06	1.0	0.04
Pancreas	3,694	11.1	0.19	6.4	0.11	3,770	8.9	0.15	4.9	0.09
Respiratory System	18,575	56.1	0.42	31.7	0.24	15,264	36.6	0.30	21.9	0.19
Larynx	616	1.8	0.08	1.1	0.04	132	0.3	0.03	0.2	0.02
Lung & bronchus	17,841	53.9	0.41	30.4	0.24	15,073	36.2	0.30	21.6	0.19
Skin	1,900	5.9	0.14	3.3	0.08	1,097	2.6	0.08	1.5	0.05
Melanomas of the skin	1,353	4.0	0.11	2.4	0.07	806	2.0	0.07	1.2	0.05
Breast	77	0.2	0.03	0.1	0.02	9,515	22.9	0.24	14.3	0.16
Female Genital System	-	-	-	-	-	6,191	14.9	0.19	9.4	0.13
Cervix uteri	-	-	-	-	-	783	2.0	0.07	1.4	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	1,800	4.3	0.10	2.7	0.07
Ovary	-	-	-	-	-	3,141	7.6	0.14	4.8	0.09
Male Genital System	7,285	25.0	0.30	10.4	0.13	-	-	-	-	-
Prostate	7,133	24.5	0.29	10.1	0.12	-	-	-	-	-
Testis	76	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,574	14.5	0.22	7.3	0.11	2,305	5.3	0.11	2.7	0.07
Bladder	2,576	8.5	0.17	3.9	0.08	1,095	2.5	0.08	1.2	0.04
Kidney & renal pelvis	1,767	5.3	0.13	3.1	0.08	1,090	2.6	0.08	1.4	0.05
Brain & Other Nervous System	2,098	6.1	0.14	4.3	0.10	1,610	4.0	0.10	2.9	0.08
Endocrine System	250	0.8	0.05	0.5	0.04	298	0.7	0.04	0.5	0.04
Thyroid gland	148	0.4	0.04	0.3	0.02	199	0.5	0.03	0.2	0.02
Lymphomas	2,843	8.8	0.17	4.9	0.10	2,395	5.7	0.12	3.2	0.07
Hodgkin Lymphoma	142	0.4	0.04	0.3	0.03	107	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,701	8.3	0.16	4.6	0.09	2,288	5.5	0.12	3.0	0.07
Multiple Myeloma	1,341	4.1	0.11	2.2	0.06	1,135	2.7	0.08	1.4	0.05
Leukemias	2,831	8.9	0.17	4.9	0.10	2,126	5.1	0.11	2.9	0.08
Other, Ill-defined & Unknown	5,550	17.6	0.24	9.2	0.13	5,168	12.1	0.17	6.5	0.11

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Prince Edward Island, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	899	233.1	7.98	127.1	4.43	833	166.7	5.89	99.5	3.87
Oral Cavity & Pharynx	19	5.2	1.22	2.3	0.56	-	-	-	-	-
Digestive System	248	63.1	4.12	35.9	2.38	213	41.8	2.93	23.3	1.80
Esophagus	39	9.8	1.61	5.7	0.96	-	-	-	-	-
Stomach	26	6.9	1.38	4.1	0.84	-	-	-	-	-
Colon & Rectum	104	27.2	2.75	14.3	1.46	118	23.5	2.22	12.4	1.31
Liver	15	3.6	0.95	2.3	0.61	-	-	-	-	-
Pancreas	51	12.3	1.78	7.8	1.13	51	9.7	1.38	6.0	0.91
Respiratory System	294	72.6	4.34	41.7	2.51	222	45.4	3.08	28.1	2.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	285	70.6	4.29	40.4	2.46	219	44.7	3.06	27.6	2.00
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	15	3.6	0.97	2.3	0.71
Breast	-	-	-	-	-	107	21.2	2.09	13.9	1.47
Female Genital System	-	-	-	-	-	73	14.5	1.73	9.1	1.16
Cervix uteri	-	-	-	-	-	12	2.6	0.76	1.9	0.58
Corpus & uterus, NOS ¹	-	-	-	-	-	18	3.7	0.88	2.0	0.52
Ovary	-	-	-	-	-	37	7.2	1.19	4.5	0.80
Male Genital System	91	27.8	2.95	10.5	1.14	-	-	-	-	-
Prostate	88	27.0	2.91	10.0	1.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	16.6	2.14	9.3	1.22	43	8.3	1.28	4.6	0.79
Bladder	31	8.8	1.62	4.0	0.75	23	4.3	0.91	2.2	0.52
Kidney & renal pelvis	29	6.9	1.32	4.6	0.91	19	3.8	0.87	2.4	0.59
Brain & Other Nervous System	26	6.3	1.26	4.5	0.90	11	2.3	0.70	1.6	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	29	8.1	1.54	4.0	0.82	26	5.2	1.03	2.6	0.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	29	8.1	1.54	4.0	0.82	26	5.2	1.03	2.6	0.57
Multiple Myeloma	18	4.7	1.14	2.3	0.57	15	3.1	0.81	1.3	0.38
Leukemias	30	7.8	1.46	4.5	0.89	32	6.3	1.14	3.7	0.71
Other, Ill-defined & Unknown	67	17.3	2.19	9.8	1.27	64	12.7	1.65	7.7	1.25

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Quebec, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,091	248.3	1.13	134.2	0.62	46,510	169.7	0.80	100.4	0.52
Oral Cavity & Pharynx	983	4.5	0.15	2.7	0.09	477	1.7	0.08	1.0	0.05
Digestive System	14,054	67.7	0.59	37.1	0.32	11,780	42.1	0.39	22.4	0.23
Esophagus	1,294	5.9	0.17	3.6	0.10	387	1.4	0.07	0.8	0.04
Stomach	1,619	7.9	0.20	4.3	0.11	1,099	3.9	0.12	2.1	0.07
Colon & Rectum	6,168	30.3	0.40	16.0	0.21	5,567	19.8	0.27	10.3	0.16
Liver	1,175	5.5	0.17	3.1	0.09	464	1.7	0.08	0.9	0.05
Pancreas	2,570	12.1	0.25	6.9	0.14	2,674	9.7	0.19	5.4	0.12
Respiratory System	17,851	83.9	0.65	47.1	0.36	13,273	48.8	0.43	31.3	0.29
Larynx	596	2.8	0.12	1.6	0.07	162	0.6	0.05	0.3	0.03
Lung & bronchus	16,992	79.8	0.63	44.8	0.35	12,960	47.6	0.42	30.6	0.29
Skin	951	4.6	0.15	2.6	0.09	559	2.0	0.09	1.2	0.06
Melanomas of the skin	639	2.9	0.12	1.9	0.08	386	1.5	0.08	0.9	0.05
Breast	66	0.3	0.04	0.2	0.02	6,469	24.0	0.30	15.0	0.21
Female Genital System	-	-	-	-	-	3,862	14.3	0.23	8.7	0.16
Cervix uteri	-	-	-	-	-	397	1.6	0.08	1.2	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,166	4.2	0.12	2.5	0.08
Ovary	-	-	-	-	-	1,987	7.3	0.17	4.5	0.11
Male Genital System	4,004	22.3	0.36	9.3	0.15	-	-	-	-	-
Prostate	3,903	21.8	0.36	9.0	0.15	-	-	-	-	-
Testis	45	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,161	16.0	0.29	8.0	0.15	1,673	5.9	0.15	3.1	0.09
Bladder	1,704	9.0	0.23	4.1	0.10	759	2.6	0.10	1.3	0.05
Kidney & renal pelvis	1,269	6.0	0.17	3.4	0.10	783	2.8	0.10	1.6	0.07
Brain & Other Nervous System	1,436	6.4	0.17	4.5	0.13	1,130	4.4	0.14	3.1	0.11
Endocrine System	196	0.9	0.07	0.6	0.05	214	0.8	0.06	0.5	0.04
Thyroid gland	80	0.4	0.04	0.2	0.03	114	0.4	0.04	0.2	0.02
Lymphomas	1,920	9.4	0.22	5.1	0.12	1,529	5.6	0.14	3.1	0.09
Hodgkin Lymphoma	111	0.5	0.05	0.3	0.04	74	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,809	8.9	0.21	4.8	0.12	1,455	5.3	0.14	2.9	0.09
Multiple Myeloma	874	4.3	0.15	2.2	0.08	764	2.7	0.10	1.4	0.06
Leukemias	1,715	8.5	0.21	4.6	0.12	1,308	4.8	0.14	2.8	0.09
Other, Ill-defined & Unknown	3,880	19.6	0.32	10.1	0.17	3,472	12.5	0.22	6.8	0.13

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Saskatchewan, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,984	216.3	2.82	118.9	1.67	5,351	155.1	2.18	92.8	1.47
Oral Cavity & Pharynx	78	2.8	0.32	1.8	0.21	50	1.5	0.21	0.9	0.15
Digestive System	1,640	58.6	1.46	33.9	0.90	1,284	36.2	1.04	20.7	0.68
Esophagus	244	8.6	0.56	5.4	0.37	61	1.7	0.23	1.1	0.15
Stomach	153	5.4	0.44	3.2	0.28	89	2.5	0.28	1.5	0.18
Colon & Rectum	713	25.6	0.97	14.0	0.57	632	17.5	0.72	9.5	0.45
Liver	122	4.3	0.39	2.8	0.29	64	1.8	0.23	1.0	0.15
Pancreas	302	10.8	0.63	6.3	0.39	315	9.0	0.52	5.4	0.35
Respiratory System	1,533	55.2	1.42	31.7	0.86	1,339	40.0	1.12	24.1	0.74
Larynx	42	1.5	0.23	1.0	0.15	-	-	-	-	-
Lung & bronchus	1,476	53.1	1.39	30.4	0.85	1,327	39.7	1.11	23.9	0.74
Skin	106	3.8	0.37	2.3	0.24	71	1.9	0.24	1.2	0.16
Melanomas of the skin	87	3.1	0.34	2.0	0.22	55	1.6	0.22	1.0	0.16
Breast	12	0.4	0.13	0.2	0.07	821	23.6	0.85	14.6	0.59
Female Genital System	-	-	-	-	-	491	14.9	0.69	9.8	0.50
Cervix uteri	-	-	-	-	-	102	3.5	0.36	2.7	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	112	3.2	0.31	2.0	0.21
Ovary	-	-	-	-	-	247	7.4	0.48	4.7	0.34
Male Genital System	912	33.7	1.12	14.5	0.53	-	-	-	-	-
Prostate	889	32.8	1.10	14.0	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	441	16.0	0.77	8.4	0.43	174	4.8	0.38	2.6	0.24
Bladder	245	9.0	0.58	4.2	0.29	95	2.5	0.27	1.3	0.16
Kidney & renal pelvis	190	6.8	0.50	4.0	0.31	78	2.3	0.27	1.3	0.17
Brain & Other Nervous System	134	4.8	0.42	3.4	0.32	113	3.6	0.35	2.5	0.27
Endocrine System	21	0.7	0.16	0.5	0.13	24	0.7	0.14	0.4	0.11
Thyroid gland	11	0.4	0.11	0.2	0.08	11	0.3	0.08	0.1	0.04
Lymphomas	226	8.3	0.56	4.7	0.34	186	5.1	0.39	2.8	0.24
Hodgkin Lymphoma	13	0.5	0.14	0.3	0.10	10	0.3	0.09	0.1	0.06
Non-Hodgkin Lymphoma	213	7.8	0.54	4.3	0.32	176	4.9	0.38	2.6	0.23
Multiple Myeloma	110	3.9	0.38	2.1	0.22	95	2.8	0.30	1.6	0.19
Leukemias	239	8.8	0.57	4.8	0.35	177	5.1	0.40	3.2	0.31
Other, Ill-defined & Unknown	532	19.3	0.84	10.6	0.50	526	14.8	0.67	8.4	0.43

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Yukon, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	175	273.7	24.16	147.9	11.44	141	217.0	19.87	125.5	10.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	52	78.0	12.37	43.3	6.12	36	54.9	9.97	33.6	5.95
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	11.4	3.85	8.2	2.54	-	-	-	-	-
Colon & Rectum	21	30.4	7.54	16.3	3.62	19	28.4	7.19	16.5	3.88
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	50	76.8	12.55	42.7	6.15	42	67.5	11.18	37.8	5.99
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	50	76.8	12.55	42.7	6.15	42	67.5	11.18	37.8	5.99
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	22	29.0	6.83	18.6	4.08
Female Genital System	-	-	-	-	-	11	14.2	4.72	9.2	2.80
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	14	28.6	8.81	13.3	3.62	-	-	-	-	-
Prostate	13	27.9	8.78	12.5	3.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	18.1	6.06	8.6	2.63	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	22	36.5	9.07	18.3	4.02	17	32.1	8.19	14.8	3.69

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified



Section III

Average-annual Registry-specific Cancer Death Rates by Race and Sex

Age-adjusted to the 1996 Canadian and
World Population Standards



Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alabama, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	28,332	224.6	1.35	142.1	0.87	22,988	140.8	0.95	92.3	0.67
Oral Cavity & Pharynx	535	4.1	0.18	2.9	0.13	210	1.2	0.09	0.8	0.06
Digestive System	6,941	53.8	0.66	35.8	0.44	5,008	30.1	0.43	19.1	0.30
Esophagus	901	6.9	0.23	4.8	0.16	225	1.4	0.09	0.9	0.06
Stomach	535	4.2	0.19	2.8	0.12	363	2.2	0.12	1.4	0.08
Colon & Rectum	2,475	19.6	0.40	12.7	0.26	2,097	12.6	0.28	8.0	0.19
Liver	1,031	7.6	0.24	5.4	0.17	425	2.6	0.13	1.7	0.09
Pancreas	1,612	12.5	0.32	8.2	0.21	1,498	8.9	0.23	5.5	0.16
Respiratory System	10,032	78.2	0.79	50.3	0.52	6,332	38.8	0.49	25.4	0.34
Larynx	305	2.3	0.13	1.6	0.09	72	0.4	0.05	0.3	0.04
Lung & bronchus	9,680	75.5	0.78	48.5	0.51	6,236	38.2	0.49	25.0	0.34
Skin	683	5.5	0.21	3.4	0.14	314	2.0	0.11	1.3	0.08
Melanomas of the skin	514	4.1	0.18	2.6	0.12	253	1.6	0.11	1.1	0.08
Breast	35	0.3	0.05	0.2	0.03	3,340	21.0	0.37	14.6	0.27
Female Genital System	-	-	-	-	-	2,364	14.9	0.31	10.0	0.22
Cervix uteri	-	-	-	-	-	422	3.1	0.16	2.3	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	533	3.2	0.14	2.2	0.10
Ovary	-	-	-	-	-	1,270	7.7	0.22	5.0	0.15
Male Genital System	2,605	22.3	0.44	11.5	0.23	-	-	-	-	-
Prostate	2,549	21.8	0.44	11.1	0.23	-	-	-	-	-
Testis	28	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,501	12.2	0.32	7.2	0.19	688	4.0	0.16	2.4	0.10
Bladder	758	6.3	0.23	3.4	0.13	280	1.6	0.10	0.9	0.06
Kidney & renal pelvis	710	5.6	0.21	3.6	0.14	395	2.3	0.12	1.5	0.08
Brain & Other Nervous System	763	5.9	0.22	4.3	0.17	606	3.9	0.16	2.8	0.12
Endocrine System	93	0.8	0.08	0.6	0.06	122	0.8	0.07	0.6	0.06
Thyroid gland	50	0.4	0.06	0.3	0.04	73	0.4	0.05	0.3	0.04
Lymphomas	915	7.5	0.25	4.6	0.16	813	4.9	0.18	2.9	0.11
Hodgkin Lymphoma	54	0.4	0.06	0.3	0.05	46	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	861	7.1	0.24	4.2	0.15	767	4.6	0.17	2.7	0.11
Multiple Myeloma	559	4.5	0.19	2.7	0.12	496	2.9	0.13	1.8	0.09
Leukemias	1,146	9.5	0.29	5.7	0.18	831	5.1	0.18	3.2	0.13
Other, Ill-defined & Unknown	2,524	20.0	0.41	12.9	0.27	1,864	11.4	0.27	7.4	0.19

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alaska, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,574	188.9	4.07	112.8	2.26	2,081	141.5	3.24	88.7	2.00
Oral Cavity & Pharynx	52	3.2	0.49	2.2	0.31	14	0.8	0.23	0.5	0.15
Digestive System	763	51.4	2.05	32.5	1.20	473	31.5	1.51	19.7	0.93
Esophagus	100	6.7	0.73	4.3	0.44	27	1.8	0.36	1.1	0.22
Stomach	83	5.5	0.67	3.5	0.39	44	3.0	0.47	1.8	0.28
Colon & Rectum	238	16.8	1.20	10.4	0.68	182	12.2	0.94	7.5	0.57
Liver	118	6.6	0.68	4.6	0.44	27	1.6	0.34	1.1	0.21
Pancreas	167	11.6	0.99	7.2	0.56	133	8.7	0.79	5.6	0.49
Respiratory System	741	55.9	2.23	32.4	1.21	592	41.8	1.79	25.5	1.07
Larynx	20	1.4	0.35	0.8	0.19	-	-	-	-	-
Lung & bronchus	719	54.3	2.20	31.5	1.20	586	41.4	1.78	25.2	1.07
Skin	48	3.5	0.56	2.0	0.30	-	-	-	-	-
Melanomas of the skin	35	2.4	0.46	1.5	0.25	24	1.7	0.36	1.1	0.23
Breast	-	-	-	-	-	307	19.9	1.19	13.1	0.77
Female Genital System	-	-	-	-	-	194	12.5	0.95	8.3	0.61
Cervix uteri	-	-	-	-	-	33	1.9	0.35	1.5	0.27
Corpus & uterus, NOS ¹	-	-	-	-	-	50	3.4	0.50	2.0	0.30
Ovary	-	-	-	-	-	95	6.0	0.65	4.0	0.42
Male Genital System	198	17.9	1.35	9.2	0.67	-	-	-	-	-
Prostate	194	17.7	1.35	9.1	0.66	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	141	10.6	0.97	6.2	0.53	70	5.1	0.64	2.8	0.34
Bladder	56	4.4	0.63	2.5	0.34	21	1.7	0.38	0.8	0.17
Kidney & renal pelvis	79	5.7	0.70	3.4	0.38	45	3.2	0.50	1.9	0.29
Brain & Other Nervous System	93	6.1	0.69	4.0	0.42	52	3.3	0.48	2.5	0.35
Endocrine System	11	0.7	0.24	0.5	0.15	14	0.9	0.26	0.6	0.17
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	91	6.8	0.78	4.0	0.43	58	4.4	0.59	2.4	0.33
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	49	4.0	0.62	2.2	0.32	35	2.5	0.44	1.5	0.26
Leukemias	104	8.3	0.88	4.7	0.48	56	4.0	0.56	2.4	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arizona, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,096	162.8	0.96	100.9	0.63	24,975	118.8	0.77	76.2	0.53
Oral Cavity & Pharynx	520	2.9	0.13	1.9	0.09	189	0.9	0.07	0.6	0.05
Digestive System	8,056	44.8	0.50	29.3	0.34	5,780	26.9	0.36	16.6	0.24
Esophagus	1,213	6.7	0.19	4.5	0.13	297	1.4	0.08	0.9	0.05
Stomach	614	3.5	0.14	2.2	0.09	388	1.9	0.10	1.2	0.07
Colon & Rectum	2,542	14.3	0.29	9.0	0.19	2,217	10.3	0.22	6.3	0.15
Liver	1,275	6.9	0.19	5.0	0.15	551	2.6	0.11	1.7	0.08
Pancreas	1,912	10.6	0.24	6.8	0.16	1,780	8.2	0.20	5.0	0.13
Respiratory System	7,788	43.3	0.49	26.5	0.32	6,292	29.8	0.38	18.4	0.25
Larynx	237	1.3	0.08	0.9	0.06	60	0.3	0.04	0.2	0.03
Lung & bronchus	7,500	41.7	0.48	25.5	0.31	6,198	29.3	0.38	18.1	0.25
Skin	1,094	6.2	0.19	3.9	0.12	442	2.2	0.11	1.4	0.08
Melanomas of the skin	720	4.1	0.15	2.6	0.10	353	1.8	0.10	1.2	0.07
Breast	38	0.2	0.03	0.1	0.02	3,790	18.5	0.31	12.7	0.22
Female Genital System	-	-	-	-	-	2,646	13.0	0.26	8.8	0.19
Cervix uteri	-	-	-	-	-	369	2.1	0.11	1.6	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	687	3.3	0.13	2.2	0.09
Ovary	-	-	-	-	-	1,437	6.9	0.19	4.6	0.13
Male Genital System	2,948	16.7	0.31	8.6	0.17	-	-	-	-	-
Prostate	2,854	16.1	0.30	8.2	0.16	-	-	-	-	-
Testis	62	0.4	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,045	11.4	0.25	6.8	0.16	843	3.8	0.13	2.3	0.09
Bladder	1,107	6.2	0.19	3.4	0.11	365	1.6	0.09	0.9	0.05
Kidney & renal pelvis	901	5.0	0.17	3.2	0.11	449	2.1	0.10	1.3	0.07
Brain & Other Nervous System	826	4.7	0.17	3.5	0.13	674	3.4	0.14	2.5	0.11
Endocrine System	133	0.7	0.06	0.5	0.05	131	0.6	0.06	0.5	0.05
Thyroid gland	90	0.5	0.05	0.3	0.03	82	0.4	0.04	0.2	0.03
Lymphomas	1,190	6.8	0.20	4.0	0.13	899	4.2	0.14	2.5	0.09
Hodgkin Lymphoma	57	0.3	0.04	0.2	0.03	46	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,133	6.4	0.19	3.8	0.12	853	3.9	0.14	2.3	0.09
Multiple Myeloma	595	3.3	0.14	2.0	0.09	459	2.1	0.10	1.2	0.06
Leukemias	1,385	7.9	0.21	4.9	0.14	948	4.6	0.15	3.0	0.11
Other, Ill-defined & Unknown	2,478	13.9	0.28	8.7	0.19	1,882	8.8	0.21	5.7	0.15

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Arkansas, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,156	224.8	1.68	142.1	1.10	14,557	145.5	1.24	95.6	0.87
Oral Cavity & Pharynx	371	4.4	0.23	3.2	0.17	159	1.6	0.13	1.0	0.09
Digestive System	4,453	54.6	0.83	36.2	0.56	3,233	31.4	0.57	19.9	0.39
Esophagus	570	6.9	0.29	4.9	0.21	138	1.4	0.12	0.9	0.09
Stomach	286	3.6	0.21	2.2	0.14	212	2.1	0.15	1.4	0.11
Colon & Rectum	1,642	20.4	0.51	13.1	0.34	1,431	13.9	0.38	8.9	0.26
Liver	712	8.4	0.32	6.1	0.23	299	2.9	0.17	1.8	0.11
Pancreas	1,007	12.3	0.39	8.1	0.26	902	8.7	0.29	5.3	0.20
Respiratory System	6,666	81.5	1.01	52.3	0.66	4,229	42.5	0.66	28.0	0.46
Larynx	138	1.6	0.14	1.2	0.10	29	0.3	0.06	0.2	0.04
Lung & bronchus	6,502	79.5	0.99	51.0	0.65	4,186	42.1	0.66	27.7	0.46
Skin	444	5.6	0.27	3.5	0.17	185	1.8	0.14	1.2	0.10
Melanomas of the skin	338	4.3	0.24	2.7	0.15	136	1.4	0.12	1.0	0.09
Breast	24	0.3	0.06	0.2	0.04	2,059	20.9	0.48	14.3	0.35
Female Genital System	-	-	-	-	-	1,430	14.9	0.41	10.2	0.29
Cervix uteri	-	-	-	-	-	280	3.4	0.21	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	307	3.1	0.18	2.0	0.13
Ovary	-	-	-	-	-	749	7.6	0.28	5.0	0.20
Male Genital System	1,489	19.3	0.50	9.8	0.26	-	-	-	-	-
Prostate	1,456	18.8	0.50	9.5	0.26	-	-	-	-	-
Testis	15	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,100	13.8	0.42	8.2	0.26	522	5.0	0.22	3.1	0.15
Bladder	552	7.0	0.30	3.8	0.17	216	2.0	0.14	1.1	0.09
Kidney & renal pelvis	516	6.3	0.28	4.2	0.19	292	2.9	0.17	1.9	0.12
Brain & Other Nervous System	463	5.8	0.27	4.2	0.21	358	3.8	0.20	2.8	0.17
Endocrine System	65	0.8	0.10	0.6	0.09	72	0.7	0.09	0.5	0.07
Thyroid gland	32	0.4	0.07	0.3	0.05	46	0.4	0.07	0.3	0.05
Lymphomas	635	8.0	0.32	4.9	0.20	536	5.3	0.24	3.2	0.15
Hodgkin Lymphoma	34	0.5	0.08	0.3	0.06	32	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	601	7.6	0.31	4.5	0.19	504	5.0	0.23	2.9	0.15
Multiple Myeloma	316	4.0	0.22	2.4	0.14	259	2.5	0.16	1.5	0.10
Leukemias	768	9.9	0.36	5.8	0.22	482	4.7	0.22	3.0	0.17
Other, Ill-defined & Unknown	1,362	17.0	0.46	10.9	0.31	1,033	10.2	0.33	6.8	0.24

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
California, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	146,298	165.2	0.44	100.5	0.27	137,982	123.4	0.34	78.5	0.23
Oral Cavity & Pharynx	3,185	3.5	0.06	2.4	0.04	1,453	1.3	0.03	0.8	0.02
Digestive System	44,053	48.9	0.24	31.2	0.15	34,226	30.0	0.17	18.5	0.11
Esophagus	4,984	5.6	0.08	3.6	0.05	1,429	1.3	0.03	0.8	0.02
Stomach	4,517	5.1	0.08	3.2	0.05	3,262	2.9	0.05	1.9	0.04
Colon & Rectum	13,415	15.0	0.13	9.3	0.08	12,571	10.8	0.10	6.6	0.07
Liver	8,131	8.6	0.10	6.1	0.07	3,184	2.8	0.05	1.8	0.03
Pancreas	9,723	10.9	0.11	6.8	0.07	9,726	8.6	0.09	5.2	0.06
Respiratory System	35,114	40.4	0.22	24.1	0.13	30,673	27.8	0.16	16.8	0.10
Larynx	1,210	1.4	0.04	0.8	0.03	265	0.2	0.02	0.2	0.01
Lung & bronchus	33,569	38.7	0.21	23.0	0.13	30,217	27.4	0.16	16.6	0.10
Skin	4,413	4.9	0.08	3.0	0.05	2,051	1.8	0.04	1.2	0.03
Melanomas of the skin	3,138	3.5	0.06	2.2	0.04	1,571	1.4	0.04	0.9	0.03
Breast	166	0.2	0.01	0.1	0.01	21,761	19.7	0.14	13.5	0.10
Female Genital System	-	-	-	-	-	15,493	14.2	0.12	9.6	0.08
Cervix uteri	-	-	-	-	-	2,268	2.2	0.05	1.7	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	4,560	4.1	0.06	2.8	0.04
Ovary	-	-	-	-	-	7,748	7.1	0.08	4.7	0.06
Male Genital System	15,804	18.2	0.15	9.3	0.08	-	-	-	-	-
Prostate	15,349	17.7	0.14	8.9	0.08	-	-	-	-	-
Testis	307	0.3	0.02	0.3	0.02	-	-	-	-	-
Urinary System	9,641	10.9	0.11	6.3	0.07	4,600	3.9	0.06	2.3	0.04
Bladder	5,187	6.0	0.08	3.1	0.05	2,114	1.7	0.04	0.9	0.02
Kidney & renal pelvis	4,258	4.7	0.07	3.1	0.05	2,322	2.1	0.04	1.3	0.03
Brain & Other Nervous System	4,575	5.0	0.08	3.6	0.06	3,564	3.3	0.06	2.5	0.05
Endocrine System	729	0.8	0.03	0.6	0.02	926	0.8	0.03	0.6	0.02
Thyroid gland	444	0.5	0.02	0.3	0.02	654	0.6	0.02	0.4	0.02
Lymphomas	6,240	7.1	0.09	4.2	0.06	4,977	4.3	0.06	2.6	0.04
Hodgkin Lymphoma	422	0.5	0.02	0.3	0.02	281	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	5,818	6.6	0.09	3.9	0.05	4,696	4.1	0.06	2.4	0.04
Multiple Myeloma	3,170	3.7	0.07	2.1	0.04	2,544	2.3	0.05	1.3	0.03
Leukemias	6,787	7.8	0.10	4.8	0.06	5,201	4.6	0.07	3.0	0.05
Other, Ill-defined & Unknown	12,421	13.9	0.13	8.7	0.08	10,513	9.3	0.09	5.8	0.06

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Greater Bay Area, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,434	153.3	0.96	92.2	0.60	25,629	116.1	0.75	73.0	0.51
Oral Cavity & Pharynx	584	3.3	0.14	2.2	0.09	271	1.2	0.08	0.7	0.05
Digestive System	8,237	46.9	0.53	29.6	0.34	6,648	29.6	0.38	18.0	0.24
Esophagus	869	5.0	0.17	3.2	0.11	300	1.4	0.08	0.8	0.05
Stomach	839	4.9	0.17	2.9	0.11	637	2.9	0.12	1.8	0.08
Colon & Rectum	2,353	13.5	0.28	8.3	0.18	2,318	10.0	0.22	6.1	0.14
Liver	1,653	9.0	0.23	6.3	0.16	608	2.8	0.12	1.7	0.08
Pancreas	1,830	10.6	0.25	6.5	0.16	1,884	8.5	0.20	5.0	0.13
Respiratory System	6,076	36.0	0.47	21.1	0.28	5,564	25.6	0.35	15.2	0.22
Larynx	199	1.1	0.08	0.7	0.05	33	0.2	0.03	0.1	0.02
Lung & bronchus	5,831	34.5	0.46	20.2	0.28	5,492	25.3	0.35	15.0	0.22
Skin	767	4.4	0.16	2.7	0.10	363	1.6	0.09	1.0	0.06
Melanomas of the skin	553	3.2	0.14	2.0	0.09	286	1.3	0.08	0.8	0.05
Breast	36	0.2	0.03	0.1	0.02	3,951	18.2	0.30	12.5	0.21
Female Genital System	-	-	-	-	-	2,778	12.9	0.25	8.7	0.18
Cervix uteri	-	-	-	-	-	296	1.5	0.09	1.1	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	874	4.0	0.14	2.7	0.10
Ovary	-	-	-	-	-	1,421	6.6	0.18	4.4	0.13
Male Genital System	2,799	16.4	0.31	8.4	0.17	-	-	-	-	-
Prostate	2,729	16.0	0.31	8.1	0.16	-	-	-	-	-
Testis	49	0.3	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,655	9.6	0.24	5.5	0.14	805	3.4	0.12	1.9	0.08
Bladder	909	5.3	0.18	2.8	0.10	376	1.5	0.08	0.8	0.05
Kidney & renal pelvis	702	4.0	0.16	2.6	0.10	397	1.8	0.09	1.1	0.06
Brain & Other Nervous System	834	4.7	0.17	3.4	0.13	662	3.2	0.13	2.4	0.10
Endocrine System	130	0.8	0.07	0.5	0.05	187	0.9	0.07	0.6	0.05
Thyroid gland	78	0.5	0.05	0.3	0.03	129	0.6	0.05	0.4	0.03
Lymphomas	1,244	7.3	0.21	4.3	0.13	951	4.2	0.14	2.4	0.09
Hodgkin Lymphoma	72	0.4	0.05	0.3	0.04	46	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,172	6.8	0.20	4.0	0.12	905	3.9	0.14	2.3	0.09
Multiple Myeloma	591	3.5	0.15	2.0	0.09	498	2.3	0.11	1.3	0.07
Leukemias	1,201	7.1	0.21	4.3	0.14	933	4.3	0.15	2.8	0.11
Other, Ill-defined & Unknown	2,280	13.2	0.28	8.0	0.18	2,018	8.9	0.21	5.5	0.14

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Los Angeles, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,385	161.3	0.87	98.6	0.55	34,667	120.4	0.66	77.1	0.45
Oral Cavity & Pharynx	776	3.4	0.12	2.3	0.08	383	1.3	0.07	0.8	0.05
Digestive System	11,552	51.8	0.49	33.0	0.32	9,279	31.8	0.34	19.6	0.22
Esophagus	1,043	4.7	0.15	3.0	0.10	322	1.1	0.06	0.7	0.04
Stomach	1,499	6.8	0.18	4.3	0.11	1,122	3.9	0.12	2.6	0.08
Colon & Rectum	3,502	15.7	0.27	9.8	0.17	3,279	11.0	0.20	6.8	0.13
Liver	2,211	9.6	0.21	6.6	0.14	922	3.2	0.11	1.9	0.07
Pancreas	2,445	11.1	0.23	6.9	0.15	2,564	8.7	0.18	5.2	0.11
Respiratory System	8,170	38.1	0.43	22.9	0.26	6,679	23.4	0.29	14.2	0.19
Larynx	306	1.4	0.08	0.9	0.05	52	0.2	0.03	0.1	0.02
Lung & bronchus	7,787	36.4	0.42	21.8	0.26	6,591	23.1	0.29	14.0	0.19
Skin	849	3.8	0.13	2.4	0.08	393	1.3	0.07	0.8	0.05
Melanomas of the skin	589	2.6	0.11	1.7	0.07	278	1.0	0.06	0.6	0.04
Breast	48	0.2	0.03	0.1	0.02	5,756	20.2	0.27	14.0	0.20
Female Genital System	-	-	-	-	-	4,164	14.9	0.24	10.2	0.17
Cervix uteri	-	-	-	-	-	719	2.7	0.10	2.0	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	1,282	4.6	0.13	3.1	0.09
Ovary	-	-	-	-	-	1,955	6.9	0.16	4.7	0.11
Male Genital System	3,809	17.7	0.29	9.1	0.16	-	-	-	-	-
Prostate	3,702	17.3	0.29	8.8	0.15	-	-	-	-	-
Testis	67	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,168	9.9	0.22	5.8	0.13	1,088	3.6	0.11	2.1	0.07
Bladder	1,147	5.3	0.16	2.8	0.09	498	1.6	0.07	0.8	0.04
Kidney & renal pelvis	980	4.4	0.14	2.9	0.10	551	1.9	0.08	1.2	0.06
Brain & Other Nervous System	1,065	4.7	0.15	3.3	0.11	867	3.1	0.11	2.3	0.09
Endocrine System	211	0.9	0.07	0.7	0.05	259	0.9	0.06	0.6	0.04
Thyroid gland	129	0.6	0.05	0.4	0.03	186	0.6	0.05	0.4	0.03
Lymphomas	1,502	6.8	0.18	4.2	0.11	1,315	4.5	0.13	2.6	0.08
Hodgkin Lymphoma	112	0.5	0.05	0.3	0.03	80	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,390	6.3	0.17	3.8	0.11	1,235	4.2	0.12	2.4	0.08
Multiple Myeloma	774	3.6	0.13	2.1	0.08	667	2.3	0.09	1.4	0.06
Leukemias	1,694	7.7	0.19	4.9	0.13	1,351	4.6	0.13	3.1	0.10
Other, Ill-defined & Unknown	2,767	12.5	0.24	7.9	0.16	2,466	8.5	0.18	5.4	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Colorado, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	18,302	155.3	1.17	93.2	0.71	17,397	118.3	0.92	74.0	0.60
Oral Cavity & Pharynx	316	2.5	0.14	1.7	0.10	181	1.2	0.09	0.8	0.06
Digestive System	5,149	42.0	0.60	26.8	0.38	3,971	26.8	0.44	16.3	0.28
Esophagus	808	6.5	0.24	4.3	0.15	188	1.3	0.09	0.8	0.06
Stomach	414	3.5	0.18	2.2	0.11	263	1.8	0.12	1.1	0.07
Colon & Rectum	1,619	13.5	0.34	8.3	0.21	1,569	10.4	0.27	6.2	0.17
Liver	796	5.9	0.22	4.3	0.15	256	1.8	0.11	1.1	0.07
Pancreas	1,185	9.7	0.29	6.2	0.18	1,205	8.2	0.24	5.0	0.15
Respiratory System	4,321	37.0	0.58	22.0	0.34	3,906	27.1	0.44	16.4	0.28
Larynx	119	1.0	0.09	0.6	0.06	44	0.3	0.05	0.2	0.03
Lung & bronchus	4,169	35.8	0.57	21.2	0.34	3,846	26.7	0.44	16.1	0.28
Skin	679	5.6	0.22	3.5	0.14	367	2.5	0.13	1.6	0.09
Melanomas of the skin	509	4.2	0.19	2.7	0.12	298	2.1	0.12	1.4	0.09
Breast	31	0.3	0.05	0.2	0.03	2,701	18.2	0.36	12.2	0.25
Female Genital System	-	-	-	-	-	2,018	13.8	0.31	9.3	0.22
Cervix uteri	-	-	-	-	-	212	1.5	0.11	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	532	3.6	0.16	2.4	0.11
Ovary	-	-	-	-	-	1,127	7.7	0.23	5.1	0.16
Male Genital System	2,116	19.4	0.43	9.7	0.22	-	-	-	-	-
Prostate	2,057	18.9	0.42	9.4	0.21	-	-	-	-	-
Testis	37	0.3	0.05	0.3	0.04	-	-	-	-	-
Urinary System	1,260	10.8	0.31	6.3	0.18	586	3.9	0.16	2.2	0.10
Bladder	674	6.0	0.23	3.3	0.13	257	1.7	0.11	0.9	0.06
Kidney & renal pelvis	563	4.6	0.20	3.0	0.13	314	2.1	0.12	1.3	0.08
Brain & Other Nervous System	654	5.2	0.21	3.7	0.15	501	3.5	0.16	2.6	0.12
Endocrine System	93	0.8	0.08	0.5	0.05	100	0.7	0.07	0.5	0.06
Thyroid gland	59	0.5	0.07	0.3	0.04	61	0.4	0.05	0.3	0.03
Lymphomas	739	6.4	0.24	3.7	0.14	584	3.9	0.16	2.2	0.10
Hodgkin Lymphoma	31	0.3	0.05	0.2	0.03	36	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	708	6.1	0.23	3.6	0.14	548	3.6	0.16	2.0	0.09
Multiple Myeloma	412	3.6	0.18	2.0	0.10	323	2.2	0.13	1.3	0.08
Leukemias	881	7.7	0.26	4.6	0.16	648	4.5	0.18	2.7	0.12
Other, Ill-defined & Unknown	1,651	14.0	0.35	8.5	0.21	1,511	10.0	0.27	6.0	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Connecticut, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,022	170.9	1.33	103.2	0.84	16,888	126.6	1.03	79.6	0.70
Oral Cavity & Pharynx	306	3.0	0.17	2.0	0.12	120	0.9	0.08	0.6	0.06
Digestive System	4,624	46.0	0.69	29.2	0.45	3,798	27.6	0.47	16.6	0.31
Esophagus	671	6.7	0.26	4.4	0.18	194	1.5	0.11	0.9	0.07
Stomach	457	4.6	0.22	2.9	0.14	308	2.2	0.13	1.4	0.09
Colon & Rectum	1,320	13.1	0.37	8.1	0.24	1,374	9.5	0.27	5.7	0.18
Liver	601	5.8	0.24	4.0	0.17	175	1.3	0.10	0.8	0.07
Pancreas	1,167	11.7	0.35	7.2	0.22	1,261	9.3	0.28	5.6	0.18
Respiratory System	4,583	46.5	0.70	28.3	0.44	4,331	33.4	0.53	20.8	0.35
Larynx	149	1.5	0.12	0.9	0.08	38	0.3	0.05	0.2	0.03
Lung & bronchus	4,403	44.7	0.69	27.2	0.43	4,276	33.1	0.53	20.5	0.35
Skin	421	4.1	0.21	2.5	0.13	271	2.0	0.13	1.3	0.09
Melanomas of the skin	312	3.1	0.18	1.9	0.12	221	1.7	0.12	1.1	0.08
Breast	35	0.4	0.06	0.2	0.04	2,418	18.7	0.40	12.6	0.29
Female Genital System	-	-	-	-	-	1,728	13.6	0.34	9.0	0.24
Cervix uteri	-	-	-	-	-	177	1.6	0.12	1.2	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	541	4.2	0.19	2.8	0.13
Ovary	-	-	-	-	-	865	6.8	0.24	4.5	0.17
Male Genital System	1,699	16.8	0.41	8.4	0.22	-	-	-	-	-
Prostate	1,673	16.5	0.41	8.2	0.21	-	-	-	-	-
Testis	15	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,212	12.2	0.36	6.9	0.21	592	4.1	0.18	2.4	0.11
Bladder	748	7.5	0.28	4.0	0.16	335	2.2	0.13	1.2	0.08
Kidney & renal pelvis	434	4.3	0.21	2.8	0.14	236	1.7	0.12	1.0	0.08
Brain & Other Nervous System	474	4.9	0.23	3.5	0.17	401	3.3	0.17	2.4	0.14
Endocrine System	61	0.6	0.08	0.4	0.06	80	0.6	0.07	0.4	0.06
Thyroid gland	37	0.4	0.07	0.2	0.04	53	0.4	0.06	0.2	0.04
Lymphomas	682	6.9	0.27	4.1	0.17	603	4.2	0.18	2.4	0.12
Hodgkin Lymphoma	31	0.3	0.06	0.2	0.05	33	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	651	6.5	0.26	3.8	0.16	570	3.9	0.18	2.2	0.11
Multiple Myeloma	337	3.3	0.19	1.9	0.11	322	2.3	0.14	1.4	0.09
Leukemias	835	8.6	0.30	5.2	0.19	627	4.4	0.19	2.7	0.13
Other, Ill-defined & Unknown	1,753	17.7	0.43	10.6	0.27	1,597	11.4	0.31	7.1	0.21

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Delaware, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,946	195.3	2.80	121.6	1.81	4,521	141.5	2.15	91.5	1.49
Oral Cavity & Pharynx	106	4.1	0.40	2.9	0.29	37	1.1	0.19	0.7	0.12
Digestive System	1,341	52.3	1.44	34.3	0.97	960	29.2	0.96	18.2	0.64
Esophagus	181	6.9	0.51	4.7	0.36	59	1.8	0.23	1.1	0.16
Stomach	117	4.8	0.45	3.0	0.29	69	2.0	0.25	1.3	0.17
Colon & Rectum	414	16.5	0.82	10.5	0.54	335	9.9	0.56	6.0	0.36
Liver	212	7.8	0.54	5.6	0.40	76	2.4	0.28	1.4	0.18
Pancreas	321	12.5	0.71	7.9	0.46	287	8.9	0.53	5.6	0.36
Respiratory System	1,588	62.1	1.57	38.7	1.01	1,311	41.1	1.15	26.2	0.78
Larynx	43	1.6	0.25	1.2	0.19	17	0.5	0.13	0.3	0.08
Lung & bronchus	1,539	60.2	1.55	37.4	0.99	1,285	40.3	1.14	25.7	0.77
Skin	144	5.8	0.49	3.5	0.31	79	2.6	0.30	1.8	0.21
Melanomas of the skin	91	3.6	0.38	2.3	0.25	61	2.0	0.27	1.5	0.20
Breast	-	-	-	-	-	639	20.5	0.84	14.2	0.61
Female Genital System	-	-	-	-	-	475	15.4	0.72	10.6	0.52
Cervix uteri	-	-	-	-	-	69	2.6	0.33	2.1	0.26
Corpus & uterus, NOS ¹	-	-	-	-	-	149	4.7	0.40	3.1	0.27
Ovary	-	-	-	-	-	227	7.1	0.48	4.8	0.34
Male Genital System	439	17.9	0.86	9.4	0.47	-	-	-	-	-
Prostate	428	17.5	0.85	9.1	0.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	278	11.1	0.67	6.5	0.41	180	5.5	0.42	3.3	0.28
Bladder	155	6.3	0.51	3.4	0.29	90	2.7	0.29	1.6	0.18
Kidney & renal pelvis	117	4.6	0.43	3.0	0.29	83	2.6	0.29	1.6	0.21
Brain & Other Nervous System	112	4.6	0.44	3.1	0.31	105	3.6	0.36	2.8	0.32
Endocrine System	20	0.8	0.19	0.5	0.11	24	0.8	0.16	0.5	0.12
Thyroid gland	12	0.5	0.14	0.3	0.08	19	0.6	0.13	0.4	0.10
Lymphomas	183	7.3	0.55	4.7	0.37	154	4.6	0.38	2.5	0.22
Hodgkin Lymphoma	11	0.5	0.16	0.4	0.13	-	-	-	-	-
Non-Hodgkin Lymphoma	172	6.8	0.52	4.2	0.34	-	-	-	-	-
Multiple Myeloma	105	4.1	0.41	2.6	0.26	86	2.6	0.29	1.7	0.19
Leukemias	217	8.9	0.60	5.1	0.38	140	4.3	0.38	2.6	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	331	10.1	0.57	6.6	0.41

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
District of Columbia, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,628	199.6	3.97	125.1	2.52	2,790	149.8	2.93	97.7	2.04
Oral Cavity & Pharynx	76	5.5	0.65	4.0	0.46	27	1.4	0.28	1.0	0.21
Digestive System	809	60.2	2.16	39.9	1.44	734	39.1	1.50	24.4	1.00
Esophagus	84	6.1	0.68	4.0	0.45	41	2.2	0.35	1.4	0.23
Stomach	82	6.5	0.73	3.8	0.44	55	3.1	0.43	1.8	0.28
Colon & Rectum	225	16.7	1.14	10.9	0.74	272	14.4	0.90	8.9	0.60
Liver	179	12.7	0.97	9.4	0.71	73	3.8	0.46	2.8	0.36
Pancreas	182	13.7	1.04	9.0	0.68	214	11.3	0.80	6.6	0.51
Respiratory System	672	51.2	2.02	32.9	1.30	581	31.6	1.35	20.8	0.94
Larynx	39	2.9	0.48	1.9	0.32	11	0.6	0.19	0.4	0.13
Lung & bronchus	629	48.0	1.96	30.8	1.26	569	31.0	1.33	20.3	0.93
Skin	28	2.1	0.41	1.5	0.28	-	-	-	-	-
Melanomas of the skin	16	1.2	0.29	0.9	0.22	19	1.1	0.26	0.8	0.19
Breast	-	-	-	-	-	502	27.4	1.27	18.9	0.92
Female Genital System	-	-	-	-	-	326	18.0	1.03	12.4	0.74
Cervix uteri	-	-	-	-	-	49	2.9	0.42	2.1	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	135	7.4	0.66	5.1	0.47
Ovary	-	-	-	-	-	125	6.8	0.63	4.6	0.45
Male Genital System	393	31.1	1.59	15.9	0.84	-	-	-	-	-
Prostate	389	30.8	1.58	15.7	0.83	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	115	8.8	0.84	5.3	0.51	81	4.1	0.48	2.4	0.30
Bladder	58	4.5	0.60	2.5	0.34	54	2.7	0.39	1.5	0.23
Kidney & renal pelvis	55	4.1	0.57	2.7	0.37	26	1.3	0.27	0.9	0.19
Brain & Other Nervous System	53	4.0	0.56	2.7	0.39	44	2.5	0.39	1.7	0.28
Endocrine System	15	1.1	0.28	0.8	0.21	15	0.7	0.19	0.5	0.17
Thyroid gland	-	-	-	-	-	14	0.6	0.17	0.3	0.10
Lymphomas	79	6.0	0.69	3.9	0.46	76	4.0	0.48	2.4	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	59	4.7	0.62	2.8	0.37	65	3.2	0.41	1.9	0.27
Leukemias	89	6.9	0.75	4.0	0.44	75	4.0	0.48	2.5	0.33
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Florida, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	112,774	178.7	0.54	113.3	0.37	96,226	125.7	0.42	81.9	0.30
Oral Cavity & Pharynx	2,404	3.9	0.08	2.8	0.06	978	1.3	0.04	0.9	0.03
Digestive System	29,457	46.9	0.28	31.0	0.19	21,353	26.8	0.19	16.9	0.13
Esophagus	4,151	6.6	0.10	4.4	0.07	1,046	1.3	0.04	0.8	0.03
Stomach	2,218	3.6	0.08	2.3	0.05	1,526	2.0	0.05	1.3	0.04
Colon & Rectum	9,743	15.5	0.16	10.0	0.11	8,475	10.6	0.12	6.6	0.08
Liver	4,367	7.0	0.11	5.1	0.08	1,667	2.1	0.05	1.4	0.04
Pancreas	7,062	11.2	0.13	7.1	0.09	6,594	8.2	0.10	5.0	0.07
Respiratory System	34,693	54.8	0.30	35.1	0.20	26,765	34.7	0.22	22.3	0.15
Larynx	1,231	2.0	0.06	1.4	0.04	278	0.4	0.02	0.3	0.02
Lung & bronchus	33,248	52.5	0.29	33.5	0.20	26,378	34.2	0.22	22.0	0.15
Skin	3,501	5.6	0.10	3.5	0.07	1,521	2.0	0.06	1.3	0.04
Melanomas of the skin	2,530	4.1	0.08	2.6	0.06	1,227	1.7	0.05	1.1	0.04
Breast	184	0.3	0.02	0.2	0.02	14,073	19.4	0.17	13.5	0.13
Female Genital System	-	-	-	-	-	9,916	13.8	0.14	9.5	0.11
Cervix uteri	-	-	-	-	-	1,608	2.7	0.07	2.1	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,909	3.9	0.07	2.6	0.05
Ovary	-	-	-	-	-	4,854	6.5	0.10	4.3	0.07
Male Genital System	10,688	16.2	0.16	8.5	0.09	-	-	-	-	-
Prostate	10,456	15.8	0.15	8.2	0.09	-	-	-	-	-
Testis	127	0.3	0.03	0.2	0.02	-	-	-	-	-
Urinary System	7,439	11.5	0.13	6.8	0.09	3,219	3.9	0.07	2.3	0.05
Bladder	4,416	6.7	0.10	3.7	0.06	1,563	1.8	0.05	1.0	0.03
Kidney & renal pelvis	2,865	4.6	0.09	2.9	0.06	1,547	1.9	0.05	1.2	0.04
Brain & Other Nervous System	2,823	4.9	0.09	3.6	0.07	2,182	3.1	0.07	2.3	0.06
Endocrine System	426	0.7	0.04	0.5	0.03	452	0.6	0.03	0.4	0.03
Thyroid gland	256	0.4	0.03	0.3	0.02	304	0.4	0.02	0.2	0.02
Lymphomas	4,490	7.2	0.11	4.4	0.07	3,422	4.3	0.08	2.6	0.05
Hodgkin Lymphoma	235	0.4	0.03	0.3	0.02	174	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	4,255	6.8	0.11	4.1	0.07	3,248	4.0	0.07	2.4	0.05
Multiple Myeloma	2,204	3.5	0.07	2.1	0.05	1,785	2.2	0.05	1.3	0.04
Leukemias	4,952	8.0	0.12	5.0	0.08	3,403	4.4	0.08	2.8	0.06
Other, Ill-defined & Unknown	9,513	15.2	0.16	9.8	0.11	7,157	9.1	0.11	5.8	0.08

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Georgia, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	41,741	199.0	1.00	124.0	0.62	36,872	132.8	0.70	86.5	0.48
Oral Cavity & Pharynx	879	3.9	0.13	2.7	0.09	364	1.3	0.07	0.8	0.05
Digestive System	11,018	50.4	0.50	33.1	0.32	8,002	28.6	0.32	18.0	0.21
Esophagus	1,477	6.5	0.17	4.5	0.12	363	1.3	0.07	0.8	0.05
Stomach	941	4.4	0.15	2.8	0.09	654	2.4	0.09	1.4	0.06
Colon & Rectum	3,831	18.0	0.30	11.5	0.19	3,268	11.6	0.21	7.3	0.14
Liver	1,612	6.8	0.18	4.9	0.12	633	2.3	0.09	1.4	0.06
Pancreas	2,431	11.3	0.24	7.2	0.15	2,321	8.3	0.18	5.1	0.11
Respiratory System	13,641	64.1	0.56	40.5	0.35	9,612	35.0	0.36	22.7	0.24
Larynx	428	1.9	0.09	1.3	0.06	101	0.4	0.04	0.2	0.03
Lung & bronchus	13,152	62.0	0.56	39.0	0.34	9,477	34.5	0.36	22.3	0.24
Skin	1,043	5.1	0.16	3.1	0.10	467	1.7	0.08	1.1	0.05
Melanomas of the skin	766	3.7	0.14	2.3	0.08	365	1.3	0.07	0.9	0.05
Breast	94	0.5	0.05	0.3	0.03	6,051	21.7	0.28	15.0	0.20
Female Genital System	-	-	-	-	-	4,056	14.7	0.23	9.9	0.16
Cervix uteri	-	-	-	-	-	683	2.6	0.10	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,133	4.1	0.12	2.8	0.09
Ovary	-	-	-	-	-	2,005	7.2	0.16	4.8	0.11
Male Genital System	3,915	21.2	0.35	11.0	0.18	-	-	-	-	-
Prostate	3,808	20.7	0.34	10.6	0.17	-	-	-	-	-
Testis	48	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,430	12.2	0.25	7.0	0.14	1,169	4.1	0.12	2.4	0.08
Bladder	1,330	7.0	0.20	3.7	0.10	556	1.9	0.08	1.1	0.05
Kidney & renal pelvis	1,048	4.9	0.16	3.1	0.10	574	2.0	0.09	1.3	0.06
Brain & Other Nervous System	1,103	4.9	0.15	3.6	0.11	839	3.1	0.11	2.3	0.09
Endocrine System	154	0.7	0.06	0.5	0.04	158	0.6	0.05	0.4	0.04
Thyroid gland	85	0.4	0.04	0.3	0.03	99	0.3	0.04	0.2	0.02
Lymphomas	1,438	7.1	0.19	4.3	0.11	1,102	4.0	0.12	2.4	0.08
Hodgkin Lymphoma	100	0.5	0.05	0.3	0.03	66	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,338	6.6	0.19	3.9	0.11	1,036	3.7	0.12	2.2	0.07
Multiple Myeloma	855	4.2	0.15	2.5	0.09	783	2.8	0.10	1.7	0.06
Leukemias	1,587	8.0	0.21	4.8	0.12	1,229	4.4	0.13	2.8	0.09
Other, Ill-defined & Unknown	3,584	16.9	0.29	10.7	0.18	3,040	10.9	0.20	7.1	0.14

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Atlanta, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	10,479	176.5	1.81	107.2	1.06	10,404	124.9	1.26	79.9	0.82
Oral Cavity & Pharynx	244	3.6	0.25	2.4	0.16	86	1.0	0.11	0.7	0.07
Digestive System	3,009	48.0	0.93	30.6	0.57	2,348	28.2	0.60	17.4	0.38
Esophagus	328	5.1	0.30	3.4	0.19	124	1.5	0.14	1.0	0.09
Stomach	293	4.9	0.30	3.0	0.18	235	2.8	0.19	1.7	0.11
Colon & Rectum	1,063	17.5	0.56	10.8	0.33	914	10.8	0.37	6.7	0.23
Liver	483	6.9	0.33	4.8	0.22	201	2.4	0.17	1.5	0.11
Pancreas	639	10.6	0.44	6.6	0.26	651	8.1	0.33	4.9	0.20
Respiratory System	2,863	48.7	0.96	29.6	0.56	2,357	29.2	0.62	18.2	0.39
Larynx	96	1.5	0.16	1.0	0.10	23	0.3	0.06	0.2	0.04
Lung & bronchus	2,755	47.0	0.94	28.5	0.55	2,322	28.8	0.61	17.9	0.39
Skin	239	3.9	0.27	2.4	0.16	114	1.4	0.13	0.9	0.09
Melanomas of the skin	165	2.7	0.22	1.7	0.13	94	1.1	0.12	0.7	0.08
Breast	30	0.5	0.10	0.3	0.06	1,969	22.7	0.52	15.6	0.36
Female Genital System	-	-	-	-	-	1,276	15.2	0.44	10.1	0.29
Cervix uteri	-	-	-	-	-	195	2.2	0.16	1.6	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	388	4.7	0.24	3.2	0.17
Ovary	-	-	-	-	-	628	7.6	0.31	4.9	0.20
Male Genital System	1,178	23.0	0.69	11.9	0.35	-	-	-	-	-
Prostate	1,152	22.6	0.68	11.7	0.35	-	-	-	-	-
Testis	12	0.1	0.04	0.1	0.04	-	-	-	-	-
Urinary System	626	11.1	0.47	6.3	0.26	315	3.7	0.22	2.2	0.13
Bladder	349	6.7	0.37	3.5	0.19	142	1.7	0.15	0.9	0.08
Kidney & renal pelvis	264	4.3	0.28	2.7	0.17	164	1.9	0.15	1.2	0.10
Brain & Other Nervous System	331	4.7	0.27	3.4	0.19	237	2.8	0.19	2.1	0.14
Endocrine System	52	0.8	0.12	0.6	0.08	56	0.7	0.09	0.5	0.07
Thyroid gland	25	0.5	0.10	0.2	0.05	33	0.4	0.07	0.2	0.04
Lymphomas	396	6.9	0.36	4.0	0.20	283	3.4	0.21	2.1	0.13
Hodgkin Lymphoma	34	0.5	0.09	0.3	0.06	12	0.1	0.04	0.1	0.04
Non-Hodgkin Lymphoma	362	6.4	0.35	3.6	0.19	271	3.3	0.21	1.9	0.12
Multiple Myeloma	279	4.9	0.30	2.9	0.18	236	2.9	0.19	1.8	0.12
Leukemias	419	7.3	0.37	4.4	0.22	347	4.2	0.23	2.6	0.15
Other, Ill-defined & Unknown	813	13.1	0.49	8.4	0.30	780	9.3	0.34	5.9	0.22

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Hawaii, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,274	156.3	2.01	98.3	1.32	5,130	106.8	1.56	69.9	1.11
Oral Cavity & Pharynx	146	3.6	0.31	2.5	0.22	66	1.3	0.17	0.8	0.12
Digestive System	2,092	51.8	1.16	33.9	0.78	1,434	28.6	0.79	17.8	0.54
Esophagus	211	5.3	0.37	3.5	0.25	41	0.8	0.14	0.6	0.10
Stomach	241	6.1	0.40	3.6	0.25	176	3.3	0.26	2.0	0.18
Colon & Rectum	650	16.1	0.65	10.4	0.43	486	10.0	0.48	6.5	0.33
Liver	368	9.0	0.48	6.4	0.35	142	2.8	0.24	1.7	0.16
Pancreas	480	11.8	0.55	7.5	0.36	452	9.1	0.44	5.4	0.29
Respiratory System	1,627	40.9	1.03	25.2	0.66	1,154	23.9	0.73	14.8	0.49
Larynx	62	1.6	0.20	1.0	0.13	-	-	-	-	-
Lung & bronchus	1,547	38.9	1.01	23.9	0.64	1,139	23.6	0.72	14.6	0.48
Skin	138	3.4	0.30	2.1	0.20	63	1.2	0.16	0.8	0.11
Melanomas of the skin	89	2.2	0.24	1.5	0.17	45	0.9	0.14	0.6	0.10
Breast	-	-	-	-	-	639	14.2	0.59	10.3	0.44
Female Genital System	-	-	-	-	-	540	12.1	0.54	8.6	0.40
Cervix uteri	-	-	-	-	-	80	2.1	0.24	1.5	0.18
Corpus & uterus, NOS ¹	-	-	-	-	-	194	4.3	0.32	3.1	0.24
Ovary	-	-	-	-	-	237	5.1	0.35	3.5	0.25
Male Genital System	510	12.2	0.55	6.3	0.30	-	-	-	-	-
Prostate	505	12.1	0.55	6.2	0.30	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	350	8.6	0.47	5.1	0.29	128	2.4	0.22	1.5	0.15
Bladder	181	4.4	0.34	2.4	0.19	50	0.9	0.13	0.5	0.08
Kidney & renal pelvis	159	3.9	0.31	2.5	0.21	69	1.4	0.17	0.9	0.12
Brain & Other Nervous System	118	3.0	0.28	2.4	0.24	93	2.2	0.23	1.8	0.21
Endocrine System	38	1.0	0.16	0.7	0.13	49	1.1	0.16	0.7	0.13
Thyroid gland	24	0.6	0.12	0.4	0.09	41	0.9	0.15	0.6	0.10
Lymphomas	268	6.7	0.42	4.1	0.27	197	3.8	0.28	2.3	0.18
Hodgkin Lymphoma	10	0.3	0.09	0.2	0.06	-	-	-	-	-
Non-Hodgkin Lymphoma	258	6.5	0.41	3.9	0.26	-	-	-	-	-
Multiple Myeloma	126	3.0	0.28	1.8	0.17	79	1.6	0.19	1.0	0.13
Leukemias	251	6.5	0.42	4.2	0.29	177	3.8	0.31	2.7	0.25
Other, Ill-defined & Unknown	-	-	-	-	-	511	10.4	0.48	6.9	0.36

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Idaho, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,978	171.2	2.07	103.7	1.29	5,862	123.4	1.65	78.0	1.11
Oral Cavity & Pharynx	146	3.4	0.29	2.4	0.20	56	1.2	0.16	0.7	0.11
Digestive System	1,843	44.2	1.04	28.3	0.68	1,269	26.2	0.76	16.4	0.50
Esophagus	281	6.7	0.41	4.5	0.27	61	1.3	0.17	0.8	0.11
Stomach	115	2.9	0.27	1.7	0.16	66	1.3	0.16	0.8	0.11
Colon & Rectum	618	15.0	0.61	9.4	0.39	490	10.2	0.47	6.2	0.31
Liver	217	4.8	0.33	3.5	0.25	82	1.6	0.18	1.2	0.14
Pancreas	495	11.9	0.54	7.6	0.35	406	8.5	0.43	5.1	0.27
Respiratory System	1,758	43.1	1.04	25.9	0.64	1,440	30.7	0.82	19.1	0.54
Larynx	47	1.1	0.16	0.7	0.11	12	0.3	0.08	0.2	0.05
Lung & bronchus	1,700	41.7	1.02	25.0	0.63	1,420	30.3	0.82	18.8	0.54
Skin	269	6.6	0.41	4.2	0.27	129	2.7	0.24	1.8	0.17
Melanomas of the skin	191	4.7	0.34	3.1	0.23	102	2.2	0.23	1.5	0.16
Breast	12	0.3	0.08	0.2	0.05	912	19.5	0.66	13.1	0.46
Female Genital System	-	-	-	-	-	638	13.7	0.55	9.0	0.39
Cervix uteri	-	-	-	-	-	69	1.6	0.20	1.2	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	185	4.0	0.30	2.6	0.21
Ovary	-	-	-	-	-	344	7.2	0.40	4.7	0.28
Male Genital System	814	20.7	0.73	10.2	0.37	-	-	-	-	-
Prostate	797	20.3	0.72	9.9	0.36	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	491	12.0	0.55	7.1	0.33	204	4.1	0.29	2.4	0.18
Bladder	259	6.4	0.40	3.5	0.22	82	1.6	0.18	0.8	0.10
Kidney & renal pelvis	218	5.3	0.36	3.4	0.24	113	2.3	0.22	1.4	0.15
Brain & Other Nervous System	263	6.5	0.41	4.7	0.30	131	2.8	0.25	2.1	0.20
Endocrine System	40	1.0	0.16	0.7	0.12	37	0.8	0.13	0.5	0.09
Thyroid gland	26	0.6	0.13	0.4	0.09	29	0.6	0.12	0.4	0.07
Lymphomas	301	7.4	0.43	4.4	0.27	241	4.9	0.32	2.7	0.20
Hodgkin Lymphoma	17	0.4	0.11	0.3	0.08	15	0.4	0.09	0.2	0.06
Non-Hodgkin Lymphoma	284	7.0	0.42	4.1	0.25	226	4.5	0.31	2.5	0.18
Multiple Myeloma	161	4.0	0.32	2.3	0.19	112	2.4	0.23	1.3	0.14
Leukemias	319	8.1	0.46	4.7	0.28	213	4.3	0.31	2.7	0.21
Other, Ill-defined & Unknown	561	13.9	0.59	8.5	0.38	480	10.0	0.47	6.2	0.31

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Illinois, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	61,824	195.0	0.80	119.6	0.50	59,487	142.0	0.60	91.0	0.41
Oral Cavity & Pharynx	1,137	3.4	0.10	2.4	0.07	521	1.2	0.06	0.8	0.04
Digestive System	16,942	52.6	0.41	33.5	0.27	13,557	31.4	0.28	19.4	0.19
Esophagus	2,422	7.5	0.15	4.9	0.10	667	1.6	0.06	1.0	0.04
Stomach	1,511	4.7	0.12	3.0	0.08	996	2.3	0.08	1.5	0.05
Colon & Rectum	5,750	18.0	0.24	11.1	0.15	5,490	12.4	0.17	7.5	0.12
Liver	2,146	6.4	0.14	4.4	0.10	855	2.0	0.07	1.2	0.05
Pancreas	3,847	12.0	0.20	7.6	0.13	3,882	9.1	0.15	5.6	0.10
Respiratory System	18,541	58.6	0.44	36.4	0.28	15,578	38.2	0.31	24.2	0.21
Larynx	667	2.0	0.08	1.3	0.05	160	0.4	0.03	0.3	0.02
Lung & bronchus	17,780	56.3	0.43	34.9	0.27	15,363	37.7	0.31	23.8	0.21
Skin	1,433	4.5	0.12	2.8	0.08	774	1.9	0.07	1.2	0.05
Melanomas of the skin	1,101	3.5	0.11	2.2	0.07	628	1.6	0.06	1.0	0.05
Breast	80	0.3	0.03	0.2	0.02	8,845	21.4	0.24	14.7	0.17
Female Genital System	-	-	-	-	-	6,281	15.4	0.20	10.4	0.14
Cervix uteri	-	-	-	-	-	897	2.4	0.08	1.8	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,999	4.9	0.11	3.2	0.08
Ovary	-	-	-	-	-	2,987	7.3	0.14	4.8	0.10
Male Genital System	5,835	19.0	0.25	9.7	0.13	-	-	-	-	-
Prostate	5,716	18.6	0.25	9.4	0.13	-	-	-	-	-
Testis	63	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	3,953	12.6	0.20	7.3	0.12	2,068	4.6	0.11	2.7	0.07
Bladder	2,057	6.6	0.15	3.5	0.08	925	2.0	0.07	1.1	0.04
Kidney & renal pelvis	1,792	5.6	0.13	3.5	0.09	1,063	2.5	0.08	1.6	0.05
Brain & Other Nervous System	1,592	4.9	0.12	3.6	0.09	1,250	3.2	0.09	2.4	0.07
Endocrine System	240	0.7	0.05	0.6	0.04	325	0.8	0.05	0.6	0.04
Thyroid gland	136	0.4	0.04	0.3	0.02	208	0.5	0.04	0.3	0.02
Lymphomas	2,383	7.6	0.16	4.5	0.10	2,056	4.7	0.11	2.7	0.07
Hodgkin Lymphoma	112	0.4	0.04	0.2	0.02	90	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,271	7.3	0.15	4.2	0.09	1,966	4.4	0.10	2.5	0.07
Multiple Myeloma	1,209	3.9	0.11	2.2	0.07	1,085	2.5	0.08	1.4	0.05
Leukemias	2,810	9.1	0.17	5.4	0.11	2,216	5.2	0.11	3.2	0.08
Other, Ill-defined & Unknown	5,669	17.8	0.24	11.2	0.16	4,931	11.5	0.17	7.2	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Indiana, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	35,003	210.9	1.14	131.4	0.73	31,060	145.5	0.85	94.4	0.59
Oral Cavity & Pharynx	606	3.4	0.14	2.4	0.10	258	1.2	0.08	0.8	0.05
Digestive System	8,768	51.7	0.56	33.6	0.37	6,650	30.2	0.38	19.0	0.26
Esophagus	1,442	8.4	0.22	5.6	0.15	351	1.6	0.09	1.1	0.06
Stomach	595	3.6	0.15	2.3	0.10	357	1.7	0.09	1.1	0.06
Colon & Rectum	3,057	18.3	0.34	11.6	0.22	2,761	12.3	0.24	7.5	0.16
Liver	1,047	5.8	0.18	4.2	0.13	409	1.9	0.10	1.2	0.07
Pancreas	2,045	12.2	0.27	7.8	0.18	1,942	8.9	0.21	5.6	0.14
Respiratory System	11,836	71.1	0.66	45.0	0.43	8,753	41.9	0.46	27.1	0.31
Larynx	327	1.9	0.11	1.3	0.07	94	0.5	0.05	0.3	0.03
Lung & bronchus	11,432	68.8	0.65	43.4	0.42	8,614	41.2	0.45	26.7	0.31
Skin	950	5.7	0.19	3.6	0.12	511	2.5	0.11	1.6	0.08
Melanomas of the skin	710	4.2	0.16	2.8	0.11	402	2.0	0.10	1.4	0.08
Breast	54	0.3	0.05	0.2	0.03	4,422	21.1	0.33	14.4	0.24
Female Genital System	-	-	-	-	-	3,174	15.2	0.28	10.4	0.20
Cervix uteri	-	-	-	-	-	448	2.4	0.12	1.8	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	943	4.4	0.15	3.0	0.11
Ovary	-	-	-	-	-	1,570	7.4	0.19	5.0	0.14
Male Genital System	2,980	18.8	0.35	9.6	0.18	-	-	-	-	-
Prostate	2,902	18.3	0.34	9.2	0.18	-	-	-	-	-
Testis	46	0.3	0.05	0.2	0.04	-	-	-	-	-
Urinary System	2,304	14.1	0.30	8.3	0.18	1,139	5.0	0.15	2.9	0.10
Bladder	1,221	7.6	0.22	4.1	0.12	497	2.1	0.10	1.1	0.06
Kidney & renal pelvis	1,020	6.1	0.19	4.0	0.13	592	2.7	0.11	1.7	0.08
Brain & Other Nervous System	907	5.4	0.18	4.0	0.14	687	3.5	0.14	2.6	0.11
Endocrine System	130	0.8	0.07	0.6	0.06	134	0.6	0.06	0.4	0.04
Thyroid gland	76	0.5	0.05	0.3	0.04	91	0.4	0.04	0.2	0.03
Lymphomas	1,331	8.2	0.23	4.9	0.14	1,104	5.1	0.16	3.1	0.10
Hodgkin Lymphoma	68	0.4	0.05	0.3	0.04	50	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,263	7.7	0.22	4.6	0.14	1,054	4.8	0.15	2.9	0.10
Multiple Myeloma	719	4.4	0.17	2.5	0.10	577	2.6	0.11	1.5	0.07
Leukemias	1,441	8.9	0.24	5.3	0.15	1,161	5.3	0.16	3.3	0.11
Other, Ill-defined & Unknown	2,977	18.1	0.34	11.3	0.22	2,490	11.4	0.24	7.4	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Iowa, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	16,864	190.0	1.48	116.8	0.96	15,171	134.1	1.15	86.0	0.81
Oral Cavity & Pharynx	298	3.3	0.20	2.3	0.14	127	1.0	0.10	0.6	0.07
Digestive System	4,360	48.9	0.75	31.2	0.50	3,493	29.1	0.52	17.9	0.36
Esophagus	713	8.0	0.31	5.3	0.21	148	1.3	0.11	0.8	0.08
Stomach	247	2.8	0.18	1.7	0.12	167	1.4	0.12	0.9	0.08
Colon & Rectum	1,574	17.7	0.45	10.8	0.29	1,577	12.7	0.34	7.5	0.23
Liver	461	5.0	0.24	3.6	0.18	151	1.3	0.11	0.8	0.08
Pancreas	1,043	11.7	0.37	7.5	0.25	994	8.4	0.28	5.2	0.19
Respiratory System	5,169	58.6	0.82	36.6	0.54	3,859	35.7	0.60	23.0	0.41
Larynx	140	1.5	0.13	1.0	0.09	36	0.4	0.06	0.2	0.04
Lung & bronchus	4,982	56.5	0.81	35.3	0.53	3,798	35.1	0.59	22.6	0.41
Skin	478	5.4	0.25	3.5	0.17	235	2.2	0.15	1.4	0.11
Melanomas of the skin	353	4.0	0.22	2.7	0.15	181	1.8	0.14	1.2	0.11
Breast	19	0.2	0.05	0.1	0.03	2,034	18.6	0.44	12.7	0.32
Female Genital System	-	-	-	-	-	1,704	15.7	0.40	10.5	0.29
Cervix uteri	-	-	-	-	-	173	2.0	0.16	1.5	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	537	4.9	0.22	3.3	0.16
Ovary	-	-	-	-	-	840	7.6	0.27	5.0	0.19
Male Genital System	1,594	17.4	0.44	8.7	0.24	-	-	-	-	-
Prostate	1,558	16.9	0.43	8.4	0.23	-	-	-	-	-
Testis	21	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,237	13.8	0.40	7.9	0.24	556	4.5	0.20	2.7	0.13
Bladder	633	7.0	0.28	3.7	0.16	239	1.8	0.12	1.0	0.08
Kidney & renal pelvis	571	6.4	0.27	4.1	0.18	295	2.5	0.16	1.6	0.11
Brain & Other Nervous System	517	6.1	0.28	4.6	0.22	385	3.9	0.21	2.8	0.17
Endocrine System	69	0.8	0.10	0.6	0.08	64	0.6	0.08	0.4	0.06
Thyroid gland	43	0.5	0.08	0.3	0.05	43	0.4	0.06	0.2	0.04
Lymphomas	742	8.3	0.31	4.8	0.19	617	5.0	0.22	2.9	0.14
Hodgkin Lymphoma	37	0.4	0.07	0.3	0.05	27	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	705	7.9	0.30	4.5	0.18	590	4.8	0.21	2.8	0.14
Multiple Myeloma	357	4.1	0.22	2.4	0.13	280	2.4	0.15	1.4	0.10
Leukemias	766	8.8	0.32	5.1	0.20	582	4.9	0.22	3.0	0.15
Other, Ill-defined & Unknown	1,258	14.3	0.41	8.8	0.27	1,235	10.5	0.32	6.7	0.23

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kansas, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,123	186.9	1.60	116.5	1.04	12,821	134.5	1.24	86.7	0.87
Oral Cavity & Pharynx	221	2.8	0.19	2.0	0.14	104	1.1	0.11	0.7	0.08
Digestive System	3,680	48.3	0.81	31.5	0.55	2,842	28.8	0.57	17.8	0.38
Esophagus	583	7.7	0.32	5.2	0.22	122	1.2	0.12	0.8	0.08
Stomach	241	3.2	0.21	2.0	0.14	147	1.6	0.14	1.1	0.10
Colon & Rectum	1,267	16.8	0.48	10.7	0.32	1,192	11.8	0.36	7.2	0.24
Liver	463	5.7	0.27	4.2	0.20	193	2.0	0.15	1.3	0.11
Pancreas	882	11.8	0.40	7.4	0.26	883	9.0	0.32	5.5	0.21
Respiratory System	4,257	56.7	0.88	35.7	0.57	3,431	37.1	0.65	24.0	0.45
Larynx	92	1.2	0.13	0.8	0.09	25	0.3	0.05	0.2	0.04
Lung & bronchus	4,134	55.1	0.87	34.6	0.56	3,395	36.7	0.65	23.7	0.45
Skin	432	5.8	0.28	3.6	0.18	199	2.0	0.15	1.4	0.11
Melanomas of the skin	324	4.4	0.25	2.8	0.16	160	1.7	0.14	1.2	0.11
Breast	17	0.2	0.06	0.2	0.04	1,808	19.3	0.48	13.1	0.35
Female Genital System	-	-	-	-	-	1,286	14.0	0.41	9.3	0.29
Cervix uteri	-	-	-	-	-	149	1.9	0.16	1.4	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	384	4.1	0.22	2.7	0.15
Ovary	-	-	-	-	-	668	7.2	0.29	4.7	0.20
Male Genital System	1,277	16.7	0.47	8.5	0.25	-	-	-	-	-
Prostate	1,245	16.3	0.47	8.2	0.25	-	-	-	-	-
Testis	16	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	953	12.5	0.41	7.5	0.26	462	4.7	0.23	2.8	0.15
Bladder	473	6.2	0.29	3.4	0.17	189	1.8	0.14	1.0	0.09
Kidney & renal pelvis	459	6.0	0.29	3.9	0.19	253	2.6	0.17	1.6	0.12
Brain & Other Nervous System	460	6.2	0.29	4.5	0.22	342	3.9	0.22	2.9	0.18
Endocrine System	60	0.8	0.10	0.5	0.07	62	0.7	0.09	0.5	0.08
Thyroid gland	42	0.6	0.09	0.3	0.05	39	0.4	0.07	0.2	0.04
Lymphomas	595	7.9	0.33	4.7	0.21	475	4.7	0.23	2.7	0.15
Hodgkin Lymphoma	29	0.4	0.08	0.3	0.05	25	0.3	0.06	0.2	0.05
Non-Hodgkin Lymphoma	566	7.5	0.32	4.5	0.20	450	4.4	0.22	2.5	0.14
Multiple Myeloma	325	4.4	0.25	2.5	0.15	262	2.7	0.17	1.5	0.11
Leukemias	693	9.4	0.36	5.5	0.23	519	5.2	0.24	3.3	0.17
Other, Ill-defined & Unknown	1,153	15.1	0.45	9.7	0.30	1,029	10.5	0.34	6.7	0.24

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Kentucky, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,415	232.3	1.45	146.6	0.93	22,976	158.7	1.07	104.1	0.75
Oral Cavity & Pharynx	515	4.3	0.19	3.0	0.14	220	1.5	0.10	1.0	0.07
Digestive System	6,220	53.4	0.69	35.3	0.46	4,638	31.2	0.47	19.4	0.31
Esophagus	900	7.5	0.26	5.3	0.18	195	1.3	0.10	0.8	0.07
Stomach	441	3.8	0.19	2.5	0.12	281	1.9	0.12	1.2	0.08
Colon & Rectum	2,230	19.6	0.42	12.5	0.27	2,027	13.5	0.31	8.3	0.20
Liver	812	6.6	0.24	4.7	0.17	312	2.1	0.12	1.3	0.08
Pancreas	1,432	12.2	0.33	8.1	0.22	1,311	8.9	0.25	5.5	0.17
Respiratory System	10,143	87.8	0.89	56.4	0.57	7,582	53.1	0.62	35.5	0.43
Larynx	285	2.4	0.14	1.6	0.10	86	0.6	0.07	0.5	0.05
Lung & bronchus	9,808	85.0	0.87	54.4	0.56	7,481	52.3	0.61	34.9	0.43
Skin	670	6.0	0.24	3.8	0.15	333	2.3	0.13	1.5	0.09
Melanomas of the skin	485	4.3	0.20	2.8	0.13	278	2.0	0.13	1.4	0.09
Breast	23	0.2	0.04	0.1	0.03	3,044	21.3	0.40	14.7	0.29
Female Genital System	-	-	-	-	-	2,057	14.5	0.33	9.9	0.24
Cervix uteri	-	-	-	-	-	376	2.9	0.16	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	513	3.6	0.16	2.4	0.12
Ovary	-	-	-	-	-	1,004	6.9	0.22	4.5	0.15
Male Genital System	1,898	18.2	0.42	9.3	0.22	-	-	-	-	-
Prostate	1,833	17.6	0.42	8.8	0.21	-	-	-	-	-
Testis	34	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	1,543	13.9	0.36	8.2	0.21	771	5.0	0.18	3.0	0.12
Bladder	797	7.5	0.27	4.0	0.15	334	2.1	0.12	1.2	0.07
Kidney & renal pelvis	717	6.2	0.23	4.0	0.15	418	2.8	0.14	1.7	0.09
Brain & Other Nervous System	618	5.3	0.22	3.9	0.16	531	3.9	0.18	2.9	0.14
Endocrine System	97	0.8	0.09	0.6	0.07	91	0.6	0.07	0.5	0.06
Thyroid gland	57	0.5	0.07	0.3	0.04	65	0.4	0.05	0.3	0.04
Lymphomas	934	8.5	0.28	5.1	0.17	758	5.1	0.19	3.0	0.12
Hodgkin Lymphoma	33	0.3	0.06	0.2	0.04	28	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	901	8.2	0.28	4.9	0.17	730	4.9	0.19	2.9	0.12
Multiple Myeloma	454	4.1	0.19	2.4	0.11	373	2.5	0.13	1.4	0.08
Leukemias	1,048	9.7	0.30	5.9	0.19	743	5.1	0.19	3.3	0.14
Other, Ill-defined & Unknown	2,252	20.0	0.43	12.6	0.27	1,835	12.6	0.30	8.1	0.21

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Louisiana, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,062	224.6	1.44	142.5	0.93	21,199	148.8	1.04	97.4	0.72
Oral Cavity & Pharynx	608	5.2	0.21	3.6	0.15	202	1.4	0.10	0.9	0.07
Digestive System	6,921	60.5	0.74	40.2	0.50	5,042	34.8	0.50	22.1	0.34
Esophagus	878	7.5	0.26	5.2	0.18	227	1.5	0.10	1.0	0.07
Stomach	611	5.5	0.23	3.6	0.15	396	2.8	0.15	1.8	0.10
Colon & Rectum	2,304	20.6	0.44	13.3	0.29	2,015	13.8	0.32	8.9	0.22
Liver	1,233	10.2	0.30	7.3	0.21	493	3.4	0.16	2.2	0.11
Pancreas	1,555	13.7	0.35	8.9	0.23	1,505	10.3	0.27	6.3	0.18
Respiratory System	8,251	73.2	0.82	47.0	0.53	5,747	40.6	0.54	26.4	0.37
Larynx	261	2.2	0.14	1.5	0.10	74	0.5	0.06	0.4	0.04
Lung & bronchus	7,946	70.6	0.81	45.2	0.52	5,645	39.9	0.54	25.9	0.37
Skin	502	4.6	0.21	2.9	0.13	238	1.7	0.11	1.1	0.08
Melanomas of the skin	349	3.2	0.18	2.0	0.11	183	1.3	0.10	0.9	0.07
Breast	40	0.4	0.06	0.2	0.04	3,279	23.3	0.42	16.1	0.30
Female Genital System	-	-	-	-	-	1,900	13.7	0.32	9.4	0.23
Cervix uteri	-	-	-	-	-	363	2.9	0.16	2.2	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	507	3.6	0.16	2.5	0.12
Ovary	-	-	-	-	-	911	6.4	0.22	4.2	0.15
Male Genital System	2,136	20.6	0.45	10.8	0.24	-	-	-	-	-
Prostate	2,085	20.2	0.45	10.5	0.24	-	-	-	-	-
Testis	24	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,435	13.1	0.35	8.0	0.22	796	5.4	0.20	3.3	0.13
Bladder	652	6.2	0.25	3.4	0.14	308	2.0	0.12	1.2	0.07
Kidney & renal pelvis	751	6.5	0.24	4.4	0.16	461	3.2	0.15	2.0	0.10
Brain & Other Nervous System	572	5.1	0.22	3.7	0.16	462	3.3	0.16	2.4	0.12
Endocrine System	74	0.6	0.08	0.5	0.06	89	0.6	0.07	0.5	0.06
Thyroid gland	43	0.4	0.06	0.2	0.04	60	0.4	0.05	0.2	0.04
Lymphomas	930	8.6	0.29	5.3	0.18	699	4.9	0.19	2.9	0.12
Hodgkin Lymphoma	57	0.5	0.07	0.4	0.05	53	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	873	8.1	0.28	4.9	0.17	646	4.4	0.18	2.6	0.11
Multiple Myeloma	485	4.5	0.21	2.6	0.12	403	2.8	0.14	1.7	0.09
Leukemias	935	8.8	0.29	5.2	0.18	707	5.0	0.19	3.1	0.13
Other, Ill-defined & Unknown	2,173	19.4	0.42	12.4	0.28	1,635	11.5	0.29	7.6	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maine, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	8,516	202.3	2.23	123.4	1.41	7,518	142.4	1.71	90.5	1.18
Oral Cavity & Pharynx	183	4.2	0.32	2.9	0.22	64	1.1	0.15	0.7	0.10
Digestive System	2,028	47.6	1.07	30.3	0.70	1,627	30.0	0.78	18.4	0.52
Esophagus	421	9.7	0.48	6.5	0.33	92	1.7	0.18	1.0	0.12
Stomach	108	2.5	0.24	1.6	0.16	81	1.4	0.16	0.8	0.11
Colon & Rectum	644	15.5	0.62	9.5	0.39	625	11.4	0.48	6.9	0.32
Liver	237	5.4	0.35	3.5	0.24	74	1.5	0.18	0.9	0.12
Pancreas	470	11.0	0.51	6.9	0.33	533	9.9	0.44	6.0	0.29
Respiratory System	2,725	63.8	1.24	39.7	0.79	2,196	42.5	0.93	27.0	0.63
Larynx	101	2.2	0.22	1.5	0.16	21	0.4	0.10	0.3	0.07
Lung & bronchus	2,608	61.2	1.21	37.9	0.77	2,164	41.8	0.92	26.6	0.63
Skin	237	5.7	0.38	3.5	0.24	134	2.5	0.23	1.6	0.16
Melanomas of the skin	176	4.3	0.33	2.7	0.22	90	1.8	0.20	1.2	0.15
Breast	13	0.3	0.08	0.2	0.05	907	17.7	0.62	12.0	0.45
Female Genital System	-	-	-	-	-	700	13.3	0.52	9.0	0.37
Cervix uteri	-	-	-	-	-	64	1.4	0.19	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	220	4.0	0.28	2.6	0.19
Ovary	-	-	-	-	-	352	6.8	0.37	4.6	0.27
Male Genital System	760	18.4	0.67	9.1	0.35	-	-	-	-	-
Prostate	743	18.0	0.66	8.8	0.34	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	660	15.7	0.62	9.0	0.37	271	4.9	0.31	2.8	0.19
Bladder	389	9.3	0.48	5.0	0.27	141	2.5	0.22	1.4	0.13
Kidney & renal pelvis	249	5.8	0.37	3.7	0.25	121	2.2	0.21	1.3	0.13
Brain & Other Nervous System	257	6.2	0.40	4.5	0.31	163	3.4	0.28	2.6	0.24
Endocrine System	24	0.6	0.13	0.5	0.10	38	0.8	0.13	0.5	0.11
Thyroid gland	12	0.3	0.08	0.2	0.06	27	0.5	0.10	0.3	0.06
Lymphomas	318	7.9	0.45	4.6	0.28	276	4.9	0.31	2.9	0.20
Hodgkin Lymphoma	18	0.5	0.12	0.3	0.08	12	0.3	0.09	0.2	0.06
Non-Hodgkin Lymphoma	300	7.4	0.43	4.3	0.27	264	4.6	0.30	2.7	0.19
Multiple Myeloma	142	3.4	0.29	2.0	0.17	133	2.4	0.21	1.4	0.14
Leukemias	352	8.7	0.47	5.3	0.32	263	4.9	0.32	3.0	0.23
Other, Ill-defined & Unknown	817	19.7	0.70	11.9	0.45	746	14.0	0.54	8.7	0.37

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Maryland, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	26,452	185.9	1.16	113.8	0.72	25,609	135.6	0.87	86.7	0.59
Oral Cavity & Pharynx	508	3.4	0.16	2.3	0.11	240	1.2	0.08	0.8	0.06
Digestive System	7,470	51.2	0.60	32.8	0.39	5,771	30.0	0.41	18.6	0.27
Esophagus	987	6.8	0.22	4.4	0.14	281	1.5	0.09	0.9	0.06
Stomach	618	4.3	0.18	2.7	0.11	409	2.1	0.11	1.3	0.07
Colon & Rectum	2,402	16.7	0.35	10.3	0.22	2,235	11.4	0.25	7.1	0.17
Liver	1,170	7.5	0.22	5.3	0.16	429	2.3	0.11	1.4	0.08
Pancreas	1,829	12.7	0.30	7.9	0.19	1,765	9.3	0.23	5.7	0.15
Respiratory System	7,541	53.0	0.62	32.8	0.39	6,611	35.6	0.45	22.1	0.29
Larynx	291	2.0	0.12	1.3	0.08	74	0.4	0.05	0.2	0.03
Lung & bronchus	7,190	50.5	0.61	31.3	0.38	6,504	35.0	0.44	21.7	0.29
Skin	725	5.2	0.20	3.0	0.12	356	1.9	0.10	1.2	0.07
Melanomas of the skin	531	3.8	0.17	2.2	0.10	277	1.5	0.09	1.0	0.06
Breast	60	0.4	0.05	0.3	0.04	4,068	21.7	0.35	14.9	0.25
Female Genital System	-	-	-	-	-	2,819	15.2	0.29	10.3	0.21
Cervix uteri	-	-	-	-	-	353	2.0	0.11	1.5	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	962	5.1	0.17	3.5	0.12
Ovary	-	-	-	-	-	1,334	7.1	0.20	4.7	0.14
Male Genital System	2,562	18.8	0.38	9.7	0.20	-	-	-	-	-
Prostate	2,509	18.5	0.37	9.4	0.20	-	-	-	-	-
Testis	28	0.2	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,866	13.4	0.31	7.6	0.18	870	4.4	0.16	2.6	0.10
Bladder	1,069	7.8	0.24	4.2	0.13	442	2.2	0.11	1.2	0.06
Kidney & renal pelvis	752	5.2	0.19	3.3	0.12	392	2.0	0.11	1.3	0.07
Brain & Other Nervous System	712	4.9	0.19	3.5	0.14	555	3.1	0.14	2.3	0.11
Endocrine System	103	0.7	0.07	0.5	0.06	113	0.6	0.06	0.4	0.05
Thyroid gland	56	0.4	0.05	0.2	0.03	76	0.4	0.05	0.2	0.03
Lymphomas	957	6.8	0.22	4.1	0.14	779	4.1	0.15	2.4	0.10
Hodgkin Lymphoma	57	0.4	0.06	0.3	0.04	51	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	900	6.4	0.22	3.8	0.13	728	3.8	0.15	2.2	0.09
Multiple Myeloma	542	3.9	0.17	2.3	0.10	595	3.1	0.13	1.9	0.08
Leukemias	1,091	8.0	0.25	4.8	0.15	879	4.6	0.16	2.9	0.11
Other, Ill-defined & Unknown	2,315	16.3	0.34	10.2	0.22	1,953	10.1	0.24	6.4	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Massachusetts, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	32,510	183.5	1.03	111.2	0.65	32,212	134.2	0.78	84.3	0.54
Oral Cavity & Pharynx	662	3.6	0.14	2.5	0.10	304	1.2	0.07	0.8	0.05
Digestive System	9,016	50.3	0.54	31.8	0.35	7,225	28.8	0.36	17.3	0.24
Esophagus	1,474	8.2	0.22	5.3	0.14	374	1.5	0.08	0.9	0.06
Stomach	679	3.9	0.15	2.4	0.10	550	2.1	0.10	1.3	0.06
Colon & Rectum	2,673	15.0	0.29	9.0	0.18	2,746	10.6	0.22	6.3	0.14
Liver	1,382	7.5	0.21	5.2	0.14	427	1.8	0.09	1.1	0.07
Pancreas	2,093	11.8	0.26	7.4	0.17	2,265	9.1	0.20	5.4	0.13
Respiratory System	9,120	52.1	0.55	31.7	0.35	8,675	37.4	0.42	23.4	0.28
Larynx	278	1.6	0.10	1.0	0.06	92	0.4	0.04	0.2	0.03
Lung & bronchus	8,775	50.1	0.54	30.5	0.34	8,555	36.9	0.41	23.1	0.28
Skin	922	5.2	0.17	3.2	0.11	542	2.3	0.10	1.4	0.07
Melanomas of the skin	699	4.0	0.15	2.5	0.10	423	1.8	0.09	1.2	0.07
Breast	53	0.3	0.04	0.2	0.03	4,321	18.5	0.29	12.5	0.21
Female Genital System	-	-	-	-	-	3,246	14.0	0.26	9.3	0.18
Cervix uteri	-	-	-	-	-	274	1.3	0.08	1.0	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,010	4.3	0.14	2.8	0.10
Ovary	-	-	-	-	-	1,695	7.3	0.18	4.8	0.13
Male Genital System	3,108	17.5	0.32	8.8	0.17	-	-	-	-	-
Prostate	3,048	17.1	0.31	8.6	0.17	-	-	-	-	-
Testis	25	0.1	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,150	12.1	0.26	6.8	0.16	1,204	4.6	0.14	2.6	0.09
Bladder	1,331	7.5	0.21	4.0	0.12	654	2.4	0.10	1.3	0.06
Kidney & renal pelvis	775	4.3	0.16	2.7	0.10	517	2.1	0.10	1.3	0.07
Brain & Other Nervous System	884	5.0	0.17	3.7	0.13	727	3.4	0.13	2.5	0.11
Endocrine System	166	1.0	0.08	0.8	0.07	156	0.7	0.06	0.5	0.05
Thyroid gland	105	0.6	0.06	0.4	0.04	114	0.5	0.05	0.3	0.03
Lymphomas	1,203	6.8	0.20	4.0	0.12	1,085	4.2	0.14	2.4	0.08
Hodgkin Lymphoma	72	0.4	0.05	0.3	0.04	53	0.2	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,131	6.4	0.19	3.7	0.12	1,032	4.0	0.13	2.2	0.08
Multiple Myeloma	629	3.6	0.14	2.1	0.09	627	2.5	0.10	1.5	0.07
Leukemias	1,422	8.2	0.22	4.8	0.14	1,157	4.8	0.15	3.0	0.11
Other, Ill-defined & Unknown	3,175	17.9	0.32	10.9	0.21	2,943	12.0	0.23	7.3	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Michigan, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	53,140	195.5	0.86	121.3	0.55	49,020	142.6	0.67	92.0	0.46
Oral Cavity & Pharynx	1,037	3.7	0.12	2.5	0.08	427	1.2	0.06	0.8	0.04
Digestive System	14,094	51.1	0.44	32.9	0.29	10,798	30.4	0.30	18.8	0.20
Esophagus	2,233	8.1	0.17	5.3	0.12	567	1.6	0.07	1.0	0.05
Stomach	1,066	3.9	0.12	2.5	0.08	705	2.0	0.08	1.2	0.05
Colon & Rectum	4,544	16.8	0.25	10.4	0.16	4,233	11.7	0.19	7.2	0.13
Liver	1,802	6.1	0.15	4.4	0.11	738	2.1	0.08	1.3	0.06
Pancreas	3,459	12.5	0.22	8.0	0.14	3,353	9.5	0.17	5.8	0.11
Respiratory System	16,649	61.0	0.48	38.3	0.31	13,614	40.3	0.35	25.9	0.24
Larynx	556	2.0	0.09	1.3	0.06	149	0.5	0.04	0.3	0.03
Lung & bronchus	15,990	58.7	0.47	36.7	0.30	13,402	39.7	0.35	25.5	0.24
Skin	1,295	4.8	0.14	3.1	0.09	645	1.9	0.08	1.3	0.06
Melanomas of the skin	918	3.4	0.11	2.2	0.08	481	1.5	0.07	1.0	0.05
Breast	92	0.3	0.04	0.2	0.02	7,148	21.2	0.26	14.5	0.19
Female Genital System	-	-	-	-	-	5,169	15.4	0.22	10.4	0.16
Cervix uteri	-	-	-	-	-	601	2.1	0.09	1.6	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,660	4.8	0.12	3.2	0.09
Ovary	-	-	-	-	-	2,545	7.5	0.15	5.0	0.11
Male Genital System	4,624	17.5	0.26	9.0	0.14	-	-	-	-	-
Prostate	4,513	17.0	0.26	8.6	0.13	-	-	-	-	-
Testis	60	0.3	0.04	0.2	0.03	-	-	-	-	-
Urinary System	3,565	13.2	0.22	7.6	0.13	1,811	5.0	0.12	3.0	0.08
Bladder	1,964	7.3	0.17	3.9	0.09	835	2.2	0.08	1.2	0.05
Kidney & renal pelvis	1,502	5.5	0.14	3.5	0.09	909	2.6	0.09	1.7	0.06
Brain & Other Nervous System	1,485	5.5	0.15	4.1	0.11	1,166	3.7	0.11	2.7	0.09
Endocrine System	222	0.8	0.06	0.6	0.04	236	0.7	0.05	0.5	0.04
Thyroid gland	125	0.5	0.04	0.3	0.03	163	0.4	0.04	0.3	0.02
Lymphomas	2,313	8.7	0.18	5.3	0.12	1,792	5.0	0.12	3.0	0.08
Hodgkin Lymphoma	116	0.5	0.05	0.3	0.04	88	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,197	8.3	0.18	4.9	0.11	1,704	4.7	0.12	2.8	0.08
Multiple Myeloma	1,131	4.2	0.13	2.5	0.08	931	2.6	0.09	1.5	0.06
Leukemias	2,319	8.8	0.19	5.3	0.12	1,726	4.9	0.12	3.1	0.09
Other, Ill-defined & Unknown	4,314	15.9	0.25	10.0	0.16	3,557	10.1	0.18	6.4	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Metropolitan Detroit, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,137	200.8	1.44	124.5	0.92	19,701	146.4	1.08	94.6	0.75
Oral Cavity & Pharynx	371	3.5	0.19	2.5	0.13	175	1.3	0.10	0.9	0.07
Digestive System	5,630	55.1	0.75	35.5	0.49	4,461	32.2	0.50	20.1	0.34
Esophagus	747	7.3	0.27	4.8	0.18	224	1.6	0.11	1.0	0.08
Stomach	485	4.8	0.22	3.1	0.15	349	2.5	0.14	1.6	0.10
Colon & Rectum	1,792	17.8	0.43	11.0	0.27	1,778	12.7	0.31	7.8	0.21
Liver	853	7.8	0.27	5.6	0.20	296	2.1	0.13	1.4	0.09
Pancreas	1,391	13.6	0.37	8.7	0.24	1,403	10.2	0.28	6.3	0.19
Respiratory System	6,133	61.5	0.80	38.3	0.51	5,353	40.5	0.57	25.7	0.38
Larynx	214	2.1	0.14	1.4	0.10	64	0.5	0.07	0.4	0.05
Lung & bronchus	5,883	59.0	0.79	36.7	0.50	5,265	39.8	0.57	25.3	0.38
Skin	441	4.4	0.21	2.8	0.14	226	1.7	0.12	1.2	0.09
Melanomas of the skin	304	3.0	0.18	2.0	0.12	177	1.4	0.11	1.0	0.08
Breast	38	0.4	0.06	0.2	0.04	3,035	22.9	0.43	15.7	0.31
Female Genital System	-	-	-	-	-	2,127	16.2	0.36	11.1	0.26
Cervix uteri	-	-	-	-	-	283	2.5	0.15	1.8	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	698	5.2	0.20	3.5	0.14
Ovary	-	-	-	-	-	1,003	7.6	0.25	5.1	0.17
Male Genital System	1,851	18.9	0.44	9.8	0.24	-	-	-	-	-
Prostate	1,817	18.5	0.44	9.6	0.24	-	-	-	-	-
Testis	22	0.3	0.06	0.2	0.05	-	-	-	-	-
Urinary System	1,355	13.6	0.38	7.9	0.23	694	4.9	0.19	2.9	0.13
Bladder	759	7.7	0.28	4.1	0.16	339	2.3	0.13	1.3	0.08
Kidney & renal pelvis	563	5.6	0.24	3.6	0.16	331	2.4	0.14	1.6	0.10
Brain & Other Nervous System	526	5.2	0.23	3.9	0.18	432	3.5	0.17	2.6	0.14
Endocrine System	81	0.8	0.09	0.6	0.07	104	0.8	0.08	0.6	0.06
Thyroid gland	45	0.4	0.07	0.3	0.04	76	0.5	0.07	0.4	0.05
Lymphomas	832	8.5	0.30	5.2	0.19	690	5.0	0.20	3.0	0.13
Hodgkin Lymphoma	40	0.4	0.07	0.3	0.05	37	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	792	8.1	0.29	4.9	0.18	653	4.7	0.19	2.7	0.13
Multiple Myeloma	436	4.4	0.22	2.6	0.13	370	2.7	0.14	1.6	0.09
Leukemias	836	8.7	0.30	5.1	0.19	624	4.6	0.19	2.8	0.13
Other, Ill-defined & Unknown	1,607	15.9	0.41	10.1	0.27	1,410	10.3	0.29	6.6	0.20

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Minnesota, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,909	176.9	1.14	106.6	0.71	22,797	128.6	0.89	81.3	0.60
Oral Cavity & Pharynx	411	2.8	0.14	1.9	0.10	222	1.2	0.08	0.8	0.06
Digestive System	6,516	45.5	0.57	28.7	0.37	5,114	28.0	0.41	17.1	0.27
Esophagus	1,003	7.0	0.23	4.5	0.15	321	1.8	0.11	1.2	0.07
Stomach	471	3.3	0.16	2.0	0.10	306	1.8	0.11	1.1	0.07
Colon & Rectum	2,033	14.3	0.32	8.7	0.20	2,015	10.6	0.25	6.4	0.16
Liver	743	4.9	0.18	3.5	0.13	268	1.5	0.09	1.0	0.07
Pancreas	1,647	11.6	0.29	7.3	0.19	1,475	8.1	0.22	4.9	0.14
Respiratory System	6,521	46.6	0.59	28.4	0.37	5,578	32.9	0.45	20.6	0.30
Larynx	173	1.2	0.10	0.8	0.06	38	0.2	0.04	0.2	0.03
Lung & bronchus	6,303	45.0	0.58	27.5	0.36	5,511	32.5	0.45	20.4	0.30
Skin	640	4.5	0.18	2.8	0.12	332	1.9	0.11	1.2	0.08
Melanomas of the skin	503	3.6	0.16	2.3	0.11	255	1.5	0.10	1.0	0.07
Breast	20	0.1	0.03	0.1	0.02	3,240	18.4	0.34	12.4	0.24
Female Genital System	-	-	-	-	-	2,351	13.6	0.29	9.0	0.20
Cervix uteri	-	-	-	-	-	217	1.4	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	691	4.0	0.16	2.5	0.11
Ovary	-	-	-	-	-	1,234	7.1	0.21	4.7	0.15
Male Genital System	2,622	18.7	0.37	9.2	0.19	-	-	-	-	-
Prostate	2,583	18.4	0.37	9.0	0.19	-	-	-	-	-
Testis	18	0.1	0.03	0.1	0.03	-	-	-	-	-
Urinary System	1,743	12.4	0.30	7.2	0.18	833	4.4	0.16	2.6	0.10
Bladder	861	6.1	0.21	3.2	0.12	350	1.8	0.10	1.0	0.06
Kidney & renal pelvis	842	5.9	0.21	3.8	0.14	449	2.5	0.12	1.5	0.08
Brain & Other Nervous System	776	5.5	0.20	4.1	0.16	536	3.4	0.15	2.6	0.12
Endocrine System	118	0.8	0.08	0.6	0.06	104	0.6	0.06	0.4	0.05
Thyroid gland	75	0.5	0.06	0.3	0.04	76	0.4	0.05	0.3	0.03
Lymphomas	1,188	8.6	0.25	5.0	0.15	964	5.1	0.17	2.8	0.11
Hodgkin Lymphoma	57	0.4	0.06	0.3	0.04	44	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,131	8.2	0.25	4.7	0.15	920	4.8	0.17	2.7	0.10
Multiple Myeloma	580	4.2	0.18	2.4	0.10	417	2.3	0.12	1.3	0.07
Leukemias	1,301	9.4	0.26	5.5	0.16	942	5.1	0.17	3.0	0.12
Other, Ill-defined & Unknown	2,473	17.6	0.36	10.6	0.23	2,164	11.8	0.27	7.3	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Mississippi, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	17,485	238.5	1.83	151.7	1.18	14,217	148.5	1.27	98.6	0.90
Oral Cavity & Pharynx	460	5.8	0.28	4.2	0.20	152	1.6	0.13	1.1	0.10
Digestive System	4,478	59.8	0.91	40.0	0.61	3,456	35.2	0.61	22.5	0.42
Esophagus	561	7.3	0.31	5.2	0.22	136	1.4	0.12	1.0	0.09
Stomach	359	4.9	0.26	3.2	0.17	275	2.8	0.17	1.8	0.12
Colon & Rectum	1,631	22.2	0.56	14.6	0.37	1,463	15.0	0.40	9.7	0.28
Liver	706	8.9	0.34	6.4	0.25	338	3.4	0.19	2.1	0.13
Pancreas	1,003	13.5	0.43	8.9	0.29	989	10.0	0.33	6.2	0.22
Respiratory System	6,182	83.1	1.07	53.3	0.69	3,783	39.7	0.65	26.4	0.46
Larynx	170	2.2	0.17	1.6	0.12	39	0.4	0.07	0.3	0.05
Lung & bronchus	5,975	80.4	1.06	51.5	0.68	3,724	39.0	0.65	25.9	0.45
Skin	353	4.9	0.27	3.0	0.17	155	1.6	0.13	1.1	0.10
Melanomas of the skin	236	3.3	0.22	2.1	0.14	120	1.3	0.12	0.9	0.09
Breast	20	0.3	0.06	0.2	0.04	2,130	22.8	0.51	15.9	0.37
Female Genital System	-	-	-	-	-	1,371	14.8	0.41	10.2	0.30
Cervix uteri	-	-	-	-	-	284	3.4	0.21	2.5	0.16
Corpus & uterus, NOS ¹	-	-	-	-	-	365	3.8	0.21	2.7	0.15
Ovary	-	-	-	-	-	622	6.6	0.27	4.3	0.19
Male Genital System	1,632	24.2	0.60	12.6	0.32	-	-	-	-	-
Prostate	1,609	23.8	0.60	12.4	0.32	-	-	-	-	-
Testis	11	0.2	0.05	0.1	0.04	-	-	-	-	-
Urinary System	906	12.6	0.42	7.7	0.26	436	4.3	0.21	2.6	0.14
Bladder	408	5.8	0.29	3.3	0.17	171	1.6	0.13	0.9	0.08
Kidney & renal pelvis	479	6.5	0.30	4.3	0.20	247	2.5	0.16	1.6	0.11
Brain & Other Nervous System	398	5.4	0.27	3.9	0.20	368	4.0	0.21	2.9	0.17
Endocrine System	45	0.6	0.09	0.4	0.07	67	0.7	0.09	0.6	0.08
Thyroid gland	27	0.4	0.07	0.2	0.05	41	0.4	0.07	0.3	0.04
Lymphomas	524	7.4	0.33	4.5	0.20	429	4.4	0.22	2.7	0.14
Hodgkin Lymphoma	37	0.5	0.09	0.3	0.06	31	0.3	0.06	0.3	0.05
Non-Hodgkin Lymphoma	487	6.8	0.31	4.1	0.19	398	4.1	0.21	2.4	0.13
Multiple Myeloma	306	4.3	0.25	2.5	0.15	294	3.0	0.18	1.8	0.12
Leukemias	662	9.5	0.37	5.9	0.24	492	5.1	0.24	3.2	0.16
Other, Ill-defined & Unknown	1,519	20.7	0.54	13.4	0.36	1,084	11.3	0.35	7.7	0.26

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Missouri, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	33,206	203.2	1.13	127.4	0.73	30,239	145.4	0.86	94.3	0.60
Oral Cavity & Pharynx	610	3.6	0.15	2.6	0.11	271	1.3	0.08	0.8	0.05
Digestive System	8,546	51.5	0.56	33.7	0.38	6,533	30.4	0.39	18.9	0.26
Esophagus	1,204	7.2	0.21	4.9	0.15	329	1.6	0.09	1.0	0.06
Stomach	570	3.5	0.15	2.3	0.10	358	1.7	0.09	1.1	0.06
Colon & Rectum	2,979	18.3	0.34	11.4	0.22	2,697	12.4	0.25	7.6	0.17
Liver	1,231	7.0	0.20	5.1	0.15	422	2.0	0.10	1.3	0.07
Pancreas	1,957	11.9	0.27	7.6	0.18	1,944	9.1	0.21	5.6	0.14
Respiratory System	11,231	68.5	0.65	43.3	0.42	8,809	43.0	0.47	28.0	0.32
Larynx	310	1.9	0.11	1.2	0.07	85	0.4	0.05	0.3	0.04
Lung & bronchus	10,885	66.4	0.64	41.9	0.42	8,694	42.5	0.47	27.6	0.32
Skin	955	5.9	0.19	3.7	0.13	427	2.1	0.11	1.4	0.08
Melanomas of the skin	719	4.4	0.17	2.8	0.11	337	1.7	0.10	1.1	0.07
Breast	42	0.3	0.04	0.2	0.03	4,362	21.5	0.34	14.7	0.24
Female Genital System	-	-	-	-	-	2,903	14.3	0.28	9.7	0.20
Cervix uteri	-	-	-	-	-	451	2.6	0.13	2.0	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	855	4.1	0.15	2.8	0.10
Ovary	-	-	-	-	-	1,392	6.6	0.18	4.4	0.13
Male Genital System	2,679	16.9	0.33	8.6	0.17	-	-	-	-	-
Prostate	2,601	16.4	0.32	8.2	0.17	-	-	-	-	-
Testis	53	0.4	0.05	0.3	0.04	-	-	-	-	-
Urinary System	2,085	12.8	0.28	7.6	0.17	1,109	5.1	0.16	3.0	0.10
Bladder	1,030	6.4	0.20	3.5	0.11	463	2.0	0.10	1.1	0.06
Kidney & renal pelvis	1,009	6.1	0.19	4.0	0.13	599	2.9	0.12	1.8	0.08
Brain & Other Nervous System	832	5.1	0.18	3.9	0.14	682	3.6	0.14	2.7	0.11
Endocrine System	109	0.7	0.07	0.5	0.05	150	0.7	0.06	0.5	0.05
Thyroid gland	74	0.5	0.06	0.3	0.04	101	0.5	0.05	0.3	0.03
Lymphomas	1,191	7.4	0.22	4.4	0.13	991	4.6	0.15	2.7	0.10
Hodgkin Lymphoma	63	0.4	0.05	0.3	0.04	52	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,128	7.0	0.21	4.1	0.13	939	4.4	0.15	2.5	0.09
Multiple Myeloma	673	4.1	0.16	2.5	0.10	549	2.5	0.11	1.5	0.07
Leukemias	1,430	9.0	0.24	5.5	0.16	1,041	4.9	0.16	3.1	0.12
Other, Ill-defined & Unknown	2,823	17.4	0.33	11.0	0.22	2,412	11.3	0.24	7.3	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Montana, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	5,217	169.4	2.38	103.0	1.51	4,593	129.7	1.99	82.8	1.37
Oral Cavity & Pharynx	95	3.0	0.31	2.0	0.22	38	1.1	0.18	0.7	0.13
Digestive System	1,330	42.4	1.18	27.2	0.78	970	26.7	0.89	16.6	0.59
Esophagus	210	6.6	0.47	4.4	0.32	55	1.5	0.21	0.9	0.13
Stomach	79	2.6	0.30	1.6	0.18	58	1.7	0.23	1.1	0.16
Colon & Rectum	474	15.2	0.71	9.5	0.46	395	10.7	0.56	6.7	0.38
Liver	159	4.7	0.38	3.4	0.28	55	1.5	0.21	1.0	0.14
Pancreas	320	10.4	0.59	6.4	0.38	280	7.7	0.47	4.8	0.31
Respiratory System	1,394	45.1	1.22	27.3	0.76	1,216	34.8	1.02	21.5	0.67
Larynx	55	1.8	0.25	1.1	0.15	13	0.4	0.10	0.2	0.07
Lung & bronchus	1,325	42.8	1.19	25.9	0.74	1,199	34.3	1.02	21.2	0.66
Skin	155	4.9	0.41	3.2	0.27	81	2.4	0.29	1.5	0.19
Melanomas of the skin	117	3.7	0.35	2.5	0.24	67	2.1	0.27	1.3	0.19
Breast	-	-	-	-	-	684	19.8	0.79	13.6	0.57
Female Genital System	-	-	-	-	-	505	14.3	0.66	9.6	0.47
Cervix uteri	-	-	-	-	-	55	1.8	0.26	1.3	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	137	3.9	0.34	2.5	0.23
Ovary	-	-	-	-	-	286	7.9	0.48	5.4	0.35
Male Genital System	602	19.9	0.82	10.1	0.43	-	-	-	-	-
Prostate	587	19.4	0.80	9.7	0.42	-	-	-	-	-
Testis	10	0.4	0.14	0.3	0.11	-	-	-	-	-
Urinary System	404	13.1	0.66	7.6	0.40	129	3.6	0.33	2.2	0.21
Bladder	236	7.7	0.51	4.1	0.28	68	1.8	0.23	1.1	0.15
Kidney & renal pelvis	155	5.0	0.41	3.4	0.28	56	1.6	0.22	1.0	0.15
Brain & Other Nervous System	147	4.9	0.42	3.8	0.34	126	3.9	0.36	3.1	0.32
Endocrine System	27	0.9	0.18	0.7	0.15	19	0.5	0.13	0.4	0.11
Thyroid gland	19	0.6	0.13	0.4	0.10	11	0.3	0.09	0.1	0.05
Lymphomas	216	7.2	0.50	4.1	0.30	149	4.1	0.35	2.3	0.21
Hodgkin Lymphoma	10	0.4	0.14	0.3	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	206	6.8	0.48	3.8	0.28	-	-	-	-	-
Multiple Myeloma	121	3.9	0.36	2.3	0.21	95	2.5	0.27	1.5	0.17
Leukemias	230	7.6	0.51	4.5	0.32	167	4.7	0.38	2.9	0.29
Other, Ill-defined & Unknown	-	-	-	-	-	414	11.3	0.58	6.9	0.38

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nebraska, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,014	182.7	1.95	111.8	1.25	8,108	129.9	1.51	82.7	1.05
Oral Cavity & Pharynx	163	3.2	0.25	2.2	0.18	82	1.2	0.14	0.8	0.10
Digestive System	2,406	48.0	0.99	30.7	0.66	1,915	29.8	0.72	17.9	0.47
Esophagus	394	7.9	0.40	5.1	0.27	92	1.5	0.16	0.9	0.11
Stomach	132	2.6	0.23	1.7	0.16	79	1.3	0.15	0.8	0.11
Colon & Rectum	856	17.2	0.60	10.5	0.38	857	12.9	0.47	7.6	0.30
Liver	281	5.4	0.33	3.8	0.24	88	1.5	0.16	0.9	0.11
Pancreas	575	11.6	0.49	7.4	0.32	552	8.6	0.38	5.0	0.25
Respiratory System	2,589	53.3	1.06	32.6	0.67	2,020	33.4	0.77	21.3	0.53
Larynx	70	1.5	0.18	0.9	0.12	14	0.3	0.08	0.2	0.05
Lung & bronchus	2,501	51.5	1.04	31.4	0.66	1,995	33.0	0.76	21.0	0.52
Skin	259	5.3	0.33	3.4	0.22	150	2.5	0.22	1.8	0.16
Melanomas of the skin	187	3.8	0.29	2.5	0.20	124	2.1	0.20	1.5	0.15
Breast	11	0.2	0.07	0.1	0.04	1,137	18.6	0.58	12.6	0.42
Female Genital System	-	-	-	-	-	804	13.7	0.50	9.3	0.36
Cervix uteri	-	-	-	-	-	99	2.0	0.22	1.6	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	257	4.2	0.27	2.7	0.19
Ovary	-	-	-	-	-	403	6.7	0.35	4.6	0.25
Male Genital System	955	19.1	0.62	9.7	0.34	-	-	-	-	-
Prostate	933	18.6	0.62	9.3	0.33	-	-	-	-	-
Testis	10	0.2	0.08	0.2	0.07	-	-	-	-	-
Urinary System	638	12.8	0.51	7.6	0.32	305	4.6	0.27	2.8	0.19
Bladder	304	6.1	0.36	3.2	0.20	125	1.8	0.17	1.0	0.10
Kidney & renal pelvis	313	6.2	0.36	4.2	0.25	159	2.4	0.20	1.6	0.14
Brain & Other Nervous System	283	6.0	0.36	4.3	0.28	225	3.9	0.27	2.8	0.21
Endocrine System	42	0.9	0.14	0.7	0.11	40	0.6	0.10	0.4	0.07
Thyroid gland	31	0.6	0.12	0.4	0.08	31	0.4	0.08	0.2	0.05
Lymphomas	361	7.4	0.40	4.5	0.25	324	4.7	0.28	2.7	0.18
Hodgkin Lymphoma	25	0.5	0.11	0.4	0.08	11	0.2	0.05	0.1	0.04
Non-Hodgkin Lymphoma	336	6.9	0.38	4.1	0.24	313	4.6	0.27	2.6	0.17
Multiple Myeloma	193	3.9	0.28	2.3	0.18	157	2.4	0.20	1.4	0.13
Leukemias	395	8.1	0.41	4.7	0.26	310	4.8	0.29	3.0	0.21
Other, Ill-defined & Unknown	719	14.5	0.55	9.0	0.36	639	9.7	0.40	6.1	0.29

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nevada, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,435	181.0	1.65	110.3	1.01	10,587	136.4	1.34	85.7	0.88
Oral Cavity & Pharynx	241	3.3	0.22	2.3	0.15	99	1.3	0.13	0.8	0.08
Digestive System	3,530	50.0	0.86	31.8	0.55	2,305	29.5	0.62	18.3	0.40
Esophagus	540	7.5	0.33	4.9	0.21	128	1.6	0.15	1.1	0.10
Stomach	234	3.5	0.23	2.1	0.14	159	2.1	0.17	1.3	0.11
Colon & Rectum	1,300	18.8	0.53	11.6	0.33	977	12.6	0.41	7.5	0.25
Liver	481	6.4	0.30	4.5	0.21	203	2.6	0.18	1.6	0.12
Pancreas	799	11.3	0.41	7.2	0.26	665	8.5	0.33	5.3	0.21
Respiratory System	3,597	51.9	0.88	31.5	0.54	3,102	40.1	0.73	24.4	0.46
Larynx	108	1.5	0.15	1.0	0.10	24	0.3	0.06	0.2	0.04
Lung & bronchus	3,481	50.3	0.87	30.4	0.53	3,068	39.6	0.72	24.1	0.45
Skin	377	5.5	0.29	3.4	0.18	141	1.8	0.16	1.2	0.11
Melanomas of the skin	282	4.0	0.24	2.5	0.15	115	1.5	0.14	1.0	0.10
Breast	16	0.2	0.06	0.1	0.04	1,690	21.6	0.53	14.5	0.37
Female Genital System	-	-	-	-	-	985	12.6	0.41	8.6	0.29
Cervix uteri	-	-	-	-	-	156	2.1	0.17	1.6	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	259	3.2	0.20	2.2	0.14
Ovary	-	-	-	-	-	522	6.7	0.30	4.4	0.20
Male Genital System	1,183	18.8	0.56	9.7	0.29	-	-	-	-	-
Prostate	1,154	18.4	0.55	9.4	0.28	-	-	-	-	-
Testis	21	0.3	0.07	0.3	0.06	-	-	-	-	-
Urinary System	839	12.6	0.44	7.1	0.25	348	4.5	0.24	2.6	0.15
Bladder	486	7.7	0.35	3.9	0.18	174	2.3	0.17	1.2	0.10
Kidney & renal pelvis	336	4.7	0.26	3.1	0.17	167	2.1	0.17	1.3	0.11
Brain & Other Nervous System	340	4.7	0.26	3.3	0.19	230	3.0	0.20	2.2	0.16
Endocrine System	52	0.7	0.10	0.5	0.08	52	0.7	0.09	0.4	0.06
Thyroid gland	33	0.5	0.08	0.3	0.05	41	0.5	0.08	0.3	0.05
Lymphomas	455	6.7	0.32	4.1	0.20	310	4.1	0.23	2.3	0.14
Hodgkin Lymphoma	28	0.4	0.08	0.3	0.06	17	0.2	0.06	0.1	0.04
Non-Hodgkin Lymphoma	427	6.3	0.31	3.8	0.19	293	3.8	0.23	2.2	0.13
Multiple Myeloma	211	3.1	0.22	1.8	0.13	157	2.0	0.17	1.2	0.10
Leukemias	548	8.3	0.36	5.1	0.23	333	4.3	0.24	2.7	0.16
Other, Ill-defined & Unknown	1,046	15.0	0.47	9.6	0.30	835	10.8	0.38	6.7	0.25

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Hampshire, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,892	186.3	2.29	112.0	1.41	6,179	134.2	1.77	84.4	1.19
Oral Cavity & Pharynx	127	3.2	0.29	2.2	0.20	44	1.0	0.16	0.6	0.10
Digestive System	1,835	48.5	1.16	30.3	0.73	1,330	28.1	0.80	16.7	0.51
Esophagus	353	9.2	0.50	5.9	0.32	86	1.8	0.20	1.1	0.13
Stomach	115	3.0	0.29	1.9	0.19	68	1.4	0.18	0.8	0.11
Colon & Rectum	505	13.8	0.63	8.1	0.37	546	11.3	0.51	6.7	0.32
Liver	224	5.4	0.37	3.9	0.26	58	1.3	0.17	0.8	0.11
Pancreas	472	12.6	0.59	7.8	0.37	406	8.6	0.44	5.2	0.28
Respiratory System	1,999	53.7	1.22	32.6	0.75	1,774	39.7	0.97	25.1	0.64
Larynx	62	1.7	0.22	1.0	0.14	16	0.3	0.09	0.2	0.05
Lung & bronchus	1,925	51.7	1.20	31.4	0.74	1,756	39.4	0.96	24.9	0.64
Skin	182	5.1	0.38	3.0	0.23	98	2.1	0.23	1.4	0.16
Melanomas of the skin	135	3.8	0.33	2.3	0.21	74	1.7	0.21	1.1	0.14
Breast	-	-	-	-	-	845	18.4	0.66	12.3	0.46
Female Genital System	-	-	-	-	-	657	14.4	0.58	9.5	0.41
Cervix uteri	-	-	-	-	-	64	1.6	0.21	1.1	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	201	4.4	0.32	2.8	0.21
Ovary	-	-	-	-	-	329	7.2	0.41	4.8	0.28
Male Genital System	613	17.5	0.71	8.6	0.36	-	-	-	-	-
Prostate	603	17.2	0.70	8.3	0.35	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	518	14.0	0.63	8.1	0.37	188	3.8	0.29	2.1	0.18
Bladder	293	8.1	0.48	4.3	0.26	97	1.9	0.20	1.0	0.11
Kidney & renal pelvis	215	5.6	0.39	3.7	0.26	86	1.8	0.20	1.1	0.13
Brain & Other Nervous System	217	5.8	0.41	4.1	0.31	146	3.4	0.29	2.5	0.23
Endocrine System	31	0.9	0.17	0.7	0.15	26	0.6	0.12	0.4	0.10
Thyroid gland	17	0.5	0.12	0.3	0.08	18	0.4	0.09	0.2	0.06
Lymphomas	251	6.9	0.45	4.2	0.28	196	4.2	0.31	2.5	0.21
Hodgkin Lymphoma	19	0.6	0.15	0.4	0.11	10	0.3	0.09	0.2	0.07
Non-Hodgkin Lymphoma	232	6.3	0.42	3.8	0.26	186	3.9	0.30	2.3	0.20
Multiple Myeloma	146	3.9	0.33	2.3	0.19	108	2.3	0.23	1.4	0.15
Leukemias	289	8.0	0.48	4.5	0.28	222	4.7	0.33	2.9	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	545	11.3	0.51	7.0	0.35

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Jersey, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	41,058	178.3	0.89	107.7	0.56	41,803	133.6	0.68	84.7	0.47
Oral Cavity & Pharynx	682	2.9	0.11	2.0	0.08	340	1.1	0.06	0.7	0.04
Digestive System	11,911	51.1	0.48	32.1	0.31	9,915	30.6	0.32	18.6	0.21
Esophagus	1,557	6.6	0.17	4.4	0.12	458	1.4	0.07	0.9	0.05
Stomach	1,072	4.7	0.14	2.8	0.09	781	2.4	0.09	1.4	0.06
Colon & Rectum	3,993	17.2	0.28	10.4	0.17	4,014	12.0	0.20	7.2	0.13
Liver	1,462	6.1	0.16	4.2	0.11	594	1.9	0.08	1.2	0.06
Pancreas	2,882	12.4	0.23	7.8	0.15	2,993	9.4	0.18	5.6	0.12
Respiratory System	11,157	48.8	0.47	29.7	0.29	10,036	32.8	0.34	20.4	0.22
Larynx	430	1.8	0.09	1.2	0.06	146	0.5	0.04	0.3	0.03
Lung & bronchus	10,653	46.7	0.46	28.3	0.29	9,845	32.1	0.33	20.0	0.22
Skin	1,025	4.4	0.14	2.7	0.09	576	1.8	0.08	1.1	0.05
Melanomas of the skin	756	3.3	0.12	2.0	0.08	451	1.4	0.07	0.9	0.05
Breast	71	0.3	0.04	0.2	0.02	6,734	22.0	0.28	14.8	0.20
Female Genital System	-	-	-	-	-	4,729	15.8	0.24	10.7	0.17
Cervix uteri	-	-	-	-	-	622	2.3	0.10	1.7	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,573	5.2	0.13	3.5	0.10
Ovary	-	-	-	-	-	2,247	7.4	0.16	5.0	0.12
Male Genital System	3,924	17.2	0.28	8.7	0.15	-	-	-	-	-
Prostate	3,843	16.8	0.27	8.5	0.14	-	-	-	-	-
Testis	50	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,861	12.4	0.24	7.0	0.14	1,418	4.2	0.12	2.4	0.07
Bladder	1,700	7.4	0.18	3.9	0.10	765	2.2	0.08	1.2	0.05
Kidney & renal pelvis	1,086	4.7	0.14	3.0	0.09	604	1.9	0.08	1.1	0.05
Brain & Other Nervous System	1,040	4.5	0.14	3.3	0.11	815	2.8	0.10	2.1	0.08
Endocrine System	188	0.8	0.06	0.6	0.05	195	0.7	0.05	0.5	0.04
Thyroid gland	114	0.5	0.05	0.3	0.03	138	0.5	0.04	0.3	0.03
Lymphomas	1,590	7.0	0.18	4.1	0.11	1,384	4.3	0.12	2.5	0.08
Hodgkin Lymphoma	81	0.4	0.04	0.3	0.03	74	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,509	6.6	0.17	3.8	0.10	1,310	4.0	0.12	2.3	0.07
Multiple Myeloma	853	3.7	0.13	2.2	0.08	743	2.3	0.09	1.4	0.06
Leukemias	1,810	8.0	0.19	4.8	0.12	1,398	4.4	0.12	2.7	0.09
Other, Ill-defined & Unknown	3,946	17.2	0.28	10.5	0.18	3,520	10.9	0.19	6.8	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Mexico, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	9,056	163.4	1.74	100.2	1.10	7,774	116.2	1.35	74.1	0.92
Oral Cavity & Pharynx	179	3.1	0.24	2.1	0.16	85	1.3	0.14	0.8	0.10
Digestive System	2,744	48.5	0.94	31.5	0.62	1,919	28.3	0.66	17.5	0.44
Esophagus	319	5.6	0.32	3.6	0.21	83	1.2	0.14	0.8	0.09
Stomach	260	4.7	0.29	3.0	0.19	186	2.8	0.22	1.7	0.14
Colon & Rectum	896	16.0	0.54	9.9	0.34	729	10.6	0.40	6.4	0.26
Liver	481	8.1	0.38	5.9	0.28	164	2.4	0.19	1.5	0.12
Pancreas	583	10.4	0.44	6.6	0.28	514	7.5	0.34	4.7	0.22
Respiratory System	2,100	38.0	0.84	22.7	0.51	1,700	25.3	0.62	15.5	0.40
Larynx	85	1.5	0.16	1.0	0.11	18	0.3	0.06	0.2	0.04
Lung & bronchus	1,985	36.0	0.81	21.3	0.50	1,674	24.9	0.62	15.3	0.40
Skin	288	5.2	0.31	3.2	0.20	123	1.9	0.18	1.2	0.12
Melanomas of the skin	201	3.6	0.26	2.2	0.16	103	1.6	0.16	1.1	0.11
Breast	-	-	-	-	-	1,232	18.7	0.55	12.8	0.39
Female Genital System	-	-	-	-	-	849	12.9	0.45	8.8	0.33
Cervix uteri	-	-	-	-	-	117	2.0	0.19	1.5	0.15
Corpus & uterus, NOS ¹	-	-	-	-	-	222	3.3	0.23	2.3	0.16
Ovary	-	-	-	-	-	464	7.0	0.33	4.7	0.23
Male Genital System	1,015	19.0	0.60	9.7	0.32	-	-	-	-	-
Prostate	984	18.4	0.59	9.2	0.30	-	-	-	-	-
Testis	16	0.3	0.08	0.3	0.08	-	-	-	-	-
Urinary System	651	11.8	0.47	7.0	0.28	318	4.6	0.26	2.7	0.17
Bladder	333	6.1	0.34	3.3	0.19	111	1.6	0.15	0.9	0.09
Kidney & renal pelvis	303	5.4	0.32	3.5	0.21	195	2.8	0.21	1.7	0.14
Brain & Other Nervous System	220	3.9	0.27	2.8	0.20	182	2.9	0.22	2.1	0.17
Endocrine System	40	0.7	0.12	0.6	0.10	55	0.8	0.11	0.6	0.09
Thyroid gland	23	0.4	0.09	0.3	0.06	41	0.6	0.10	0.4	0.06
Lymphomas	340	6.2	0.34	3.8	0.21	260	3.8	0.24	2.3	0.16
Hodgkin Lymphoma	27	0.5	0.10	0.4	0.07	14	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	313	5.6	0.32	3.4	0.20	246	3.6	0.24	2.2	0.15
Multiple Myeloma	176	3.2	0.24	2.0	0.15	135	2.0	0.17	1.1	0.11
Leukemias	388	7.2	0.37	4.5	0.24	275	4.0	0.25	2.6	0.19
Other, Ill-defined & Unknown	-	-	-	-	-	641	9.6	0.39	6.1	0.27

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New York, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	88,550	175.4	0.60	107.6	0.38	89,181	130.2	0.45	83.4	0.31
Oral Cavity & Pharynx	1,679	3.2	0.08	2.2	0.06	795	1.1	0.04	0.8	0.03
Digestive System	25,751	50.5	0.32	32.1	0.21	21,461	30.2	0.21	18.4	0.14
Esophagus	3,382	6.6	0.11	4.3	0.08	1,022	1.5	0.05	0.9	0.03
Stomach	2,473	4.9	0.10	3.0	0.06	1,796	2.6	0.06	1.6	0.04
Colon & Rectum	8,062	16.0	0.18	9.8	0.11	8,308	11.4	0.13	6.8	0.09
Liver	3,690	7.0	0.12	4.9	0.08	1,403	2.0	0.06	1.3	0.04
Pancreas	6,184	12.2	0.16	7.6	0.10	6,417	9.1	0.12	5.5	0.08
Respiratory System	24,821	49.4	0.32	30.5	0.20	22,145	33.0	0.23	20.9	0.15
Larynx	990	1.9	0.06	1.3	0.04	289	0.4	0.03	0.3	0.02
Lung & bronchus	23,684	47.1	0.31	29.1	0.20	21,772	32.5	0.23	20.5	0.15
Skin	2,064	4.1	0.09	2.5	0.06	1,216	1.7	0.05	1.1	0.04
Melanomas of the skin	1,521	3.0	0.08	1.9	0.05	946	1.4	0.05	0.9	0.03
Breast	143	0.3	0.02	0.2	0.02	13,354	19.9	0.18	13.5	0.13
Female Genital System	-	-	-	-	-	10,262	15.6	0.16	10.6	0.11
Cervix uteri	-	-	-	-	-	1,371	2.3	0.06	1.7	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	3,455	5.2	0.09	3.5	0.06
Ovary	-	-	-	-	-	4,823	7.2	0.11	4.9	0.08
Male Genital System	8,836	17.7	0.19	9.0	0.10	-	-	-	-	-
Prostate	8,621	17.2	0.19	8.7	0.10	-	-	-	-	-
Testis	105	0.2	0.02	0.2	0.02	-	-	-	-	-
Urinary System	5,866	11.6	0.15	6.6	0.09	2,916	3.9	0.08	2.3	0.05
Bladder	3,432	6.8	0.12	3.6	0.07	1,506	1.9	0.05	1.1	0.03
Kidney & renal pelvis	2,304	4.5	0.10	2.9	0.06	1,306	1.9	0.05	1.2	0.04
Brain & Other Nervous System	2,213	4.4	0.09	3.2	0.07	1,900	3.0	0.07	2.3	0.06
Endocrine System	424	0.9	0.04	0.6	0.03	488	0.7	0.03	0.5	0.03
Thyroid gland	257	0.5	0.03	0.3	0.02	355	0.5	0.03	0.3	0.02
Lymphomas	3,601	7.2	0.12	4.4	0.08	3,083	4.4	0.08	2.6	0.05
Hodgkin Lymphoma	211	0.4	0.03	0.3	0.02	171	0.3	0.02	0.2	0.02
Non-Hodgkin Lymphoma	3,390	6.8	0.12	4.1	0.07	2,912	4.1	0.08	2.4	0.05
Multiple Myeloma	1,751	3.5	0.08	2.1	0.05	1,662	2.4	0.06	1.4	0.04
Leukemias	4,050	8.2	0.13	5.0	0.09	3,046	4.4	0.08	2.8	0.06
Other, Ill-defined & Unknown	7,351	14.6	0.17	9.0	0.11	6,853	9.8	0.12	6.2	0.09

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Carolina, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	48,568	201.3	0.93	125.4	0.59	42,283	133.7	0.66	86.8	0.46
Oral Cavity & Pharynx	969	3.8	0.12	2.7	0.09	415	1.3	0.06	0.8	0.04
Digestive System	12,103	48.8	0.45	32.0	0.30	9,024	27.9	0.30	17.5	0.20
Esophagus	1,698	6.7	0.17	4.6	0.11	416	1.3	0.06	0.9	0.05
Stomach	932	3.9	0.13	2.5	0.08	684	2.1	0.08	1.3	0.06
Colon & Rectum	3,932	16.2	0.26	10.3	0.17	3,502	10.8	0.19	6.8	0.13
Liver	1,756	6.6	0.16	4.9	0.12	523	1.7	0.07	1.1	0.05
Pancreas	2,852	11.6	0.22	7.4	0.14	2,734	8.4	0.16	5.2	0.11
Respiratory System	16,631	68.1	0.54	43.1	0.34	11,566	36.9	0.35	23.9	0.24
Larynx	490	1.9	0.09	1.3	0.06	122	0.4	0.04	0.3	0.03
Lung & bronchus	16,033	65.7	0.53	41.5	0.34	11,379	36.3	0.35	23.5	0.24
Skin	1,358	5.7	0.16	3.5	0.10	652	2.1	0.08	1.4	0.06
Melanomas of the skin	977	4.1	0.13	2.6	0.09	507	1.7	0.08	1.1	0.06
Breast	62	0.3	0.03	0.2	0.02	6,373	20.5	0.26	14.2	0.19
Female Genital System	-	-	-	-	-	4,356	14.0	0.22	9.4	0.15
Cervix uteri	-	-	-	-	-	586	2.0	0.09	1.5	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,298	4.1	0.12	2.8	0.08
Ovary	-	-	-	-	-	2,179	7.0	0.15	4.6	0.10
Male Genital System	4,396	19.7	0.30	10.1	0.16	-	-	-	-	-
Prostate	4,293	19.2	0.30	9.8	0.15	-	-	-	-	-
Testis	58	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	2,922	12.4	0.23	7.2	0.14	1,435	4.4	0.12	2.6	0.08
Bladder	1,504	6.6	0.17	3.5	0.09	662	1.9	0.08	1.1	0.05
Kidney & renal pelvis	1,349	5.5	0.15	3.5	0.10	712	2.2	0.09	1.4	0.06
Brain & Other Nervous System	1,281	5.2	0.15	3.8	0.11	1,020	3.4	0.11	2.5	0.09
Endocrine System	193	0.8	0.06	0.6	0.05	215	0.7	0.05	0.5	0.04
Thyroid gland	120	0.5	0.05	0.3	0.03	143	0.5	0.04	0.3	0.03
Lymphomas	1,697	7.2	0.18	4.3	0.11	1,412	4.4	0.12	2.6	0.08
Hodgkin Lymphoma	103	0.4	0.04	0.3	0.03	69	0.2	0.03	0.2	0.02
Non-Hodgkin Lymphoma	1,594	6.8	0.17	4.0	0.10	1,343	4.1	0.12	2.4	0.07
Multiple Myeloma	948	4.0	0.13	2.3	0.08	938	2.9	0.10	1.7	0.06
Leukemias	1,925	8.3	0.19	4.9	0.12	1,479	4.7	0.12	2.9	0.09
Other, Ill-defined & Unknown	4,083	17.0	0.27	10.7	0.17	3,398	10.6	0.19	6.8	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
North Dakota, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,459	175.8	3.05	105.6	1.94	2,913	119.5	2.36	76.1	1.65
Oral Cavity & Pharynx	59	3.0	0.40	1.9	0.26	27	1.2	0.25	0.8	0.17
Digestive System	892	45.5	1.56	28.7	1.02	693	26.9	1.09	16.6	0.75
Esophagus	140	7.4	0.64	4.9	0.43	27	1.2	0.23	0.8	0.17
Stomach	64	3.2	0.40	2.0	0.27	49	2.0	0.30	1.2	0.20
Colon & Rectum	330	16.9	0.95	10.3	0.61	322	12.1	0.73	7.4	0.50
Liver	66	3.1	0.39	2.2	0.28	26	1.0	0.21	0.7	0.16
Pancreas	222	11.3	0.77	7.0	0.50	185	7.2	0.56	4.4	0.38
Respiratory System	1,008	51.6	1.65	30.9	1.04	679	29.6	1.18	19.0	0.82
Larynx	38	1.9	0.32	1.3	0.22	10	0.4	0.15	0.3	0.12
Lung & bronchus	965	49.4	1.62	29.5	1.01	665	29.0	1.17	18.6	0.81
Skin	85	4.3	0.48	2.8	0.33	44	1.8	0.28	1.2	0.21
Melanomas of the skin	64	3.3	0.42	2.2	0.30	29	1.2	0.24	0.9	0.19
Breast	-	-	-	-	-	430	17.8	0.92	11.7	0.66
Female Genital System	-	-	-	-	-	253	11.0	0.73	7.5	0.53
Cervix uteri	-	-	-	-	-	24	1.3	0.28	0.9	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	71	3.0	0.37	2.0	0.27
Ovary	-	-	-	-	-	134	5.8	0.53	4.0	0.39
Male Genital System	359	17.7	0.95	9.0	0.52	-	-	-	-	-
Prostate	350	17.2	0.94	8.6	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	248	12.5	0.81	7.2	0.50	109	4.2	0.44	2.6	0.30
Bladder	137	6.6	0.57	3.7	0.35	47	1.7	0.28	0.9	0.18
Kidney & renal pelvis	106	5.6	0.56	3.4	0.35	59	2.4	0.34	1.5	0.24
Brain & Other Nervous System	94	5.1	0.53	3.7	0.41	70	3.4	0.42	2.5	0.34
Endocrine System	-	-	-	-	-	20	0.7	0.17	0.4	0.12
Thyroid gland	-	-	-	-	-	16	0.5	0.14	0.3	0.09
Lymphomas	117	5.9	0.55	3.5	0.35	120	4.4	0.43	2.5	0.28
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	83	4.3	0.48	2.3	0.28	64	2.5	0.34	1.4	0.21
Leukemias	162	8.4	0.67	4.7	0.40	112	4.3	0.45	2.6	0.32
Other, Ill-defined & Unknown	340	17.0	0.94	10.4	0.61	292	11.7	0.74	7.3	0.51

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ohio, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	65,357	206.3	0.82	127.9	0.53	60,262	146.6	0.62	94.9	0.43
Oral Cavity & Pharynx	1,204	3.6	0.11	2.6	0.08	518	1.2	0.06	0.8	0.04
Digestive System	16,903	52.7	0.41	33.7	0.27	13,044	30.7	0.28	19.1	0.19
Esophagus	2,762	8.5	0.17	5.7	0.11	689	1.6	0.06	1.1	0.05
Stomach	1,101	3.5	0.11	2.2	0.07	791	1.9	0.07	1.1	0.05
Colon & Rectum	5,914	18.7	0.25	11.5	0.16	5,433	12.5	0.18	7.6	0.12
Liver	2,038	6.0	0.14	4.3	0.10	726	1.7	0.07	1.1	0.05
Pancreas	3,910	12.2	0.20	7.8	0.13	3,922	9.4	0.15	5.8	0.10
Respiratory System	21,290	66.9	0.46	42.3	0.30	16,813	41.8	0.33	27.0	0.23
Larynx	710	2.2	0.08	1.5	0.06	201	0.5	0.04	0.4	0.03
Lung & bronchus	20,471	64.4	0.46	40.6	0.30	16,557	41.1	0.33	26.5	0.23
Skin	1,685	5.4	0.13	3.4	0.09	883	2.2	0.08	1.5	0.06
Melanomas of the skin	1,285	4.1	0.12	2.6	0.08	708	1.8	0.07	1.2	0.05
Breast	102	0.3	0.03	0.2	0.02	8,862	22.0	0.24	15.0	0.18
Female Genital System	-	-	-	-	-	6,168	15.5	0.21	10.6	0.15
Cervix uteri	-	-	-	-	-	842	2.5	0.09	1.9	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,869	4.6	0.11	3.1	0.08
Ovary	-	-	-	-	-	3,007	7.4	0.14	5.0	0.10
Male Genital System	5,766	18.6	0.25	9.5	0.13	-	-	-	-	-
Prostate	5,628	18.1	0.24	9.2	0.13	-	-	-	-	-
Testis	70	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,354	13.7	0.21	8.1	0.13	2,221	5.0	0.11	3.0	0.07
Bladder	2,485	7.9	0.16	4.3	0.09	1,035	2.2	0.07	1.2	0.04
Kidney & renal pelvis	1,770	5.5	0.13	3.6	0.09	1,115	2.7	0.08	1.7	0.06
Brain & Other Nervous System	1,651	5.2	0.13	3.9	0.10	1,302	3.5	0.10	2.5	0.08
Endocrine System	240	0.8	0.05	0.6	0.04	285	0.7	0.05	0.5	0.04
Thyroid gland	158	0.5	0.04	0.3	0.03	196	0.5	0.03	0.3	0.02
Lymphomas	2,557	8.3	0.17	4.9	0.10	2,123	5.0	0.11	2.9	0.07
Hodgkin Lymphoma	129	0.4	0.04	0.3	0.03	98	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,428	7.8	0.16	4.6	0.10	2,025	4.7	0.11	2.7	0.07
Multiple Myeloma	1,285	4.1	0.11	2.4	0.07	1,169	2.7	0.08	1.7	0.05
Leukemias	2,763	9.0	0.17	5.4	0.11	2,083	4.9	0.11	3.1	0.08
Other, Ill-defined & Unknown	5,557	17.6	0.24	10.9	0.16	4,791	11.3	0.17	7.2	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oklahoma, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	21,261	213.6	1.48	135.0	0.96	18,285	149.0	1.13	97.6	0.79
Oral Cavity & Pharynx	403	3.9	0.20	2.8	0.14	166	1.3	0.10	0.8	0.07
Digestive System	5,295	52.5	0.73	34.6	0.49	3,866	30.6	0.50	19.6	0.35
Esophagus	767	7.5	0.27	5.2	0.19	167	1.3	0.10	0.9	0.07
Stomach	371	3.8	0.20	2.4	0.13	211	1.7	0.12	1.1	0.08
Colon & Rectum	1,928	19.5	0.45	12.4	0.29	1,668	13.1	0.33	8.4	0.23
Liver	779	7.3	0.26	5.3	0.20	322	2.6	0.14	1.7	0.10
Pancreas	1,175	11.8	0.35	7.6	0.23	1,141	9.1	0.27	5.7	0.18
Respiratory System	7,145	71.3	0.85	45.1	0.55	5,337	43.7	0.61	28.5	0.42
Larynx	171	1.7	0.13	1.1	0.09	40	0.3	0.05	0.2	0.04
Lung & bronchus	6,938	69.3	0.84	43.8	0.54	5,279	43.2	0.60	28.2	0.42
Skin	603	6.1	0.25	3.9	0.16	272	2.2	0.14	1.4	0.10
Melanomas of the skin	419	4.2	0.21	2.8	0.14	212	1.8	0.13	1.2	0.09
Breast	23	0.2	0.05	0.1	0.03	2,640	22.0	0.44	15.2	0.32
Female Genital System	-	-	-	-	-	1,806	15.3	0.37	10.5	0.27
Cervix uteri	-	-	-	-	-	291	2.9	0.18	2.2	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	446	3.7	0.18	2.5	0.13
Ovary	-	-	-	-	-	956	7.9	0.26	5.2	0.18
Male Genital System	1,853	19.5	0.45	10.1	0.25	-	-	-	-	-
Prostate	1,798	18.8	0.45	9.7	0.24	-	-	-	-	-
Testis	35	0.4	0.07	0.3	0.06	-	-	-	-	-
Urinary System	1,448	14.7	0.39	9.0	0.25	679	5.3	0.21	3.3	0.14
Bladder	662	6.9	0.27	3.8	0.15	265	2.0	0.13	1.2	0.08
Kidney & renal pelvis	761	7.5	0.28	5.1	0.19	389	3.1	0.16	2.1	0.12
Brain & Other Nervous System	528	5.3	0.23	4.0	0.18	414	3.5	0.18	2.5	0.13
Endocrine System	86	0.9	0.09	0.6	0.08	72	0.6	0.08	0.4	0.06
Thyroid gland	52	0.5	0.07	0.3	0.05	45	0.4	0.06	0.2	0.04
Lymphomas	819	8.4	0.30	5.1	0.19	636	5.1	0.21	3.1	0.14
Hodgkin Lymphoma	44	0.5	0.07	0.3	0.05	39	0.4	0.06	0.3	0.05
Non-Hodgkin Lymphoma	775	7.9	0.29	4.8	0.18	597	4.7	0.20	2.8	0.13
Multiple Myeloma	407	4.2	0.21	2.5	0.13	302	2.3	0.14	1.3	0.08
Leukemias	930	9.5	0.32	5.9	0.21	663	5.3	0.21	3.4	0.15
Other, Ill-defined & Unknown	1,721	17.3	0.42	11.2	0.28	1,432	11.7	0.32	7.5	0.22

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Oregon, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,217	183.6	1.31	112.1	0.83	18,341	137.0	1.05	86.7	0.71
Oral Cavity & Pharynx	364	3.2	0.17	2.2	0.12	182	1.3	0.10	0.8	0.07
Digestive System	5,391	48.1	0.67	31.1	0.44	3,995	29.1	0.48	18.1	0.32
Esophagus	806	7.3	0.26	4.7	0.17	203	1.5	0.11	0.9	0.07
Stomach	337	3.1	0.17	2.0	0.11	223	1.7	0.12	1.1	0.08
Colon & Rectum	1,703	15.5	0.38	9.5	0.24	1,602	11.5	0.30	6.9	0.19
Liver	854	7.1	0.25	5.4	0.19	265	1.9	0.12	1.3	0.09
Pancreas	1,257	11.2	0.32	7.1	0.21	1,170	8.6	0.26	5.3	0.17
Respiratory System	5,542	50.7	0.69	30.7	0.43	5,012	38.2	0.55	23.4	0.36
Larynx	138	1.3	0.11	0.8	0.07	33	0.2	0.04	0.2	0.03
Lung & bronchus	5,360	49.0	0.68	29.7	0.42	4,950	37.7	0.55	23.1	0.36
Skin	624	5.7	0.23	3.6	0.15	334	2.6	0.15	1.7	0.11
Melanomas of the skin	476	4.3	0.20	2.9	0.14	273	2.2	0.14	1.5	0.10
Breast	18	0.2	0.04	0.1	0.02	2,538	19.4	0.40	13.2	0.29
Female Genital System	-	-	-	-	-	1,991	15.3	0.36	10.2	0.25
Cervix uteri	-	-	-	-	-	197	1.7	0.13	1.3	0.10
Corpus & uterus, NOS ¹	-	-	-	-	-	537	4.1	0.18	2.6	0.12
Ovary	-	-	-	-	-	1,106	8.4	0.26	5.6	0.18
Male Genital System	2,105	19.3	0.42	9.7	0.22	-	-	-	-	-
Prostate	2,074	19.0	0.42	9.5	0.22	-	-	-	-	-
Testis	12	0.1	0.04	0.1	0.03	-	-	-	-	-
Urinary System	1,422	12.9	0.35	7.4	0.21	620	4.3	0.18	2.6	0.12
Bladder	801	7.3	0.26	3.9	0.14	288	1.9	0.12	1.0	0.07
Kidney & renal pelvis	586	5.3	0.22	3.3	0.14	315	2.3	0.13	1.5	0.10
Brain & Other Nervous System	664	6.1	0.24	4.6	0.19	466	3.9	0.19	2.8	0.14
Endocrine System	86	0.8	0.09	0.6	0.07	85	0.7	0.08	0.5	0.06
Thyroid gland	59	0.5	0.07	0.3	0.04	55	0.4	0.06	0.3	0.04
Lymphomas	873	8.0	0.28	4.7	0.17	648	4.5	0.18	2.6	0.12
Hodgkin Lymphoma	49	0.5	0.07	0.3	0.05	31	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	824	7.5	0.27	4.4	0.16	617	4.3	0.18	2.4	0.11
Multiple Myeloma	444	4.1	0.20	2.4	0.12	334	2.4	0.13	1.3	0.08
Leukemias	922	8.6	0.29	5.2	0.19	632	4.6	0.19	2.8	0.13
Other, Ill-defined & Unknown	1,762	16.0	0.39	9.8	0.25	1,504	10.8	0.29	6.6	0.19

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Pennsylvania, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	74,071	197.2	0.73	121.4	0.48	70,177	141.2	0.56	90.7	0.40
Oral Cavity & Pharynx	1,186	3.1	0.09	2.1	0.06	555	1.1	0.05	0.7	0.03
Digestive System	19,831	52.4	0.38	33.6	0.25	15,939	30.6	0.26	18.7	0.17
Esophagus	3,124	8.3	0.15	5.5	0.10	805	1.6	0.06	1.0	0.04
Stomach	1,443	3.9	0.10	2.4	0.07	966	1.8	0.06	1.1	0.04
Colon & Rectum	6,732	18.0	0.22	11.0	0.14	6,713	12.5	0.16	7.5	0.11
Liver	2,481	6.3	0.13	4.5	0.09	919	1.8	0.06	1.2	0.05
Pancreas	4,665	12.4	0.18	7.9	0.12	4,773	9.3	0.14	5.7	0.10
Respiratory System	22,022	58.8	0.40	36.6	0.26	17,588	36.4	0.28	23.4	0.20
Larynx	708	1.9	0.07	1.2	0.05	214	0.4	0.03	0.3	0.02
Lung & bronchus	21,198	56.7	0.39	35.2	0.25	17,293	35.8	0.28	23.0	0.20
Skin	1,941	5.2	0.12	3.3	0.08	1,062	2.2	0.07	1.4	0.05
Melanomas of the skin	1,472	4.0	0.11	2.5	0.07	836	1.8	0.07	1.2	0.05
Breast	92	0.2	0.03	0.2	0.02	10,300	21.4	0.22	14.6	0.16
Female Genital System	-	-	-	-	-	7,463	15.7	0.19	10.5	0.14
Cervix uteri	-	-	-	-	-	833	2.1	0.08	1.6	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	2,401	4.9	0.10	3.2	0.07
Ovary	-	-	-	-	-	3,655	7.6	0.13	5.1	0.09
Male Genital System	6,908	18.1	0.22	9.2	0.12	-	-	-	-	-
Prostate	6,744	17.6	0.22	8.9	0.12	-	-	-	-	-
Testis	82	0.3	0.03	0.2	0.03	-	-	-	-	-
Urinary System	4,981	13.2	0.19	7.7	0.12	2,530	4.7	0.10	2.7	0.06
Bladder	2,899	7.6	0.14	4.1	0.08	1,179	2.0	0.06	1.1	0.04
Kidney & renal pelvis	1,955	5.2	0.12	3.4	0.08	1,261	2.5	0.07	1.5	0.05
Brain & Other Nervous System	1,799	4.9	0.12	3.7	0.09	1,492	3.4	0.09	2.5	0.08
Endocrine System	260	0.7	0.05	0.5	0.04	362	0.8	0.04	0.6	0.04
Thyroid gland	174	0.5	0.04	0.3	0.02	250	0.5	0.03	0.3	0.02
Lymphomas	3,021	8.1	0.15	4.9	0.10	2,582	4.9	0.10	2.9	0.07
Hodgkin Lymphoma	139	0.4	0.04	0.3	0.03	138	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,882	7.7	0.15	4.6	0.09	2,444	4.6	0.10	2.6	0.06
Multiple Myeloma	1,396	3.7	0.10	2.2	0.06	1,296	2.5	0.07	1.5	0.05
Leukemias	3,261	8.8	0.16	5.4	0.10	2,567	5.1	0.11	3.2	0.08
Other, Ill-defined & Unknown	7,373	19.7	0.23	12.2	0.15	6,441	12.6	0.17	7.9	0.12

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Rhode Island, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,729	194.7	2.62	117.8	1.66	5,401	134.2	1.94	84.8	1.34
Oral Cavity & Pharynx	90	3.0	0.32	2.0	0.22	43	1.1	0.18	0.7	0.13
Digestive System	1,530	51.7	1.35	32.6	0.88	1,268	29.9	0.90	18.0	0.59
Esophagus	235	8.1	0.54	5.2	0.36	64	1.5	0.20	0.9	0.13
Stomach	142	4.7	0.40	2.9	0.26	103	2.3	0.25	1.4	0.16
Colon & Rectum	443	15.1	0.73	8.9	0.45	534	12.0	0.56	7.1	0.37
Liver	220	7.1	0.49	5.1	0.36	70	1.9	0.24	1.1	0.15
Pancreas	352	11.9	0.65	7.5	0.42	334	8.1	0.47	4.9	0.31
Respiratory System	1,685	57.9	1.44	35.3	0.91	1,519	39.7	1.07	25.2	0.73
Larynx	51	1.7	0.24	1.0	0.15	22	0.6	0.14	0.4	0.10
Lung & bronchus	1,626	56.0	1.42	34.1	0.89	1,491	38.9	1.05	24.7	0.72
Skin	154	5.2	0.42	3.2	0.27	87	2.1	0.23	1.3	0.16
Melanomas of the skin	104	3.4	0.34	2.2	0.23	64	1.6	0.21	1.1	0.15
Breast	13	0.4	0.12	0.3	0.08	704	18.4	0.74	12.3	0.53
Female Genital System	-	-	-	-	-	496	12.7	0.60	8.5	0.43
Cervix uteri	-	-	-	-	-	42	1.3	0.21	1.0	0.17
Corpus & uterus, NOS ¹	-	-	-	-	-	173	4.3	0.34	2.8	0.24
Ovary	-	-	-	-	-	237	6.1	0.41	4.1	0.29
Male Genital System	548	18.0	0.78	9.0	0.42	-	-	-	-	-
Prostate	538	17.6	0.77	8.7	0.41	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	397	13.2	0.68	7.5	0.41	199	4.5	0.34	2.7	0.23
Bladder	224	7.5	0.51	4.0	0.29	111	2.4	0.25	1.4	0.16
Kidney & renal pelvis	166	5.5	0.44	3.4	0.28	83	2.0	0.23	1.2	0.17
Brain & Other Nervous System	139	4.9	0.43	3.7	0.33	110	3.0	0.30	2.2	0.24
Endocrine System	32	1.2	0.21	0.8	0.16	28	0.7	0.14	0.4	0.10
Thyroid gland	24	0.9	0.18	0.5	0.11	15	0.4	0.10	0.2	0.06
Lymphomas	187	6.5	0.48	3.9	0.31	201	4.5	0.35	2.5	0.21
Hodgkin Lymphoma	16	0.6	0.14	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	171	5.9	0.46	3.5	0.29	-	-	-	-	-
Multiple Myeloma	95	3.3	0.34	1.8	0.20	90	2.1	0.23	1.2	0.15
Leukemias	242	8.4	0.55	5.1	0.36	188	4.4	0.35	2.7	0.25
Other, Ill-defined & Unknown	617	21.0	0.86	12.8	0.55	468	11.1	0.55	7.0	0.38

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Carolina, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	25,906	210.2	1.33	132.1	0.84	21,589	136.9	0.95	89.1	0.66
Oral Cavity & Pharynx	595	4.5	0.19	3.2	0.14	213	1.4	0.10	0.9	0.07
Digestive System	6,651	52.7	0.66	34.9	0.44	4,856	30.1	0.44	19.0	0.29
Esophagus	899	6.9	0.23	4.8	0.16	241	1.5	0.10	1.0	0.07
Stomach	661	5.3	0.21	3.5	0.14	358	2.3	0.12	1.4	0.08
Colon & Rectum	2,216	18.0	0.39	11.6	0.25	1,928	11.9	0.28	7.5	0.19
Liver	919	6.9	0.23	5.0	0.17	296	1.8	0.11	1.2	0.08
Pancreas	1,509	12.1	0.32	7.7	0.20	1,481	9.2	0.24	5.6	0.16
Respiratory System	8,566	67.9	0.75	43.4	0.48	5,845	37.0	0.49	24.0	0.33
Larynx	308	2.3	0.13	1.6	0.09	52	0.3	0.05	0.2	0.03
Lung & bronchus	8,216	65.2	0.73	41.5	0.47	5,766	36.5	0.49	23.6	0.33
Skin	674	5.6	0.22	3.5	0.14	312	2.0	0.12	1.3	0.08
Melanomas of the skin	466	3.9	0.18	2.5	0.12	240	1.6	0.10	1.1	0.07
Breast	39	0.3	0.05	0.2	0.03	3,286	21.3	0.38	14.8	0.28
Female Genital System	-	-	-	-	-	2,309	15.1	0.32	10.1	0.23
Cervix uteri	-	-	-	-	-	358	2.6	0.14	1.9	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	691	4.4	0.17	2.9	0.12
Ovary	-	-	-	-	-	1,103	7.0	0.22	4.6	0.15
Male Genital System	2,399	21.3	0.44	10.9	0.23	-	-	-	-	-
Prostate	2,356	20.9	0.44	10.6	0.22	-	-	-	-	-
Testis	23	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	1,486	12.4	0.33	7.3	0.19	703	4.3	0.17	2.6	0.11
Bladder	742	6.4	0.24	3.5	0.13	333	2.0	0.11	1.1	0.07
Kidney & renal pelvis	715	5.8	0.22	3.7	0.14	340	2.1	0.12	1.4	0.08
Brain & Other Nervous System	663	5.4	0.21	3.8	0.16	471	3.1	0.15	2.3	0.12
Endocrine System	94	0.7	0.08	0.6	0.06	100	0.7	0.07	0.5	0.06
Thyroid gland	56	0.4	0.06	0.3	0.04	60	0.4	0.05	0.2	0.03
Lymphomas	872	7.4	0.25	4.4	0.16	654	4.1	0.17	2.4	0.11
Hodgkin Lymphoma	54	0.5	0.06	0.3	0.05	28	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	818	6.9	0.25	4.1	0.15	626	3.9	0.16	2.3	0.10
Multiple Myeloma	530	4.4	0.19	2.6	0.12	476	2.9	0.14	1.7	0.09
Leukemias	993	8.5	0.27	5.2	0.17	706	4.5	0.17	2.8	0.13
Other, Ill-defined & Unknown	2,344	19.1	0.40	12.1	0.26	1,658	10.4	0.26	6.6	0.18

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
South Dakota, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,205	177.4	2.78	108.1	1.79	3,825	129.5	2.22	81.3	1.53
Oral Cavity & Pharynx	74	3.1	0.37	2.1	0.26	29	1.0	0.19	0.6	0.14
Digestive System	1,096	46.2	1.42	29.3	0.94	912	29.3	1.03	17.6	0.69
Esophagus	196	8.3	0.60	5.3	0.40	43	1.4	0.22	0.9	0.15
Stomach	63	2.7	0.35	1.8	0.24	59	1.9	0.26	1.1	0.17
Colon & Rectum	406	17.3	0.87	10.6	0.56	383	11.7	0.64	6.9	0.42
Liver	102	4.2	0.42	2.9	0.30	47	1.6	0.25	1.0	0.17
Pancreas	244	10.3	0.67	6.7	0.45	272	9.0	0.58	5.5	0.39
Respiratory System	1,235	52.3	1.51	31.6	0.95	929	33.0	1.12	20.5	0.76
Larynx	25	1.1	0.22	0.6	0.14	-	-	-	-	-
Lung & bronchus	1,206	51.0	1.49	30.9	0.94	920	32.7	1.12	20.4	0.76
Skin	100	4.2	0.43	2.6	0.28	59	2.0	0.29	1.4	0.21
Melanomas of the skin	61	2.6	0.34	1.7	0.23	45	1.7	0.27	1.1	0.20
Breast	-	-	-	-	-	541	18.8	0.86	12.7	0.63
Female Genital System	-	-	-	-	-	382	13.4	0.72	8.7	0.51
Cervix uteri	-	-	-	-	-	39	1.7	0.28	1.3	0.22
Corpus & uterus, NOS ¹	-	-	-	-	-	121	4.2	0.41	2.7	0.29
Ovary	-	-	-	-	-	190	6.5	0.49	4.1	0.34
Male Genital System	429	17.6	0.86	8.9	0.46	-	-	-	-	-
Prostate	425	17.5	0.86	8.9	0.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	277	11.4	0.70	6.7	0.43	154	4.9	0.42	2.9	0.27
Bladder	139	5.6	0.48	2.9	0.27	53	1.6	0.23	0.9	0.15
Kidney & renal pelvis	132	5.5	0.49	3.6	0.33	92	3.1	0.34	1.9	0.23
Brain & Other Nervous System	153	6.4	0.53	4.9	0.43	112	4.3	0.43	3.1	0.34
Endocrine System	19	0.8	0.18	0.5	0.13	20	0.8	0.19	0.5	0.15
Thyroid gland	11	0.5	0.14	0.3	0.08	11	0.4	0.14	0.2	0.09
Lymphomas	162	6.7	0.53	4.0	0.34	143	4.3	0.39	2.5	0.25
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	91	3.9	0.41	2.2	0.25	91	2.8	0.30	1.6	0.20
Leukemias	220	9.8	0.67	6.0	0.46	157	5.2	0.44	3.1	0.30
Other, Ill-defined & Unknown	-	-	-	-	-	296	9.8	0.61	5.9	0.42

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Tennessee, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,217	223.4	1.18	141.0	0.75	31,138	145.7	0.84	95.5	0.59
Oral Cavity & Pharynx	809	4.6	0.17	3.2	0.12	312	1.4	0.08	0.9	0.06
Digestive System	9,170	54.0	0.57	35.3	0.38	6,745	30.9	0.39	19.6	0.26
Esophagus	1,259	7.2	0.21	4.9	0.14	279	1.3	0.08	0.8	0.05
Stomach	702	4.2	0.16	2.7	0.11	438	2.0	0.10	1.3	0.07
Colon & Rectum	3,204	19.3	0.35	12.2	0.22	2,869	13.1	0.25	8.3	0.17
Liver	1,369	7.5	0.21	5.5	0.15	496	2.3	0.10	1.5	0.07
Pancreas	2,003	11.9	0.27	7.6	0.17	1,967	9.0	0.21	5.7	0.14
Respiratory System	13,290	78.5	0.69	50.3	0.45	9,132	43.0	0.46	28.4	0.32
Larynx	400	2.3	0.12	1.6	0.08	108	0.5	0.05	0.4	0.04
Lung & bronchus	12,822	75.8	0.68	48.5	0.44	8,978	42.3	0.45	27.9	0.31
Skin	1,131	6.9	0.21	4.3	0.13	474	2.2	0.10	1.5	0.07
Melanomas of the skin	768	4.7	0.17	3.0	0.11	339	1.6	0.09	1.1	0.07
Breast	43	0.3	0.04	0.2	0.03	4,484	21.3	0.33	14.6	0.24
Female Genital System	-	-	-	-	-	3,009	14.5	0.27	9.8	0.19
Cervix uteri	-	-	-	-	-	495	2.6	0.12	2.0	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	766	3.6	0.13	2.4	0.09
Ovary	-	-	-	-	-	1,524	7.2	0.19	4.8	0.13
Male Genital System	2,936	19.1	0.36	9.9	0.19	-	-	-	-	-
Prostate	2,858	18.6	0.35	9.6	0.18	-	-	-	-	-
Testis	35	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,150	13.2	0.29	7.8	0.17	949	4.3	0.14	2.6	0.09
Bladder	1,070	6.8	0.21	3.7	0.12	403	1.8	0.09	1.0	0.06
Kidney & renal pelvis	1,034	6.1	0.19	4.0	0.13	517	2.4	0.11	1.5	0.07
Brain & Other Nervous System	929	5.5	0.18	4.1	0.14	801	3.9	0.14	2.9	0.12
Endocrine System	134	0.8	0.07	0.6	0.06	132	0.7	0.06	0.5	0.05
Thyroid gland	77	0.5	0.05	0.3	0.04	81	0.4	0.04	0.2	0.03
Lymphomas	1,366	8.4	0.23	5.2	0.15	1,035	4.7	0.15	2.7	0.09
Hodgkin Lymphoma	92	0.6	0.06	0.4	0.05	49	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,274	7.8	0.22	4.8	0.14	986	4.4	0.14	2.5	0.09
Multiple Myeloma	712	4.3	0.17	2.6	0.10	595	2.7	0.11	1.6	0.07
Leukemias	1,492	9.3	0.24	5.7	0.16	1,068	4.9	0.15	3.1	0.11
Other, Ill-defined & Unknown	3,055	18.4	0.34	11.7	0.22	2,402	11.1	0.23	7.3	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Texas, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	99,858	183.1	0.59	113.8	0.37	86,355	126.0	0.44	81.3	0.30
Oral Cavity & Pharynx	2,241	3.9	0.08	2.7	0.06	871	1.2	0.04	0.8	0.03
Digestive System	29,018	51.3	0.31	33.7	0.20	20,389	29.4	0.21	18.4	0.14
Esophagus	3,217	5.7	0.10	3.8	0.07	751	1.1	0.04	0.7	0.03
Stomach	2,531	4.5	0.09	2.9	0.06	1,742	2.6	0.06	1.7	0.04
Colon & Rectum	9,578	17.3	0.18	11.0	0.11	7,858	11.2	0.13	7.0	0.09
Liver	5,731	9.4	0.13	6.8	0.09	2,110	3.0	0.07	1.9	0.04
Pancreas	6,025	10.9	0.14	6.9	0.09	5,683	8.3	0.11	5.0	0.07
Respiratory System	28,597	52.9	0.32	32.6	0.20	20,963	31.1	0.22	19.4	0.14
Larynx	1,108	1.9	0.06	1.3	0.04	231	0.3	0.02	0.2	0.02
Lung & bronchus	27,288	50.6	0.31	31.1	0.19	20,615	30.6	0.22	19.1	0.14
Skin	2,737	5.0	0.10	3.1	0.06	1,176	1.7	0.05	1.1	0.03
Melanomas of the skin	1,838	3.4	0.08	2.1	0.05	901	1.3	0.04	0.9	0.03
Breast	112	0.2	0.02	0.1	0.01	13,423	19.5	0.17	13.5	0.12
Female Genital System	-	-	-	-	-	9,257	13.7	0.14	9.4	0.10
Cervix uteri	-	-	-	-	-	1,752	2.7	0.07	2.0	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	2,440	3.6	0.07	2.4	0.05
Ovary	-	-	-	-	-	4,479	6.6	0.10	4.4	0.07
Male Genital System	8,575	17.2	0.19	8.9	0.10	-	-	-	-	-
Prostate	8,269	16.6	0.18	8.5	0.10	-	-	-	-	-
Testis	171	0.3	0.02	0.2	0.02	-	-	-	-	-
Urinary System	6,387	11.9	0.15	7.1	0.09	3,117	4.4	0.08	2.6	0.05
Bladder	2,902	5.7	0.11	3.1	0.06	1,138	1.6	0.05	0.9	0.03
Kidney & renal pelvis	3,359	6.0	0.11	3.9	0.07	1,894	2.7	0.06	1.7	0.04
Brain & Other Nervous System	2,760	4.7	0.09	3.5	0.07	2,171	3.2	0.07	2.4	0.06
Endocrine System	477	0.8	0.04	0.6	0.03	503	0.7	0.03	0.5	0.02
Thyroid gland	298	0.5	0.03	0.3	0.02	335	0.5	0.03	0.3	0.02
Lymphomas	3,937	7.4	0.12	4.4	0.07	3,028	4.4	0.08	2.6	0.05
Hodgkin Lymphoma	276	0.5	0.03	0.3	0.02	171	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,661	6.9	0.12	4.1	0.07	2,857	4.1	0.08	2.4	0.05
Multiple Myeloma	1,985	3.7	0.09	2.2	0.05	1,599	2.3	0.06	1.4	0.04
Leukemias	4,389	8.3	0.13	5.1	0.08	3,246	4.7	0.08	3.1	0.06
Other, Ill-defined & Unknown	8,643	15.8	0.17	9.9	0.11	6,612	9.6	0.12	6.1	0.08

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Utah, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	7,481	139.1	1.63	84.1	1.01	6,477	102.1	1.29	64.7	0.86
Oral Cavity & Pharynx	105	1.9	0.19	1.3	0.13	70	1.1	0.14	0.7	0.09
Digestive System	2,063	37.5	0.84	24.4	0.55	1,539	24.2	0.63	14.7	0.40
Esophagus	286	5.1	0.31	3.4	0.21	62	1.0	0.13	0.7	0.09
Stomach	140	2.7	0.23	1.6	0.14	85	1.3	0.15	0.8	0.10
Colon & Rectum	662	12.2	0.48	7.8	0.31	587	9.2	0.39	5.6	0.25
Liver	257	4.4	0.28	3.2	0.20	120	1.9	0.17	1.1	0.11
Pancreas	570	10.5	0.45	6.7	0.29	508	8.0	0.36	4.9	0.24
Respiratory System	1,329	24.8	0.69	15.4	0.44	936	15.1	0.50	9.5	0.33
Larynx	30	0.5	0.10	0.4	0.07	-	-	-	-	-
Lung & bronchus	1,290	24.1	0.68	15.0	0.43	923	14.9	0.50	9.4	0.33
Skin	382	7.0	0.36	4.4	0.23	132	2.1	0.18	1.4	0.13
Melanomas of the skin	303	5.5	0.32	3.5	0.21	116	1.8	0.17	1.3	0.13
Breast	13	0.2	0.07	0.2	0.04	1,232	19.5	0.56	13.0	0.39
Female Genital System	-	-	-	-	-	781	12.4	0.45	8.4	0.32
Cervix uteri	-	-	-	-	-	86	1.4	0.15	1.1	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	242	3.9	0.25	2.6	0.17
Ovary	-	-	-	-	-	424	6.7	0.33	4.4	0.23
Male Genital System	992	19.4	0.62	9.6	0.32	-	-	-	-	-
Prostate	975	19.1	0.61	9.4	0.31	-	-	-	-	-
Testis	13	0.2	0.06	0.2	0.05	-	-	-	-	-
Urinary System	567	10.8	0.46	6.1	0.26	248	3.8	0.25	2.1	0.15
Bladder	304	5.9	0.34	3.0	0.18	102	1.6	0.16	0.8	0.08
Kidney & renal pelvis	252	4.6	0.30	2.9	0.19	138	2.2	0.19	1.3	0.12
Brain & Other Nervous System	299	5.1	0.30	3.8	0.23	218	3.4	0.23	2.6	0.18
Endocrine System	45	0.8	0.13	0.5	0.08	37	0.6	0.10	0.4	0.07
Thyroid gland	29	0.6	0.10	0.3	0.06	24	0.4	0.08	0.2	0.05
Lymphomas	347	6.6	0.36	3.7	0.21	280	4.3	0.26	2.4	0.15
Hodgkin Lymphoma	18	0.3	0.08	0.2	0.05	11	0.2	0.05	0.1	0.03
Non-Hodgkin Lymphoma	329	6.3	0.35	3.5	0.20	269	4.1	0.26	2.3	0.15
Multiple Myeloma	206	3.9	0.28	2.2	0.16	158	2.5	0.20	1.4	0.12
Leukemias	371	6.9	0.37	4.0	0.22	263	4.1	0.26	2.5	0.17
Other, Ill-defined & Unknown	762	14.0	0.52	8.6	0.32	583	9.0	0.38	5.6	0.25

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Vermont, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,450	186.6	3.24	113.7	2.04	3,186	137.0	2.53	85.9	1.69
Oral Cavity & Pharynx	68	3.6	0.44	2.5	0.33	38	1.5	0.26	1.0	0.18
Digestive System	906	48.4	1.64	30.1	1.04	711	29.7	1.17	17.7	0.75
Esophagus	143	7.5	0.64	4.7	0.41	43	1.8	0.30	1.0	0.18
Stomach	65	3.5	0.44	2.0	0.26	34	1.5	0.26	0.9	0.16
Colon & Rectum	270	14.8	0.92	8.9	0.57	283	11.3	0.71	6.6	0.45
Liver	112	5.6	0.55	3.7	0.36	27	1.2	0.24	0.8	0.17
Pancreas	233	12.5	0.83	7.9	0.54	221	9.4	0.66	5.7	0.43
Respiratory System	1,014	54.1	1.73	33.5	1.09	894	39.6	1.37	25.0	0.91
Larynx	37	1.9	0.31	1.3	0.21	-	-	-	-	-
Lung & bronchus	970	51.9	1.70	32.0	1.06	881	39.0	1.35	24.6	0.90
Skin	92	4.9	0.53	3.2	0.35	-	-	-	-	-
Melanomas of the skin	62	3.4	0.44	2.2	0.30	42	1.7	0.28	1.2	0.20
Breast	-	-	-	-	-	405	17.9	0.94	12.0	0.66
Female Genital System	-	-	-	-	-	336	14.8	0.84	9.8	0.59
Cervix uteri	-	-	-	-	-	24	1.1	0.25	0.8	0.19
Corpus & uterus, NOS ¹	-	-	-	-	-	120	5.2	0.49	3.6	0.35
Ovary	-	-	-	-	-	159	7.1	0.59	4.6	0.41
Male Genital System	340	18.9	1.04	9.5	0.54	-	-	-	-	-
Prostate	329	18.3	1.02	9.0	0.52	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	236	12.9	0.85	7.3	0.50	114	4.6	0.45	2.5	0.27
Bladder	149	8.3	0.68	4.4	0.37	64	2.6	0.34	1.3	0.19
Kidney & renal pelvis	83	4.4	0.49	2.8	0.32	46	1.9	0.29	1.1	0.18
Brain & Other Nervous System	122	6.5	0.61	4.9	0.48	85	4.1	0.47	3.0	0.36
Endocrine System	11	0.6	0.20	0.5	0.16	19	0.7	0.18	0.5	0.15
Thyroid gland	-	-	-	-	-	13	0.5	0.15	0.4	0.11
Lymphomas	151	8.4	0.70	4.9	0.43	113	4.7	0.47	2.8	0.30
Hodgkin Lymphoma	15	0.9	0.25	0.6	0.17	-	-	-	-	-
Non-Hodgkin Lymphoma	136	7.5	0.66	4.3	0.39	-	-	-	-	-
Multiple Myeloma	70	3.7	0.45	2.3	0.28	52	2.1	0.30	1.3	0.20
Leukemias	147	8.5	0.72	5.0	0.45	98	4.0	0.43	2.3	0.27
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Virginia, 2009-2013, All Races**

SITES	MALES (ALL RACES)					FEMALES (ALL RACES)				
	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.	Deaths	Adj. Rate 1996 Cdn	S.E.	Adj. Rate World	S.E.
All Sites	37,317	189.6	1.00	116.2	0.62	33,965	133.6	0.74	85.4	0.50
Oral Cavity & Pharynx	714	3.4	0.13	2.3	0.09	305	1.2	0.07	0.7	0.05
Digestive System	9,787	48.4	0.50	31.1	0.32	7,398	28.6	0.34	17.7	0.22
Esophagus	1,421	6.9	0.19	4.6	0.12	349	1.4	0.07	0.8	0.05
Stomach	759	3.8	0.14	2.4	0.09	521	2.0	0.09	1.3	0.06
Colon & Rectum	3,157	15.9	0.29	9.9	0.18	2,937	11.2	0.21	6.9	0.14
Liver	1,408	6.5	0.18	4.6	0.13	467	1.8	0.09	1.2	0.06
Pancreas	2,361	11.8	0.25	7.4	0.16	2,242	8.7	0.19	5.3	0.12
Respiratory System	11,457	57.7	0.55	35.8	0.34	8,964	35.7	0.38	22.5	0.25
Larynx	354	1.7	0.09	1.1	0.06	84	0.3	0.04	0.2	0.03
Lung & bronchus	11,034	55.6	0.54	34.5	0.34	8,834	35.2	0.38	22.2	0.25
Skin	1,025	5.2	0.17	3.2	0.10	502	2.0	0.09	1.3	0.06
Melanomas of the skin	788	4.0	0.15	2.5	0.09	408	1.6	0.08	1.1	0.06
Breast	67	0.3	0.04	0.2	0.03	5,294	21.0	0.30	14.4	0.21
Female Genital System	-	-	-	-	-	3,543	14.2	0.24	9.4	0.17
Cervix uteri	-	-	-	-	-	405	1.8	0.09	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	1,091	4.4	0.13	2.9	0.09
Ovary	-	-	-	-	-	1,825	7.2	0.17	4.7	0.12
Male Genital System	3,538	19.4	0.33	9.7	0.17	-	-	-	-	-
Prostate	3,471	19.1	0.33	9.5	0.17	-	-	-	-	-
Testis	31	0.2	0.03	0.1	0.02	-	-	-	-	-
Urinary System	2,293	11.9	0.25	6.9	0.15	1,106	4.2	0.13	2.4	0.08
Bladder	1,200	6.4	0.19	3.4	0.10	525	1.9	0.09	1.1	0.05
Kidney & renal pelvis	1,030	5.1	0.16	3.3	0.10	544	2.1	0.09	1.3	0.06
Brain & Other Nervous System	944	4.5	0.15	3.4	0.11	782	3.2	0.12	2.4	0.10
Endocrine System	177	0.9	0.07	0.7	0.05	162	0.7	0.05	0.5	0.05
Thyroid gland	103	0.5	0.05	0.3	0.03	107	0.4	0.04	0.3	0.03
Lymphomas	1,444	7.5	0.20	4.5	0.12	1,150	4.4	0.13	2.6	0.09
Hodgkin Lymphoma	93	0.5	0.05	0.3	0.04	57	0.2	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,351	7.0	0.19	4.1	0.12	1,093	4.2	0.13	2.5	0.08
Multiple Myeloma	824	4.3	0.15	2.5	0.09	708	2.7	0.11	1.6	0.07
Leukemias	1,546	8.1	0.21	5.0	0.13	1,114	4.4	0.14	2.7	0.09
Other, Ill-defined & Unknown	3,501	17.9	0.31	10.9	0.19	2,937	11.4	0.21	7.0	0.14

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Washington, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	31,299	179.6	1.03	108.5	0.64	28,378	133.1	0.82	83.7	0.54
Oral Cavity & Pharynx	683	3.7	0.15	2.5	0.10	375	1.7	0.09	1.1	0.06
Digestive System	8,652	48.3	0.53	30.9	0.34	6,401	29.4	0.38	17.8	0.24
Esophagus	1,306	7.2	0.20	4.7	0.13	346	1.6	0.09	1.0	0.06
Stomach	655	3.8	0.15	2.4	0.10	401	1.9	0.10	1.2	0.07
Colon & Rectum	2,522	14.3	0.29	8.9	0.18	2,382	10.7	0.23	6.4	0.15
Liver	1,346	7.0	0.20	5.1	0.14	455	2.1	0.10	1.4	0.07
Pancreas	2,069	11.7	0.26	7.2	0.16	1,934	9.0	0.21	5.4	0.13
Respiratory System	8,683	50.1	0.55	30.2	0.33	7,518	36.1	0.43	22.2	0.27
Larynx	254	1.4	0.09	0.9	0.06	74	0.3	0.04	0.2	0.03
Lung & bronchus	8,317	48.0	0.54	28.9	0.33	7,393	35.5	0.42	21.8	0.27
Skin	963	5.4	0.18	3.4	0.11	435	2.0	0.10	1.4	0.07
Melanomas of the skin	690	3.9	0.15	2.5	0.10	359	1.7	0.09	1.2	0.07
Breast	44	0.3	0.04	0.2	0.02	4,020	18.9	0.31	12.6	0.21
Female Genital System	-	-	-	-	-	3,070	14.5	0.27	9.7	0.19
Cervix uteri	-	-	-	-	-	338	1.8	0.10	1.3	0.07
Corpus & uterus, NOS ¹	-	-	-	-	-	861	4.0	0.14	2.7	0.10
Ovary	-	-	-	-	-	1,676	7.9	0.20	5.2	0.14
Male Genital System	3,133	18.7	0.34	9.4	0.17	-	-	-	-	-
Prostate	3,074	18.3	0.33	9.1	0.17	-	-	-	-	-
Testis	37	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,234	13.0	0.28	7.4	0.16	986	4.4	0.15	2.5	0.09
Bladder	1,238	7.3	0.21	3.8	0.11	483	2.1	0.10	1.2	0.06
Kidney & renal pelvis	925	5.2	0.17	3.3	0.11	457	2.1	0.10	1.3	0.07
Brain & Other Nervous System	1,068	5.9	0.19	4.4	0.14	798	3.9	0.14	3.0	0.11
Endocrine System	140	0.8	0.07	0.6	0.05	154	0.7	0.06	0.5	0.05
Thyroid gland	80	0.5	0.05	0.3	0.03	102	0.5	0.05	0.3	0.03
Lymphomas	1,309	7.7	0.22	4.6	0.13	1,037	4.8	0.15	2.8	0.10
Hodgkin Lymphoma	59	0.3	0.04	0.2	0.03	53	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,250	7.4	0.21	4.3	0.13	984	4.5	0.15	2.6	0.09
Multiple Myeloma	653	3.8	0.15	2.2	0.09	532	2.5	0.11	1.4	0.07
Leukemias	1,406	8.3	0.22	4.9	0.14	1,019	4.8	0.16	3.0	0.11
Other, Ill-defined & Unknown	2,331	13.5	0.28	8.0	0.17	2,033	9.2	0.21	5.7	0.14

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Seattle/Puget Sound, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	20,510	176.2	1.25	106.1	0.77	18,953	131.0	0.98	82.0	0.65
Oral Cavity & Pharynx	443	3.6	0.17	2.4	0.12	246	1.7	0.11	1.0	0.07
Digestive System	5,736	47.8	0.65	30.5	0.41	4,253	28.9	0.46	17.5	0.29
Esophagus	828	6.8	0.24	4.4	0.16	212	1.5	0.10	0.9	0.06
Stomach	446	3.8	0.19	2.4	0.12	276	1.9	0.12	1.2	0.08
Colon & Rectum	1,639	13.8	0.35	8.6	0.22	1,544	10.2	0.27	6.1	0.17
Liver	934	7.3	0.24	5.2	0.17	320	2.2	0.13	1.4	0.08
Pancreas	1,366	11.5	0.32	7.1	0.20	1,284	8.9	0.26	5.3	0.16
Respiratory System	5,644	48.9	0.66	29.3	0.40	4,957	35.2	0.51	21.4	0.33
Larynx	177	1.5	0.12	0.9	0.07	53	0.4	0.05	0.2	0.03
Lung & bronchus	5,388	46.7	0.65	28.0	0.39	4,869	34.6	0.51	21.0	0.32
Skin	618	5.2	0.22	3.3	0.14	299	2.1	0.12	1.4	0.08
Melanomas of the skin	452	3.8	0.18	2.5	0.12	253	1.8	0.12	1.2	0.08
Breast	34	0.3	0.05	0.2	0.03	2,759	19.1	0.38	12.7	0.26
Female Genital System	-	-	-	-	-	2,107	14.7	0.33	9.7	0.23
Cervix uteri	-	-	-	-	-	235	1.8	0.12	1.3	0.09
Corpus & uterus, NOS ¹	-	-	-	-	-	585	4.1	0.17	2.7	0.12
Ovary	-	-	-	-	-	1,167	8.1	0.24	5.3	0.17
Male Genital System	2,063	18.5	0.41	9.3	0.21	-	-	-	-	-
Prostate	2,028	18.2	0.41	9.1	0.21	-	-	-	-	-
Testis	22	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	1,457	12.7	0.34	7.2	0.20	655	4.3	0.17	2.4	0.11
Bladder	822	7.3	0.26	3.8	0.14	335	2.2	0.12	1.2	0.07
Kidney & renal pelvis	587	5.0	0.21	3.2	0.13	290	2.0	0.12	1.2	0.08
Brain & Other Nervous System	691	5.7	0.22	4.1	0.16	523	3.8	0.17	2.9	0.14
Endocrine System	92	0.8	0.08	0.6	0.06	103	0.7	0.07	0.5	0.05
Thyroid gland	48	0.4	0.06	0.3	0.04	70	0.5	0.06	0.3	0.04
Lymphomas	870	7.7	0.26	4.5	0.16	713	4.8	0.19	2.7	0.11
Hodgkin Lymphoma	33	0.3	0.05	0.2	0.03	30	0.2	0.04	0.1	0.03
Non-Hodgkin Lymphoma	837	7.4	0.26	4.3	0.16	683	4.6	0.18	2.6	0.11
Multiple Myeloma	431	3.8	0.19	2.2	0.11	357	2.5	0.13	1.4	0.08
Leukemias	917	8.1	0.27	4.8	0.17	658	4.6	0.19	2.9	0.13
Other, Ill-defined & Unknown	1,514	13.2	0.34	7.8	0.21	1,323	8.8	0.25	5.5	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
West Virginia, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	12,763	222.2	2.00	140.0	1.30	10,892	154.3	1.53	101.1	1.09
Oral Cavity & Pharynx	260	4.4	0.28	3.2	0.21	77	1.0	0.12	0.6	0.08
Digestive System	3,141	54.1	0.98	34.8	0.65	2,221	30.6	0.67	19.3	0.47
Esophagus	512	8.6	0.39	5.9	0.27	108	1.6	0.16	1.1	0.12
Stomach	238	4.1	0.27	2.6	0.18	146	2.1	0.18	1.3	0.13
Colon & Rectum	1,209	21.3	0.62	13.1	0.39	1,035	14.1	0.46	8.6	0.31
Liver	306	5.0	0.29	3.5	0.21	113	1.6	0.16	1.1	0.11
Pancreas	652	11.2	0.45	7.3	0.30	598	8.1	0.34	5.1	0.23
Respiratory System	4,497	77.1	1.17	49.4	0.76	3,287	46.9	0.84	31.1	0.59
Larynx	145	2.4	0.20	1.7	0.14	53	0.7	0.10	0.5	0.07
Lung & bronchus	4,317	74.1	1.14	47.3	0.75	3,220	46.0	0.83	30.5	0.58
Skin	367	6.6	0.35	4.1	0.23	163	2.4	0.20	1.6	0.15
Melanomas of the skin	266	4.8	0.30	3.1	0.20	121	1.9	0.18	1.3	0.13
Breast	21	0.4	0.08	0.2	0.05	1,438	21.0	0.58	14.5	0.43
Female Genital System	-	-	-	-	-	1,103	16.2	0.51	11.1	0.37
Cervix uteri	-	-	-	-	-	186	3.4	0.27	2.6	0.21
Corpus & uterus, NOS ¹	-	-	-	-	-	298	4.1	0.24	2.7	0.17
Ovary	-	-	-	-	-	533	7.5	0.34	5.1	0.24
Male Genital System	967	17.6	0.57	9.2	0.31	-	-	-	-	-
Prostate	940	17.0	0.56	8.8	0.30	-	-	-	-	-
Testis	16	0.4	0.10	0.3	0.08	-	-	-	-	-
Urinary System	734	12.9	0.48	7.8	0.30	410	5.6	0.28	3.4	0.19
Bladder	379	6.7	0.35	3.8	0.20	177	2.4	0.18	1.4	0.12
Kidney & renal pelvis	341	5.9	0.33	3.8	0.22	218	3.0	0.21	2.0	0.15
Brain & Other Nervous System	281	4.9	0.30	3.7	0.24	223	3.4	0.24	2.5	0.19
Endocrine System	37	0.6	0.11	0.5	0.10	51	0.7	0.10	0.5	0.08
Thyroid gland	27	0.5	0.09	0.3	0.06	36	0.4	0.08	0.3	0.05
Lymphomas	454	8.0	0.38	5.0	0.25	387	5.3	0.28	3.2	0.18
Hodgkin Lymphoma	23	0.5	0.10	0.4	0.09	24	0.4	0.09	0.3	0.07
Non-Hodgkin Lymphoma	431	7.6	0.37	4.6	0.23	363	4.9	0.26	2.9	0.17
Multiple Myeloma	224	3.9	0.27	2.4	0.16	204	2.7	0.19	1.5	0.12
Leukemias	506	9.2	0.42	5.5	0.27	387	5.4	0.29	3.4	0.21
Other, Ill-defined & Unknown	1,274	22.4	0.64	14.1	0.42	941	13.0	0.44	8.3	0.31

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wisconsin, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	29,662	188.2	1.11	114.0	0.70	26,768	134.7	0.86	85.6	0.59
Oral Cavity & Pharynx	561	3.5	0.15	2.3	0.10	260	1.3	0.08	0.8	0.06
Digestive System	7,688	48.2	0.56	30.4	0.36	6,012	29.0	0.39	17.7	0.26
Esophagus	1,276	7.9	0.23	5.2	0.15	329	1.6	0.09	1.0	0.06
Stomach	567	3.6	0.15	2.2	0.10	369	1.8	0.10	1.1	0.07
Colon & Rectum	2,415	15.3	0.32	9.2	0.20	2,335	10.9	0.24	6.5	0.16
Liver	861	5.2	0.18	3.6	0.13	332	1.7	0.10	1.0	0.07
Pancreas	1,943	12.2	0.28	7.7	0.18	1,882	9.2	0.22	5.7	0.15
Respiratory System	8,351	53.0	0.59	32.6	0.37	6,861	35.9	0.45	22.9	0.30
Larynx	220	1.4	0.09	0.9	0.06	57	0.3	0.04	0.2	0.03
Lung & bronchus	8,060	51.2	0.58	31.5	0.37	6,775	35.5	0.44	22.7	0.30
Skin	805	5.1	0.18	3.1	0.12	360	1.8	0.10	1.2	0.07
Melanomas of the skin	599	3.8	0.16	2.4	0.10	276	1.5	0.09	1.0	0.07
Breast	50	0.3	0.05	0.2	0.03	3,833	19.6	0.33	13.2	0.24
Female Genital System	-	-	-	-	-	2,715	14.1	0.28	9.3	0.20
Cervix uteri	-	-	-	-	-	240	1.4	0.10	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	855	4.3	0.15	2.8	0.11
Ovary	-	-	-	-	-	1,406	7.3	0.20	4.9	0.14
Male Genital System	3,062	19.6	0.36	9.9	0.19	-	-	-	-	-
Prostate	3,006	19.2	0.35	9.6	0.18	-	-	-	-	-
Testis	32	0.2	0.04	0.2	0.03	-	-	-	-	-
Urinary System	2,158	13.6	0.30	7.9	0.18	964	4.5	0.15	2.7	0.10
Bladder	1,158	7.3	0.22	3.9	0.12	427	1.9	0.10	1.0	0.06
Kidney & renal pelvis	942	5.9	0.20	3.8	0.13	503	2.5	0.12	1.5	0.08
Brain & Other Nervous System	877	5.6	0.19	4.0	0.14	698	3.9	0.15	2.9	0.12
Endocrine System	122	0.8	0.07	0.6	0.06	158	0.8	0.07	0.6	0.06
Thyroid gland	76	0.5	0.06	0.3	0.04	105	0.5	0.05	0.3	0.04
Lymphomas	1,239	8.0	0.23	4.6	0.14	1,034	4.8	0.16	2.7	0.10
Hodgkin Lymphoma	69	0.5	0.06	0.3	0.04	52	0.3	0.04	0.2	0.03
Non-Hodgkin Lymphoma	1,170	7.5	0.22	4.3	0.13	982	4.5	0.15	2.5	0.10
Multiple Myeloma	670	4.3	0.17	2.4	0.10	526	2.5	0.12	1.5	0.08
Leukemias	1,519	9.9	0.26	5.9	0.16	1,076	5.3	0.17	3.2	0.12
Other, Ill-defined & Unknown	2,560	16.3	0.33	10.0	0.21	2,271	11.0	0.24	6.7	0.16

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Wyoming, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	2,560	168.3	3.39	101.1	2.07	2,229	129.0	2.81	81.4	1.87
Oral Cavity & Pharynx	51	3.1	0.44	2.1	0.30	22	1.2	0.27	0.8	0.18
Digestive System	715	45.4	1.74	29.1	1.12	474	27.0	1.28	16.5	0.83
Esophagus	132	8.4	0.75	5.6	0.50	30	1.7	0.31	1.1	0.21
Stomach	43	2.9	0.46	1.8	0.28	24	1.4	0.29	0.8	0.19
Colon & Rectum	252	16.0	1.03	10.2	0.66	186	10.7	0.81	6.5	0.52
Liver	86	5.1	0.57	3.5	0.39	42	2.4	0.39	1.5	0.26
Pancreas	159	10.2	0.83	6.4	0.52	137	7.6	0.67	4.6	0.43
Respiratory System	670	44.3	1.74	26.4	1.05	519	30.3	1.36	18.7	0.88
Larynx	19	1.1	0.27	0.7	0.17	-	-	-	-	-
Lung & bronchus	645	42.8	1.72	25.4	1.03	515	30.1	1.36	18.5	0.88
Skin	72	4.7	0.57	3.0	0.38	-	-	-	-	-
Melanomas of the skin	57	3.7	0.51	2.5	0.36	33	2.0	0.36	1.3	0.25
Breast	-	-	-	-	-	334	18.9	1.07	12.8	0.75
Female Genital System	-	-	-	-	-	233	14.0	0.95	9.6	0.67
Cervix uteri	-	-	-	-	-	40	2.6	0.43	2.0	0.32
Corpus & uterus, NOS ¹	-	-	-	-	-	47	2.8	0.41	1.8	0.28
Ovary	-	-	-	-	-	130	7.8	0.70	5.3	0.49
Male Genital System	236	16.7	1.09	8.2	0.55	-	-	-	-	-
Prostate	230	16.2	1.08	7.9	0.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	173	11.2	0.87	6.7	0.52	69	3.9	0.48	2.3	0.30
Bladder	101	6.8	0.68	3.8	0.39	34	1.9	0.33	1.0	0.19
Kidney & renal pelvis	69	4.2	0.52	2.8	0.34	32	1.8	0.33	1.2	0.22
Brain & Other Nervous System	78	5.1	0.59	3.7	0.44	69	4.2	0.52	3.1	0.41
Endocrine System	-	-	-	-	-	11	0.6	0.18	0.4	0.13
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	85	6.0	0.66	3.2	0.36	83	4.8	0.54	2.8	0.34
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	59	4.1	0.54	2.2	0.29	47	2.7	0.41	1.6	0.26
Leukemias	145	9.8	0.82	5.7	0.50	106	6.1	0.61	3.7	0.40
Other, Ill-defined & Unknown	267	17.5	1.09	10.5	0.67	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Puerto Rico, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	14,641	144.5	1.20	88.1	0.77	11,494	89.3	0.85	58.0	0.60
Oral Cavity & Pharynx	485	4.7	0.22	3.3	0.16	124	0.9	0.08	0.5	0.05
Digestive System	4,855	47.6	0.69	30.3	0.46	3,461	25.9	0.45	15.7	0.29
Esophagus	462	4.5	0.21	3.0	0.15	120	0.9	0.08	0.5	0.05
Stomach	628	6.2	0.25	3.7	0.16	437	3.3	0.16	2.0	0.10
Colon & Rectum	1,912	18.9	0.43	11.8	0.28	1,564	11.7	0.30	7.2	0.20
Liver	907	8.8	0.29	6.0	0.21	423	3.2	0.16	1.9	0.10
Pancreas	704	6.9	0.26	4.3	0.17	691	5.2	0.20	3.1	0.13
Respiratory System	2,192	21.5	0.46	13.2	0.30	1,122	8.5	0.26	5.2	0.17
Larynx	180	1.7	0.13	1.2	0.09	29	0.2	0.04	0.1	0.03
Lung & bronchus	1,988	19.5	0.44	11.9	0.28	1,083	8.2	0.25	5.0	0.17
Skin	197	1.9	0.14	1.1	0.08	111	0.8	0.08	0.4	0.05
Melanomas of the skin	55	0.6	0.07	0.4	0.05	35	0.3	0.05	0.2	0.04
Breast	37	0.4	0.06	0.2	0.04	2,129	17.2	0.38	12.2	0.29
Female Genital System	-	-	-	-	-	1,359	11.2	0.31	7.7	0.23
Cervix uteri	-	-	-	-	-	280	2.6	0.16	1.9	0.13
Corpus & uterus, NOS ¹	-	-	-	-	-	483	4.0	0.19	2.7	0.14
Ovary	-	-	-	-	-	484	3.8	0.18	2.6	0.13
Male Genital System	2,595	25.6	0.50	12.9	0.27	-	-	-	-	-
Prostate	2,522	24.8	0.50	12.3	0.26	-	-	-	-	-
Testis	26	0.3	0.06	0.3	0.05	-	-	-	-	-
Urinary System	649	6.4	0.25	3.6	0.15	350	2.6	0.14	1.5	0.09
Bladder	407	4.0	0.20	2.1	0.11	201	1.4	0.10	0.8	0.06
Kidney & renal pelvis	230	2.3	0.15	1.4	0.10	136	1.0	0.09	0.6	0.06
Brain & Other Nervous System	272	2.8	0.17	2.1	0.13	223	1.9	0.13	1.4	0.10
Endocrine System	42	0.4	0.07	0.3	0.06	66	0.5	0.07	0.4	0.06
Thyroid gland	27	0.3	0.05	0.2	0.03	47	0.3	0.05	0.2	0.03
Lymphomas	498	5.1	0.23	3.4	0.16	371	3.0	0.16	1.9	0.11
Hodgkin Lymphoma	69	0.8	0.09	0.6	0.07	30	0.3	0.05	0.2	0.04
Non-Hodgkin Lymphoma	429	4.4	0.21	2.8	0.15	341	2.7	0.15	1.7	0.10
Multiple Myeloma	360	3.6	0.19	2.2	0.12	277	2.1	0.13	1.3	0.09
Leukemias	480	4.9	0.23	3.0	0.15	381	3.0	0.16	2.0	0.12
Other, Ill-defined & Unknown	1,979	19.5	0.44	12.4	0.30	1,519	11.8	0.31	7.8	0.22

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Alberta, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	15,260	186.3	1.54	110.5	0.93	13,455	134.8	1.19	85.4	0.80
Oral Cavity & Pharynx	319	3.5	0.20	2.4	0.14	134	1.3	0.12	0.8	0.08
Digestive System	4,497	53.7	0.82	32.8	0.51	3,358	33.0	0.58	20.0	0.38
Esophagus	640	7.4	0.30	4.9	0.20	168	1.7	0.13	1.0	0.09
Stomach	430	5.2	0.26	3.1	0.16	284	2.7	0.17	1.7	0.11
Colon & Rectum	1,861	22.7	0.54	13.5	0.32	1,442	13.9	0.37	8.1	0.23
Liver	414	4.6	0.23	3.1	0.16	165	1.7	0.13	1.1	0.09
Pancreas	814	9.8	0.35	5.8	0.21	832	8.4	0.30	5.2	0.19
Respiratory System	3,858	47.2	0.77	28.4	0.47	3,403	35.4	0.62	22.7	0.42
Larynx	103	1.3	0.13	0.8	0.08	19	0.2	0.05	0.1	0.03
Lung & bronchus	3,714	45.4	0.76	27.3	0.46	3,365	35.0	0.62	22.4	0.41
Skin	324	3.8	0.21	2.4	0.14	186	1.8	0.13	1.2	0.09
Melanomas of the skin	257	2.9	0.19	1.9	0.12	146	1.4	0.12	1.0	0.09
Breast	21	0.3	0.06	0.1	0.03	2,004	19.8	0.45	13.2	0.32
Female Genital System	-	-	-	-	-	1,270	12.7	0.37	8.6	0.26
Cervix uteri	-	-	-	-	-	177	1.8	0.14	1.4	0.11
Corpus & uterus, NOS ¹	-	-	-	-	-	334	3.3	0.19	2.2	0.13
Ovary	-	-	-	-	-	674	6.8	0.27	4.5	0.18
Male Genital System	1,823	24.2	0.57	11.8	0.29	-	-	-	-	-
Prostate	1,791	23.8	0.57	11.6	0.28	-	-	-	-	-
Testis	19	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	986	12.1	0.39	7.0	0.23	421	4.2	0.21	2.4	0.13
Bladder	538	6.9	0.30	3.7	0.16	184	1.8	0.14	1.0	0.08
Kidney & renal pelvis	430	5.0	0.25	3.2	0.16	227	2.2	0.15	1.3	0.10
Brain & Other Nervous System	491	5.4	0.25	4.0	0.19	303	3.1	0.18	2.4	0.15
Endocrine System	56	0.6	0.09	0.5	0.07	67	0.7	0.08	0.4	0.06
Thyroid gland	29	0.3	0.07	0.2	0.04	40	0.4	0.06	0.2	0.03
Lymphomas	585	7.1	0.30	4.3	0.18	464	4.6	0.22	2.7	0.14
Hodgkin Lymphoma	27	0.3	0.06	0.2	0.04	19	0.2	0.05	0.2	0.04
Non-Hodgkin Lymphoma	558	6.8	0.29	4.1	0.18	445	4.4	0.21	2.5	0.13
Multiple Myeloma	296	3.7	0.22	2.1	0.13	224	2.3	0.16	1.4	0.10
Leukemias	595	7.5	0.31	4.3	0.19	442	4.4	0.21	2.6	0.14
Other, Ill-defined & Unknown	1,409	17.3	0.47	10.3	0.29	1,179	11.5	0.34	7.1	0.23

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
British Columbia, 2008-2012, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	24,058	179.5	1.17	107.2	0.73	21,452	135.2	0.95	85.3	0.65
Oral Cavity & Pharynx	548	4.0	0.17	2.8	0.12	239	1.5	0.10	1.0	0.07
Digestive System	7,347	54.4	0.64	33.6	0.41	5,623	34.3	0.47	20.7	0.31
Esophagus	995	7.3	0.23	4.7	0.15	325	2.0	0.11	1.2	0.07
Stomach	628	4.7	0.19	2.9	0.12	443	2.8	0.14	1.7	0.09
Colon & Rectum	2,910	21.7	0.41	12.9	0.25	2,596	15.6	0.32	9.2	0.21
Liver	781	5.6	0.20	3.9	0.14	267	1.7	0.11	1.1	0.08
Pancreas	1,421	10.5	0.28	6.5	0.18	1,269	7.8	0.22	4.7	0.15
Respiratory System	6,271	46.5	0.59	28.2	0.37	5,492	35.4	0.49	22.3	0.33
Larynx	167	1.2	0.09	0.8	0.06	34	0.2	0.04	0.1	0.03
Lung & bronchus	6,038	44.8	0.58	27.1	0.37	5,427	34.9	0.48	22.0	0.32
Skin	557	4.2	0.18	2.6	0.12	295	1.9	0.11	1.2	0.08
Melanomas of the skin	403	3.0	0.15	2.0	0.10	221	1.5	0.10	1.0	0.08
Breast	27	0.2	0.04	0.1	0.02	3,008	19.4	0.37	13.1	0.26
Female Genital System	-	-	-	-	-	2,048	13.2	0.30	8.7	0.21
Cervix uteri	-	-	-	-	-	219	1.5	0.11	1.1	0.08
Corpus & uterus, NOS ¹	-	-	-	-	-	515	3.3	0.15	2.2	0.10
Ovary	-	-	-	-	-	1,166	7.5	0.23	4.9	0.16
Male Genital System	2,685	20.4	0.40	10.0	0.20	-	-	-	-	-
Prostate	2,632	20.0	0.39	9.6	0.20	-	-	-	-	-
Testis	28	0.2	0.05	0.2	0.04	-	-	-	-	-
Urinary System	1,713	12.8	0.31	7.2	0.18	770	4.6	0.17	2.6	0.11
Bladder	993	7.5	0.24	3.9	0.13	407	2.3	0.12	1.3	0.07
Kidney & renal pelvis	668	4.9	0.19	3.1	0.13	328	2.1	0.12	1.2	0.08
Brain & Other Nervous System	699	5.3	0.21	4.0	0.17	541	3.8	0.17	2.9	0.15
Endocrine System	100	0.8	0.08	0.6	0.07	108	0.7	0.07	0.5	0.06
Thyroid gland	59	0.4	0.06	0.3	0.04	76	0.5	0.06	0.3	0.04
Lymphomas	989	7.4	0.24	4.4	0.15	773	4.7	0.17	2.7	0.11
Hodgkin Lymphoma	35	0.3	0.05	0.2	0.04	20	0.1	0.03	0.1	0.03
Non-Hodgkin Lymphoma	954	7.1	0.23	4.2	0.14	753	4.5	0.17	2.6	0.11
Multiple Myeloma	428	3.2	0.16	1.8	0.09	360	2.2	0.12	1.3	0.08
Leukemias	897	6.8	0.23	4.1	0.15	691	4.3	0.17	2.7	0.12
Other, Ill-defined & Unknown	1,797	13.5	0.32	7.9	0.20	1,504	9.2	0.24	5.5	0.17

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Manitoba, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,861	208.2	2.54	123.8	1.59	6,511	153.0	1.99	97.4	1.39
Oral Cavity & Pharynx	103	3.0	0.30	2.1	0.22	70	1.6	0.21	1.0	0.14
Digestive System	1,977	59.5	1.35	36.8	0.87	1,634	36.5	0.95	22.1	0.64
Esophagus	273	8.1	0.50	5.5	0.34	69	1.5	0.19	1.0	0.13
Stomach	219	6.5	0.44	4.0	0.29	118	2.7	0.26	1.6	0.17
Colon & Rectum	865	26.3	0.91	15.7	0.56	795	17.4	0.65	10.6	0.44
Liver	131	3.9	0.35	2.5	0.22	66	1.5	0.20	0.9	0.13
Pancreas	335	10.0	0.55	6.3	0.36	387	8.7	0.46	5.2	0.31
Respiratory System	1,741	52.9	1.28	32.1	0.81	1,614	39.3	1.01	25.1	0.70
Larynx	33	1.0	0.18	0.6	0.11	-	-	-	-	-
Lung & bronchus	1,690	51.4	1.26	31.2	0.80	1,601	38.9	1.01	24.9	0.70
Skin	134	4.0	0.35	2.5	0.23	67	1.5	0.19	1.0	0.14
Melanomas of the skin	103	3.0	0.30	2.1	0.21	51	1.2	0.18	0.8	0.14
Breast	-	-	-	-	-	955	23.2	0.79	15.6	0.57
Female Genital System	-	-	-	-	-	600	14.8	0.63	10.0	0.45
Cervix uteri	-	-	-	-	-	82	2.3	0.27	1.6	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	162	3.7	0.30	2.4	0.21
Ovary	-	-	-	-	-	307	7.7	0.46	5.2	0.33
Male Genital System	847	25.8	0.89	12.4	0.45	-	-	-	-	-
Prostate	838	25.5	0.89	12.2	0.45	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	481	14.5	0.67	8.4	0.41	230	5.1	0.36	3.0	0.23
Bladder	232	7.0	0.46	3.8	0.26	111	2.2	0.23	1.2	0.13
Kidney & renal pelvis	239	7.2	0.47	4.4	0.30	112	2.7	0.27	1.8	0.19
Brain & Other Nervous System	147	4.5	0.38	3.2	0.27	104	2.8	0.29	2.1	0.23
Endocrine System	19	0.6	0.13	0.5	0.13	31	0.8	0.15	0.5	0.12
Thyroid gland	12	0.3	0.10	0.2	0.07	20	0.5	0.11	0.3	0.07
Lymphomas	253	7.8	0.49	4.8	0.32	245	5.4	0.36	3.1	0.23
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	142	4.3	0.36	2.4	0.22	109	2.4	0.24	1.3	0.15
Leukemias	278	8.5	0.51	4.9	0.32	195	4.4	0.33	2.7	0.24
Other, Ill-defined & Unknown	-	-	-	-	-	657	15.3	0.63	9.9	0.45

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
New Brunswick, 2008-2012, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	4,967	218.7	3.14	130.5	1.94	4,289	147.7	2.34	92.9	1.61
Oral Cavity & Pharynx	84	3.7	0.41	2.4	0.28	47	1.6	0.24	1.0	0.19
Digestive System	1,308	57.0	1.60	34.4	0.99	1,065	35.2	1.12	21.1	0.74
Esophagus	178	7.5	0.57	4.9	0.38	49	1.7	0.26	1.0	0.16
Stomach	142	6.2	0.53	3.7	0.33	95	3.2	0.35	1.9	0.23
Colon & Rectum	563	25.0	1.06	14.4	0.63	477	15.4	0.73	9.1	0.47
Liver	76	3.2	0.38	2.1	0.24	38	1.3	0.22	0.8	0.18
Pancreas	254	10.9	0.69	6.8	0.44	277	9.2	0.57	5.5	0.37
Respiratory System	1,674	72.7	1.80	44.1	1.12	1,104	39.1	1.20	24.7	0.81
Larynx	47	1.9	0.28	1.3	0.20	-	-	-	-	-
Lung & bronchus	1,616	70.3	1.77	42.4	1.09	1,091	38.6	1.19	24.4	0.80
Skin	97	4.2	0.43	2.6	0.27	57	2.0	0.28	1.4	0.21
Melanomas of the skin	77	3.3	0.39	2.1	0.25	44	1.7	0.26	1.2	0.20
Breast	-	-	-	-	-	608	21.0	0.89	13.8	0.62
Female Genital System	-	-	-	-	-	392	14.1	0.73	9.3	0.51
Cervix uteri	-	-	-	-	-	55	2.1	0.30	1.5	0.23
Corpus & uterus, NOS ¹	-	-	-	-	-	106	3.8	0.38	2.4	0.25
Ovary	-	-	-	-	-	195	7.0	0.51	4.7	0.37
Male Genital System	482	22.3	1.02	10.9	0.52	-	-	-	-	-
Prostate	467	21.6	1.00	10.4	0.50	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	322	14.2	0.80	8.2	0.48	167	5.2	0.42	2.8	0.25
Bladder	168	7.6	0.59	4.0	0.32	65	1.8	0.24	0.9	0.13
Kidney & renal pelvis	143	6.1	0.52	3.9	0.35	93	3.1	0.34	1.8	0.21
Brain & Other Nervous System	124	5.2	0.48	3.9	0.38	99	3.8	0.40	2.8	0.32
Endocrine System	21	0.9	0.21	0.6	0.16	19	0.7	0.18	0.5	0.15
Thyroid gland	14	0.6	0.16	0.4	0.10	13	0.5	0.13	0.3	0.08
Lymphomas	190	8.6	0.63	5.3	0.41	155	5.3	0.44	3.3	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	72	3.2	0.38	1.9	0.23	79	2.6	0.31	1.5	0.18
Leukemias	160	7.3	0.58	4.6	0.40	139	5.0	0.45	3.3	0.36
Other, Ill-defined & Unknown	-	-	-	-	-	358	12.1	0.67	7.5	0.47

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Newfoundland and Labrador, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	3,648	238.4	4.04	140.3	2.40	2,993	160.7	3.00	101.0	2.01
Oral Cavity & Pharynx	60	3.7	0.49	2.4	0.31	14	0.8	0.21	0.5	0.16
Digestive System	1,193	76.8	2.28	46.4	1.38	827	44.1	1.56	26.1	0.98
Esophagus	109	6.8	0.67	4.4	0.43	37	1.8	0.31	1.1	0.20
Stomach	176	11.6	0.89	6.7	0.52	96	5.1	0.53	3.0	0.34
Colon & Rectum	586	38.2	1.62	22.6	0.96	433	23.2	1.14	13.5	0.70
Liver	73	4.6	0.55	2.9	0.35	29	1.5	0.27	0.9	0.17
Pancreas	168	10.5	0.83	6.6	0.52	139	7.4	0.64	4.4	0.41
Respiratory System	1,104	70.2	2.16	42.2	1.30	642	34.6	1.38	22.4	0.93
Larynx	45	2.9	0.44	1.8	0.27	-	-	-	-	-
Lung & bronchus	1,054	67.0	2.11	40.2	1.26	636	34.3	1.38	22.2	0.92
Skin	55	3.7	0.52	2.2	0.31	-	-	-	-	-
Melanomas of the skin	41	2.8	0.44	1.7	0.28	27	1.5	0.29	1.0	0.21
Breast	-	-	-	-	-	470	24.7	1.16	16.2	0.80
Female Genital System	-	-	-	-	-	266	14.9	0.94	9.9	0.65
Cervix uteri	-	-	-	-	-	40	2.5	0.41	1.8	0.30
Corpus & uterus, NOS ¹	-	-	-	-	-	75	4.3	0.51	2.9	0.36
Ovary	-	-	-	-	-	129	7.0	0.63	4.5	0.42
Male Genital System	341	25.0	1.37	11.8	0.65	-	-	-	-	-
Prostate	328	24.1	1.35	11.3	0.64	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	216	14.5	1.01	8.2	0.59	136	7.2	0.63	4.5	0.44
Bladder	100	7.1	0.72	3.7	0.37	44	2.2	0.34	1.2	0.20
Kidney & renal pelvis	110	7.0	0.69	4.3	0.45	87	4.7	0.52	3.1	0.39
Brain & Other Nervous System	89	5.4	0.60	3.9	0.43	73	4.3	0.52	3.4	0.46
Endocrine System	12	0.8	0.23	0.5	0.14	22	1.1	0.24	0.7	0.16
Thyroid gland	-	-	-	-	-	20	1.0	0.23	0.6	0.15
Lymphomas	112	7.3	0.70	4.4	0.42	82	4.6	0.52	2.5	0.31
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	48	3.0	0.44	1.8	0.26	55	2.9	0.40	1.4	0.21
Leukemias	99	6.6	0.68	4.1	0.44	74	4.1	0.50	2.6	0.34
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Northwest Territories, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	152	252.2	22.87	150.7	12.69	120	197.8	19.36	117.6	11.14
Oral Cavity & Pharynx	10	13.4	4.78	9.6	3.19	-	-	-	-	-
Digestive System	54	71.7	11.08	50.4	7.19	43	73.0	11.82	42.5	6.72
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	29	43.3	9.05	29.1	5.66	16	28.1	7.44	16.3	4.22
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	10	11.9	4.44	8.4	2.79	12	21.9	6.53	13.0	3.87
Respiratory System	41	76.7	12.98	42.0	6.73	32	56.0	10.47	34.2	6.26
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	39	72.9	12.68	39.8	6.55	31	53.8	10.24	32.9	6.11
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	15	21.1	6.01	12.6	3.35
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	13	29.1	8.46	14.5	4.11	-	-	-	-	-
Prostate	13	29.1	8.46	14.5	4.11	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	15	25.2	7.18	14.7	3.91	15	24.0	6.60	14.8	3.93

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nova Scotia, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	6,575	232.3	2.90	138.3	1.78	6,030	164.2	2.19	103.5	1.50
Oral Cavity & Pharynx	113	3.9	0.37	2.5	0.24	56	1.5	0.21	1.0	0.14
Digestive System	1,910	66.8	1.55	40.6	0.96	1,512	40.0	1.07	23.9	0.69
Esophagus	251	8.5	0.55	5.6	0.36	93	2.5	0.26	1.5	0.17
Stomach	165	5.9	0.46	3.6	0.29	100	2.7	0.28	1.6	0.18
Colon & Rectum	899	31.9	1.08	18.7	0.65	785	20.4	0.76	12.0	0.49
Liver	139	4.7	0.40	3.0	0.26	50	1.3	0.19	0.7	0.12
Pancreas	326	11.2	0.63	7.0	0.40	331	9.0	0.51	5.5	0.33
Respiratory System	1,920	66.8	1.54	40.5	0.95	1,594	44.6	1.14	28.3	0.77
Larynx	52	1.8	0.26	1.1	0.16	12	0.3	0.09	0.2	0.06
Lung & bronchus	1,853	64.4	1.51	39.0	0.93	1,575	44.1	1.13	28.0	0.76
Skin	156	5.5	0.45	3.6	0.30	92	2.6	0.28	1.7	0.20
Melanomas of the skin	125	4.4	0.41	3.0	0.28	73	2.2	0.27	1.5	0.20
Breast	13	0.5	0.13	0.3	0.08	817	22.6	0.82	15.1	0.59
Female Genital System	-	-	-	-	-	578	15.8	0.68	10.4	0.48
Cervix uteri	-	-	-	-	-	70	2.2	0.27	1.5	0.20
Corpus & uterus, NOS ¹	-	-	-	-	-	173	4.7	0.37	3.1	0.25
Ovary	-	-	-	-	-	274	7.4	0.46	4.9	0.32
Male Genital System	640	23.8	0.94	11.4	0.47	-	-	-	-	-
Prostate	631	23.4	0.94	11.2	0.46	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	438	15.5	0.75	8.9	0.44	216	5.5	0.39	3.2	0.25
Bladder	229	8.3	0.55	4.4	0.30	94	2.3	0.25	1.3	0.16
Kidney & renal pelvis	201	6.9	0.50	4.4	0.32	110	2.9	0.28	1.7	0.18
Brain & Other Nervous System	197	7.2	0.52	5.0	0.38	136	4.2	0.37	3.2	0.30
Endocrine System	26	0.9	0.19	0.7	0.16	25	0.7	0.16	0.5	0.12
Thyroid gland	16	0.6	0.14	0.3	0.09	16	0.4	0.11	0.3	0.08
Lymphomas	258	9.2	0.58	5.7	0.38	222	6.0	0.41	3.6	0.27
Hodgkin Lymphoma	16	0.6	0.15	0.4	0.11	-	-	-	-	-
Non-Hodgkin Lymphoma	242	8.6	0.56	5.3	0.36	-	-	-	-	-
Multiple Myeloma	120	4.2	0.39	2.5	0.23	76	2.0	0.24	1.2	0.15
Leukemias	229	8.3	0.55	5.0	0.37	178	4.8	0.38	3.0	0.28
Other, Ill-defined & Unknown	555	19.9	0.85	11.8	0.53	528	13.9	0.63	8.5	0.43

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Nunavut, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	100	355.3	45.74	213.2	23.18	88	307.2	39.12	192.8	21.95
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	32	97.8	23.00	62.1	12.43	21	63.0	16.29	40.7	9.45
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	-	-	-	-	-	-	-	-	-	-
Colon & Rectum	19	47.2	15.27	32.2	8.55	11	35.1	12.74	21.3	6.91
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	43	172.1	32.17	98.6	15.85	38	149.7	27.19	93.6	15.70
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	43	172.1	32.17	98.6	15.85	38	149.7	27.19	93.6	15.70
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	-	-	-	-	-
Female Genital System	-	-	-	-	-	-	-	-	-	-
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	-	-	-	-	-	-	-	-	-	-
Prostate	-	-	-	-	-	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	-	-	-	-	-	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	-	-	-	-	-	-	-	-	-	-

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Ontario, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	69,520	196.2	0.75	116.8	0.47	63,595	140.2	0.57	88.3	0.39
Oral Cavity & Pharynx	1,528	4.2	0.11	2.8	0.07	680	1.5	0.06	0.9	0.04
Digestive System	20,668	57.8	0.41	35.2	0.26	15,811	33.7	0.28	20.0	0.18
Esophagus	2,694	7.4	0.14	4.8	0.10	858	1.8	0.06	1.1	0.04
Stomach	2,187	6.2	0.13	3.7	0.08	1,420	3.1	0.09	1.9	0.06
Colon & Rectum	8,410	23.8	0.26	13.9	0.16	7,211	15.0	0.18	8.7	0.12
Liver	2,002	5.5	0.12	3.6	0.08	707	1.6	0.06	1.0	0.04
Pancreas	3,694	10.3	0.17	6.4	0.11	3,770	8.2	0.14	4.9	0.09
Respiratory System	18,575	52.1	0.39	31.7	0.24	15,264	34.4	0.28	21.9	0.19
Larynx	616	1.7	0.07	1.1	0.04	132	0.3	0.03	0.2	0.02
Lung & bronchus	17,841	50.0	0.38	30.4	0.24	15,073	34.0	0.28	21.6	0.19
Skin	1,900	5.3	0.12	3.3	0.08	1,097	2.4	0.07	1.5	0.05
Melanomas of the skin	1,353	3.8	0.10	2.4	0.07	806	1.8	0.07	1.2	0.05
Breast	77	0.2	0.02	0.1	0.02	9,515	21.4	0.23	14.3	0.16
Female Genital System	-	-	-	-	-	6,191	14.1	0.18	9.4	0.13
Cervix uteri	-	-	-	-	-	783	1.9	0.07	1.4	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	1,800	4.0	0.10	2.7	0.07
Ovary	-	-	-	-	-	3,141	7.1	0.13	4.8	0.09
Male Genital System	7,285	21.3	0.25	10.4	0.13	-	-	-	-	-
Prostate	7,133	20.9	0.25	10.1	0.12	-	-	-	-	-
Testis	76	0.2	0.03	0.2	0.02	-	-	-	-	-
Urinary System	4,574	13.0	0.19	7.3	0.11	2,305	4.8	0.10	2.7	0.07
Bladder	2,576	7.4	0.15	3.9	0.08	1,095	2.2	0.07	1.2	0.04
Kidney & renal pelvis	1,767	4.9	0.12	3.1	0.08	1,090	2.4	0.07	1.4	0.05
Brain & Other Nervous System	2,098	5.9	0.13	4.3	0.10	1,610	3.9	0.10	2.9	0.08
Endocrine System	250	0.7	0.05	0.5	0.04	298	0.7	0.04	0.5	0.04
Thyroid gland	148	0.4	0.03	0.3	0.02	199	0.4	0.03	0.2	0.02
Lymphomas	2,843	8.0	0.15	4.9	0.10	2,395	5.3	0.11	3.2	0.07
Hodgkin Lymphoma	142	0.4	0.04	0.3	0.03	107	0.3	0.03	0.2	0.02
Non-Hodgkin Lymphoma	2,701	7.6	0.15	4.6	0.09	2,288	5.0	0.11	3.0	0.07
Multiple Myeloma	1,341	3.8	0.10	2.2	0.06	1,135	2.4	0.07	1.4	0.05
Leukemias	2,831	8.1	0.15	4.9	0.10	2,126	4.7	0.11	2.9	0.08
Other, Ill-defined & Unknown	5,550	15.8	0.21	9.2	0.13	5,168	10.9	0.16	6.5	0.11

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Prince Edward Island, 2008-2012, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	899	213.8	7.22	127.1	4.43	833	155.9	5.59	99.5	3.87
Oral Cavity & Pharynx	19	4.7	1.08	2.3	0.56	-	-	-	-	-
Digestive System	248	58.4	3.76	35.9	2.38	213	38.5	2.75	23.3	1.80
Esophagus	39	9.3	1.51	5.7	0.96	-	-	-	-	-
Stomach	26	6.4	1.29	4.1	0.84	-	-	-	-	-
Colon & Rectum	104	24.6	2.43	14.3	1.46	118	21.4	2.08	12.4	1.31
Liver	15	3.4	0.89	2.3	0.61	-	-	-	-	-
Pancreas	51	11.6	1.65	7.8	1.13	51	9.1	1.31	6.0	0.91
Respiratory System	294	68.4	4.03	41.7	2.51	222	43.2	2.96	28.1	2.02
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	285	66.3	3.97	40.4	2.46	219	42.5	2.93	27.6	2.00
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	15	3.5	0.97	2.3	0.71
Breast	-	-	-	-	-	107	19.9	1.99	13.9	1.47
Female Genital System	-	-	-	-	-	73	13.7	1.65	9.1	1.16
Cervix uteri	-	-	-	-	-	12	2.6	0.78	1.9	0.58
Corpus & uterus, NOS ¹	-	-	-	-	-	18	3.4	0.81	2.0	0.52
Ovary	-	-	-	-	-	37	6.7	1.12	4.5	0.80
Male Genital System	91	23.1	2.43	10.5	1.14	-	-	-	-	-
Prostate	88	22.4	2.40	10.0	1.10	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	64	15.2	1.93	9.3	1.22	43	7.7	1.22	4.6	0.79
Bladder	31	7.6	1.37	4.0	0.75	23	3.8	0.82	2.2	0.52
Kidney & renal pelvis	29	6.7	1.26	4.6	0.91	19	3.7	0.87	2.4	0.59
Brain & Other Nervous System	26	6.2	1.26	4.5	0.90	11	2.1	0.66	1.6	0.55
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	29	7.3	1.36	4.0	0.82	26	4.7	0.94	2.6	0.57
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	29	7.3	1.36	4.0	0.82	26	4.7	0.94	2.6	0.57
Multiple Myeloma	18	4.2	1.01	2.3	0.57	15	2.7	0.72	1.3	0.38
Leukemias	30	7.2	1.33	4.5	0.89	32	6.1	1.11	3.7	0.71
Other, Ill-defined & Unknown	67	15.9	1.97	9.8	1.27	64	11.8	1.57	7.7	1.25

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Quebec, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	51,091	226.4	1.01	134.2	0.62	46,510	157.2	0.75	100.4	0.52
Oral Cavity & Pharynx	983	4.2	0.14	2.7	0.09	477	1.6	0.08	1.0	0.05
Digestive System	14,054	62.0	0.53	37.1	0.32	11,780	38.1	0.36	22.4	0.23
Esophagus	1,294	5.5	0.16	3.6	0.10	387	1.3	0.07	0.8	0.04
Stomach	1,619	7.2	0.18	4.3	0.11	1,099	3.5	0.11	2.1	0.07
Colon & Rectum	6,168	27.5	0.35	16.0	0.21	5,567	17.7	0.25	10.3	0.16
Liver	1,175	5.1	0.15	3.1	0.09	464	1.5	0.07	0.9	0.05
Pancreas	2,570	11.2	0.22	6.9	0.14	2,674	8.9	0.18	5.4	0.12
Respiratory System	17,851	77.7	0.59	47.1	0.36	13,273	46.3	0.41	31.3	0.29
Larynx	596	2.6	0.11	1.6	0.07	162	0.6	0.05	0.3	0.03
Lung & bronchus	16,992	73.9	0.57	44.8	0.35	12,960	45.2	0.40	30.6	0.29
Skin	951	4.2	0.14	2.6	0.09	559	1.9	0.08	1.2	0.06
Melanomas of the skin	639	2.8	0.11	1.9	0.08	386	1.4	0.07	0.9	0.05
Breast	66	0.3	0.04	0.2	0.02	6,469	22.4	0.29	15.0	0.21
Female Genital System	-	-	-	-	-	3,862	13.3	0.22	8.7	0.16
Cervix uteri	-	-	-	-	-	397	1.6	0.08	1.2	0.06
Corpus & uterus, NOS ¹	-	-	-	-	-	1,166	3.9	0.12	2.5	0.08
Ovary	-	-	-	-	-	1,987	6.9	0.16	4.5	0.11
Male Genital System	4,004	19.0	0.30	9.3	0.15	-	-	-	-	-
Prostate	3,903	18.5	0.30	9.0	0.15	-	-	-	-	-
Testis	45	0.2	0.03	0.2	0.03	-	-	-	-	-
Urinary System	3,161	14.2	0.26	8.0	0.15	1,673	5.3	0.13	3.1	0.09
Bladder	1,704	7.9	0.19	4.1	0.10	759	2.3	0.09	1.3	0.05
Kidney & renal pelvis	1,269	5.5	0.16	3.4	0.10	783	2.6	0.09	1.6	0.07
Brain & Other Nervous System	1,436	6.2	0.17	4.5	0.13	1,130	4.2	0.13	3.1	0.11
Endocrine System	196	0.9	0.06	0.6	0.05	214	0.7	0.05	0.5	0.04
Thyroid gland	80	0.3	0.04	0.2	0.03	114	0.4	0.04	0.2	0.02
Lymphomas	1,920	8.6	0.20	5.1	0.12	1,529	5.1	0.13	3.1	0.09
Hodgkin Lymphoma	111	0.5	0.05	0.3	0.04	74	0.3	0.03	0.2	0.03
Non-Hodgkin Lymphoma	1,809	8.1	0.19	4.8	0.12	1,455	4.8	0.13	2.9	0.09
Multiple Myeloma	874	3.9	0.13	2.2	0.08	764	2.5	0.09	1.4	0.06
Leukemias	1,715	7.7	0.19	4.6	0.12	1,308	4.4	0.13	2.8	0.09
Other, Ill-defined & Unknown	3,880	17.6	0.29	10.1	0.17	3,472	11.3	0.20	6.8	0.13

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Saskatchewan, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	5,984	198.0	2.59	118.9	1.67	5,351	144.8	2.09	92.8	1.47
Oral Cavity & Pharynx	78	2.7	0.31	1.8	0.21	50	1.4	0.21	0.9	0.15
Digestive System	1,640	54.1	1.36	33.9	0.90	1,284	33.4	0.99	20.7	0.68
Esophagus	244	8.2	0.53	5.4	0.37	61	1.6	0.22	1.1	0.15
Stomach	153	5.0	0.41	3.2	0.28	89	2.3	0.26	1.5	0.18
Colon & Rectum	713	23.3	0.88	14.0	0.57	632	15.9	0.68	9.5	0.45
Liver	122	4.1	0.37	2.8	0.29	64	1.7	0.22	1.0	0.15
Pancreas	302	10.1	0.59	6.3	0.39	315	8.4	0.50	5.4	0.35
Respiratory System	1,533	51.6	1.33	31.7	0.86	1,339	37.9	1.08	24.1	0.74
Larynx	42	1.4	0.22	1.0	0.15	-	-	-	-	-
Lung & bronchus	1,476	49.6	1.31	30.4	0.85	1,327	37.6	1.07	23.9	0.74
Skin	106	3.5	0.35	2.3	0.24	71	1.7	0.22	1.2	0.16
Melanomas of the skin	87	2.9	0.32	2.0	0.22	55	1.5	0.21	1.0	0.16
Breast	12	0.4	0.12	0.2	0.07	821	22.0	0.81	14.6	0.59
Female Genital System	-	-	-	-	-	491	14.2	0.68	9.8	0.50
Cervix uteri	-	-	-	-	-	102	3.5	0.37	2.7	0.29
Corpus & uterus, NOS ¹	-	-	-	-	-	112	3.0	0.29	2.0	0.21
Ovary	-	-	-	-	-	247	7.0	0.47	4.7	0.34
Male Genital System	912	29.1	0.97	14.5	0.53	-	-	-	-	-
Prostate	889	28.3	0.96	14.0	0.51	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	441	14.4	0.70	8.4	0.43	174	4.4	0.36	2.6	0.24
Bladder	245	7.9	0.51	4.2	0.29	95	2.3	0.25	1.3	0.16
Kidney & renal pelvis	190	6.3	0.47	4.0	0.31	78	2.1	0.25	1.3	0.17
Brain & Other Nervous System	134	4.6	0.41	3.4	0.32	113	3.5	0.35	2.5	0.27
Endocrine System	21	0.7	0.15	0.5	0.13	24	0.6	0.14	0.4	0.11
Thyroid gland	11	0.3	0.10	0.2	0.08	11	0.2	0.07	0.1	0.04
Lymphomas	226	7.7	0.52	4.7	0.34	186	4.7	0.36	2.8	0.24
Hodgkin Lymphoma	13	0.5	0.14	0.3	0.10	10	0.2	0.08	0.1	0.06
Non-Hodgkin Lymphoma	213	7.2	0.50	4.3	0.32	176	4.4	0.35	2.6	0.23
Multiple Myeloma	110	3.6	0.34	2.1	0.22	95	2.7	0.29	1.6	0.19
Leukemias	239	7.9	0.52	4.8	0.35	177	4.7	0.38	3.2	0.31
Other, Ill-defined & Unknown	532	17.6	0.77	10.6	0.50	526	13.6	0.63	8.4	0.43

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Yukon, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	175	252.1	21.14	147.9	11.44	141	201.4	18.06	125.5	10.97
Oral Cavity & Pharynx	-	-	-	-	-	-	-	-	-	-
Digestive System	52	73.2	11.14	43.3	6.12	36	51.3	9.06	33.6	5.95
Esophagus	-	-	-	-	-	-	-	-	-	-
Stomach	11	11.2	3.72	8.2	2.54	-	-	-	-	-
Colon & Rectum	21	28.6	6.90	16.3	3.62	19	26.3	6.44	16.5	3.88
Liver	-	-	-	-	-	-	-	-	-	-
Pancreas	-	-	-	-	-	-	-	-	-	-
Respiratory System	50	71.7	11.14	42.7	6.15	42	63.2	10.30	37.8	5.99
Larynx	-	-	-	-	-	-	-	-	-	-
Lung & bronchus	50	71.7	11.14	42.7	6.15	42	63.2	10.30	37.8	5.99
Skin	-	-	-	-	-	-	-	-	-	-
Melanomas of the skin	-	-	-	-	-	-	-	-	-	-
Breast	-	-	-	-	-	22	27.5	6.39	18.6	4.08
Female Genital System	-	-	-	-	-	11	13.5	4.37	9.2	2.80
Cervix uteri	-	-	-	-	-	-	-	-	-	-
Corpus & uterus, NOS ¹	-	-	-	-	-	-	-	-	-	-
Ovary	-	-	-	-	-	-	-	-	-	-
Male Genital System	14	25.1	7.31	13.3	3.62	-	-	-	-	-
Prostate	13	24.4	7.27	12.5	3.54	-	-	-	-	-
Testis	-	-	-	-	-	-	-	-	-	-
Urinary System	11	16.7	5.44	8.6	2.63	-	-	-	-	-
Bladder	-	-	-	-	-	-	-	-	-	-
Kidney & renal pelvis	-	-	-	-	-	-	-	-	-	-
Brain & Other Nervous System	-	-	-	-	-	-	-	-	-	-
Endocrine System	-	-	-	-	-	-	-	-	-	-
Thyroid gland	-	-	-	-	-	-	-	-	-	-
Lymphomas	-	-	-	-	-	-	-	-	-	-
Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Non-Hodgkin Lymphoma	-	-	-	-	-	-	-	-	-	-
Multiple Myeloma	-	-	-	-	-	-	-	-	-	-
Leukemias	-	-	-	-	-	-	-	-	-	-
Other, Ill-defined & Unknown	22	32.6	7.77	18.3	4.02	17	27.8	7.00	14.8	3.69

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified



Section IV

Cancer Mortality for the United States and Canada



**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2009-2013, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,513,232	204.0	0.17	116.1	0.10	1,373,284	143.4	0.12	85.9	0.08
Oral Cavity & Pharynx	29,900	3.8	0.02	2.5	0.01	12,927	1.3	0.01	0.8	0.01
Digestive System	409,977	53.8	0.09	32.3	0.05	312,289	32.2	0.06	18.3	0.04
Esophagus	57,387	7.4	0.03	4.6	0.02	14,795	1.5	0.01	0.9	0.01
Stomach	33,316	4.5	0.03	2.6	0.01	22,745	2.4	0.02	1.4	0.01
Colon & Rectum	134,779	18.1	0.05	10.4	0.03	124,226	12.7	0.04	7.1	0.02
Liver	60,521	7.4	0.03	5.0	0.02	22,620	2.3	0.02	1.4	0.01
Pancreas	95,022	12.5	0.04	7.4	0.02	92,631	9.5	0.03	5.4	0.02
Respiratory System	452,059	60.1	0.09	35.0	0.05	357,789	37.6	0.06	22.5	0.04
Larynx	14,685	1.9	0.02	1.2	0.01	3,759	0.4	0.01	0.3	0.00
Lung & bronchus	434,475	57.8	0.09	33.5	0.05	352,406	37.0	0.06	22.1	0.04
Skin	41,645	5.6	0.03	3.2	0.02	20,238	2.1	0.02	1.3	0.01
Melanomas of the skin	30,247	4.1	0.02	2.4	0.01	15,879	1.7	0.01	1.1	0.01
Breast	2,151	0.3	0.01	0.2	0.00	204,613	21.5	0.05	13.9	0.03
Female Genital System	-	-	-	-	-	144,847	15.3	0.04	9.8	0.03
Cervix uteri	-	-	-	-	-	20,231	2.3	0.02	1.7	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	42,992	4.5	0.02	2.8	0.01
Ovary	-	-	-	-	-	72,034	7.5	0.03	4.7	0.02
Male Genital System	142,995	21.1	0.06	9.4	0.03	-	-	-	-	-
Prostate	139,543	20.7	0.06	9.0	0.03	-	-	-	-	-
Testis	1,924	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	98,647	13.7	0.04	7.2	0.02	47,443	4.8	0.02	2.6	0.01
Bladder	53,244	7.7	0.03	3.6	0.02	21,703	2.2	0.01	1.1	0.01
Kidney & renal pelvis	43,128	5.7	0.03	3.4	0.02	24,069	2.5	0.02	1.4	0.01
Brain & Other Nervous System	41,120	5.3	0.03	3.7	0.02	32,330	3.5	0.02	2.5	0.02
Endocrine System	6,305	0.8	0.01	0.6	0.01	7,098	0.8	0.01	0.5	0.01
Thyroid gland	3,854	0.5	0.01	0.3	0.01	4,826	0.5	0.01	0.3	0.00
Lymphomas	59,311	8.2	0.03	4.5	0.02	48,059	5.0	0.02	2.7	0.01
Hodgkin Lymphoma	3,363	0.5	0.01	0.3	0.01	2,506	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	55,948	7.7	0.03	4.2	0.02	45,553	4.7	0.02	2.5	0.01
Multiple Myeloma	30,633	4.2	0.02	2.3	0.01	26,112	2.7	0.02	1.5	0.01
Leukemias	66,240	9.3	0.04	5.1	0.02	49,173	5.2	0.02	3.0	0.02
Other, Ill-defined & Unknown	132,249	17.9	0.05	10.3	0.03	110,366	11.4	0.03	6.7	0.02

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2009-2013, All Races

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,513,232	187.9	0.15	116.1	0.10	1,373,284	133.6	0.12	85.9	0.08
Oral Cavity & Pharynx	29,900	3.6	0.02	2.5	0.01	12,927	1.2	0.01	0.8	0.01
Digestive System	409,977	50.1	0.08	32.3	0.05	312,289	29.6	0.05	18.3	0.04
Esophagus	57,387	7.0	0.03	4.6	0.02	14,795	1.4	0.01	0.9	0.01
Stomach	33,316	4.1	0.02	2.6	0.01	22,745	2.2	0.02	1.4	0.01
Colon & Rectum	134,779	16.7	0.05	10.4	0.03	124,226	11.6	0.03	7.1	0.02
Liver	60,521	7.0	0.03	5.0	0.02	22,620	2.2	0.01	1.4	0.01
Pancreas	95,022	11.7	0.04	7.4	0.02	92,631	8.8	0.03	5.4	0.02
Respiratory System	452,059	56.1	0.08	35.0	0.05	357,789	35.4	0.06	22.5	0.04
Larynx	14,685	1.8	0.01	1.2	0.01	3,759	0.4	0.01	0.3	0.00
Lung & bronchus	434,475	54.0	0.08	33.5	0.05	352,406	34.8	0.06	22.1	0.04
Skin	41,645	5.2	0.03	3.2	0.02	20,238	2.0	0.01	1.3	0.01
Melanomas of the skin	30,247	3.8	0.02	2.4	0.01	15,879	1.6	0.01	1.1	0.01
Breast	2,151	0.3	0.01	0.2	0.00	204,613	20.3	0.05	13.9	0.03
Female Genital System	-	-	-	-	-	144,847	14.5	0.04	9.8	0.03
Cervix uteri	-	-	-	-	-	20,231	2.3	0.02	1.7	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	42,992	4.2	0.02	2.8	0.01
Ovary	-	-	-	-	-	72,034	7.1	0.03	4.7	0.02
Male Genital System	142,995	18.3	0.05	9.4	0.03	-	-	-	-	-
Prostate	139,543	17.8	0.05	9.0	0.03	-	-	-	-	-
Testis	1,924	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	98,647	12.3	0.04	7.2	0.02	47,443	4.4	0.02	2.6	0.01
Bladder	53,244	6.7	0.03	3.6	0.02	21,703	1.9	0.01	1.1	0.01
Kidney & renal pelvis	43,128	5.3	0.03	3.4	0.02	24,069	2.3	0.02	1.4	0.01
Brain & Other Nervous System	41,120	5.1	0.03	3.7	0.02	32,330	3.4	0.02	2.5	0.02
Endocrine System	6,305	0.8	0.01	0.6	0.01	7,098	0.7	0.01	0.5	0.01
Thyroid gland	3,854	0.5	0.01	0.3	0.01	4,826	0.5	0.01	0.3	0.00
Lymphomas	59,311	7.5	0.03	4.5	0.02	48,059	4.5	0.02	2.7	0.01
Hodgkin Lymphoma	3,363	0.4	0.01	0.3	0.01	2,506	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	55,948	7.1	0.03	4.2	0.02	45,553	4.3	0.02	2.5	0.01
Multiple Myeloma	30,633	3.9	0.02	2.3	0.01	26,112	2.5	0.02	1.5	0.01
Leukemias	66,240	8.5	0.03	5.1	0.02	49,173	4.7	0.02	3.0	0.02
Other, Ill-defined & Unknown	132,249	16.4	0.05	10.3	0.03	110,366	10.5	0.03	6.7	0.02

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,513,232	204.0	134,779	18.1	434,475	57.8	139,543	20.7	53,244	7.7	55,948	7.7
New England	74,119	200.4	5,855	15.9	20,307	54.5	6,934	20.0	3,134	8.8	2,621	7.2
Connecticut	17,022	186.6	1,320	14.3	4,403	48.1	1,673	19.2	748	8.5	651	7.2
Maine	8,516	220.6	644	17.0	2,608	65.8	743	21.1	389	10.5	300	8.2
Massachusetts	32,510	200.3	2,673	16.5	8,775	54.0	3,048	19.9	1,331	8.5	1,131	7.1
New Hampshire	6,892	203.4	505	15.3	1,925	55.8	603	20.0	293	9.2	232	6.9
Rhode Island	5,729	212.7	443	16.7	1,626	60.5	538	20.5	224	8.5	171	6.4
Vermont	3,450	202.9	270	16.2	970	55.6	329	21.3	149	9.4	136	8.2
Middle Atlantic	203,679	199.4	18,787	18.4	55,535	53.9	19,208	20.0	8,031	8.2	7,781	7.7
New Jersey	41,058	194.7	3,993	18.9	10,653	50.2	3,843	19.5	1,700	8.5	1,509	7.3
New York	88,550	190.7	8,062	17.4	23,684	50.6	8,621	19.9	3,432	7.7	3,390	7.4
Pennsylvania	74,071	214.0	6,732	19.6	21,198	60.7	6,744	20.4	2,899	8.6	2,882	8.4
South Atlantic	313,095	206.0	27,129	17.8	95,358	61.4	28,650	20.7	10,853	7.6	-	-
Delaware	4,946	212.4	414	17.9	1,539	64.7	428	20.1	155	7.2	172	7.5
District of Columbia	2,628	216.3	225	18.0	629	51.4	389	35.7	58	5.1	-	-
Florida	112,774	193.1	9,743	16.8	33,248	56.1	10,456	18.1	4,416	7.6	4,255	7.4
Georgia	41,741	215.7	3,831	19.4	13,152	66.2	3,808	23.9	1,330	7.9	1,338	7.3
Maryland	26,452	202.4	2,402	18.1	7,190	54.2	2,509	21.3	1,069	8.9	900	7.0
North Carolina	48,568	218.2	3,932	17.6	16,033	70.0	4,293	22.2	1,504	7.4	1,594	7.5
South Carolina	25,906	227.9	2,216	19.3	8,216	69.8	2,356	24.3	742	7.3	818	7.6
Virginia	37,317	206.2	3,157	17.3	11,034	59.6	3,471	22.2	1,200	7.3	1,351	7.7
West Virginia	12,763	239.8	1,209	23.1	4,317	78.9	940	19.6	379	7.5	431	8.2
East North Central	244,986	216.2	21,680	19.2	73,733	64.1	21,765	21.0	8,885	8.3	9,329	8.5
Illinois	61,824	211.9	5,750	19.6	17,780	60.2	5,716	21.5	2,057	7.5	2,271	8.0
Indiana	35,003	228.0	3,057	19.8	11,432	73.2	2,902	21.2	1,221	8.6	1,263	8.5
Michigan	53,140	212.1	4,544	18.3	15,990	62.8	4,513	19.7	1,964	8.4	2,197	9.0
Ohio	65,357	223.5	5,914	20.4	20,471	68.7	5,628	20.9	2,485	8.9	2,428	8.5
Wisconsin	29,662	205.2	2,415	16.8	8,060	54.9	3,006	22.4	1,158	8.4	1,170	8.4
East South Central	109,449	246.1	9,540	21.5	38,285	83.6	8,849	23.1	3,033	7.5	3,523	8.3
Alabama	28,332	242.3	2,475	21.1	9,680	80.3	2,549	25.2	758	7.1	861	7.7
Kentucky	26,415	250.5	2,230	21.1	9,808	90.5	1,833	20.5	797	8.4	901	8.9
Mississippi	17,485	257.0	1,631	23.8	5,975	85.5	1,609	27.4	408	6.6	487	7.5
Tennessee	37,217	241.2	3,204	20.9	12,822	80.7	2,858	21.5	1,070	7.6	1,274	8.5

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	105,780	204.7	9,445	18.3	30,976	59.3	9,695	20.1	3,577	7.2	4,135	8.2
Iowa	16,864	206.6	1,574	19.4	4,982	60.4	1,558	19.8	633	8.0	705	8.8
Kansas	14,123	202.1	1,267	18.1	4,134	58.8	1,245	18.9	473	7.0	566	8.3
Minnesota	24,909	193.4	2,033	15.7	6,303	48.5	2,583	21.6	861	7.0	1,131	9.0
Missouri	33,206	219.6	2,979	19.9	10,885	70.9	2,601	19.0	1,030	7.3	1,128	7.7
Nebraska	9,014	198.5	856	18.7	2,501	55.1	933	21.6	304	7.0	336	7.5
North Dakota	3,459	191.8	330	18.3	965	53.4	350	20.0	137	7.4	-	-
South Dakota	4,205	193.5	406	18.7	1,206	55.2	425	20.3	139	6.5	-	-
West South Central	164,337	212.1	15,452	19.7	48,674	62.2	13,608	20.3	4,768	6.8	5,910	7.9
Arkansas	18,156	242.5	1,642	22.0	6,502	84.6	1,456	21.8	552	7.9	601	8.2
Louisiana	25,062	241.9	2,304	22.1	7,946	75.1	2,085	23.1	652	7.0	873	8.7
Oklahoma	21,261	230.5	1,928	21.0	6,938	73.9	1,798	21.6	662	7.7	775	8.6
Texas	99,858	198.4	9,578	18.7	27,288	54.3	8,269	19.2	2,902	6.4	3,661	7.6
Mountain	78,690	173.9	7,063	15.5	18,614	40.7	8,484	20.8	3,014	7.1	-	-
Arizona	29,096	177.0	2,542	15.5	7,500	44.9	2,854	18.7	1,107	7.0	1,133	7.1
Colorado	18,302	170.0	1,619	14.8	4,169	38.7	2,057	22.0	674	6.7	708	6.7
Idaho	6,978	186.8	618	16.3	1,700	44.9	797	23.6	259	7.3	284	7.7
Montana	5,217	184.7	474	16.5	1,325	46.1	587	22.5	236	8.8	206	7.6
New Mexico	9,056	178.2	896	17.6	1,985	39.0	984	21.4	333	7.0	313	6.1
Utah	7,481	152.1	662	13.0	1,290	25.8	975	22.3	304	6.8	329	7.0
Wyoming	2,560	184.2	252	17.3	645	46.1	230	18.9	101	7.6	-	-
Pacific	219,097	184.9	19,828	16.6	52,993	45.0	22,350	20.6	7,949	7.2	-	-
Alaska	2,574	206.5	238	18.2	719	59.2	194	20.5	56	4.8	-	-
California	146,298	180.4	13,415	16.4	33,569	41.9	15,349	20.6	5,187	6.8	5,818	7.3
Hawaii	6,274	168.8	650	17.3	1,547	41.9	505	13.9	181	5.0	258	7.1
Nevada	12,435	197.1	1,300	20.4	3,481	54.2	1,154	21.3	486	8.8	427	7.0
Oregon	20,217	200.3	1,703	16.9	5,360	52.8	2,074	22.0	801	8.3	824	8.3
Washington	31,299	196.3	2,522	15.6	8,317	51.9	3,074	21.3	1,238	8.4	1,250	8.1

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, All Races, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,513,232	116.1	134,779	10.4	434,475	33.5	139,543	9.0	53,244	3.6	55,948	4.2
New England	74,119	111.2	5,855	8.7	20,307	30.9	6,934	8.5	3,134	4.1	2,621	3.8
Connecticut	17,022	103.2	1,320	8.1	4,403	27.2	1,673	8.2	748	4.0	651	3.8
Maine	8,516	123.4	644	9.5	2,608	37.9	743	8.8	389	5.0	300	4.3
Massachusetts	32,510	111.2	2,673	9.0	8,775	30.5	3,048	8.6	1,331	4.0	1,131	3.7
New Hampshire	6,892	112.0	505	8.1	1,925	31.4	603	8.3	293	4.3	232	3.8
Rhode Island	5,729	117.8	443	8.9	1,626	34.1	538	8.7	224	4.0	171	3.5
Vermont	3,450	113.7	270	8.9	970	32.0	329	9.0	149	4.4	136	4.3
Middle Atlantic	203,679	112.2	18,787	10.3	55,535	31.0	19,208	8.7	8,031	3.8	7,781	4.2
New Jersey	41,058	107.7	3,993	10.4	10,653	28.3	3,843	8.5	1,700	3.9	1,509	3.8
New York	88,550	107.6	8,062	9.8	23,684	29.1	8,621	8.7	3,432	3.6	3,390	4.1
Pennsylvania	74,071	121.4	6,732	11.0	21,198	35.2	6,744	8.9	2,899	4.1	2,882	4.6
South Atlantic	313,095	119.1	27,129	10.5	95,358	36.4	28,650	9.2	10,853	3.6	-	-
Delaware	4,946	121.6	414	10.5	1,539	37.4	428	9.1	155	3.4	172	4.2
District of Columbia	2,628	125.1	225	10.9	629	30.8	389	15.7	58	2.5	-	-
Florida	112,774	113.3	9,743	10.0	33,248	33.5	10,456	8.2	4,416	3.7	4,255	4.1
Georgia	41,741	124.0	3,831	11.5	13,152	39.0	3,808	10.6	1,330	3.7	1,338	3.9
Maryland	26,452	113.8	2,402	10.3	7,190	31.3	2,509	9.4	1,069	4.2	900	3.8
North Carolina	48,568	125.4	3,932	10.3	16,033	41.5	4,293	9.8	1,504	3.5	1,594	4.0
South Carolina	25,906	132.1	2,216	11.6	8,216	41.5	2,356	10.6	742	3.5	818	4.1
Virginia	37,317	116.2	3,157	9.9	11,034	34.5	3,471	9.5	1,200	3.4	1,351	4.1
West Virginia	12,763	140.0	1,209	13.1	4,317	47.3	940	8.8	379	3.8	431	4.6
East North Central	244,986	123.0	21,680	10.8	73,733	37.5	21,765	9.2	8,885	3.9	9,329	4.5
Illinois	61,824	119.6	5,750	11.1	17,780	34.9	5,716	9.4	2,057	3.5	2,271	4.2
Indiana	35,003	131.4	3,057	11.6	11,432	43.4	2,902	9.2	1,221	4.1	1,263	4.6
Michigan	53,140	121.3	4,544	10.4	15,990	36.7	4,513	8.6	1,964	3.9	2,197	4.9
Ohio	65,357	127.9	5,914	11.5	20,471	40.6	5,628	9.2	2,485	4.3	2,428	4.6
Wisconsin	29,662	114.0	2,415	9.2	8,060	31.5	3,006	9.6	1,158	3.9	1,170	4.3
East South Central	109,449	144.2	9,540	12.7	38,285	50.3	8,849	10.2	3,033	3.6	3,523	4.5
Alabama	28,332	142.1	2,475	12.7	9,680	48.5	2,549	11.1	758	3.4	861	4.2
Kentucky	26,415	146.6	2,230	12.5	9,808	54.4	1,833	8.8	797	4.0	901	4.9
Mississippi	17,485	151.7	1,631	14.6	5,975	51.5	1,609	12.4	408	3.3	487	4.1
Tennessee	37,217	141.0	3,204	12.2	12,822	48.5	2,858	9.6	1,070	3.7	1,274	4.8

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	105,780	116.1	9,445	10.4	30,976	34.5	9,695	8.6	3,577	3.4	4,135	4.3
Iowa	16,864	116.8	1,574	10.8	4,982	35.3	1,558	8.4	633	3.7	705	4.5
Kansas	14,123	116.5	1,267	10.7	4,134	34.6	1,245	8.2	473	3.4	566	4.5
Minnesota	24,909	106.6	2,033	8.7	6,303	27.5	2,583	9.0	861	3.2	1,131	4.7
Missouri	33,206	127.4	2,979	11.4	10,885	41.9	2,601	8.2	1,030	3.5	1,128	4.1
Nebraska	9,014	111.8	856	10.5	2,501	31.4	933	9.3	304	3.2	336	4.1
North Dakota	3,459	105.6	330	10.3	965	29.5	350	8.6	137	3.7	-	-
South Dakota	4,205	108.1	406	10.6	1,206	30.9	425	8.9	139	2.9	-	-
West South Central	164,337	122.6	15,452	11.7	48,674	36.3	13,608	9.0	4,768	3.3	5,910	4.3
Arkansas	18,156	142.1	1,642	13.1	6,502	51.0	1,456	9.5	552	3.8	601	4.5
Louisiana	25,062	142.5	2,304	13.3	7,946	45.2	2,085	10.5	652	3.4	873	4.9
Oklahoma	21,261	135.0	1,928	12.4	6,938	43.8	1,798	9.7	662	3.8	775	4.8
Texas	99,858	113.8	9,578	11.0	27,288	31.1	8,269	8.5	2,902	3.1	3,661	4.1
Mountain	78,690	97.2	7,063	8.9	18,614	22.8	8,484	8.9	3,014	3.4	-	-
Arizona	29,096	100.9	2,542	9.0	7,500	25.5	2,854	8.2	1,107	3.4	1,133	3.8
Colorado	18,302	93.2	1,619	8.3	4,169	21.2	2,057	9.4	674	3.3	708	3.6
Idaho	6,978	103.7	618	9.4	1,700	25.0	797	9.9	259	3.5	284	4.1
Montana	5,217	103.0	474	9.5	1,325	25.9	587	9.7	236	4.1	206	3.8
New Mexico	9,056	100.2	896	9.9	1,985	21.3	984	9.2	333	3.3	313	3.4
Utah	7,481	84.1	662	7.8	1,290	15.0	975	9.4	304	3.0	329	3.5
Wyoming	2,560	101.1	252	10.2	645	25.4	230	7.9	101	3.8	-	-
Pacific	219,097	103.2	19,828	9.4	52,993	24.9	22,350	8.9	7,949	3.3	-	-
Alaska	2,574	112.8	238	10.4	719	31.5	194	9.1	56	2.5	-	-
California	146,298	100.5	13,415	9.3	33,569	23.0	15,349	8.9	5,187	3.1	5,818	3.9
Hawaii	6,274	98.3	650	10.4	1,547	23.9	505	6.2	181	2.4	258	3.9
Nevada	12,435	110.3	1,300	11.6	3,481	30.4	1,154	9.4	486	3.9	427	3.8
Oregon	20,217	112.1	1,703	9.5	5,360	29.7	2,074	9.5	801	3.9	824	4.4
Washington	31,299	108.5	2,522	8.9	8,317	28.9	3,074	9.1	1,238	3.8	1,250	4.3

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,373,284	143.4	124,226	12.7	352,406	37.0	204,613	21.5	20,231	2.3	72,034	7.5
New England	71,384	143.5	6,108	11.8	19,123	39.3	9,600	19.6	645	1.4	3,637	7.4
Connecticut	16,888	136.4	1,374	10.6	4,276	35.3	2,418	19.8	177	1.6	865	7.1
Maine	7,518	153.0	625	12.5	2,164	44.5	907	18.8	64	1.4	352	7.1
Massachusetts	32,212	144.6	2,746	11.8	8,555	39.3	4,321	19.7	274	1.3	1,695	7.7
New Hampshire	6,179	144.2	546	12.5	1,756	41.7	845	19.6	64	1.6	329	7.6
Rhode Island	5,401	144.2	534	13.3	1,491	41.3	704	19.4	42	1.3	237	6.4
Vermont	3,186	147.8	283	12.7	881	41.5	405	19.1	24	1.2	159	7.6
Middle Atlantic	201,161	144.5	19,035	13.1	48,910	35.6	30,388	22.2	2,826	2.3	10,725	7.8
New Jersey	41,803	143.7	4,014	13.3	9,845	34.3	6,734	23.4	622	2.3	2,247	7.8
New York	89,181	139.9	8,308	12.5	21,772	34.6	13,354	21.2	1,371	2.3	4,823	7.6
Pennsylvania	70,177	151.5	6,713	13.8	17,293	37.9	10,300	22.8	833	2.1	3,655	8.1
South Atlantic	274,747	141.2	23,987	12.2	73,412	37.6	41,724	21.8	4,297	2.4	14,185	7.3
Delaware	4,521	151.5	335	11.0	1,285	42.9	639	21.8	69	2.6	227	7.5
District of Columbia	2,790	161.1	272	15.8	569	33.2	502	29.3	49	2.9	125	7.1
Florida	96,226	134.9	8,475	11.6	26,378	36.5	14,073	20.6	1,608	2.7	4,854	6.9
Georgia	36,872	142.0	3,268	12.6	9,477	36.5	6,051	22.9	683	2.6	2,005	7.7
Maryland	25,609	145.4	2,235	12.5	6,504	37.5	4,068	23.0	353	2.1	1,334	7.5
North Carolina	42,283	142.9	3,502	11.7	11,379	38.4	6,373	21.7	586	2.1	2,179	7.4
South Carolina	21,589	146.5	1,928	12.9	5,766	38.7	3,286	22.5	358	2.7	1,103	7.5
Virginia	33,965	143.4	2,937	12.3	8,834	37.5	5,294	22.2	405	1.8	1,825	7.7
West Virginia	10,892	164.3	1,035	15.4	3,220	48.4	1,438	22.2	186	3.4	533	8.0
East North Central	226,597	153.0	20,252	13.3	60,711	41.5	33,110	22.5	3,028	2.3	11,515	7.8
Illinois	59,487	152.3	5,490	13.6	15,363	40.0	8,845	22.7	897	2.4	2,987	7.7
Indiana	31,060	155.3	2,761	13.4	8,614	43.5	4,422	22.3	448	2.5	1,570	7.9
Michigan	49,020	152.6	4,233	12.8	13,402	42.1	7,148	22.5	601	2.1	2,545	8.0
Ohio	60,262	156.8	5,433	13.7	16,557	43.5	8,862	23.3	842	2.5	3,007	7.9
Wisconsin	26,768	144.7	2,335	12.1	6,775	37.5	3,833	20.9	240	1.4	1,406	7.7
East South Central	91,319	157.6	8,456	14.5	26,419	45.3	12,998	22.6	1,577	3.0	4,420	7.6
Alabama	22,988	150.2	2,097	13.7	6,236	40.3	3,340	22.2	422	3.1	1,270	8.2
Kentucky	22,976	169.0	2,027	14.8	7,481	54.8	3,044	22.4	376	3.0	1,004	7.4
Mississippi	14,217	158.2	1,463	16.1	3,724	41.1	2,130	24.1	284	3.4	622	7.0
Tennessee	31,138	155.3	2,869	14.2	8,978	44.5	4,484	22.5	495	2.7	1,524	7.6

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	95,874	144.8	9,043	13.1	24,978	38.5	13,552	20.7	1,152	2.0	4,861	7.4
Iowa	15,171	143.9	1,577	14.1	3,798	37.1	2,034	19.7	173	2.0	840	8.1
Kansas	12,821	144.0	1,192	12.9	3,395	38.8	1,808	20.6	149	1.9	668	7.6
Minnesota	22,797	138.3	2,015	11.7	5,511	34.5	3,240	19.6	217	1.5	1,234	7.5
Missouri	30,239	155.4	2,697	13.6	8,694	44.9	4,362	22.8	451	2.6	1,392	7.1
Nebraska	8,108	139.5	857	14.3	1,995	35.0	1,137	19.8	99	2.0	403	7.1
North Dakota	2,913	127.8	322	13.3	665	30.5	430	19.0	24	1.2	134	6.2
South Dakota	3,825	139.9	383	13.0	920	34.8	541	20.1	39	1.7	190	7.0
West South Central	140,396	142.9	12,972	13.1	35,725	36.5	21,401	21.6	2,686	2.8	7,095	7.2
Arkansas	14,557	155.2	1,431	15.1	4,186	44.3	2,059	22.3	280	3.4	749	8.0
Louisiana	21,199	158.7	2,015	15.0	5,645	42.2	3,279	24.5	363	3.0	911	6.8
Oklahoma	18,285	158.7	1,668	14.3	5,279	45.6	2,640	23.2	291	2.9	956	8.3
Texas	86,355	135.1	7,858	12.2	20,615	32.6	13,423	20.7	1,752	2.7	4,479	7.0
Mountain	69,307	126.7	6,173	11.2	15,775	29.0	10,885	19.9	948	1.8	4,212	7.6
Arizona	24,975	127.7	2,217	11.3	6,198	31.4	3,790	19.6	369	2.1	1,437	7.4
Colorado	17,397	127.9	1,569	11.5	3,846	28.8	2,701	19.5	212	1.5	1,127	8.1
Idaho	5,862	132.8	490	11.1	1,420	32.3	912	20.8	69	1.7	344	7.7
Montana	4,593	139.1	395	11.7	1,199	36.6	684	20.9	55	1.8	286	8.4
New Mexico	7,774	125.0	729	11.7	1,674	26.7	1,232	19.9	117	2.1	464	7.4
Utah	6,477	109.8	587	10.1	923	15.8	1,232	20.7	86	1.4	424	7.2
Wyoming	2,229	138.6	186	11.6	515	32.3	334	20.2	40	2.6	130	8.2
Pacific	202,499	135.7	18,200	12.0	47,353	32.2	30,955	20.7	3,072	2.1	11,384	7.6
Alaska	2,081	152.0	182	13.3	586	44.2	307	21.1	33	1.9	95	6.4
California	137,982	132.9	12,571	11.9	30,217	29.5	21,761	20.9	2,268	2.3	7,748	7.5
Hawaii	5,130	114.2	486	10.7	1,139	25.3	639	14.9	80	2.1	237	5.4
Nevada	10,587	147.0	977	13.9	3,068	42.4	1,690	23.1	156	2.1	522	7.1
Oregon	18,341	147.4	1,602	12.6	4,950	40.3	2,538	20.5	197	1.8	1,106	8.9
Washington	28,378	143.4	2,382	11.8	7,393	38.0	4,020	20.2	338	1.8	1,676	8.4

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, All Races, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,373,284	85.9	124,226	7.1	352,406	22.1	204,613	13.9	20,231	1.7	72,034	4.7
New England	71,384	83.9	6,108	6.3	19,123	23.1	9,600	12.4	645	1.0	3,637	4.6
Connecticut	16,888	79.6	1,374	5.7	4,276	20.5	2,418	12.6	177	1.2	865	4.5
Maine	7,518	90.5	625	6.9	2,164	26.6	907	12.0	64	1.1	352	4.6
Massachusetts	32,212	84.3	2,746	6.3	8,555	23.1	4,321	12.5	274	1.0	1,695	4.8
New Hampshire	6,179	84.4	546	6.7	1,756	24.9	845	12.3	64	1.1	329	4.8
Rhode Island	5,401	84.8	534	7.1	1,491	24.7	704	12.3	42	1.0	237	4.1
Vermont	3,186	85.9	283	6.6	881	24.6	405	12.0	24	0.8	159	4.6
Middle Atlantic	201,161	86.0	19,035	7.1	48,910	21.2	30,388	14.1	2,826	1.7	10,725	5.0
New Jersey	41,803	84.7	4,014	7.2	9,845	20.0	6,734	14.8	622	1.7	2,247	5.0
New York	89,181	83.4	8,308	6.8	21,772	20.5	13,354	13.5	1,371	1.7	4,823	4.9
Pennsylvania	70,177	90.7	6,713	7.5	17,293	23.0	10,300	14.6	833	1.6	3,655	5.1
South Atlantic	274,747	85.5	23,987	7.0	73,412	22.7	41,724	14.2	4,297	1.8	14,185	4.6
Delaware	4,521	91.5	335	6.0	1,285	25.7	639	14.2	69	2.1	227	4.8
District of Columbia	2,790	97.7	272	8.9	569	20.3	502	18.9	49	2.1	125	4.6
Florida	96,226	81.9	8,475	6.6	26,378	22.0	14,073	13.5	1,608	2.1	4,854	4.3
Georgia	36,872	86.5	3,268	7.3	9,477	22.3	6,051	15.0	683	1.9	2,005	4.8
Maryland	25,609	86.7	2,235	7.1	6,504	21.7	4,068	14.9	353	1.5	1,334	4.7
North Carolina	42,283	86.8	3,502	6.8	11,379	23.5	6,373	14.2	586	1.5	2,179	4.6
South Carolina	21,589	89.1	1,928	7.5	5,766	23.6	3,286	14.8	358	1.9	1,103	4.6
Virginia	33,965	85.4	2,937	6.9	8,834	22.2	5,294	14.4	405	1.3	1,825	4.7
West Virginia	10,892	101.1	1,035	8.6	3,220	30.5	1,438	14.5	186	2.6	533	5.1
East North Central	226,597	92.0	20,252	7.4	60,711	25.1	33,110	14.5	3,028	1.7	11,515	4.9
Illinois	59,487	91.0	5,490	7.5	15,363	23.8	8,845	14.7	897	1.8	2,987	4.8
Indiana	31,060	94.4	2,761	7.5	8,614	26.7	4,422	14.4	448	1.8	1,570	5.0
Michigan	49,020	92.0	4,233	7.2	13,402	25.5	7,148	14.5	601	1.6	2,545	5.0
Ohio	60,262	94.9	5,433	7.6	16,557	26.5	8,862	15.0	842	1.9	3,007	5.0
Wisconsin	26,768	85.6	2,335	6.5	6,775	22.7	3,833	13.2	240	1.1	1,406	4.9
East South Central	91,319	97.2	8,456	8.4	26,419	28.5	12,998	14.8	1,577	2.2	4,420	4.7
Alabama	22,988	92.3	2,097	8.0	6,236	25.0	3,340	14.6	422	2.3	1,270	5.0
Kentucky	22,976	104.1	2,027	8.3	7,481	34.9	3,044	14.7	376	2.2	1,004	4.5
Mississippi	14,217	98.6	1,463	9.7	3,724	25.9	2,130	15.9	284	2.5	622	4.3
Tennessee	31,138	95.5	2,869	8.3	8,978	27.9	4,484	14.6	495	2.0	1,524	4.8

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	95,874	86.6	9,043	7.2	24,978	23.3	13,552	13.2	1,152	1.5	4,861	4.6
Iowa	15,171	86.0	1,577	7.5	3,798	22.6	2,034	12.7	173	1.5	840	5.0
Kansas	12,821	86.7	1,192	7.2	3,395	23.7	1,808	13.1	149	1.4	668	4.7
Minnesota	22,797	81.3	2,015	6.4	5,511	20.4	3,240	12.4	217	1.1	1,234	4.7
Missouri	30,239	94.3	2,697	7.6	8,694	27.6	4,362	14.7	451	2.0	1,392	4.4
Nebraska	8,108	82.7	857	7.6	1,995	21.0	1,137	12.6	99	1.6	403	4.6
North Dakota	2,913	76.1	322	7.4	665	18.6	430	11.7	24	0.9	134	4.0
South Dakota	3,825	81.3	383	6.9	920	20.4	541	12.7	39	1.3	190	4.1
West South Central	140,396	86.6	12,972	7.6	35,725	21.9	21,401	14.1	2,686	2.1	7,095	4.5
Arkansas	14,557	95.6	1,431	8.9	4,186	27.7	2,059	14.3	280	2.5	749	5.0
Louisiana	21,199	97.4	2,015	8.9	5,645	25.9	3,279	16.1	363	2.2	911	4.2
Oklahoma	18,285	97.6	1,668	8.4	5,279	28.2	2,640	15.2	291	2.2	956	5.2
Texas	86,355	81.3	7,858	7.0	20,615	19.1	13,423	13.5	1,752	2.0	4,479	4.4
Mountain	69,307	74.7	6,173	6.2	15,775	16.6	10,885	12.7	948	1.4	4,212	4.8
Arizona	24,975	76.2	2,217	6.3	6,198	18.1	3,790	12.7	369	1.6	1,437	4.6
Colorado	17,397	74.0	1,569	6.2	3,846	16.1	2,701	12.2	212	1.1	1,127	5.1
Idaho	5,862	78.0	490	6.2	1,420	18.8	912	13.1	69	1.2	344	4.7
Montana	4,593	82.8	395	6.7	1,199	21.2	684	13.6	55	1.3	286	5.4
New Mexico	7,774	74.1	729	6.4	1,674	15.3	1,232	12.8	117	1.5	464	4.7
Utah	6,477	64.7	587	5.6	923	9.4	1,232	13.0	86	1.1	424	4.4
Wyoming	2,229	81.4	186	6.5	515	18.5	334	12.8	40	2.0	130	5.3
Pacific	202,499	80.0	18,200	6.6	47,353	18.2	30,955	13.3	3,072	1.6	11,384	4.8
Alaska	2,081	88.7	182	7.5	586	25.2	307	13.1	33	1.5	95	4.0
California	137,982	78.5	12,571	6.6	30,217	16.6	21,761	13.5	2,268	1.7	7,748	4.7
Hawaii	5,130	69.9	486	6.5	1,139	14.6	639	10.3	80	1.5	237	3.5
Nevada	10,587	85.7	977	7.5	3,068	24.1	1,690	14.5	156	1.6	522	4.4
Oregon	18,341	86.7	1,602	6.9	4,950	23.1	2,538	13.2	197	1.3	1,106	5.6
Washington	28,378	83.7	2,382	6.4	7,393	21.8	4,020	12.6	338	1.3	1,676	5.2

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2009-2013, White**

<i>SITES</i>	MALES (WHITE)					FEMALES (WHITE)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,297,761	202.9	0.18	115.0	0.11	1,168,237	143.6	0.14	85.7	0.09
Oral Cavity & Pharynx	24,887	3.7	0.02	2.4	0.02	11,015	1.3	0.01	0.8	0.01
Digestive System	341,164	52.2	0.09	31.2	0.06	257,295	31.0	0.06	17.6	0.04
Esophagus	51,293	7.7	0.03	4.8	0.02	12,521	1.5	0.01	0.9	0.01
Stomach	24,975	3.9	0.03	2.3	0.02	16,752	2.1	0.02	1.2	0.01
Colon & Rectum	112,501	17.6	0.05	10.0	0.03	103,134	12.3	0.04	6.8	0.02
Liver	46,320	6.7	0.03	4.5	0.02	17,375	2.1	0.02	1.2	0.01
Pancreas	81,650	12.5	0.04	7.4	0.03	77,719	9.4	0.03	5.3	0.02
Respiratory System	388,676	59.9	0.10	34.7	0.06	313,563	38.8	0.07	23.2	0.05
Larynx	11,867	1.8	0.02	1.1	0.01	3,104	0.4	0.01	0.2	0.00
Lung & bronchus	374,289	57.7	0.10	33.4	0.06	309,071	38.3	0.07	22.9	0.04
Skin	40,416	6.3	0.03	3.6	0.02	19,428	2.4	0.02	1.5	0.01
Melanomas of the skin	29,734	4.6	0.03	2.8	0.02	15,365	2.0	0.02	1.3	0.01
Breast	1,768	0.3	0.01	0.2	0.00	168,532	21.0	0.05	13.4	0.04
Female Genital System	-	-	-	-	-	120,834	15.1	0.04	9.7	0.03
Cervix uteri	-	-	-	-	-	15,217	2.1	0.02	1.6	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	33,767	4.1	0.02	2.6	0.02
Ovary	-	-	-	-	-	63,303	7.8	0.03	4.9	0.02
Male Genital System	116,388	19.6	0.06	8.6	0.03	-	-	-	-	-
Prostate	113,319	19.1	0.06	8.2	0.03	-	-	-	-	-
Testis	1,780	0.3	0.01	0.2	0.01	-	-	-	-	-
Urinary System	89,389	14.2	0.05	7.5	0.03	41,416	4.9	0.02	2.6	0.01
Bladder	49,216	8.1	0.04	3.8	0.02	18,981	2.2	0.02	1.1	0.01
Kidney & renal pelvis	38,081	5.8	0.03	3.5	0.02	20,991	2.5	0.02	1.5	0.01
Brain & Other Nervous System	37,602	5.7	0.03	4.0	0.02	29,350	3.8	0.02	2.7	0.02
Endocrine System	5,365	0.8	0.01	0.6	0.01	5,807	0.7	0.01	0.5	0.01
Thyroid gland	3,394	0.5	0.01	0.3	0.01	3,953	0.5	0.01	0.3	0.00
Lymphomas	53,227	8.5	0.04	4.6	0.02	42,977	5.2	0.03	2.7	0.02
Hodgkin Lymphoma	2,929	0.5	0.01	0.3	0.01	2,198	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	50,298	8.1	0.04	4.3	0.02	40,779	4.9	0.02	2.5	0.01
Multiple Myeloma	25,054	4.0	0.03	2.1	0.01	20,376	2.4	0.02	1.3	0.01
Leukemias	59,242	9.6	0.04	5.3	0.02	43,219	5.3	0.03	3.1	0.02
Other, Ill-defined & Unknown	114,583	18.0	0.05	10.3	0.03	94,425	11.5	0.04	6.6	0.03

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,297,761	202.9	112,501	17.6	374,289	57.7	113,319	19.1	49,216	8.1	50,298	8.1
New England	70,060	202.8	5,504	16.0	19,269	55.3	6,471	19.7	3,064	9.2	2,501	7.4
Connecticut	15,565	187.0	1,196	14.2	4,014	48.1	1,505	18.6	727	9.0	607	7.3
Maine	8,430	221.3	638	17.1	2,586	66.1	736	21.1	388	10.6	296	8.2
Massachusetts	30,334	203.8	2,483	16.8	8,223	55.1	2,796	19.6	1,289	8.9	1,068	7.3
New Hampshire	6,825	205.4	502	15.5	1,911	56.4	594	20.0	290	9.3	231	7.0
Rhode Island	5,487	216.7	420	16.7	1,570	62.1	514	20.6	221	8.8	165	6.6
Vermont	3,419	203.9	265	16.2	965	56.1	326	21.3	149	9.5	134	8.2
Middle Atlantic	174,643	201.1	15,790	18.2	48,000	54.9	15,268	18.3	7,440	8.8	6,953	8.1
New Jersey	34,908	197.5	3,313	18.7	9,108	51.3	3,016	17.7	1,570	9.1	1,356	7.8
New York	73,013	194.5	6,488	17.4	19,784	52.4	6,531	18.1	3,123	8.5	2,908	7.8
Pennsylvania	66,722	211.2	5,989	19.1	19,108	59.9	5,721	18.7	2,747	8.9	2,689	8.6
South Atlantic	253,408	201.2	21,063	16.8	78,720	61.2	20,526	17.4	9,730	8.1	9,474	7.7
Delaware	4,088	210.9	346	18.1	1,293	65.2	325	18.0	137	7.5	-	-
District of Columbia	622	136.4	41	8.2	117	27.0	80	19.0	19	4.6	-	-
Florida	100,684	193.2	8,465	16.4	30,092	56.9	8,645	16.4	4,181	7.9	3,879	7.5
Georgia	30,552	209.0	2,637	17.9	10,059	67.0	2,273	18.3	1,135	8.7	1,073	7.8
Maryland	18,829	197.8	1,584	16.4	5,171	53.7	1,566	17.5	885	9.8	735	7.8
North Carolina	38,028	209.7	2,930	16.2	12,742	68.3	2,910	18.1	1,326	7.9	1,371	7.8
South Carolina	19,151	215.7	1,562	17.5	6,314	68.6	1,436	18.6	638	7.9	687	8.1
Virginia	29,089	200.0	2,336	16.0	8,743	58.7	2,401	18.8	1,037	7.7	1,134	8.0
West Virginia	12,365	240.1	1,162	23.0	4,189	79.1	890	19.1	372	7.5	421	8.3
East North Central	215,608	213.2	18,704	18.6	64,894	63.2	18,172	19.4	8,327	8.6	8,621	8.8
Illinois	51,549	208.0	4,664	18.8	14,835	59.3	4,394	19.1	1,876	7.9	2,028	8.4
Indiana	32,295	226.9	2,787	19.5	10,589	73.1	2,556	20.0	1,177	8.9	1,201	8.7
Michigan	45,746	207.8	3,801	17.4	13,756	61.4	3,691	18.1	1,826	8.7	2,006	9.3
Ohio	58,145	221.0	5,191	19.9	18,220	68.0	4,682	19.2	2,318	9.2	2,266	8.8
Wisconsin	27,873	202.3	2,261	16.5	7,494	53.6	2,849	22.1	1,130	8.5	1,120	8.4
East South Central	90,481	239.2	7,564	20.1	32,356	83.0	6,311	19.2	2,752	7.9	3,146	8.6
Alabama	21,910	233.5	1,799	19.2	7,690	79.3	1,630	19.8	673	7.7	742	8.2
Kentucky	24,744	250.3	2,073	21.0	9,260	91.0	1,653	19.6	761	8.5	862	9.1
Mississippi	11,862	239.0	1,038	20.9	4,205	82.2	814	18.5	336	7.4	383	8.1
Tennessee	31,965	235.3	2,654	19.8	11,201	80.0	2,214	18.7	982	7.9	1,159	8.8

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	98,986	202.9	8,778	18.0	29,000	58.8	9,034	19.6	3,464	7.4	3,962	8.3
Iowa	16,436	206.1	1,534	19.4	4,866	60.4	1,525	19.7	624	8.0	691	8.8
Kansas	13,124	200.0	1,170	17.8	3,832	58.0	1,136	18.1	456	7.1	541	8.4
Minnesota	23,664	192.7	1,933	15.7	6,011	48.4	2,490	21.5	834	7.1	1,082	9.0
Missouri	29,879	217.0	2,634	19.3	9,871	70.6	2,232	17.7	981	7.5	1,059	7.9
Nebraska	8,586	197.0	804	18.4	2,375	54.4	899	21.5	299	7.1	326	7.6
North Dakota	3,339	190.7	323	18.5	919	52.3	345	20.1	135	7.5	-	-
South Dakota	3,958	190.6	380	18.4	1,126	53.9	407	20.1	135	6.5	-	-
West South Central	137,730	208.0	12,529	18.8	40,729	60.9	10,756	18.4	4,336	7.1	5,242	8.2
Arkansas	15,869	238.9	1,403	21.2	5,726	83.9	1,153	19.2	517	8.2	553	8.5
Louisiana	17,380	226.5	1,507	19.6	5,493	69.9	1,260	18.4	537	7.5	670	9.0
Oklahoma	18,517	229.1	1,630	20.3	6,094	74.0	1,504	20.2	615	8.1	703	8.9
Texas	85,964	196.4	7,989	18.0	23,416	53.4	6,839	17.9	2,667	6.7	3,316	7.8
Mountain	74,436	175.0	6,606	15.4	17,770	41.3	8,009	20.7	2,940	7.3	-	-
Arizona	27,310	179.0	2,361	15.6	7,171	46.0	2,670	18.6	1,081	7.3	1,073	7.2
Colorado	17,170	170.2	1,512	14.7	3,895	38.6	1,898	21.6	654	6.9	670	6.8
Idaho	6,861	187.9	603	16.3	1,682	45.3	783	23.7	257	7.4	277	7.6
Montana	4,977	182.9	440	15.9	1,266	45.8	568	22.4	231	8.8	196	7.5
New Mexico	8,382	181.0	821	17.7	1,875	40.4	911	21.4	317	7.2	288	6.2
Utah	7,242	153.0	627	12.9	1,250	25.9	953	22.5	300	7.0	326	7.2
Wyoming	2,494	184.7	242	17.1	631	46.3	226	19.1	100	7.7	-	-
Pacific	182,409	190.6	15,963	16.6	43,551	45.7	18,772	21.2	7,163	7.9	7,490	8.0
Alaska	1,926	195.2	145	13.8	527	53.1	157	21.4	42	4.4	-	-
California	119,522	186.2	10,637	16.4	26,691	42.1	12,617	21.0	4,619	7.6	4,983	7.9
Hawaii	2,009	184.9	173	15.6	455	41.6	185	19.1	84	8.3	-	-
Nevada	10,933	202.3	1,116	20.6	3,071	55.8	980	20.8	454	9.5	391	7.4
Oregon	19,340	201.6	1,616	16.9	5,137	53.2	1,992	22.1	783	8.5	797	8.5
Washington	28,679	198.4	2,276	15.6	7,670	52.7	2,841	21.4	1,181	8.7	1,174	8.4

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, White, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,297,761	115.0	112,501	10.0	374,289	33.4	113,319	8.2	49,216	3.8	50,298	4.3
New England	70,060	112.5	5,504	8.8	19,269	31.4	6,471	8.4	3,064	4.3	2,501	3.9
Connecticut	15,565	103.3	1,196	8.0	4,014	27.1	1,505	7.8	727	4.2	607	3.9
Maine	8,430	123.9	638	9.6	2,586	38.1	736	8.9	388	5.1	296	4.3
Massachusetts	30,334	113.1	2,483	9.0	8,223	31.2	2,796	8.4	1,289	4.2	1,068	3.8
New Hampshire	6,825	113.2	502	8.2	1,911	31.8	594	8.3	290	4.3	231	3.9
Rhode Island	5,487	120.3	420	9.0	1,570	35.1	514	8.7	221	4.2	165	3.6
Vermont	3,419	114.3	265	8.9	965	32.2	326	9.1	149	4.5	134	4.3
Middle Atlantic	174,643	113.1	15,790	10.2	48,000	31.5	15,268	7.8	7,440	4.1	6,953	4.4
New Jersey	34,908	109.3	3,313	10.3	9,108	28.8	3,016	7.5	1,570	4.2	1,356	4.1
New York	73,013	109.5	6,488	9.7	19,784	30.1	6,531	7.8	3,123	4.0	2,908	4.3
Pennsylvania	66,722	119.5	5,989	10.7	19,108	34.6	5,721	8.0	2,747	4.2	2,689	4.6
South Atlantic	253,408	115.9	21,063	9.8	78,720	36.1	20,526	7.6	9,730	3.9	9,474	4.2
Delaware	4,088	119.9	346	10.7	1,293	37.3	325	8.0	137	3.6	-	-
District of Columbia	622	70.4	41	5.1	117	13.5	80	7.5	19	1.8	-	-
Florida	100,684	113.5	8,465	9.7	30,092	34.0	8,645	7.3	4,181	3.9	3,879	4.1
Georgia	30,552	119.3	2,637	10.4	10,059	39.1	2,273	7.9	1,135	4.1	1,073	4.1
Maryland	18,829	109.7	1,584	9.3	5,171	30.5	1,566	7.4	885	4.5	735	4.2
North Carolina	38,028	119.6	2,930	9.4	12,742	40.0	2,910	7.8	1,326	3.8	1,371	4.2
South Carolina	19,151	123.5	1,562	10.5	6,314	40.3	1,436	7.9	638	3.8	687	4.3
Virginia	29,089	112.1	2,336	9.1	8,743	33.8	2,401	7.8	1,037	3.6	1,134	4.3
West Virginia	12,365	140.2	1,162	13.0	4,189	47.5	890	8.5	372	3.9	421	4.7
East North Central	215,608	120.6	18,704	10.4	64,894	36.8	18,172	8.3	8,327	4.1	8,621	4.7
Illinois	51,549	116.6	4,664	10.5	14,835	34.1	4,394	8.2	1,876	3.7	2,028	4.4
Indiana	32,295	130.6	2,787	11.4	10,589	43.3	2,556	8.6	1,177	4.3	1,201	4.7
Michigan	45,746	117.9	3,801	9.8	13,756	35.7	3,691	7.8	1,826	4.1	2,006	5.0
Ohio	58,145	126.2	5,191	11.1	18,220	40.1	4,682	8.3	2,318	4.4	2,266	4.8
Wisconsin	27,873	111.7	2,261	9.0	7,494	30.5	2,849	9.3	1,130	3.9	1,120	4.3
East South Central	90,481	139.7	7,564	11.9	32,356	49.7	6,311	8.3	2,752	3.8	3,146	4.7
Alabama	21,910	136.1	1,799	11.5	7,690	47.6	1,630	8.5	673	3.7	742	4.5
Kentucky	24,744	146.4	2,073	12.3	9,260	54.8	1,653	8.4	761	4.1	862	5.0
Mississippi	11,862	139.5	1,038	12.9	4,205	48.6	814	8.1	336	3.5	383	4.3
Tennessee	31,965	137.2	2,654	11.4	11,201	47.9	2,214	8.2	982	3.8	1,159	4.9

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, White, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	98,986	114.7	8,778	10.2	29,000	34.0	9,034	8.3	3,464	3.5	3,962	4.4
Iowa	16,436	116.4	1,534	10.7	4,866	35.2	1,525	8.4	624	3.7	691	4.5
Kansas	13,124	114.9	1,170	10.6	3,832	34.0	1,136	7.8	456	3.5	541	4.5
Minnesota	23,664	105.8	1,933	8.7	6,011	27.4	2,490	9.0	834	3.3	1,082	4.7
Missouri	29,879	125.6	2,634	11.0	9,871	41.5	2,232	7.6	981	3.6	1,059	4.2
Nebraska	8,586	110.8	804	10.3	2,375	31.1	899	9.2	299	3.2	326	4.1
North Dakota	3,339	104.8	323	10.3	919	28.7	345	8.7	135	3.8	-	-
South Dakota	3,958	106.0	380	10.2	1,126	29.9	407	8.7	135	3.0	-	-
West South Central	137,730	119.5	12,529	11.0	40,729	35.2	10,756	8.0	4,336	3.4	5,242	4.4
Arkansas	15,869	139.4	1,403	12.5	5,726	50.2	1,153	8.2	517	4.0	553	4.7
Louisiana	17,380	130.7	1,507	11.6	5,493	41.3	1,260	8.1	537	3.7	670	4.9
Oklahoma	18,517	134.1	1,630	12.0	6,094	43.7	1,504	8.9	615	3.9	703	5.0
Texas	85,964	112.2	7,989	10.5	23,416	30.4	6,839	7.8	2,667	3.2	3,316	4.2
Mountain	74,436	97.8	6,606	8.8	17,770	23.1	8,009	8.8	2,940	3.5	-	-
Arizona	27,310	102.2	2,361	9.0	7,171	26.3	2,670	8.1	1,081	3.6	1,073	3.9
Colorado	17,170	93.2	1,512	8.3	3,895	21.1	1,898	9.1	654	3.4	670	3.6
Idaho	6,861	104.5	603	9.3	1,682	25.4	783	9.9	257	3.5	277	4.1
Montana	4,977	101.8	440	9.1	1,266	25.7	568	9.7	231	4.1	196	3.8
New Mexico	8,382	101.9	821	9.9	1,875	22.0	911	9.3	317	3.4	288	3.4
Utah	7,242	84.6	627	7.6	1,250	15.1	953	9.5	300	3.1	326	3.6
Wyoming	2,494	101.4	242	10.0	631	25.6	226	8.0	100	3.9	-	-
Pacific	182,409	106.0	15,963	9.3	43,551	25.3	18,772	9.1	7,163	3.7	7,490	4.3
Alaska	1,926	106.1	145	8.1	527	28.8	157	9.2	42	2.3	-	-
California	119,522	103.5	10,637	9.3	26,691	23.0	12,617	9.0	4,619	3.5	4,983	4.2
Hawaii	2,009	105.9	173	8.9	455	23.6	185	8.5	84	4.0	-	-
Nevada	10,933	113.2	1,116	11.7	3,071	31.2	980	9.1	454	4.2	391	4.0
Oregon	19,340	112.8	1,616	9.5	5,137	29.9	1,992	9.5	783	4.0	797	4.5
Washington	28,679	109.6	2,276	8.8	7,670	29.4	2,841	9.1	1,181	4.0	1,174	4.5

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,168,237	143.6	103,134	12.3	309,071	38.3	168,532	21.0	15,217	2.1	63,303	7.8
New England	67,497	145.8	5,732	11.8	18,356	40.6	8,973	19.7	579	1.4	3,472	7.6
Connecticut	15,426	137.5	1,241	10.4	3,990	36.5	2,162	19.6	153	1.6	807	7.4
Maine	7,451	153.7	617	12.5	2,147	44.8	897	18.9	62	1.4	352	7.2
Massachusetts	30,156	148.0	2,533	11.8	8,164	41.1	4,010	20.1	239	1.3	1,601	8.0
New Hampshire	6,130	145.8	545	12.7	1,745	42.3	837	19.8	62	1.6	329	7.8
Rhode Island	5,182	147.3	514	13.6	1,440	42.6	665	19.5	39	1.3	227	6.6
Vermont	3,152	148.0	282	12.8	870	41.5	402	19.2	24	1.2	156	7.5
Middle Atlantic	170,850	146.8	16,027	13.0	42,618	37.3	25,025	22.0	2,040	2.1	9,340	8.2
New Jersey	35,354	146.6	3,353	13.1	8,588	36.2	5,471	23.1	453	2.2	1,953	8.3
New York	73,042	145.2	6,672	12.6	18,618	37.7	10,564	21.4	925	2.1	4,050	8.2
Pennsylvania	62,454	149.0	6,002	13.6	15,412	37.4	8,990	22.0	662	1.9	3,337	8.2
South Atlantic	219,149	139.8	18,297	11.4	62,448	39.7	31,266	20.4	2,915	2.2	11,812	7.6
Delaware	3,689	151.3	271	10.7	1,095	44.5	508	21.4	47	2.3	185	7.5
District of Columbia	636	115.2	53	10.4	112	20.4	131	23.6	-	-	43	7.5
Florida	85,126	135.4	7,307	11.3	24,445	38.5	11,939	19.9	1,218	2.5	4,391	7.1
Georgia	26,299	140.5	2,145	11.4	7,504	39.9	3,921	20.9	411	2.3	1,519	8.1
Maryland	17,808	144.0	1,431	11.1	4,842	39.8	2,606	21.2	186	1.7	1,014	8.3
North Carolina	32,875	140.1	2,565	10.8	9,427	40.1	4,663	20.1	380	1.8	1,789	7.6
South Carolina	15,759	141.6	1,323	11.8	4,645	41.3	2,234	20.3	211	2.2	849	7.7
Virginia	26,392	142.1	2,200	11.7	7,228	39.0	3,868	20.9	274	1.6	1,505	8.1
West Virginia	10,565	164.8	1,002	15.4	3,150	49.0	1,396	22.2	182	3.5	517	8.0
East North Central	197,473	151.0	17,403	12.8	53,485	41.6	28,148	21.7	2,352	2.1	10,405	8.1
Illinois	49,126	150.3	4,395	12.9	12,923	40.4	7,064	21.7	607	2.0	2,560	8.0
Indiana	28,302	153.8	2,490	13.1	7,933	43.6	3,962	21.7	399	2.4	1,474	8.0
Michigan	41,667	149.5	3,511	12.2	11,619	42.1	5,880	21.4	435	1.8	2,257	8.2
Ohio	53,262	155.5	4,811	13.5	14,701	43.5	7,665	22.7	706	2.4	2,764	8.1
Wisconsin	25,116	142.7	2,196	11.9	6,309	36.7	3,577	20.5	205	1.3	1,350	7.9
East South Central	74,679	155.0	6,554	13.5	22,944	47.2	9,899	20.8	1,099	2.6	3,757	7.8
Alabama	17,471	147.1	1,466	12.3	5,209	43.2	2,319	20.0	263	2.7	1,018	8.5
Kentucky	21,361	168.7	1,862	14.6	7,023	55.2	2,774	21.9	341	3.0	958	7.5
Mississippi	9,507	150.3	887	13.7	2,790	43.7	1,219	19.8	135	2.6	438	7.0
Tennessee	26,340	152.2	2,339	13.4	7,922	45.4	3,587	20.9	360	2.4	1,343	7.8

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	89,322	143.5	8,405	12.9	23,379	38.4	12,536	20.4	989	1.9	4,636	7.5
Iowa	14,828	143.9	1,537	14.0	3,705	37.1	1,997	19.8	165	2.0	829	8.2
Kansas	11,870	142.0	1,091	12.4	3,142	38.3	1,666	20.2	139	2.0	634	7.7
Minnesota	21,734	138.2	1,925	11.7	5,297	34.8	3,107	19.8	182	1.3	1,195	7.6
Missouri	26,793	153.3	2,369	13.2	7,847	45.2	3,752	21.9	361	2.4	1,277	7.3
Nebraska	7,730	138.7	821	14.2	1,905	34.9	1,081	19.7	93	2.0	393	7.3
North Dakota	2,785	125.8	307	13.0	623	29.5	416	18.9	24	1.3	131	6.3
South Dakota	3,582	137.4	355	12.6	860	34.3	517	20.3	25	1.1	177	6.8
West South Central	116,454	140.6	10,361	12.4	30,523	36.9	16,840	20.3	2,031	2.6	6,172	7.5
Arkansas	12,561	153.3	1,197	14.4	3,770	45.6	1,700	21.1	206	3.0	666	8.2
Louisiana	14,716	152.0	1,328	13.5	4,230	43.7	2,001	20.8	203	2.5	685	7.0
Oklahoma	15,713	156.9	1,370	13.4	4,642	46.1	2,244	22.8	224	2.7	844	8.5
Texas	73,464	133.9	6,466	11.7	17,881	32.8	10,895	19.7	1,398	2.6	3,977	7.2
Mountain	65,305	127.9	5,748	11.2	15,086	29.6	10,290	20.2	847	1.8	3,966	7.7
Arizona	23,234	129.2	2,034	11.2	5,927	32.5	3,523	20.0	321	2.1	1,326	7.4
Colorado	16,370	128.9	1,460	11.4	3,623	29.0	2,536	19.6	199	1.6	1,075	8.3
Idaho	5,754	133.6	477	11.1	1,398	32.5	901	21.1	69	1.7	335	7.7
Montana	4,384	138.2	375	11.6	1,137	36.1	659	21.0	48	1.6	272	8.4
New Mexico	7,150	127.6	665	11.8	1,607	28.4	1,141	20.7	94	1.9	415	7.4
Utah	6,236	110.2	560	10.0	893	15.9	1,200	21.1	77	1.3	417	7.4
Wyoming	2,177	140.0	177	11.5	501	32.5	330	20.7	39	2.6	126	8.2
Pacific	167,508	141.3	14,607	12.0	40,232	34.4	25,555	21.6	2,365	2.1	9,743	8.2
Alaska	1,479	144.6	104	10.3	448	45.0	227	20.9	20	1.6	73	6.7
California	111,906	138.3	9,864	11.8	25,044	31.3	17,592	21.8	1,730	2.3	6,505	8.1
Hawaii	1,398	131.7	120	11.5	334	31.0	185	17.6	23	2.5	77	7.6
Nevada	9,166	153.5	823	14.0	2,772	46.1	1,418	23.5	127	2.2	458	7.5
Oregon	17,576	149.0	1,520	12.7	4,766	40.9	2,440	20.9	184	1.8	1,069	9.1
Washington	25,983	146.5	2,176	11.9	6,868	39.4	3,693	20.8	281	1.7	1,561	8.7

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, White, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	1,168,237	85.7	103,134	6.8	309,071	22.9	168,532	13.4	15,217	1.6	63,303	4.9
New England	67,497	85.3	5,732	6.3	18,356	24.0	8,973	12.5	579	1.0	3,472	4.8
Connecticut	15,426	80.1	1,241	5.6	3,990	21.2	2,162	12.3	153	1.2	807	4.7
Maine	7,451	90.8	617	6.9	2,147	26.8	897	12.0	62	1.1	352	4.7
Massachusetts	30,156	86.4	2,533	6.3	8,164	24.2	4,010	12.8	239	1.0	1,601	5.0
New Hampshire	6,130	85.5	545	6.8	1,745	25.3	837	12.4	62	1.1	329	4.9
Rhode Island	5,182	86.7	514	7.2	1,440	25.4	665	12.4	39	1.1	227	4.2
Vermont	3,152	86.1	282	6.7	870	24.6	402	12.1	24	0.9	156	4.6
Middle Atlantic	170,850	87.1	16,027	7.0	42,618	22.2	25,025	13.9	2,040	1.5	9,340	5.2
New Jersey	35,354	86.3	3,353	7.1	8,588	21.2	5,471	14.5	453	1.6	1,953	5.4
New York	73,042	86.3	6,672	6.8	18,618	22.4	10,564	13.5	925	1.6	4,050	5.2
Pennsylvania	62,454	88.8	6,002	7.4	15,412	22.6	8,990	14.0	662	1.5	3,337	5.2
South Atlantic	219,149	84.1	18,297	6.4	62,448	24.0	31,266	13.2	2,915	1.6	11,812	4.7
Delaware	3,689	91.3	271	5.8	1,095	26.7	508	13.9	47	1.9	185	4.9
District of Columbia	636	64.0	53	5.2	112	10.9	131	14.2	-	-	43	4.6
Florida	85,126	82.0	7,307	6.4	24,445	23.2	11,939	13.0	1,218	1.9	4,391	4.5
Georgia	26,299	84.9	2,145	6.5	7,504	24.4	3,921	13.4	411	1.8	1,519	5.0
Maryland	17,808	84.7	1,431	6.2	4,842	22.9	2,606	13.4	186	1.3	1,014	5.1
North Carolina	32,875	84.5	2,565	6.2	9,427	24.5	4,663	12.9	380	1.3	1,789	4.7
South Carolina	15,759	85.3	1,323	6.6	4,645	25.1	2,234	13.2	211	1.6	849	4.8
Virginia	26,392	84.1	2,200	6.5	7,228	23.1	3,868	13.4	274	1.2	1,505	4.9
West Virginia	10,565	101.4	1,002	8.7	3,150	30.9	1,396	14.5	182	2.6	517	5.1
East North Central	197,473	90.4	17,403	7.0	53,485	25.1	28,148	13.9	2,352	1.5	10,405	5.1
Illinois	49,126	89.2	4,395	7.1	12,923	24.0	7,064	13.9	607	1.5	2,560	5.0
Indiana	28,302	93.3	2,490	7.3	7,933	26.8	3,962	13.9	399	1.8	1,474	5.0
Michigan	41,667	89.7	3,511	6.7	11,619	25.5	5,880	13.6	435	1.4	2,257	5.1
Ohio	53,262	93.9	4,811	7.5	14,701	26.5	7,665	14.5	706	1.9	2,764	5.2
Wisconsin	25,116	84.1	2,196	6.3	6,309	22.1	3,577	12.9	205	1.0	1,350	4.9
East South Central	74,679	95.3	6,554	7.8	22,944	29.9	9,899	13.4	1,099	2.0	3,757	4.8
Alabama	17,471	89.9	1,466	7.2	5,209	26.9	2,319	12.9	263	2.0	1,018	5.2
Kentucky	21,361	104.1	1,862	8.2	7,023	35.4	2,774	14.4	341	2.2	958	4.6
Mississippi	9,507	92.7	887	8.2	2,790	27.8	1,219	12.6	135	1.9	438	4.3
Tennessee	26,340	93.4	2,339	7.7	7,922	28.6	3,587	13.4	360	1.7	1,343	4.9

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, White, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
West North Central	89,322	85.6	8,405	7.0	23,379	23.3	12,536	13.0	989	1.4	4,636	4.7
Iowa	14,828	86.0	1,537	7.5	3,705	22.6	1,997	12.7	165	1.5	829	5.0
Kansas	11,870	85.5	1,091	7.0	3,142	23.5	1,666	12.9	139	1.4	634	4.8
Minnesota	21,734	81.1	1,925	6.3	5,297	20.5	3,107	12.5	182	1.0	1,195	4.8
Missouri	26,793	92.9	2,369	7.4	7,847	27.8	3,752	14.0	361	1.8	1,277	4.5
Nebraska	7,730	82.1	821	7.5	1,905	21.0	1,081	12.4	93	1.6	393	4.7
North Dakota	2,785	74.7	307	7.2	623	17.9	416	11.7	24	1.0	131	4.1
South Dakota	3,582	79.6	355	6.7	860	20.1	517	12.9	25	0.9	177	3.9
West South Central	116,454	84.9	10,361	7.1	30,523	22.1	16,840	13.1	2,031	2.0	6,172	4.7
Arkansas	12,561	94.2	1,197	8.4	3,770	28.5	1,700	13.3	206	2.2	666	5.2
Louisiana	14,716	92.1	1,328	7.9	4,230	26.7	2,001	13.3	203	1.8	685	4.3
Oklahoma	15,713	96.3	1,370	7.8	4,642	28.6	2,244	14.9	224	2.0	844	5.3
Texas	73,464	80.4	6,466	6.7	17,881	19.2	10,895	12.8	1,398	2.0	3,977	4.5
Mountain	65,305	75.4	5,748	6.2	15,086	17.0	10,290	12.9	847	1.3	3,966	4.9
Arizona	23,234	77.2	2,034	6.3	5,927	18.8	3,523	12.9	321	1.6	1,326	4.6
Colorado	16,370	74.6	1,460	6.2	3,623	16.2	2,536	12.3	199	1.2	1,075	5.3
Idaho	5,754	78.5	477	6.2	1,398	19.0	901	13.3	69	1.2	335	4.7
Montana	4,384	82.1	375	6.6	1,137	21.0	659	13.7	48	1.2	272	5.3
New Mexico	7,150	75.7	665	6.4	1,607	16.3	1,141	13.3	94	1.4	415	4.7
Utah	6,236	64.9	560	5.6	893	9.5	1,200	13.3	77	1.0	417	4.6
Wyoming	2,177	82.3	177	6.4	501	18.6	330	13.2	39	2.0	126	5.3
Pacific	167,508	83.1	14,607	6.6	40,232	19.4	25,555	13.8	2,365	1.6	9,743	5.1
Alaska	1,479	83.8	104	5.6	448	25.6	227	12.8	20	1.3	73	4.1
California	111,906	81.5	9,864	6.5	25,044	17.5	17,592	14.0	1,730	1.7	6,505	5.1
Hawaii	1,398	78.6	120	6.4	334	17.6	185	11.7	23	1.8	77	4.6
Nevada	9,166	89.3	823	7.6	2,772	26.2	1,418	14.7	127	1.6	458	4.7
Oregon	17,576	87.8	1,520	6.9	4,766	23.5	2,440	13.5	184	1.3	1,069	5.7
Washington	25,983	85.6	2,176	6.5	6,868	22.7	3,693	13.0	281	1.3	1,561	5.4

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2009-2013, Black

<i>SITES</i>	MALES (BLACK)					FEMALES (BLACK)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	170,478	254.2	0.66	149.5	0.37	162,239	163.8	0.41	101.9	0.26
Oral Cavity & Pharynx	3,889	5.0	0.09	3.4	0.06	1,363	1.3	0.04	0.9	0.02
Digestive System	51,577	72.1	0.34	45.2	0.20	41,629	42.6	0.21	25.1	0.13
Esophagus	4,944	6.6	0.10	4.4	0.06	1,898	1.9	0.04	1.2	0.03
Stomach	5,858	8.8	0.12	5.1	0.07	4,046	4.2	0.07	2.4	0.04
Colon & Rectum	17,662	26.1	0.21	15.4	0.12	16,775	17.1	0.13	10.1	0.08
Liver	9,614	11.3	0.12	8.4	0.09	3,314	3.3	0.06	2.1	0.04
Pancreas	10,481	15.0	0.16	9.2	0.09	11,757	12.2	0.12	7.0	0.07
Respiratory System	51,470	74.4	0.35	45.5	0.20	35,388	36.0	0.20	22.2	0.12
Larynx	2,517	3.5	0.07	2.2	0.05	604	0.6	0.02	0.4	0.02
Lung & bronchus	48,668	70.6	0.34	43.0	0.20	34,610	35.3	0.19	21.7	0.12
Skin	898	1.2	0.04	0.8	0.03	566	0.6	0.02	0.4	0.02
Melanomas of the skin	333	0.5	0.03	0.3	0.02	350	0.4	0.02	0.2	0.01
Breast	343	0.5	0.03	0.3	0.02	30,345	29.6	0.17	19.8	0.12
Female Genital System	-	-	-	-	-	19,155	19.2	0.14	12.5	0.09
Cervix uteri	-	-	-	-	-	4,045	3.9	0.06	2.8	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	7,813	7.9	0.09	5.1	0.06
Ovary	-	-	-	-	-	6,445	6.5	0.08	4.1	0.05
Male Genital System	23,722	44.6	0.30	20.4	0.13	-	-	-	-	-
Prostate	23,428	44.2	0.30	20.1	0.13	-	-	-	-	-
Testis	96	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	7,106	11.1	0.14	6.2	0.07	4,901	5.1	0.07	2.8	0.04
Bladder	3,151	5.4	0.10	2.7	0.05	2,314	2.5	0.05	1.2	0.03
Kidney & renal pelvis	3,841	5.5	0.10	3.4	0.06	2,420	2.5	0.05	1.5	0.03
Brain & Other Nervous System	2,477	3.1	0.07	2.2	0.05	2,128	2.1	0.05	1.5	0.03
Endocrine System	636	0.8	0.04	0.6	0.02	875	0.9	0.03	0.6	0.02
Thyroid gland	271	0.4	0.03	0.2	0.01	558	0.6	0.02	0.3	0.02
Lymphomas	4,348	6.1	0.10	3.8	0.06	3,620	3.7	0.06	2.3	0.04
Hodgkin Lymphoma	356	0.4	0.02	0.3	0.02	268	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,992	5.7	0.10	3.5	0.06	3,352	3.5	0.06	2.1	0.04
Multiple Myeloma	4,831	7.5	0.12	4.2	0.06	5,124	5.4	0.08	3.0	0.04
Leukemias	5,162	7.7	0.12	4.6	0.06	4,487	4.6	0.07	2.8	0.04
Other, Ill-defined & Unknown	14,019	20.1	0.18	12.3	0.11	12,658	12.8	0.12	7.9	0.07

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	170,478	254.2	17,662	26.1	48,668	70.6	23,428	44.2	3,151	5.4	3,992	5.7
New England	2,906	193.0	254	16.3	721	47.0	403	33.5	50	3.8	84	5.3
Connecticut	1,212	206.2	108	18.6	322	53.3	157	32.6	17	2.8	-	-
Maine	27	114.0	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,467	193.0	133	16.3	345	45.2	217	35.5	32	5.1	-	-
New Hampshire	33	118.1	-	-	-	-	-	-	-	-	-	-
Rhode Island	155	151.9	11	10.0	37	35.8	20	27.0	-	-	-	-
Vermont	12	152.2	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	23,664	227.2	2,473	23.7	6,164	57.5	3,685	43.4	493	5.3	-	-
New Jersey	4,961	234.1	568	26.4	1,266	57.9	769	44.4	100	5.3	110	5.2
New York	12,006	204.0	1,219	20.5	2,999	49.2	1,914	40.2	248	4.8	339	5.3
Pennsylvania	6,697	278.1	686	28.8	1,899	77.9	1,002	50.1	145	6.6	-	-
South Atlantic	55,654	251.4	5,667	25.2	15,569	67.6	7,882	45.7	1,035	5.4	1,319	5.7
Delaware	812	240.9	63	18.8	235	66.9	101	37.4	17	6.2	-	-
District of Columbia	1,978	277.1	183	25.5	506	69.5	306	47.7	39	5.7	-	-
Florida	11,085	216.2	1,157	22.0	2,897	54.5	1,748	42.6	217	4.9	337	6.1
Georgia	10,664	255.4	1,142	26.6	2,968	67.5	1,508	50.4	185	5.1	248	5.5
Maryland	6,960	240.2	749	25.7	1,860	62.5	917	39.4	159	6.2	140	4.9
North Carolina	9,804	272.6	948	26.6	3,043	80.8	1,323	47.3	166	5.6	213	5.8
South Carolina	6,613	282.0	641	27.1	1,857	75.2	913	50.5	102	5.0	129	5.5
Virginia	7,366	265.3	739	25.9	2,082	73.2	1,019	45.8	145	5.9	179	6.2
West Virginia	372	275.7	45	34.6	121	88.8	47	44.8	-	-	-	-
East North Central	26,668	271.4	2,702	27.6	8,128	81.1	3,429	42.4	516	5.9	609	6.0
Illinois	9,036	276.2	944	28.8	2,640	78.2	1,247	46.4	158	5.7	203	5.8
Indiana	2,582	274.9	259	26.6	818	86.3	339	44.8	44	5.4	-	-
Michigan	6,790	265.4	691	27.5	2,061	80.0	786	36.7	132	5.8	173	6.8
Ohio	6,848	266.6	690	27.0	2,141	81.6	924	42.7	161	6.8	-	-
Wisconsin	1,412	291.0	118	25.1	468	95.8	133	36.1	21	5.9	-	-
East South Central	18,540	300.5	1,933	31.4	5,808	90.9	2,512	52.7	277	5.0	-	-
Alabama	6,315	290.2	668	30.6	1,956	86.8	912	53.7	84	4.3	114	5.2
Kentucky	1,599	282.8	147	24.5	529	92.5	178	40.3	36	8.3	-	-
Mississippi	5,541	312.3	579	33.1	1,751	94.8	786	57.3	72	4.0	100	5.3
Tennessee	5,085	308.4	539	33.1	1,572	92.1	636	50.4	85	5.8	110	6.3

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,141	259.0	512	26.2	1,519	74.8	575	38.6	80	4.8	110	5.5
Iowa	313	270.9	28	21.2	89	71.3	26	35.7	-	-	-	-
Kansas	727	259.9	72	26.1	217	76.3	93	44.6	11	5.2	11	3.6
Minnesota	640	212.8	48	13.0	147	51.2	67	31.8	16	6.2	-	-
Missouri	3,103	269.9	324	28.7	954	80.0	356	39.7	42	4.4	-	-
Nebraska	333	281.6	39	38.0	104	91.4	30	30.8	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	16	70.2	-	-	-	-	-	-	-	-	-	-
West South Central	23,009	275.5	2,568	29.7	7,003	82.9	2,653	41.7	361	5.3	521	5.9
Arkansas	2,174	289.1	231	30.0	750	96.2	296	51.0	33	5.0	-	-
Louisiana	7,447	296.4	778	30.8	2,380	93.1	812	41.9	113	5.5	192	7.3
Oklahoma	1,304	285.4	143	30.1	409	83.7	188	54.3	17	5.2	-	-
Texas	12,084	262.0	1,416	29.2	3,464	75.6	1,357	38.7	198	5.2	265	5.4
Mountain	1,844	196.6	188	20.8	449	48.5	260	36.6	44	4.4	54	5.1
Arizona	815	192.3	80	20.7	187	44.3	94	28.7	17	3.7	-	-
Colorado	742	213.8	76	22.6	182	53.0	131	50.0	17	4.2	-	-
Idaho	16	109.0	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	188	210.1	14	15.9	62	68.3	26	38.8	-	-	-	-
Utah	61	148.3	12	24.0	11	29.1	-	-	-	-	-	-
Wyoming	14	86.1	-	-	-	-	-	-	-	-	-	-
Pacific	13,052	231.7	1,365	23.8	3,307	57.9	2,029	44.1	295	5.8	317	5.2
Alaska	66	213.3	-	-	17	65.1	10	33.4	-	-	-	-
California	10,775	233.4	1,136	24.1	2,719	58.0	1,708	44.8	235	5.7	267	5.4
Hawaii	82	186.3	12	23.4	20	51.7	-	-	-	-	-	-
Nevada	863	214.2	100	24.1	236	57.6	124	38.2	20	4.8	18	4.3
Oregon	336	260.5	33	24.5	83	63.1	53	53.4	10	8.0	-	-
Washington	930	232.1	75	19.6	232	57.2	130	40.9	24	7.8	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Black, Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	170,478	149.5	17,662	15.4	48,668	43.0	23,428	20.1	3,151	2.7	3,992	3.5
New England	2,906	109.9	254	9.4	721	27.3	403	15.3	50	1.9	84	3.2
Connecticut	1,212	117.5	108	10.1	322	31.1	157	15.2	17	1.8	-	-
Maine	27	69.9	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,467	110.1	133	10.0	345	26.0	217	16.2	32	2.3	-	-
New Hampshire	33	73.6	-	-	-	-	-	-	-	-	-	-
Rhode Island	155	83.9	11	6.3	37	19.7	20	11.2	-	-	-	-
Vermont	12	87.4	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	23,664	132.3	2,473	13.7	6,164	34.8	3,685	19.6	493	2.6	-	-
New Jersey	4,961	134.4	568	15.3	1,266	34.8	769	20.2	100	2.6	110	2.9
New York	12,006	119.4	1,219	12.1	2,999	30.0	1,914	17.9	248	2.3	339	3.4
Pennsylvania	6,697	162.6	686	16.3	1,899	46.8	1,002	22.9	145	3.4	-	-
South Atlantic	55,654	147.1	5,667	14.8	15,569	41.4	7,882	20.7	1,035	2.7	1,319	3.5
Delaware	812	143.6	63	11.1	235	41.7	101	17.3	17	2.8	-	-
District of Columbia	1,978	167.2	183	15.4	506	43.7	306	21.8	39	3.1	-	-
Florida	11,085	126.5	1,157	13.2	2,897	33.3	1,748	19.3	217	2.4	337	3.9
Georgia	10,664	148.5	1,142	15.6	2,968	41.4	1,508	22.6	185	2.7	248	3.3
Maryland	6,960	139.6	749	14.8	1,860	37.4	917	18.4	159	3.3	140	2.8
North Carolina	9,804	159.8	948	15.4	3,043	50.0	1,323	21.3	166	2.7	213	3.5
South Carolina	6,613	167.7	641	16.1	1,857	47.1	913	22.7	102	2.5	129	3.3
Virginia	7,366	152.7	739	15.1	2,082	43.4	1,019	20.5	145	3.0	179	3.8
West Virginia	372	164.8	45	19.8	121	54.2	47	21.0	-	-	-	-
East North Central	26,668	161.4	2,702	16.3	8,128	49.7	3,429	19.6	516	3.0	609	3.7
Illinois	9,036	164.0	944	17.1	2,640	48.7	1,247	21.3	158	2.7	203	3.7
Indiana	2,582	160.7	259	16.2	818	51.0	339	20.3	44	2.7	-	-
Michigan	6,790	159.7	691	16.4	2,061	48.7	786	17.2	132	3.0	173	4.1
Ohio	6,848	156.7	690	15.7	2,141	49.6	924	19.6	161	3.6	-	-
Wisconsin	1,412	179.2	118	15.0	468	60.2	133	18.0	21	2.7	-	-
East South Central	18,540	178.2	1,933	18.6	5,808	56.0	2,512	23.9	277	2.6	-	-
Alabama	6,315	172.7	668	18.2	1,956	53.6	912	24.4	84	2.3	114	3.2
Kentucky	1,599	166.1	147	15.5	529	54.8	178	18.3	36	3.7	-	-
Mississippi	5,541	186.4	579	19.6	1,751	59.1	786	26.0	72	2.3	100	3.4
Tennessee	5,085	181.3	539	19.3	1,572	56.6	636	23.0	85	3.0	110	3.9

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Black, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	5,141	154.0	512	15.3	1,519	46.0	575	17.4	80	2.4	110	3.3
Iowa	313	161.7	28	12.9	89	47.1	26	14.8	-	-	-	-
Kansas	727	155.9	72	15.4	217	46.6	93	19.4	11	2.4	11	2.4
Minnesota	640	127.1	48	8.8	147	30.4	67	15.1	16	3.2	-	-
Missouri	3,103	161.4	324	16.8	954	50.2	356	17.8	42	2.2	-	-
Nebraska	333	159.0	39	19.6	104	49.6	30	16.2	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	16	59.3	-	-	-	-	-	-	-	-	-	-
West South Central	23,009	164.6	2,568	18.3	7,003	50.7	2,653	19.2	361	2.5	521	3.7
Arkansas	2,174	175.1	231	19.0	750	61.4	296	22.9	33	2.7	-	-
Louisiana	7,447	181.2	778	19.0	2,380	58.3	812	19.3	113	2.7	192	4.7
Oklahoma	1,304	165.4	143	17.9	409	52.5	188	24.2	17	2.1	-	-
Texas	12,084	154.7	1,416	17.9	3,464	45.0	1,357	18.0	198	2.5	265	3.3
Mountain	1,844	113.9	188	11.2	449	28.1	260	17.0	44	2.6	54	3.1
Arizona	815	111.3	80	10.7	187	25.7	94	13.7	17	2.2	-	-
Colorado	742	123.5	76	12.2	182	30.1	131	23.4	17	2.8	-	-
Idaho	16	67.2	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	188	115.1	14	8.4	62	38.9	26	15.1	-	-	-	-
Utah	61	99.1	12	15.7	11	21.2	-	-	-	-	-	-
Wyoming	14	57.3	-	-	-	-	-	-	-	-	-	-
Pacific	13,052	133.6	1,365	13.9	3,307	34.1	2,029	20.2	295	3.0	317	3.2
Alaska	66	117.4	-	-	17	30.7	10	19.7	-	-	-	-
California	10,775	134.8	1,136	14.2	2,719	34.2	1,708	20.5	235	2.9	267	3.4
Hawaii	82	112.7	12	15.2	20	27.8	-	-	-	-	-	-
Nevada	863	121.0	100	13.8	236	33.6	124	17.5	20	2.7	18	2.2
Oregon	336	154.0	33	15.0	83	38.5	53	24.5	10	4.2	-	-
Washington	930	132.7	75	11.0	232	33.7	130	19.9	24	3.7	-	-

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	162,239	163.8	16,775	17.1	34,610	35.3	30,345	29.6	4,045	3.9	6,445	6.5
New England	2,952	130.5	274	12.1	589	26.2	507	21.4	53	2.1	120	5.3
Connecticut	1,262	137.5	114	12.6	257	28.1	222	22.7	21	2.0	47	5.2
Maine	28	131.9	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,474	129.6	145	12.6	281	24.9	240	20.4	27	2.1	68	5.8
New Hampshire	23	89.8	-	-	-	-	-	-	-	-	-	-
Rhode Island	155	101.0	11	6.8	36	23.2	35	22.5	-	-	-	-
Vermont	10	123.0	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	25,626	153.9	2,542	15.4	5,373	32.3	4,705	27.8	684	4.0	1,086	6.5
New Jersey	5,307	158.9	550	16.7	1,047	31.4	1,060	30.7	145	4.1	215	6.4
New York	13,209	137.9	1,337	14.0	2,555	26.7	2,425	25.0	386	3.9	583	6.0
Pennsylvania	7,110	191.1	655	17.7	1,771	47.8	1,220	32.3	153	4.1	288	7.8
South Atlantic	51,605	155.3	5,327	16.1	10,085	30.6	9,934	28.7	1,285	3.7	2,137	6.4
Delaware	778	163.8	61	13.1	176	37.1	126	25.0	21	4.1	38	7.8
District of Columbia	2,113	188.7	216	19.1	449	40.3	366	33.8	41	4.0	80	7.1
Florida	10,040	138.5	1,080	15.0	1,685	23.5	1,990	26.6	360	4.7	396	5.4
Georgia	10,086	151.9	1,069	16.3	1,883	28.7	2,055	28.9	262	3.7	458	6.9
Maryland	7,143	159.5	730	16.7	1,530	34.9	1,375	29.0	149	3.1	275	6.0
North Carolina	8,760	158.3	886	16.0	1,785	32.4	1,628	28.5	195	3.4	359	6.6
South Carolina	5,662	163.4	596	16.8	1,075	30.7	1,034	29.1	142	4.1	248	7.3
Virginia	6,724	164.3	660	16.3	1,436	35.6	1,320	31.0	111	2.7	269	6.6
West Virginia	299	169.4	29	15.4	66	37.2	40	23.6	-	-	14	8.1
East North Central	26,397	183.0	2,591	18.1	6,623	46.1	4,606	31.3	611	4.1	958	6.6
Illinois	9,198	185.4	985	20.0	2,227	45.0	1,615	32.0	270	5.2	354	7.0
Indiana	2,578	188.8	254	18.9	650	48.3	433	30.8	45	3.0	87	6.1
Michigan	6,708	181.4	655	17.8	1,620	44.0	1,192	31.7	149	3.9	252	6.8
Ohio	6,638	177.5	585	15.8	1,772	47.4	1,147	30.3	124	3.4	225	6.0
Wisconsin	1,275	195.5	112	17.5	354	53.8	219	31.7	23	3.2	40	6.0
East South Central	16,121	174.9	1,854	20.4	3,335	36.7	3,040	31.6	464	4.9	639	7.1
Alabama	5,385	164.2	622	19.2	988	30.1	999	29.4	159	4.9	243	7.6
Kentucky	1,516	188.5	156	19.4	432	55.5	256	30.2	31	3.5	42	5.4
Mississippi	4,613	176.4	568	22.1	911	35.5	905	33.4	145	5.4	179	7.0
Tennessee	4,607	183.5	508	20.7	1,004	40.8	880	33.0	129	4.9	175	7.0

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	4,993	181.3	474	17.7	1,222	44.8	846	29.4	110	3.7	161	6.0
Iowa	253	190.6	31	22.9	72	57.1	28	19.8	-	-	-	-
Kansas	718	194.8	78	21.8	187	51.6	113	29.7	-	-	23	6.2
Minnesota	527	148.1	36	9.4	99	28.0	83	21.7	12	2.1	18	5.9
Missouri	3,211	187.1	302	18.0	799	46.3	578	32.6	83	4.7	105	6.3
Nebraska	272	175.0	27	18.3	64	42.2	42	26.4	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
West South Central	20,559	173.1	2,242	18.9	4,409	37.7	4,100	32.9	573	4.5	756	6.5
Arkansas	1,906	178.3	223	20.5	403	37.5	345	31.4	71	6.7	82	8.2
Louisiana	6,316	179.5	671	19.2	1,370	39.1	1,262	34.8	155	4.3	221	6.3
Oklahoma	1,170	186.4	131	20.5	260	42.4	222	33.6	29	4.6	42	7.0
Texas	11,167	167.9	1,217	18.4	2,376	36.6	2,271	32.0	318	4.3	411	6.2
Mountain	1,564	142.9	170	16.0	322	30.4	280	24.3	27	2.1	78	6.9
Arizona	759	147.6	86	17.8	153	30.5	138	25.1	15	2.2	32	5.9
Colorado	613	148.1	58	14.2	135	33.8	106	24.4	-	-	31	7.4
Idaho	10	100.7	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	125	124.6	18	18.6	20	18.9	26	26.2	-	-	10	10.1
Utah	39	112.4	-	-	-	-	-	-	-	-	-	-
Wyoming	11	64.9	-	-	-	-	-	-	-	-	-	-
Pacific	12,422	166.1	1,301	17.7	2,652	36.0	2,327	30.0	238	2.9	510	6.7
Alaska	52	133.6	-	-	11	28.4	-	-	-	-	-	-
California	10,701	169.9	1,128	18.2	2,260	36.3	2,011	30.9	212	3.2	452	7.1
Hawaii	42	127.4	-	-	-	-	11	34.9	-	-	-	-
Nevada	742	145.4	91	18.5	177	35.5	146	27.6	13	2.0	22	4.1
Oregon	226	159.3	26	19.4	59	44.1	38	25.8	-	-	-	-
Washington	659	147.1	51	10.7	137	31.3	112	23.9	-	-	27	5.7

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Black, Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	162,239	101.9	16,775	10.1	34,610	21.7	30,345	19.8	4,045	2.8	6,445	4.1
New England	2,952	80.0	274	7.2	589	15.9	507	14.3	53	1.6	120	3.3
Connecticut	1,262	85.7	114	7.5	257	17.4	222	16.1	21	1.6	47	3.1
Maine	28	100.9	-	-	-	-	-	-	-	-	-	-
Massachusetts	1,474	77.6	145	7.3	281	14.6	240	12.9	27	1.5	68	3.8
New Hampshire	23	55.9	-	-	-	-	-	-	-	-	-	-
Rhode Island	155	65.7	11	4.6	36	15.3	35	16.0	-	-	-	-
Vermont	10	73.3	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	25,626	96.0	2,542	8.9	5,373	20.1	4,705	18.4	684	2.9	1,086	4.2
New Jersey	5,307	98.1	550	9.7	1,047	19.2	1,060	20.5	145	3.0	215	4.0
New York	13,209	86.4	1,337	8.1	2,555	16.7	2,425	16.6	386	2.8	583	4.0
Pennsylvania	7,110	119.5	655	10.2	1,771	30.1	1,220	21.4	153	2.9	288	4.9
South Atlantic	51,605	96.6	5,327	9.5	10,085	18.9	9,934	19.3	1,285	2.6	2,137	4.1
Delaware	778	100.4	61	7.7	176	22.8	126	16.4	21	3.1	38	5.1
District of Columbia	2,113	118.7	216	11.1	449	25.8	366	22.5	41	3.0	80	4.6
Florida	10,040	87.0	1,080	9.0	1,685	14.6	1,990	17.8	360	3.4	396	3.4
Georgia	10,086	94.8	1,069	9.7	1,883	17.9	2,055	19.5	262	2.5	458	4.4
Maryland	7,143	98.7	730	9.7	1,530	20.9	1,375	19.7	149	2.2	275	3.9
North Carolina	8,760	98.9	886	9.4	1,785	20.5	1,628	19.4	195	2.4	359	4.2
South Carolina	5,662	101.4	596	10.3	1,075	19.2	1,034	19.6	142	2.8	248	4.4
Virginia	6,724	100.9	660	9.3	1,436	21.5	1,320	20.8	111	1.9	269	4.1
West Virginia	299	105.9	29	8.7	66	22.9	40	15.9	-	-	14	5.3
East North Central	26,397	113.6	2,591	10.6	6,623	28.4	4,606	20.8	611	3.0	958	4.2
Illinois	9,198	115.4	985	11.6	2,227	27.7	1,615	21.3	270	3.8	354	4.5
Indiana	2,578	116.0	254	10.5	650	29.3	433	20.3	45	2.2	87	4.2
Michigan	6,708	113.1	655	10.6	1,620	27.1	1,192	21.2	149	2.9	252	4.3
Ohio	6,638	109.7	585	9.3	1,772	29.1	1,147	20.2	124	2.5	225	3.7
Wisconsin	1,275	121.5	112	10.4	354	34.8	219	20.6	23	2.2	40	3.8
East South Central	16,121	109.4	1,854	12.0	3,335	22.7	3,040	21.5	464	3.4	639	4.4
Alabama	5,385	102.9	622	11.2	988	18.8	999	20.2	159	3.5	243	4.6
Kentucky	1,516	114.7	156	10.8	432	32.9	256	20.3	31	2.7	42	3.1
Mississippi	4,613	112.0	568	13.2	911	22.3	905	22.7	145	3.7	179	4.5
Tennessee	4,607	113.7	508	12.1	1,004	25.0	880	22.4	129	3.4	175	4.4

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Black, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	4,993	111.2	474	10.0	1,222	27.6	846	19.1	110	2.7	161	3.5
Iowa	253	123.0	31	15.3	72	35.1	28	13.4	-	-	-	-
Kansas	718	119.5	78	12.0	187	30.6	113	20.1	-	-	23	4.1
Minnesota	527	88.6	36	5.8	99	16.8	83	13.6	12	1.8	18	2.9
Missouri	3,211	115.2	302	10.1	799	29.1	578	21.3	83	3.3	105	3.6
Nebraska	272	106.7	27	9.8	64	25.5	42	16.9	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
West South Central	20,559	107.9	2,242	11.4	4,409	23.3	4,100	22.2	573	3.2	756	4.0
Arkansas	1,906	111.7	223	12.4	403	24.1	345	21.2	71	4.7	82	5.0
Louisiana	6,316	113.0	671	11.6	1,370	24.4	1,262	23.5	155	3.1	221	4.0
Oklahoma	1,170	114.8	131	12.7	260	25.3	222	22.9	29	3.0	42	4.1
Texas	11,167	104.2	1,217	11.0	2,376	22.4	2,271	21.6	318	3.1	411	3.9
Mountain	1,564	85.7	170	9.3	322	17.5	280	15.5	27	1.5	78	4.3
Arizona	759	91.0	86	10.1	153	18.4	138	16.6	15	1.9	32	3.8
Colorado	613	86.1	58	8.4	135	18.8	106	15.1	-	-	31	4.2
Idaho	10	59.4	-	-	-	-	-	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	125	72.8	18	10.9	20	10.9	26	15.4	-	-	10	6.8
Utah	39	70.0	-	-	-	-	-	-	-	-	-	-
Wyoming	11	42.9	-	-	-	-	-	-	-	-	-	-
Pacific	12,422	102.8	1,301	10.4	2,652	21.9	2,327	20.0	238	2.2	510	4.4
Alaska	52	76.4	-	-	11	17.9	-	-	-	-	-	-
California	10,701	105.6	1,128	10.7	2,260	22.2	2,011	20.7	212	2.3	452	4.6
Hawaii	42	85.5	-	-	-	-	11	22.7	-	-	-	-
Nevada	742	89.5	91	10.7	177	21.0	146	18.0	13	1.8	22	2.7
Oregon	226	94.9	26	9.6	59	26.0	38	15.2	-	-	-	-
Washington	659	88.1	51	6.7	137	19.5	112	15.5	-	-	27	3.5

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2009-2013, Asian/Pacific Islander (API)**

<i>SITES</i>	MALES (API)					FEMALES (API)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	37,330	125.6	0.68	69.6	0.37	35,862	89.6	0.48	52.1	0.29
Oral Cavity & Pharynx	971	2.9	0.10	1.8	0.06	481	1.2	0.05	0.7	0.03
Digestive System	14,721	47.7	0.41	27.6	0.23	11,448	29.4	0.28	16.0	0.16
Esophagus	909	2.9	0.10	1.7	0.06	294	0.8	0.05	0.4	0.02
Stomach	2,210	7.5	0.17	4.1	0.09	1,769	4.4	0.11	2.5	0.06
Colon & Rectum	3,813	12.6	0.21	7.1	0.12	3,573	9.0	0.15	5.0	0.09
Liver	4,016	12.1	0.20	7.6	0.12	1,684	4.4	0.11	2.3	0.06
Pancreas	2,460	8.3	0.18	4.6	0.09	2,746	7.3	0.14	3.8	0.07
Respiratory System	9,761	33.8	0.36	18.0	0.19	7,106	18.3	0.22	10.0	0.12
Larynx	229	0.8	0.06	0.4	0.03	27	0.1	0.01	0.0	0.01
Lung & bronchus	9,458	32.7	0.35	17.5	0.18	7,021	18.1	0.22	9.9	0.12
Skin	216	0.7	0.05	0.4	0.03	190	0.5	0.03	0.3	0.02
Melanomas of the skin	119	0.4	0.04	0.2	0.02	128	0.3	0.03	0.2	0.02
Breast	36	0.1	0.02	0.1	0.01	4,891	11.2	0.16	7.6	0.11
Female Genital System	-	-	-	-	-	4,082	9.5	0.15	6.3	0.10
Cervix uteri	-	-	-	-	-	789	1.8	0.06	1.2	0.05
Corpus & uterus, NOS ¹	-	-	-	-	-	1,229	2.9	0.08	1.9	0.06
Ovary	-	-	-	-	-	1,916	4.5	0.11	3.0	0.07
Male Genital System	2,241	9.3	0.20	3.8	0.08	-	-	-	-	-
Prostate	2,181	9.1	0.20	3.7	0.08	-	-	-	-	-
Testis	27	0.1	0.01	0.1	0.01	-	-	-	-	-
Urinary System	1,661	5.9	0.15	3.0	0.08	852	2.2	0.08	1.1	0.04
Bladder	731	2.9	0.11	1.3	0.05	344	0.9	0.05	0.4	0.02
Kidney & renal pelvis	871	2.8	0.10	1.7	0.06	456	1.2	0.06	0.6	0.03
Brain & Other Nervous System	867	2.4	0.09	1.8	0.06	718	1.7	0.06	1.2	0.05
Endocrine System	277	0.9	0.05	0.6	0.03	381	1.0	0.05	0.6	0.03
Thyroid gland	170	0.6	0.04	0.3	0.02	290	0.8	0.05	0.4	0.02
Lymphomas	1,497	5.2	0.14	2.8	0.07	1,305	3.4	0.10	1.8	0.05
Hodgkin Lymphoma	66	0.2	0.03	0.1	0.02	36	0.1	0.02	0.1	0.01
Non-Hodgkin Lymphoma	1,431	4.9	0.14	2.6	0.07	1,269	3.3	0.09	1.8	0.05
Multiple Myeloma	618	2.2	0.09	1.1	0.05	483	1.3	0.06	0.7	0.03
Leukemias	1,573	5.1	0.14	3.0	0.08	1,264	3.1	0.09	2.0	0.06
Other, Ill-defined & Unknown	2,891	9.5	0.19	5.5	0.10	2,661	6.7	0.13	3.9	0.08

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	37,330	125.6	3,813	12.6	9,458	32.7	2,181	9.1	731	2.9	1,431	4.9
New England	1,022	117.9	82	9.2	281	34.3	46	7.9	17	2.5	31	3.4
Connecticut	224	114.7	15	6.0	59	30.5	10	9.6	-	-	-	-
Maine	18	107.7	-	-	-	-	-	-	-	-	-	-
Massachusetts	673	119.3	53	8.8	197	37.5	30	7.6	10	2.1	-	-
New Hampshire	30	96.9	-	-	-	-	-	-	-	-	-	-
Rhode Island	63	142.8	-	-	13	28.3	-	-	-	-	-	-
Vermont	14	125.9	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	5,173	112.4	509	11.3	1,312	29.6	241	6.9	91	2.4	205	4.5
New Jersey	1,159	94.0	108	8.5	276	22.7	56	6.3	25	2.8	-	-
New York	3,407	120.3	347	12.6	864	31.6	167	7.5	59	2.4	-	-
Pennsylvania	607	113.4	54	10.5	172	35.3	18	4.4	-	-	24	4.6
South Atlantic	3,255	102.0	328	10.3	789	25.1	173	7.9	77	3.0	119	3.8
Delaware	35	76.4	-	-	-	-	-	-	-	-	-	-
District of Columbia	28	107.0	-	-	-	-	-	-	-	-	-	-
Florida	855	91.2	105	11.1	209	22.7	52	7.4	16	2.1	-	-
Georgia	505	105.8	48	9.3	121	25.1	26	9.1	10	2.5	16	3.8
Maryland	638	102.5	66	11.2	147	24.0	26	5.2	25	4.8	-	-
North Carolina	282	100.3	17	5.0	72	28.9	11	6.6	-	-	-	-
South Carolina	86	87.5	-	-	25	27.4	-	-	-	-	-	-
Virginia	807	118.4	79	11.8	197	28.8	45	10.5	14	2.3	-	-
West Virginia	19	122.1	-	-	-	-	-	-	-	-	-	-
East North Central	2,145	112.5	225	11.8	509	27.8	129	9.4	34	2.4	80	4.6
Illinois	1,205	117.7	137	13.2	297	29.6	70	9.5	23	2.7	-	-
Indiana	113	89.8	11	9.1	20	19.7	-	-	-	-	-	-
Michigan	333	93.9	31	8.7	71	20.4	22	8.9	-	-	13	3.3
Ohio	319	109.9	27	8.7	91	34.3	20	8.2	-	-	-	-
Wisconsin	175	146.5	19	17.9	30	26.1	12	15.0	-	-	-	-
East South Central	310	102.7	27	10.3	83	26.5	16	9.3	-	-	14	4.5
Alabama	61	86.5	-	-	15	19.0	-	-	-	-	-	-
Kentucky	60	102.5	-	-	14	31.0	-	-	-	-	-	-
Mississippi	50	131.9	-	-	15	32.3	-	-	-	-	-	-
Tennessee	139	103.9	10	6.9	39	27.2	-	-	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	820	138.0	74	12.3	178	32.1	36	9.9	14	3.0	38	7.4
Iowa	87	158.3	-	-	21	38.4	-	-	-	-	-	-
Kansas	121	129.5	-	-	34	39.7	-	-	-	-	-	-
Minnesota	366	151.2	31	12.1	66	29.8	12	7.7	-	-	18	9.3
Missouri	168	118.4	21	15.9	39	28.5	-	-	-	-	-	-
Nebraska	60	126.9	-	-	12	23.9	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	13	174.4	-	-	-	-	-	-	-	-	-	-
West South Central	2,023	108.9	182	10.1	469	27.0	83	7.0	34	2.4	95	5.2
Arkansas	78	177.0	-	-	16	40.8	-	-	-	-	-	-
Louisiana	161	127.5	10	6.8	51	45.0	-	-	-	-	-	-
Oklahoma	101	100.1	-	-	30	25.4	-	-	-	-	-	-
Texas	1,683	106.3	157	10.3	372	25.3	65	6.7	31	2.5	-	-
Mountain	900	122.1	92	13.0	202	29.4	63	11.2	-	-	46	6.7
Arizona	345	114.6	41	14.4	85	29.9	22	9.5	-	-	18	6.3
Colorado	285	128.4	23	12.2	70	33.7	17	10.0	-	-	-	-
Idaho	49	155.1	-	-	-	-	-	-	-	-	-	-
Montana	14	149.1	-	-	-	-	-	-	-	-	-	-
New Mexico	69	120.3	-	-	15	25.7	-	-	-	-	-	-
Utah	133	116.5	15	13.4	19	19.1	15	18.7	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	21,682	137.9	2,294	14.2	5,635	36.5	1,394	10.0	453	3.2	803	5.2
Alaska	97	145.3	14	19.4	24	47.3	-	-	-	-	-	-
California	15,176	132.9	1,569	13.4	3,979	35.4	939	9.4	313	3.1	546	4.9
Hawaii	4,167	162.1	464	18.0	1,066	41.8	314	11.9	93	3.6	-	-
Nevada	556	122.5	75	14.9	154	34.5	37	10.5	12	3.2	17	3.8
Oregon	372	141.4	42	16.4	93	39.2	18	8.7	-	-	-	-
Washington	1,314	144.8	130	13.1	319	36.9	83	12.1	29	3.9	46	5.0

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Asian/Pacific Islander (API), Males

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	37,330	69.6	3,813	7.1	9,458	17.5	2,181	3.7	731	1.3	1,431	2.6
New England	1,022	66.3	82	5.2	281	18.1	46	3.2	17	1.1	31	1.9
Connecticut	224	63.9	15	4.2	59	16.2	10	3.5	-	-	-	-
Maine	18	55.5	-	-	-	-	-	-	-	-	-	-
Massachusetts	673	67.3	53	5.2	197	19.5	30	3.0	10	0.9	-	-
New Hampshire	30	49.4	-	-	-	-	-	-	-	-	-	-
Rhode Island	63	79.7	-	-	13	16.9	-	-	-	-	-	-
Vermont	14	93.6	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	5,173	61.1	509	6.0	1,312	15.3	241	2.9	91	1.1	205	2.4
New Jersey	1,159	50.5	108	4.7	276	12.0	56	2.5	25	1.1	-	-
New York	3,407	66.2	347	6.7	864	16.4	167	3.2	59	1.1	-	-
Pennsylvania	607	60.3	54	5.3	172	17.1	18	1.9	-	-	24	2.4
South Atlantic	3,255	57.0	328	5.7	789	14.0	173	3.1	77	1.4	119	2.1
Delaware	35	38.6	-	-	-	-	-	-	-	-	-	-
District of Columbia	28	61.2	-	-	-	-	-	-	-	-	-	-
Florida	855	52.1	105	6.4	209	12.8	52	3.1	16	1.0	-	-
Georgia	505	60.9	48	5.7	121	15.2	26	3.6	10	1.2	16	2.1
Maryland	638	57.7	66	5.8	147	13.2	26	2.4	25	2.2	-	-
North Carolina	282	54.9	17	3.4	72	14.7	11	2.4	-	-	-	-
South Carolina	86	50.7	-	-	25	15.9	-	-	-	-	-	-
Virginia	807	63.7	79	6.2	197	15.5	45	3.9	14	1.1	-	-
West Virginia	19	49.6	-	-	-	-	-	-	-	-	-	-
East North Central	2,145	60.3	225	6.3	509	14.3	129	3.8	34	1.0	80	2.3
Illinois	1,205	63.4	137	7.2	297	15.4	70	3.7	23	1.2	-	-
Indiana	113	48.5	11	4.6	20	9.0	-	-	-	-	-	-
Michigan	333	50.9	31	4.7	71	10.8	22	3.5	-	-	13	2.0
Ohio	319	60.3	27	5.2	91	17.3	20	4.1	-	-	-	-
Wisconsin	175	72.0	19	7.7	30	12.8	12	5.3	-	-	-	-
East South Central	310	57.8	27	5.3	83	15.9	16	3.5	-	-	14	2.6
Alabama	61	45.1	-	-	15	11.9	-	-	-	-	-	-
Kentucky	60	55.9	-	-	14	14.9	-	-	-	-	-	-
Mississippi	50	78.0	-	-	15	24.1	-	-	-	-	-	-
Tennessee	139	60.3	10	4.5	39	16.6	-	-	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Asian/Pacific Islander (API), Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	820	78.0	74	6.7	178	17.4	36	3.8	14	1.4	38	3.6
Iowa	87	83.2	-	-	21	19.5	-	-	-	-	-	-
Kansas	121	74.4	-	-	34	21.3	-	-	-	-	-	-
Minnesota	366	85.9	31	7.0	66	16.0	12	2.9	-	-	18	4.1
Missouri	168	65.0	21	7.8	39	15.8	-	-	-	-	-	-
Nebraska	60	82.4	-	-	12	14.7	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	13	96.9	-	-	-	-	-	-	-	-	-	-
West South Central	2,023	61.7	182	5.6	469	14.5	83	2.9	34	1.1	95	2.9
Arkansas	78	90.8	-	-	16	19.7	-	-	-	-	-	-
Louisiana	161	75.1	10	4.4	51	23.3	-	-	-	-	-	-
Oklahoma	101	60.6	-	-	30	17.3	-	-	-	-	-	-
Texas	1,683	59.9	157	5.6	372	13.5	65	2.6	31	1.1	-	-
Mountain	900	66.8	92	6.9	202	15.2	63	4.6	-	-	46	3.2
Arizona	345	63.3	41	7.8	85	15.6	22	4.2	-	-	18	3.0
Colorado	285	68.7	23	5.3	70	17.4	17	3.8	-	-	-	-
Idaho	49	80.4	-	-	-	-	-	-	-	-	-	-
Montana	14	78.2	-	-	-	-	-	-	-	-	-	-
New Mexico	69	70.0	-	-	15	15.4	-	-	-	-	-	-
Utah	133	65.9	15	7.8	19	9.7	15	7.4	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Pacific	21,682	77.4	2,294	8.3	5,635	19.7	1,394	4.1	453	1.4	803	2.8
Alaska	97	79.6	14	11.1	24	22.7	-	-	-	-	-	-
California	15,176	74.0	1,569	7.8	3,979	19.0	939	3.9	313	1.3	546	2.6
Hawaii	4,167	94.8	464	11.0	1,066	23.9	314	5.2	93	1.7	-	-
Nevada	556	71.0	75	9.5	154	19.2	37	4.7	12	1.6	17	2.1
Oregon	372	77.8	42	8.4	93	19.5	18	3.5	-	-	-	-
Washington	1,314	80.5	130	7.9	319	19.6	83	4.8	29	1.7	46	2.9

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	35,862	89.6	3,573	9.0	7,021	18.1	4,891	11.2	789	1.8	1,916	4.5
New England	843	78.0	90	8.8	154	15.5	110	8.2	13	1.0	41	3.6
Connecticut	187	76.8	18	8.1	27	12.2	34	10.2	-	-	-	-
Maine	19	71.7	-	-	-	-	-	-	-	-	-	-
Massachusetts	547	78.8	64	9.7	103	16.0	66	8.2	-	-	25	3.2
New Hampshire	23	45.1	-	-	-	-	-	-	-	-	-	-
Rhode Island	46	86.5	-	-	10	19.4	-	-	-	-	-	-
Vermont	21	150.5	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	4,473	77.3	447	8.1	852	15.5	633	9.7	100	1.5	288	4.5
New Jersey	1,102	70.7	106	7.1	197	13.6	197	11.2	24	1.3	77	4.3
New York	2,794	78.4	288	8.4	556	16.2	351	8.9	59	1.5	181	4.7
Pennsylvania	577	87.9	53	9.3	99	16.6	85	10.9	17	2.2	30	3.9
South Atlantic	3,426	80.3	316	7.5	711	17.5	456	9.2	88	1.7	200	4.1
Delaware	44	83.8	-	-	11	24.4	-	-	-	-	-	-
District of Columbia	36	89.3	-	-	-	-	-	-	-	-	-	-
Florida	981	76.4	85	6.8	217	17.3	138	9.7	29	1.9	59	4.1
Georgia	458	78.6	50	9.2	85	15.0	69	10.1	-	-	25	3.3
Maryland	637	81.8	70	8.9	126	16.9	86	9.0	18	1.9	44	5.0
North Carolina	310	85.0	22	5.3	76	21.7	37	8.6	-	-	14	2.7
South Carolina	131	94.6	-	-	28	22.4	15	10.5	-	-	-	-
Virginia	809	82.3	75	7.9	160	17.3	102	9.1	19	1.5	47	4.6
West Virginia	20	49.4	-	-	-	-	-	-	-	-	-	-
East North Central	2,185	85.0	211	8.4	411	16.6	296	10.2	54	1.8	135	4.9
Illinois	1,122	81.7	107	8.2	201	15.2	163	10.6	19	1.2	73	5.0
Indiana	163	86.2	16	8.0	27	15.7	25	11.6	-	-	-	-
Michigan	396	88.7	44	9.9	75	17.4	50	9.8	13	2.2	26	5.7
Ohio	328	87.4	32	8.4	72	20.0	46	11.7	12	2.6	16	3.7
Wisconsin	176	94.4	12	5.8	36	19.0	12	5.5	-	-	12	5.9
East South Central	402	94.9	35	8.1	100	26.5	41	8.4	11	1.8	18	3.6
Alabama	96	88.8	-	-	29	30.3	14	12.0	-	-	-	-
Kentucky	78	95.6	-	-	16	20.8	10	10.6	-	-	-	-
Mississippi	63	127.6	-	-	14	33.2	-	-	-	-	-	-
Tennessee	165	87.1	19	10.0	41	24.4	14	6.6	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	759	94.6	69	9.6	137	18.7	89	9.5	31	3.3	29	3.4
Iowa	70	88.3	-	-	15	17.3	-	-	-	-	-	-
Kansas	112	93.0	12	9.8	27	25.7	16	11.1	-	-	-	-
Minnesota	321	99.6	30	9.8	45	15.7	32	9.7	19	5.5	13	3.8
Missouri	178	90.1	20	12.3	32	16.9	28	11.5	-	-	-	-
Nebraska	58	105.9	-	-	13	26.6	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	15	117.4	-	-	-	-	-	-	-	-	-	-
West South Central	1,981	85.4	201	8.9	416	19.2	280	10.0	47	1.6	99	3.8
Arkansas	62	85.7	-	-	-	-	10	8.0	-	-	-	-
Louisiana	119	81.5	12	7.0	31	24.6	11	7.9	-	-	-	-
Oklahoma	196	137.9	16	11.4	50	38.4	27	14.9	-	-	10	6.7
Texas	1,604	82.0	166	8.8	327	17.7	232	9.8	33	1.4	84	3.8
Mountain	958	84.9	102	9.7	174	15.9	142	11.4	21	1.5	51	4.0
Arizona	377	83.5	41	9.7	63	14.3	62	11.7	11	2.1	28	5.7
Colorado	303	87.2	40	11.9	63	18.3	40	10.8	-	-	14	3.6
Idaho	40	75.4	-	-	-	-	-	-	-	-	-	-
Montana	15	77.6	-	-	-	-	-	-	-	-	-	-
New Mexico	71	77.3	-	-	18	19.0	10	11.0	-	-	-	-
Utah	141	92.4	11	8.9	19	14.2	22	13.4	-	-	-	-
Wyoming	11	105.8	-	-	-	-	-	-	-	-	-	-
Pacific	20,835	96.9	2,102	9.7	4,066	19.2	2,844	12.8	424	1.9	1,055	4.8
Alaska	108	107.1	10	10.2	24	25.1	18	14.7	-	-	-	-
California	14,649	94.4	1,514	9.7	2,759	18.0	2,055	12.7	308	1.9	755	4.7
Hawaii	3,679	109.2	363	10.7	793	23.4	441	13.9	56	1.9	157	4.8
Nevada	606	92.8	56	9.1	101	15.8	117	16.2	13	1.6	38	5.4
Oregon	383	99.7	37	9.7	86	24.4	39	9.5	-	-	24	5.8
Washington	1,410	103.9	122	8.8	303	23.1	174	11.8	37	2.4	77	5.4

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Asian/Pacific Islander (API), Females

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
United States	35,862	52.1	3,573	5.0	7,021	9.9	4,891	7.6	789	1.2	1,916	3.0
New England	843	44.7	90	4.5	154	8.1	110	5.8	13	0.7	41	2.1
Connecticut	187	44.4	18	4.2	27	6.4	34	7.6	-	-	-	-
Maine	19	40.4	-	-	-	-	-	-	-	-	-	-
Massachusetts	547	45.3	64	4.9	103	8.3	66	5.7	-	-	25	2.1
New Hampshire	23	27.8	-	-	-	-	-	-	-	-	-	-
Rhode Island	46	46.9	-	-	10	9.5	-	-	-	-	-	-
Vermont	21	82.6	-	-	-	-	-	-	-	-	-	-
Middle Atlantic	4,473	44.4	447	4.3	852	8.2	633	6.5	100	1.0	288	2.9
New Jersey	1,102	40.5	106	3.9	197	7.2	197	7.3	24	0.9	77	2.9
New York	2,794	45.6	288	4.4	556	8.7	351	6.0	59	1.0	181	3.0
Pennsylvania	577	47.9	53	4.3	99	8.2	85	7.2	17	1.5	30	2.6
South Atlantic	3,426	46.2	316	4.3	711	9.5	456	6.1	88	1.2	200	2.8
Delaware	44	41.1	-	-	11	10.0	-	-	-	-	-	-
District of Columbia	36	46.8	-	-	-	-	-	-	-	-	-	-
Florida	981	44.6	85	3.8	217	9.6	138	6.4	29	1.4	59	2.7
Georgia	458	44.0	50	5.0	85	8.0	69	6.3	-	-	25	2.5
Maryland	637	46.2	70	5.0	126	9.1	86	6.6	18	1.4	44	3.4
North Carolina	310	47.7	22	3.4	76	12.2	37	5.5	-	-	14	2.1
South Carolina	131	54.9	-	-	28	11.7	15	5.8	-	-	-	-
Virginia	809	48.4	75	4.5	160	9.4	102	6.1	19	1.1	47	2.9
West Virginia	20	37.9	-	-	-	-	-	-	-	-	-	-
East North Central	2,185	49.1	211	4.7	411	9.2	296	6.8	54	1.2	135	3.1
Illinois	1,122	47.5	107	4.4	201	8.4	163	7.3	19	0.8	73	3.1
Indiana	163	53.7	16	4.8	27	9.3	25	8.0	-	-	-	-
Michigan	396	49.9	44	5.6	75	9.7	50	6.1	13	1.7	26	3.2
Ohio	328	48.9	32	4.8	72	10.5	46	6.8	12	1.7	16	2.5
Wisconsin	176	55.7	12	3.9	36	11.3	12	4.1	-	-	12	3.8
East South Central	402	53.0	35	4.5	100	13.5	41	5.4	11	1.3	18	2.4
Alabama	96	48.5	-	-	29	14.9	14	7.0	-	-	-	-
Kentucky	78	50.4	-	-	16	11.0	10	6.8	-	-	-	-
Mississippi	63	66.5	-	-	14	14.1	-	-	-	-	-	-
Tennessee	165	52.6	19	5.8	41	13.6	14	4.3	-	-	-	-

**Total Cancer Deaths and Average Annual Age-adjusted (World Standard) Cancer Death Rates¹ for Selected Cancer Sites
United States, 2009-2013, Asian/Pacific Islander (API), Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
West North Central	759	54.2	69	4.7	137	9.9	89	6.3	31	2.1	29	2.1
Iowa	70	48.8	-	-	15	10.4	-	-	-	-	-	-
Kansas	112	50.7	12	5.3	27	11.9	16	7.2	-	-	-	-
Minnesota	321	59.3	30	5.1	45	8.6	32	5.9	19	3.5	13	2.4
Missouri	178	50.9	20	5.5	32	9.1	28	7.8	-	-	-	-
Nebraska	58	60.2	-	-	13	12.7	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	15	64.9	-	-	-	-	-	-	-	-	-	-
West South Central	1,981	48.6	201	4.9	416	10.3	280	6.7	47	1.1	99	2.5
Arkansas	62	47.0	-	-	-	-	10	6.7	-	-	-	-
Louisiana	119	47.9	12	4.6	31	12.2	11	4.6	-	-	-	-
Oklahoma	196	80.2	16	5.9	50	20.8	27	10.7	-	-	10	4.2
Texas	1,604	46.5	166	4.9	327	9.5	232	6.6	33	0.9	84	2.5
Mountain	958	49.3	102	5.0	174	9.0	142	7.5	21	1.1	51	2.6
Arizona	377	47.3	41	5.0	63	7.9	62	7.9	11	1.5	28	3.6
Colorado	303	50.3	40	6.3	63	10.9	40	6.9	-	-	14	2.3
Idaho	40	46.2	-	-	-	-	-	-	-	-	-	-
Montana	15	48.6	-	-	-	-	-	-	-	-	-	-
New Mexico	71	46.2	-	-	18	11.6	10	6.4	-	-	-	-
Utah	141	57.9	11	4.5	19	7.7	22	8.8	-	-	-	-
Wyoming	11	46.1	-	-	-	-	-	-	-	-	-	-
Pacific	20,835	57.4	2,102	5.5	4,066	10.6	2,844	8.8	424	1.4	1,055	3.2
Alaska	108	61.6	10	5.6	24	13.6	18	10.2	-	-	-	-
California	14,649	55.7	1,514	5.5	2,759	10.0	2,055	8.8	308	1.4	755	3.2
Hawaii	3,679	67.2	363	6.6	793	13.5	441	9.7	56	1.5	157	3.2
Nevada	606	55.0	56	5.1	101	9.0	117	11.1	13	1.3	38	3.4
Oregon	383	58.5	37	5.3	86	12.8	39	6.3	-	-	24	3.6
Washington	1,410	58.7	122	4.9	303	12.2	174	7.7	37	1.6	77	3.3

¹ Rates are per 100,000 and are age-adjusted using the World population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the U.S. and regional combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2009-2013, American Indian/Alaskan Native (AI/AN)**

<i>SITES</i>	MALES (AI/AN)					FEMALES (AI/AN)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	7,663	136.6	1.76	78.2	0.91	6,946	98.5	1.25	58.9	0.72
Oral Cavity & Pharynx	153	2.3	0.21	1.5	0.12	68	0.9	0.12	0.6	0.07
Digestive System	2,515	41.4	0.94	25.1	0.51	1,917	27.7	0.67	16.0	0.37
Esophagus	241	4.0	0.29	2.4	0.16	82	1.2	0.14	0.7	0.08
Stomach	273	4.9	0.33	2.8	0.17	178	2.6	0.20	1.5	0.11
Colon & Rectum	803	13.9	0.56	8.1	0.29	744	10.8	0.42	6.2	0.23
Liver	571	8.1	0.38	5.6	0.24	247	3.6	0.24	2.0	0.13
Pancreas	431	7.1	0.39	4.3	0.21	409	5.9	0.31	3.4	0.17
Respiratory System	2,152	39.0	0.93	22.3	0.49	1,732	25.2	0.64	15.0	0.37
Larynx	72	1.2	0.16	0.7	0.09	24	0.3	0.06	0.2	0.05
Lung & bronchus	2,060	37.5	0.92	21.4	0.48	1,704	24.9	0.63	14.7	0.36
Skin	115	2.0	0.21	1.2	0.11	54	0.8	0.11	0.4	0.06
Melanomas of the skin	61	1.0	0.15	0.6	0.08	36	0.5	0.09	0.3	0.05
Breast	-	-	-	-	-	845	11.1	0.40	7.2	0.25
Female Genital System	-	-	-	-	-	776	10.2	0.39	6.6	0.24
Cervix uteri	-	-	-	-	-	180	2.1	0.16	1.5	0.12
Corpus & uterus, NOS ¹	-	-	-	-	-	183	2.5	0.19	1.6	0.12
Ovary	-	-	-	-	-	370	5.0	0.28	3.2	0.17
Male Genital System	644	15.4	0.66	6.9	0.27	-	-	-	-	-
Prostate	615	15.0	0.66	6.6	0.27	-	-	-	-	-
Testis	21	0.2	0.04	0.2	0.04	-	-	-	-	-
Urinary System	491	9.0	0.46	5.1	0.23	274	4.2	0.26	2.3	0.14
Bladder	146	3.1	0.29	1.5	0.13	64	1.0	0.13	0.6	0.07
Kidney & renal pelvis	335	5.7	0.35	3.4	0.19	202	3.1	0.23	1.7	0.12
Brain & Other Nervous System	174	2.3	0.19	1.7	0.13	134	1.7	0.15	1.2	0.10
Endocrine System	27	0.5	0.11	0.3	0.05	35	0.5	0.08	0.3	0.05
Thyroid gland	19	0.4	0.10	0.2	0.04	25	0.4	0.07	0.2	0.04
Lymphomas	239	4.3	0.31	2.4	0.16	157	2.6	0.21	1.3	0.11
Hodgkin Lymphoma	12	0.2	0.07	0.1	0.03	-	-	-	-	-
Non-Hodgkin Lymphoma	227	4.1	0.30	2.3	0.16	-	-	-	-	-
Multiple Myeloma	130	2.5	0.25	1.4	0.12	129	2.0	0.18	1.1	0.10
Leukemias	263	4.8	0.34	2.6	0.17	203	2.7	0.20	1.8	0.13
Other, Ill-defined & Unknown	-	-	-	-	-	622	9.1	0.38	5.1	0.21

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2009-2013, Hispanic Ethnicity**

<i>SITES</i>	MALES (HISPANIC)					FEMALES (HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	85,625	145.0	0.54	81.5	0.29	77,102	98.5	0.37	58.3	0.22
Oral Cavity & Pharynx	1,555	2.4	0.06	1.5	0.04	600	0.8	0.03	0.4	0.02
Digestive System	31,673	51.1	0.31	30.3	0.17	22,909	30.4	0.21	17.1	0.12
Esophagus	2,478	4.1	0.09	2.4	0.05	579	0.8	0.03	0.4	0.02
Stomach	4,384	7.1	0.12	4.1	0.06	3,312	4.1	0.07	2.5	0.04
Colon & Rectum	9,183	15.4	0.17	8.7	0.09	7,173	9.4	0.11	5.3	0.06
Liver	7,709	11.4	0.14	7.4	0.09	3,042	4.2	0.08	2.3	0.04
Pancreas	5,725	9.6	0.14	5.6	0.08	5,672	7.8	0.11	4.2	0.06
Respiratory System	16,676	30.2	0.25	16.4	0.13	10,109	13.8	0.14	7.6	0.08
Larynx	943	1.6	0.06	0.9	0.03	130	0.2	0.02	0.1	0.01
Lung & bronchus	15,519	28.3	0.24	15.3	0.13	9,874	13.5	0.14	7.4	0.08
Skin	1,063	1.7	0.06	1.0	0.03	622	0.8	0.03	0.5	0.02
Melanomas of the skin	645	1.0	0.04	0.6	0.02	474	0.6	0.03	0.4	0.02
Breast	90	0.1	0.02	0.1	0.01	12,218	14.5	0.14	9.5	0.09
Female Genital System	-	-	-	-	-	10,355	12.5	0.13	8.1	0.08
Cervix uteri	-	-	-	-	-	2,474	2.6	0.05	1.9	0.04
Corpus & uterus, NOS ¹	-	-	-	-	-	2,912	3.6	0.07	2.3	0.04
Ovary	-	-	-	-	-	4,436	5.5	0.09	3.4	0.05
Male Genital System	8,363	17.7	0.20	7.8	0.09	-	-	-	-	-
Prostate	7,773	17.1	0.20	7.4	0.09	-	-	-	-	-
Testis	382	0.3	0.02	0.3	0.01	-	-	-	-	-
Urinary System	5,101	9.0	0.14	4.9	0.07	2,712	3.7	0.07	2.0	0.04
Bladder	1,928	4.0	0.10	1.9	0.04	866	1.2	0.04	0.6	0.02
Kidney & renal pelvis	3,085	4.9	0.10	3.0	0.06	1,775	2.3	0.06	1.3	0.03
Brain & Other Nervous System	2,635	3.4	0.07	2.3	0.05	2,159	2.4	0.05	1.7	0.04
Endocrine System	529	0.7	0.04	0.5	0.02	679	0.8	0.03	0.5	0.02
Thyroid gland	315	0.5	0.03	0.3	0.02	477	0.6	0.03	0.4	0.02
Lymphomas	4,169	6.9	0.12	3.8	0.06	3,353	4.5	0.08	2.4	0.04
Hodgkin Lymphoma	397	0.6	0.03	0.3	0.02	246	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	3,772	6.3	0.11	3.5	0.06	3,107	4.2	0.08	2.3	0.04
Multiple Myeloma	1,952	3.5	0.08	1.9	0.04	1,700	2.3	0.06	1.3	0.03
Leukemias	4,216	6.2	0.11	3.7	0.06	3,416	4.0	0.07	2.6	0.05
Other, Ill-defined & Unknown	7,603	12.2	0.15	7.1	0.08	6,270	8.0	0.10	4.6	0.06

* Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
United States, 2009-2013, Non-Hispanic Ethnicity**

<i>SITES</i>	MALES (NON-HISPANIC)					FEMALES (NON-HISPANIC)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	1,424,474	208.6	0.18	119.1	0.10	1,293,818	147.2	0.13	88.4	0.09
Oral Cavity & Pharynx	28,253	3.9	0.02	2.6	0.02	12,298	1.4	0.01	0.8	0.01
Digestive System	377,428	54.0	0.09	32.5	0.06	288,862	32.3	0.06	18.4	0.04
Esophagus	54,785	7.7	0.03	4.8	0.02	14,186	1.6	0.01	0.9	0.01
Stomach	28,852	4.2	0.03	2.5	0.02	19,395	2.2	0.02	1.3	0.01
Colon & Rectum	125,331	18.4	0.05	10.6	0.03	116,831	13.0	0.04	7.3	0.02
Liver	52,651	7.1	0.03	4.8	0.02	19,536	2.2	0.02	1.3	0.01
Pancreas	89,104	12.8	0.04	7.6	0.03	86,840	9.7	0.03	5.5	0.02
Respiratory System	434,392	62.5	0.10	36.6	0.06	347,050	39.7	0.07	23.8	0.04
Larynx	13,689	1.9	0.02	1.2	0.01	3,620	0.4	0.01	0.3	0.00
Lung & bronchus	418,025	60.2	0.09	35.1	0.06	341,915	39.1	0.07	23.5	0.04
Skin	40,519	6.0	0.03	3.4	0.02	19,584	2.3	0.02	1.4	0.01
Melanomas of the skin	29,569	4.3	0.03	2.6	0.02	15,382	1.8	0.01	1.2	0.01
Breast	2,053	0.3	0.01	0.2	0.00	192,005	22.2	0.05	14.3	0.04
Female Genital System	-	-	-	-	-	134,212	15.5	0.04	10.0	0.03
Cervix uteri	-	-	-	-	-	17,702	2.3	0.02	1.7	0.01
Corpus & uterus, NOS ¹	-	-	-	-	-	39,993	4.5	0.02	2.9	0.02
Ovary	-	-	-	-	-	67,474	7.7	0.03	4.8	0.02
Male Genital System	134,351	21.3	0.06	9.4	0.03	-	-	-	-	-
Prostate	131,497	20.9	0.06	9.1	0.03	-	-	-	-	-
Testis	1,537	0.2	0.01	0.2	0.01	-	-	-	-	-
Urinary System	93,371	14.0	0.05	7.4	0.03	44,662	4.9	0.02	2.6	0.01
Bladder	51,230	7.9	0.04	3.8	0.02	20,807	2.2	0.02	1.1	0.01
Kidney & renal pelvis	39,955	5.7	0.03	3.4	0.02	22,261	2.5	0.02	1.4	0.01
Brain & Other Nervous System	38,426	5.5	0.03	3.9	0.02	30,137	3.6	0.02	2.6	0.02
Endocrine System	5,763	0.8	0.01	0.6	0.01	6,413	0.8	0.01	0.5	0.01
Thyroid gland	3,532	0.5	0.01	0.3	0.01	4,345	0.5	0.01	0.3	0.00
Lymphomas	55,027	8.3	0.04	4.5	0.02	44,641	5.0	0.02	2.7	0.01
Hodgkin Lymphoma	2,955	0.4	0.01	0.3	0.01	2,258	0.3	0.01	0.2	0.00
Non-Hodgkin Lymphoma	52,072	7.8	0.03	4.2	0.02	42,383	4.7	0.02	2.5	0.01
Multiple Myeloma	28,628	4.3	0.03	2.3	0.01	24,379	2.7	0.02	1.5	0.01
Leukemias	61,932	9.5	0.04	5.2	0.02	45,679	5.2	0.02	3.0	0.02
Other, Ill-defined & Unknown	124,331	18.3	0.05	10.6	0.03	103,896	11.7	0.04	6.9	0.02

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 2000 U.S.</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	189,290	222.7	0.52	120.9	0.29	171,368	156.7	0.38	91.9	0.25
Oral Cavity & Pharynx	3,857	4.2	0.07	2.7	0.04	1,777	1.6	0.04	1.0	0.03
Digestive System	54,980	63.6	0.28	35.5	0.16	43,207	38.9	0.19	21.1	0.11
Esophagus	6,729	7.5	0.09	4.5	0.06	2,057	1.8	0.04	1.0	0.03
Stomach	5,766	6.7	0.09	3.7	0.05	3,764	3.4	0.06	1.9	0.03
Colon & Rectum	23,148	27.4	0.18	14.6	0.10	20,102	17.9	0.13	9.4	0.08
Liver	4,935	5.5	0.08	3.3	0.05	1,855	1.7	0.04	1.0	0.03
Pancreas	9,952	11.3	0.12	6.5	0.07	10,069	9.1	0.09	5.1	0.06
Respiratory System	54,955	63.0	0.27	35.5	0.16	44,059	40.7	0.20	24.8	0.13
Larynx	1,711	1.9	0.05	1.1	0.03	384	0.4	0.02	0.2	0.01
Lung & bronchus	52,691	60.4	0.27	34.0	0.15	43,385	40.0	0.19	24.5	0.13
Skin	4,293	5.0	0.08	2.8	0.05	2,477	2.3	0.05	1.3	0.03
Melanomas of the skin	3,093	3.5	0.06	2.1	0.04	1,824	1.7	0.04	1.1	0.03
Breast	237	0.3	0.02	0.2	0.01	24,816	22.9	0.15	14.3	0.10
Female Genital System	-	-	-	-	-	15,792	14.6	0.12	9.2	0.08
Cervix uteri	-	-	-	-	-	1,943	1.9	0.04	1.4	0.03
Corpus & uterus, NOS ¹	-	-	-	-	-	4,467	4.1	0.06	2.5	0.04
Ovary	-	-	-	-	-	8,165	7.5	0.08	4.7	0.06
Male Genital System	19,139	25.1	0.18	10.5	0.08	-	-	-	-	-
Prostate	18,727	24.6	0.18	10.1	0.08	-	-	-	-	-
Testis	195	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	12,417	15.0	0.14	7.6	0.07	6,148	5.5	0.07	2.8	0.04
Bladder	6,825	8.6	0.11	4.0	0.05	2,880	2.5	0.05	1.2	0.03
Kidney & renal pelvis	5,058	5.8	0.08	3.3	0.05	2,937	2.7	0.05	1.5	0.03
Brain & Other Nervous System	5,444	6.0	0.08	4.2	0.06	4,124	4.0	0.06	2.9	0.05
Endocrine System	704	0.8	0.03	0.6	0.02	809	0.8	0.03	0.5	0.02
Thyroid gland	375	0.4	0.02	0.3	0.01	510	0.5	0.02	0.2	0.01
Lymphomas	7,416	8.7	0.10	4.8	0.06	6,086	5.6	0.07	3.0	0.04
Hodgkin Lymphoma	366	0.4	0.02	0.3	0.02	253	0.3	0.02	0.2	0.01
Non-Hodgkin Lymphoma	7,050	8.3	0.10	4.5	0.06	5,833	5.3	0.07	2.9	0.04
Multiple Myeloma	3,456	4.1	0.07	2.2	0.04	2,913	2.6	0.05	1.4	0.03
Leukemias	7,084	8.5	0.10	4.6	0.06	5,367	5.0	0.07	2.8	0.05
Other, Ill-defined & Unknown	15,308	18.4	0.15	9.7	0.08	13,793	12.4	0.11	6.8	0.07

* Rates are per 100,000 population and were age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age and to the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted Cancer Death Rates*
Canada, 2008-2012, All Races**

<i>SITES</i>	MALES (ALL RACES)					FEMALES (ALL RACES)				
	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>	<i>Deaths</i>	<i>Adj. Rate 1996 Cdn</i>	<i>S.E.</i>	<i>Adj. Rate World</i>	<i>S.E.</i>
All Sites	189,290	203.2	0.47	120.9	0.29	171,368	145.2	0.36	91.9	0.25
Oral Cavity & Pharynx	3,857	4.0	0.06	2.7	0.04	1,777	1.5	0.04	1.0	0.03
Digestive System	54,980	58.4	0.25	35.5	0.16	43,207	35.3	0.18	21.1	0.11
Esophagus	6,729	7.0	0.09	4.5	0.06	2,057	1.7	0.04	1.0	0.03
Stomach	5,766	6.2	0.08	3.7	0.05	3,764	3.1	0.05	1.9	0.03
Colon & Rectum	23,148	24.9	0.17	14.6	0.10	20,102	16.1	0.12	9.4	0.08
Liver	4,935	5.1	0.07	3.3	0.05	1,855	1.6	0.04	1.0	0.03
Pancreas	9,952	10.5	0.11	6.5	0.07	10,069	8.4	0.09	5.1	0.06
Respiratory System	54,955	58.5	0.25	35.5	0.16	44,059	38.4	0.19	24.8	0.13
Larynx	1,711	1.8	0.04	1.1	0.03	384	0.3	0.02	0.2	0.01
Lung & bronchus	52,691	56.1	0.25	34.0	0.15	43,385	37.8	0.18	24.5	0.13
Skin	4,293	4.6	0.07	2.8	0.05	2,477	2.1	0.04	1.3	0.03
Melanomas of the skin	3,093	3.3	0.06	2.1	0.04	1,824	1.6	0.04	1.1	0.03
Breast	237	0.3	0.02	0.2	0.01	24,816	21.4	0.14	14.3	0.10
Female Genital System	-	-	-	-	-	15,792	13.8	0.11	9.2	0.08
Cervix uteri	-	-	-	-	-	1,943	1.9	0.04	1.4	0.03
Corpus & uterus, NOS ¹	-	-	-	-	-	4,467	3.8	0.06	2.5	0.04
Ovary	-	-	-	-	-	8,165	7.1	0.08	4.7	0.06
Male Genital System	19,139	21.5	0.16	10.5	0.08	-	-	-	-	-
Prostate	18,727	21.0	0.15	10.1	0.08	-	-	-	-	-
Testis	195	0.2	0.02	0.2	0.01	-	-	-	-	-
Urinary System	12,417	13.4	0.12	7.6	0.07	6,148	4.9	0.06	2.8	0.04
Bladder	6,825	7.5	0.09	4.0	0.05	2,880	2.2	0.04	1.2	0.03
Kidney & renal pelvis	5,058	5.3	0.08	3.3	0.05	2,937	2.4	0.05	1.5	0.03
Brain & Other Nervous System	5,444	5.7	0.08	4.2	0.06	4,124	3.8	0.06	2.9	0.05
Endocrine System	704	0.8	0.03	0.6	0.02	809	0.7	0.03	0.5	0.02
Thyroid gland	375	0.4	0.02	0.3	0.01	510	0.4	0.02	0.2	0.01
Lymphomas	7,416	8.0	0.09	4.8	0.06	6,086	5.1	0.07	3.0	0.04
Hodgkin Lymphoma	366	0.4	0.02	0.3	0.02	253	0.2	0.02	0.2	0.01
Non-Hodgkin Lymphoma	7,050	7.6	0.09	4.5	0.06	5,833	4.9	0.07	2.9	0.04
Multiple Myeloma	3,456	3.7	0.06	2.2	0.04	2,913	2.4	0.05	1.4	0.03
Leukemias	7,084	7.8	0.09	4.6	0.06	5,367	4.5	0.06	2.8	0.05
Other, Ill-defined & Unknown	15,308	16.6	0.14	9.7	0.08	13,793	11.3	0.10	6.8	0.07

* Rates are per 100,000 and are age-adjusted using the 1996 Canadian population standard and the World population standard.

- Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the counts and rates for All Sites combined.

¹ Abbreviations: NOS - Not Otherwise Specified

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2008-2012, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	189,290	222.7	23,148	27.4	52,691	60.4	18,727	24.6	6,825	8.6	7,050	8.3
Alberta	15,260	204.2	1,861	24.9	3,714	49	1,791	27.7	538	7.9	558	7.4
British Columbia	24,058	197.1	2,910	23.9	6,038	48.5	2,632	23.4	993	8.6	954	7.9
Manitoba	6,861	228	865	28.8	1,690	55.5	838	29.9	232	8	-	-
New Brunswick	4,967	239.4	563	27.6	1,616	75.9	467	25.2	168	8.7	-	-
Newfoundland and Labrador	3,648	261.6	586	41.9	1,054	72	328	28.5	100	8.2	-	-
Northwest Territories	152	270.6	29	44.6	39	79.8	13	32.2	-	-	-	-
Nova Scotia	6,575	255.1	899	35.1	1,853	69.3	631	27.8	229	9.5	242	9.3
Nunavut	100	382.1	19	51.3	43	183.5	-	-	-	-	-	-
Ontario	69,520	215.2	8,410	26.2	17,841	53.9	7,133	24.5	2,576	8.5	2,701	8.3
Prince Edward Island	899	233.1	104	27.2	285	70.6	88	27	31	8.8	29	8.1
Quebec	51,091	248.3	6,168	30.3	16,992	79.8	3,903	21.8	1,704	9	1,809	8.9
Saskatchewan	5,984	216.3	713	25.6	1,476	53.1	889	32.8	245	9	213	7.8
Yukon	175	273.7	21	30.4	50	76.8	13	27.9	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2008-2012, All Races, Males**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Prostate		Bladder		Non-Hodgkin Lymphoma	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	189,290	203.2	23,148	24.9	52,691	56.1	18,727	21	6,825	7.5	7,050	7.6
Alberta	15,260	186.3	1,861	22.7	3,714	45.4	1,791	23.8	538	6.9	558	6.8
British Columbia	24,058	179.5	2,910	21.7	6,038	44.8	2,632	20	993	7.5	954	7.1
Manitoba	6,861	208.2	865	26.3	1,690	51.4	838	25.5	232	7	-	-
New Brunswick	4,967	218.7	563	25	1,616	70.3	467	21.6	168	7.6	-	-
Newfoundland and Labrador	3,648	238.4	586	38.2	1,054	67	328	24.1	100	7.1	-	-
Northwest Territories	152	252.2	29	43.3	39	72.9	13	29.1	-	-	-	-
Nova Scotia	6,575	232.3	899	31.9	1,853	64.4	631	23.4	229	8.3	242	8.6
Nunavut	100	355.3	19	47.2	43	172.1	-	-	-	-	-	-
Ontario	69,520	196.2	8,410	23.8	17,841	50	7,133	20.9	2,576	7.4	2,701	7.6
Prince Edward Island	899	213.8	104	24.6	285	66.3	88	22.4	31	7.6	29	7.3
Quebec	51,091	226.4	6,168	27.5	16,992	73.9	3,903	18.5	1,704	7.9	1,809	8.1
Saskatchewan	5,984	198	713	23.3	1,476	49.6	889	28.3	245	7.9	213	7.2
Yukon	175	252.1	21	28.6	50	71.7	13	24.4	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted using the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (2000 US Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2008-2012, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada²	171,368	156.7	20,102	17.9	43,385	40	24,816	22.9	1,943	1.9	8,165	7.5
Alberta	13,455	144.8	1,442	15.4	3,365	36.9	2,004	21.2	177	1.9	674	7.2
British Columbia	21,452	145.9	2,596	17.2	5,427	37.3	3,008	20.7	219	1.6	1,166	8
Manitoba	6,511	164.6	795	19.2	1,601	41.4	955	24.6	82	2.4	307	8.1
New Brunswick	4,289	159.6	477	17.1	1,091	41.1	608	22.5	55	2.2	195	7.4
Newfoundland and Labrador	2,993	173.5	433	25.5	636	36.2	470	26.7	40	2.6	129	7.4
Northwest Territories	120	214.2	16	30.1	31	56.9	15	23.3	-	-	-	-
Nova Scotia	6,030	177	785	22.5	1,575	46.8	817	24.2	70	2.3	274	7.9
Nunavut	88	326.9	11	36.5	38	155.1	-	-	-	-	-	-
Ontario	63,595	151.5	7,211	16.7	15,073	36.2	9,515	22.9	783	2	3,141	7.6
Prince Edward Island	833	166.7	118	23.5	219	44.7	107	21.2	12	2.6	37	7.2
Quebec	46,510	169.7	5,567	19.8	12,960	47.6	6,469	24	397	1.6	1,987	7.3
Saskatchewan	5,351	155.1	632	17.5	1,327	39.7	821	23.6	102	3.5	247	7.4
Yukon	141	217	19	28.4	42	67.5	22	29	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted by five-year age groups to the 2000 U.S. standard population based on single years of age. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.

**Total Cancer Deaths and Average Annual Age-adjusted (1996 Canadian Standard) Cancer Death Rates¹ for Selected Cancer Sites
Canada, 2008-2012, All Races, Females**

Geographic Region	All Cancer		Colon & Rectum		Lung & Bronchus		Breast		Cervix		Ovary	
	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>	<i>Deaths</i>	<i>Rate</i>
Canada	171,368	145.2	20,102	16.1	43,385	37.8	24,816	21.4	1,943	1.9	8,165	7.1
Alberta	13,455	134.8	1,442	13.9	3,365	35	2,004	19.8	177	1.8	674	6.8
British Columbia	21,452	135.2	2,596	15.6	5,427	34.9	3,008	19.4	219	1.5	1,166	7.5
Manitoba	6,511	153	795	17.4	1,601	38.9	955	23.2	82	2.3	307	7.7
New Brunswick	4,289	147.7	477	15.4	1,091	38.6	608	21	55	2.1	195	7
Newfoundland and Labrador	2,993	160.7	433	23.2	636	34.3	470	24.7	40	2.5	129	7
Northwest Territories	120	197.8	16	28.1	31	53.8	15	21.1	-	-	-	-
Nova Scotia	6,030	164.2	785	20.4	1,575	44.1	817	22.6	70	2.2	274	7.4
Nunavut	88	307.2	11	35.1	38	149.7	-	-	-	-	-	-
Ontario	63,595	140.2	7,211	15	15,073	34	9,515	21.4	783	1.9	3,141	7.1
Prince Edward Island	833	155.9	118	21.4	219	42.5	107	19.9	12	2.6	37	6.7
Quebec	46,510	157.2	5,567	17.7	12,960	45.2	6,469	22.4	397	1.6	1,987	6.9
Saskatchewan	5,351	144.8	632	15.9	1,327	37.6	821	22	102	3.5	247	7
Yukon	141	201.4	19	26.3	42	63.2	22	27.5	-	-	-	-

¹ Rates are per 100,000 population and are age-adjusted using the 1996 Canadian population standard. Counts and rates are suppressed when fewer than 10 cases were reported for the specific cancer. The suppressed cases, however, are included in the Canadian combined counts and rates.